

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
19 July 2001 (19.07.2001)

PCT

(10) International Publication Number  
**WO 01/51633 A2**

(51) International Patent Classification<sup>7</sup>: **C12N 15/12**,  
C07K 14/47, C12N 5/10, 5/08, 1/21, C07K 16/18, G01N  
33/68, C07K 19/00, C12N 15/11, A61K 38/17, C12Q 1/68

(21) International Application Number: PCT/US01/01574

(22) International Filing Date: 16 January 2001 (16.01.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
09/483,672 14 January 2000 (14.01.2000) US

(71) Applicant (for all designated States except US): **CORIXA CORPORATION** [US/US]; 1124 Columbia Street, Suite 200, Seattle, WA 98104 (US).

(72) Inventors; and


(75) Inventors/Applicants (for US only): **XU, Jiangchun** [US/US]; 15805 S.E. 43rd Place, Bellevue, WA 98006 (US). **DILLON, Davin, C.** [US/US]; 18112 N.W. Montreux Drive, Issaquah, WA 98027 (US). **MITCHAM,**

**Jennifer, L.** [US/US]; 16677 N.E. 88th Street, Redmond, WA 98052 (US). **HARLOCKER, Susan, L.** [US/US]; 7522 13th Avenue W., Seattle, WA 98117 (US). **JIANG, Yuqiu** [CN/US]; 5001 South 232nd Street, Kent, WA 98032 (US). **REED, Steven, G.** [US/US]; 2843 122nd Place N.E., Bellevue, WA 98005 (US). **KALOS, Michael, D.** [US/US]; 8116 Dayton Ave. N., Seattle, WA 98103 (US). **FANGER, Gary, Richard** [US/US]; 15906 29th Drive S.E., Mill Creek, WA 98012 (US). **DAY, Craig, H.** [US/US]; 11501 Stone Ave. N., C122, Seattle, WA 98133 (US). **RETTTER, Marc, W.** [US/US]; 33402 N.E. 43rd Place, Carnation, WA 98104 (US). **STOLK, John, A.** [US/US]; 7436 Northeast 144th Place, Bothell, WA 98011 (US). **SKEIKY, Yasir, A.W.** [LB/US]; 15106 S.E. 47th Place, Bellevue, WA 98006 (US). **WANG, Aijun** [CN/US]; 3106 213th Place S.E., Issaquah, WA 98029 (US). **MEAGHER, Madeleine, Joy** [US/US]; 507 N.E. 71st, #1, Seattle, WA 98115 (US).

(74) Agents: **POTTER, Jane, E.R.**; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 et al. (US).

[Continued on next page]

(54) Title: COMPOSITIONS AND METHODS FOR THE THERAPY AND DIAGNOSIS OF PROSTATE CANCER



(57) Abstract: Compositions and methods for the therapy and diagnosis of cancer, particularly prostate cancer, are disclosed. Illustrative compositions comprise one or more prostate-specific polypeptides, immunogenic portions thereof, polynucleotides that encode such polypeptides, antigen presenting cell that expresses such polypeptides, and T cells that are specific for cells expressing such polypeptides. The disclosed compositions are useful, for example, in the diagnosis, prevention and/or treatment of diseases, particularly prostate cancer.

WO 01/51633 A2



(81) **Designated States (national):** AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

--- without international search report and to be republished upon receipt of that report

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

## COMPOSITIONS AND METHODS FOR THE THERAPY AND DIAGNOSIS OF PROSTATE CANCER

### 5 TECHNICAL FIELD OF THE INVENTION

The present invention relates generally to therapy and diagnosis of cancer, such as prostate cancer. The invention is more specifically related to polypeptides, comprising at least a portion of a prostate-specific protein, and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides  
10 are useful in pharmaceutical compositions, *e.g.*, vaccines, and other compositions for the diagnosis and treatment of prostate cancer.

### BACKGROUND OF THE INVENTION

Cancer is a significant health problem throughout the world. Although Cancer is a significant health problem throughout the world. Although advances have  
15 been made in detection and therapy of cancer, no vaccine or other universally successful method for prevention or treatment is currently available. Current therapies, which are generally based on a combination of chemotherapy or surgery and radiation, continue to prove inadequate in many patients.

Prostate cancer is the most common form of cancer among males, with  
20 an estimated incidence of 30% in men over the age of 50. Overwhelming clinical evidence shows that human prostate cancer has the propensity to metastasize to bone, and the disease appears to progress inevitably from androgen dependent to androgen refractory status, leading to increased patient mortality. This prevalent disease is currently the second leading cause of cancer death among men in the U.S.

25 In spite of considerable research into therapies for the disease, prostate cancer remains difficult to treat. Commonly, treatment is based on surgery and/or radiation therapy, but these methods are ineffective in a significant percentage of cases. Two previously identified prostate specific proteins - prostate specific antigen (PSA)

and prostatic acid phosphatase (PAP) - have limited therapeutic and diagnostic potential. For example, PSA levels do not always correlate well with the presence of prostate cancer, being positive in a percentage of non-prostate cancer cases, including benign prostatic hyperplasia (BPH). Furthermore, PSA measurements correlate with  
5 prostate volume, and do not indicate the level of metastasis.

In spite of considerable research into therapies for these and other cancers, prostate cancer remains difficult to diagnose and treat effectively. Accordingly, there is a need in the art for improved methods for detecting and treating such cancers. The present invention fulfills these needs and further provides other related advantages.

## 10 SUMMARY OF THE INVENTION

In one aspect, the present invention provides polynucleotide compositions comprising a sequence selected from the group consisting of:

(a) sequences provided in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524,  
15 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788;

(b) complements of the sequences provided in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382  
20 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788;

(c) sequences consisting of at least 20 contiguous residues of a sequence provided in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315,  
25 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788;

(d) sequences that hybridize to a sequence provided in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375,



381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788, under moderately stringent conditions;

5 (e) sequences having at least 75% identity to a sequence of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788;

10 (f) sequences having at least 90% identity to a sequence of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788; and

15 (g) degenerate variants of a sequence provided in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788.

20 In one preferred embodiment, the polynucleotide compositions of the invention are expressed in at least about 20%, more preferably in at least about 30%, and most preferably in at least about 50% of prostate tissue samples tested, at a level that is at least about 2-fold, preferably at least about 5-fold, and most preferably at least about 10-fold higher than that for other normal tissues.

25 The present invention, in another aspect, provides polypeptide compositions comprising an amino acid sequence that is encoded by a polynucleotide sequence described above.

The present invention further provides polypeptide compositions comprising an amino acid sequence selected from the group consisting of sequences  
30 recited in SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380, 383,

477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534, 537-551, 553-568, 573-586, 588-590, 592, 627-629, 632, 633, 635, 637, 638, 656-671, 675, 683, 684, 710, 712, 714, 715, 717-719, 723-734, 736, 740-750, 752, 754, 755, 766-772, 777-785 and 789-791.

In certain preferred embodiments, the polypeptides and/or  
5 polynucleotides of the present invention are immunogenic, *i.e.*, they are capable of eliciting an immune response, particularly a humoral and/or cellular immune response, as further described herein.

The present invention further provides fragments, variants and/or derivatives of the disclosed polypeptide and/or polynucleotide sequences, wherein the  
10 fragments, variants and/or derivatives preferably have a level of immunogenic activity of at least about 50%, preferably at least about 70% and more preferably at least about 90% of the level of immunogenic activity of a polypeptide sequence set forth in SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534, 537-551, 553-568, 573-586, 588-590, 592, 627-  
15 629, 632, 633, 635, 637, 638, 656-671, 675, 683, 684, 710, 712, 714, 715, 717-719, 723-734, 736, 740-750, 752, 754, 755, 766-772, 777-785 or 789-791, or a polypeptide sequence encoded by a polynucleotide sequence set forth in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626,  
20 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788.

The present invention further provides polynucleotides that encode a polypeptide described above, expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

25 Within other aspects, the present invention provides pharmaceutical compositions comprising a polypeptide or polynucleotide as described above and a physiologically acceptable carrier.

Within a related aspect of the present invention, pharmaceutical compositions, *e.g.*, vaccine compositions, are provided for prophylactic or therapeutic  
30 applications. Such compositions generally comprise an immunogenic polypeptide or

polynucleotide of the invention and an immunostimulant, such as an adjuvant, together with a physiologically acceptable carrier.

The present invention further provides pharmaceutical compositions that comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to  
5 a polypeptide of the present invention, or a fragment thereof; and (b) a physiologically acceptable carrier.

Within further aspects, the present invention provides pharmaceutical compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a pharmaceutically acceptable carrier or excipient. Illustrative  
10 antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B cells.

Within related aspects, pharmaceutical compositions are provided that comprise: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) an immunostimulant.

15 The present invention further provides, in other aspects, fusion proteins that comprise at least one polypeptide as described above, as well as polynucleotides encoding such fusion proteins, typically in the form of pharmaceutical compositions, *e.g.*, vaccine compositions, comprising a physiologically acceptable carrier and/or an immunostimulant. The fusions proteins may comprise multiple immunogenic  
20 polypeptides or portions/variants thereof, as described herein, and may further comprise one or more polypeptide segments for facilitating and/or enhancing the expression, purification and/or immunogenicity of the polypeptide(s).

Within further aspects, the present invention provides methods for stimulating an immune response in a patient, preferably a T cell response in a human  
25 patient, comprising administering a pharmaceutical composition described herein. The patient may be afflicted with prostate cancer, in which case the methods provide treatment for the disease, or a patient considered to be at risk for such a disease may be treated prophylactically.

Within further aspects, the present invention provides methods for  
30 inhibiting the development of a cancer in a patient, comprising administering to a

patient a pharmaceutical composition as recited above. The patient may be afflicted with prostate cancer, in which case the methods provide treatment for the disease, or a patient considered to be at risk for such a disease may be treated prophylactically.

The present invention further provides, within other aspects, methods for  
5 removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a polypeptide of the present invention, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the polypeptide from the sample.

Within related aspects, methods are provided for inhibiting the  
10 development of a cancer in a patient, comprising administering to a patient a biological sample treated as described above.

Methods are further provided, within other aspects, for stimulating and/or expanding T cells specific for a polypeptide of the present invention, comprising contacting T cells with one or more of: (i) a polypeptide as described above; (ii) a  
15 polynucleotide encoding such a polypeptide; and (iii) an antigen presenting cell that expresses such a polypeptide; under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells. Isolated T cell populations comprising T cells prepared as described above are also provided.

Within further aspects, the present invention provides methods for  
20 inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population as described above.

The present invention further provides methods for inhibiting the development of a cancer in a patient, comprising the steps of: (a) incubating CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells isolated from a patient with one or more of: (i) a polypeptide  
25 comprising at least an immunogenic portion of polypeptide disclosed herein; (ii) a polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that expressed such a polypeptide; and (b) administering to the patient an effective amount of the proliferated T cells, thereby inhibiting the development of a cancer in the patient. Proliferated cells may, but need not, be cloned prior to administration to the patient.

Within further aspects, the present invention provides methods for determining the presence or absence of a cancer, preferably a prostate cancer, in a patient comprising: (a) contacting a biological sample obtained from a patient with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and (c) comparing the amount of polypeptide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within preferred embodiments, the binding agent is an antibody, more preferably a monoclonal antibody.

The present invention also provides, within other aspects, methods for monitoring the progression of a cancer in a patient. Such methods comprise the steps of: (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polypeptide detected in step (c) with the amount detected in step (b), and therefrom monitoring the progression of the cancer in the patient.

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide of the present invention; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide of the present invention, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that hybridizes to an inventive polynucleotide, or a complement of such a polynucleotide.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide of the present invention; (b) detecting in the sample an amount of a polynucleotide that  
5 hybridizes to the oligonucleotide; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polynucleotide detected in step (c) with the amount detected in step (b), and therefrom monitoring the progression of the cancer in the patient.

Within further aspects, the present invention provides antibodies, such as  
10 monoclonal antibodies, that bind to a polypeptide as described above, as well as diagnostic kits comprising such antibodies. Diagnostic kits comprising one or more oligonucleotide probes or primers as described above are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All  
15 references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

#### BRIEF DESCRIPTION OF THE DRAWINGS AND SEQUENCE IDENTIFIERS

Figure 1 illustrates the ability of T cells to kill fibroblasts expressing the representative prostate-specific polypeptide P502S, as compared to control fibroblasts.  
20 The percentage lysis is shown as a series of effector:target ratios, as indicated.

Figures 2A and 2B illustrate the ability of T cells to recognize cells expressing the representative prostate-specific polypeptide P502S. In each case, the number of  $\gamma$ -interferon spots is shown for different numbers of responders. In Figure 2A, data is presented for fibroblasts pulsed with the P2S-12 peptide, as compared to  
25 fibroblasts pulsed with a control E75 peptide. In Figure 2B, data is presented for fibroblasts expressing P502S, as compared to fibroblasts expressing HER-2/*neu*.

Figure 3 represents a peptide competition binding assay showing that the P1S#10 peptide, derived from P501S, binds HLA-A2. Peptide P1S#10 inhibits HLA-A2 restricted presentation of fluM58 peptide to CTL clone D150M58 in TNF release

bioassay. D150M58 CTL is specific for the HLA-A2 binding influenza matrix peptide fluM58.

Figure 4 illustrates the ability of T cell lines generated from P1S#10 immunized mice to specifically lyse P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat A2Kb targets, as compared to EGFP-transduced Jurkat A2Kb. The percent lysis is shown as a series of effector to target ratios, as indicated.

Figure 5 illustrates the ability of a T cell clone to recognize and specifically lyse Jurkat A2Kb cells expressing the representative prostate-specific polypeptide P501S, thereby demonstrating that the P1S#10 peptide may be a naturally processed epitope of the P501S polypeptide.

Figures 6A and 6B are graphs illustrating the specificity of a CD8<sup>+</sup> cell line (3A-1) for a representative prostate-specific antigen (P501S). Figure 6A shows the results of a <sup>51</sup>Cr release assay. The percent specific lysis is shown as a series of effector:target ratios, as indicated. Figure 6B shows the production of interferon-gamma by 3A-1 cells stimulated with autologous B-LCL transduced with P501S, at varying effector:target ratios as indicated.

Figure 7 is a Western blot showing the expression of P501S in baculovirus.

Figure 8 illustrates the results of epitope mapping studies on P501S.

Figure 9 is a schematic representation of the P501S protein showing the location of transmembrane domains and predicted intracellular and extracellular domains.

Figure 10 is a genomic map showing the location of the prostate genes P775P, P704P, B305D, P712P and P774P within the Cat Eye Syndrome region of chromosome 22q11.2.

Figure 11 shows the results of an ELISA assay to determine the specificity of rabbit polyclonal antisera raised against P501S.

SEQ ID NO: 1 is the determined cDNA sequence for F1-13

SEQ ID NO: 2 is the determined 3' cDNA sequence for F1-12

SEQ ID NO: 3 is the determined 5' cDNA sequence for F1-12

SEQ ID NO: 4 is the determined 3' cDNA sequence for F1-16  
SEQ ID NO: 5 is the determined 3' cDNA sequence for H1-1  
SEQ ID NO: 6 is the determined 3' cDNA sequence for H1-9  
SEQ ID NO: 7 is the determined 3' cDNA sequence for H1-4  
5 SEQ ID NO: 8 is the determined 3' cDNA sequence for J1-17  
SEQ ID NO: 9 is the determined 5' cDNA sequence for J1-17  
SEQ ID NO: 10 is the determined 3' cDNA sequence for L1-12  
SEQ ID NO: 11 is the determined 5' cDNA sequence for L1-12  
SEQ ID NO: 12 is the determined 3' cDNA sequence for N1-1862  
10 SEQ ID NO: 13 is the determined 5' cDNA sequence for N1-1862  
SEQ ID NO: 14 is the determined 3' cDNA sequence for J1-13  
SEQ ID NO: 15 is the determined 5' cDNA sequence for J1-13  
SEQ ID NO: 16 is the determined 3' cDNA sequence for J1-19  
SEQ ID NO: 17 is the determined 5' cDNA sequence for J1-19  
15 SEQ ID NO: 18 is the determined 3' cDNA sequence for J1-25  
SEQ ID NO: 19 is the determined 5' cDNA sequence for J1-25  
SEQ ID NO: 20 is the determined 5' cDNA sequence for J1-24  
SEQ ID NO: 21 is the determined 3' cDNA sequence for J1-24  
SEQ ID NO: 22 is the determined 5' cDNA sequence for K1-58  
20 SEQ ID NO: 23 is the determined 3' cDNA sequence for K1-58  
SEQ ID NO: 24 is the determined 5' cDNA sequence for K1-63  
SEQ ID NO: 25 is the determined 3' cDNA sequence for K1-63  
SEQ ID NO: 26 is the determined 5' cDNA sequence for L1-4  
SEQ ID NO: 27 is the determined 3' cDNA sequence for L1-4  
25 SEQ ID NO: 28 is the determined 5' cDNA sequence for L1-14  
SEQ ID NO: 29 is the determined 3' cDNA sequence for L1-14  
SEQ ID NO: 30 is the determined 3' cDNA sequence for J1-12  
SEQ ID NO: 31 is the determined 3' cDNA sequence for J1-16  
SEQ ID NO: 32 is the determined 3' cDNA sequence for J1-21  
30 SEQ ID NO: 33 is the determined 3' cDNA sequence for K1-48



SEQ ID NO: 34 is the determined 3' cDNA sequence for K1-55  
SEQ ID NO: 35 is the determined 3' cDNA sequence for L1-2  
SEQ ID NO: 36 is the determined 3' cDNA sequence for L1-6  
SEQ ID NO: 37 is the determined 3' cDNA sequence for N1-1858  
5 SEQ ID NO: 38 is the determined 3' cDNA sequence for N1-1860  
SEQ ID NO: 39 is the determined 3' cDNA sequence for N1-1861  
SEQ ID NO: 40 is the determined 3' cDNA sequence for N1-1864  
SEQ ID NO: 41 is the determined cDNA sequence for P5  
SEQ ID NO: 42 is the determined cDNA sequence for P8  
10 SEQ ID NO: 43 is the determined cDNA sequence for P9  
SEQ ID NO: 44 is the determined cDNA sequence for P18  
SEQ ID NO: 45 is the determined cDNA sequence for P20  
SEQ ID NO: 46 is the determined cDNA sequence for P29  
SEQ ID NO: 47 is the determined cDNA sequence for P30  
15 SEQ ID NO: 48 is the determined cDNA sequence for P34  
SEQ ID NO: 49 is the determined cDNA sequence for P36  
SEQ ID NO: 50 is the determined cDNA sequence for P38  
SEQ ID NO: 51 is the determined cDNA sequence for P39  
SEQ ID NO: 52 is the determined cDNA sequence for P42  
20 SEQ ID NO: 53 is the determined cDNA sequence for P47  
SEQ ID NO: 54 is the determined cDNA sequence for P49  
SEQ ID NO: 55 is the determined cDNA sequence for P50  
SEQ ID NO: 56 is the determined cDNA sequence for P53  
SEQ ID NO: 57 is the determined cDNA sequence for P55  
25 SEQ ID NO: 58 is the determined cDNA sequence for P60  
SEQ ID NO: 59 is the determined cDNA sequence for P64  
SEQ ID NO: 60 is the determined cDNA sequence for P65  
SEQ ID NO: 61 is the determined cDNA sequence for P73  
SEQ ID NO: 62 is the determined cDNA sequence for P75  
30 SEQ ID NO: 63 is the determined cDNA sequence for P76

SEQ ID NO: 64 is the determined cDNA sequence for P79

SEQ ID NO: 65 is the determined cDNA sequence for P84

SEQ ID NO: 66 is the determined cDNA sequence for P68

5    to as P704P)  
SEQ ID NO: 67 is the determined cDNA sequence for P80 (also referred

SEQ ID NO: 68 is the determined cDNA sequence for P82

SEQ ID NO: 69 is the determined cDNA sequence for U1-3064

SEQ ID NO: 70 is the determined cDNA sequence for U1-3065

SEQ ID NO: 71 is the determined cDNA sequence for V1-3692

10    SEQ ID NO: 72 is the determined cDNA sequence for 1A-3905

SEQ ID NO: 73 is the determined cDNA sequence for V1-3686

SEQ ID NO: 74 is the determined cDNA sequence for R1-2330

SEQ ID NO: 75 is the determined cDNA sequence for 1B-3976

SEQ ID NO: 76 is the determined cDNA sequence for V1-3679

15    SEQ ID NO: 77 is the determined cDNA sequence for 1G-4736

SEQ ID NO: 78 is the determined cDNA sequence for 1G-4738

SEQ ID NO: 79 is the determined cDNA sequence for 1G-4741

SEQ ID NO: 80 is the determined cDNA sequence for 1G-4744

SEQ ID NO: 81 is the determined cDNA sequence for 1G-4734

20    SEQ ID NO: 82 is the determined cDNA sequence for 1H-4774

SEQ ID NO: 83 is the determined cDNA sequence for 1H-4781

SEQ ID NO: 84 is the determined cDNA sequence for 1H-4785

SEQ ID NO: 85 is the determined cDNA sequence for 1H-4787

SEQ ID NO: 86 is the determined cDNA sequence for 1H-4796

25    SEQ ID NO: 87 is the determined cDNA sequence for 1I-4807

SEQ ID NO: 88 is the determined cDNA sequence for 1I-4810

SEQ ID NO: 89 is the determined cDNA sequence for 1I-4811

SEQ ID NO: 90 is the determined cDNA sequence for 1J-4876

SEQ ID NO: 91 is the determined cDNA sequence for 1K-4884

30    SEQ ID NO: 92 is the determined cDNA sequence for 1K-4896

- SEQ ID NO: 93 is the determined cDNA sequence for 1G-4761  
SEQ ID NO: 94 is the determined cDNA sequence for 1G-4762  
SEQ ID NO: 95 is the determined cDNA sequence for 1H-4766  
SEQ ID NO: 96 is the determined cDNA sequence for 1H-4770  
5 SEQ ID NO: 97 is the determined cDNA sequence for 1H-4771  
SEQ ID NO: 98 is the determined cDNA sequence for 1H-4772  
SEQ ID NO: 99 is the determined cDNA sequence for 1D-4297  
SEQ ID NO: 100 is the determined cDNA sequence for 1D-4309  
SEQ ID NO: 101 is the determined cDNA sequence for 1D.1-4278  
10 SEQ ID NO: 102 is the determined cDNA sequence for 1D-4288  
SEQ ID NO: 103 is the determined cDNA sequence for 1D-4283  
SEQ ID NO: 104 is the determined cDNA sequence for 1D-4304  
SEQ ID NO: 105 is the determined cDNA sequence for 1D-4296  
SEQ ID NO: 106 is the determined cDNA sequence for 1D-4280  
15 SEQ ID NO: 107 is the determined full length cDNA sequence for F1-12  
(also referred to as P504S)  
SEQ ID NO: 108 is the predicted amino acid sequence for F1-12  
SEQ ID NO: 109 is the determined full length cDNA sequence for J1-17  
SEQ ID NO: 110 is the determined full length cDNA sequence for L1-12  
20 (also referred to as P501S)  
SEQ ID NO: 111 is the determined full length cDNA sequence for N1-  
1862 (also referred to as P503S)  
SEQ ID NO: 112 is the predicted amino acid sequence for J1-17  
SEQ ID NO: 113 is the predicted amino acid sequence for L1-12 (also  
25 referred to as P501S)  
SEQ ID NO: 114 is the predicted amino acid sequence for N1-1862 (also  
referred to as P503S)  
SEQ ID NO: 115 is the determined cDNA sequence for P89  
SEQ ID NO: 116 is the determined cDNA sequence for P90  
30 SEQ ID NO: 117 is the determined cDNA sequence for P92

SEQ ID NO: 118 is the determined cDNA sequence for P95  
SEQ ID NO: 119 is the determined cDNA sequence for P98  
SEQ ID NO: 120 is the determined cDNA sequence for P102  
SEQ ID NO: 121 is the determined cDNA sequence for P110  
5 SEQ ID NO: 122 is the determined cDNA sequence for P111  
SEQ ID NO: 123 is the determined cDNA sequence for P114  
SEQ ID NO: 124 is the determined cDNA sequence for P115  
SEQ ID NO: 125 is the determined cDNA sequence for P116  
SEQ ID NO: 126 is the determined cDNA sequence for P124  
10 SEQ ID NO: 127 is the determined cDNA sequence for P126  
SEQ ID NO: 128 is the determined cDNA sequence for P130  
SEQ ID NO: 129 is the determined cDNA sequence for P133  
SEQ ID NO: 130 is the determined cDNA sequence for P138  
SEQ ID NO: 131 is the determined cDNA sequence for P143  
15 SEQ ID NO: 132 is the determined cDNA sequence for P151  
SEQ ID NO: 133 is the determined cDNA sequence for P156  
SEQ ID NO: 134 is the determined cDNA sequence for P157  
SEQ ID NO: 135 is the determined cDNA sequence for P166  
SEQ ID NO: 136 is the determined cDNA sequence for P176  
20 SEQ ID NO: 137 is the determined cDNA sequence for P178  
SEQ ID NO: 138 is the determined cDNA sequence for P179  
SEQ ID NO: 139 is the determined cDNA sequence for P185  
SEQ ID NO: 140 is the determined cDNA sequence for P192  
SEQ ID NO: 141 is the determined cDNA sequence for P201  
25 SEQ ID NO: 142 is the determined cDNA sequence for P204  
SEQ ID NO: 143 is the determined cDNA sequence for P208  
SEQ ID NO: 144 is the determined cDNA sequence for P211  
SEQ ID NO: 145 is the determined cDNA sequence for P213  
SEQ ID NO: 146 is the determined cDNA sequence for P219  
30 SEQ ID NO: 147 is the determined cDNA sequence for P237

SEQ ID NO: 148 is the determined cDNA sequence for P239  
SEQ ID NO: 149 is the determined cDNA sequence for P248  
SEQ ID NO: 150 is the determined cDNA sequence for P251  
SEQ ID NO: 151 is the determined cDNA sequence for P255  
5 SEQ ID NO: 152 is the determined cDNA sequence for P256  
SEQ ID NO: 153 is the determined cDNA sequence for P259  
SEQ ID NO: 154 is the determined cDNA sequence for P260  
SEQ ID NO: 155 is the determined cDNA sequence for P263  
SEQ ID NO: 156 is the determined cDNA sequence for P264  
10 SEQ ID NO: 157 is the determined cDNA sequence for P266  
SEQ ID NO: 158 is the determined cDNA sequence for P270  
SEQ ID NO: 159 is the determined cDNA sequence for P272  
SEQ ID NO: 160 is the determined cDNA sequence for P278  
SEQ ID NO: 161 is the determined cDNA sequence for P105  
15 SEQ ID NO: 162 is the determined cDNA sequence for P107  
SEQ ID NO: 163 is the determined cDNA sequence for P137  
SEQ ID NO: 164 is the determined cDNA sequence for P194  
SEQ ID NO: 165 is the determined cDNA sequence for P195  
SEQ ID NO: 166 is the determined cDNA sequence for P196  
20 SEQ ID NO: 167 is the determined cDNA sequence for P220  
SEQ ID NO: 168 is the determined cDNA sequence for P234  
SEQ ID NO: 169 is the determined cDNA sequence for P235  
SEQ ID NO: 170 is the determined cDNA sequence for P243  
SEQ ID NO: 171 is the determined cDNA sequence for P703P-DE1  
25 SEQ ID NO: 172 is the predicted amino acid sequence for P703P-DE1  
SEQ ID NO: 173 is the determined cDNA sequence for P703P-DE2  
SEQ ID NO: 174 is the determined cDNA sequence for P703P-DE6  
SEQ ID NO: 175 is the determined cDNA sequence for P703P-DE13  
SEQ ID NO: 176 is the predicted amino acid sequence for P703P-DE13  
30 SEQ ID NO: 177 is the determined cDNA sequence for P703P-DE14

SEQ ID NO: 178 is the predicted amino acid sequence for P703P-DE14

SEQ ID NO: 179 is the determined extended cDNA sequence for 1G-

4736

SEQ ID NO: 180 is the determined extended cDNA sequence for 1G-

5 4738

SEQ ID NO: 181 is the determined extended cDNA sequence for 1G-

4741

SEQ ID NO: 182 is the determined extended cDNA sequence for 1G-

4744

10

SEQ ID NO: 183 is the determined extended cDNA sequence for 1H-

4774

SEQ ID NO: 184 is the determined extended cDNA sequence for 1H-

4781

SEQ ID NO: 185 is the determined extended cDNA sequence for 1H-

15 4785

SEQ ID NO: 186 is the determined extended cDNA sequence for 1H-

4787

SEQ ID NO: 187 is the determined extended cDNA sequence for 1H-

4796

20

SEQ ID NO: 188 is the determined extended cDNA sequence for 1I-

4807

SEQ ID NO: 189 is the determined 3' cDNA sequence for 1I-4810

SEQ ID NO: 190 is the determined 3' cDNA sequence for 1I-4811

SEQ ID NO: 191 is the determined extended cDNA sequence for 1J-

25 4876

SEQ ID NO: 192 is the determined extended cDNA sequence for 1K-

4884

SEQ ID NO: 193 is the determined extended cDNA sequence for 1K-

4896

SEQ ID NO: 194 is the determined extended cDNA sequence for 1G-  
4761

SEQ ID NO: 195 is the determined extended cDNA sequence for 1G-  
4762

5 SEQ ID NO: 196 is the determined extended cDNA sequence for 1H-  
4766

SEQ ID NO: 197 is the determined 3' cDNA sequence for 1H-4770  
SEQ ID NO: 198 is the determined 3' cDNA sequence for 1H-4771  
SEQ ID NO: 199 is the determined extended cDNA sequence for 1H-  
10 4772

SEQ ID NO: 200 is the determined extended cDNA sequence for 1D-  
4309

SEQ ID NO: 201 is the determined extended cDNA sequence for 1D.1-  
4278

15 SEQ ID NO: 202 is the determined extended cDNA sequence for 1D-  
4288

SEQ ID NO: 203 is the determined extended cDNA sequence for 1D-  
4283

SEQ ID NO: 204 is the determined extended cDNA sequence for 1D-  
20 4304

SEQ ID NO: 205 is the determined extended cDNA sequence for 1D-  
4296

SEQ ID NO: 206 is the determined extended cDNA sequence for 1D-  
4280

25 SEQ ID NO: 207 is the determined cDNA sequence for 10-d8fwd  
SEQ ID NO: 208 is the determined cDNA sequence for 10-H10con  
SEQ ID NO: 209 is the determined cDNA sequence for 11-C8rev  
SEQ ID NO: 210 is the determined cDNA sequence for 7.g6fwd  
SEQ ID NO: 211 is the determined cDNA sequence for 7.g6rev  
30 SEQ ID NO: 212 is the determined cDNA sequence for 8-b5fwd

SEQ ID NO: 213 is the determined cDNA sequence for 8-b5rev  
SEQ ID NO: 214 is the determined cDNA sequence for 8-b6fwd  
SEQ ID NO: 215 is the determined cDNA sequence for 8-b6 rev  
SEQ ID NO: 216 is the determined cDNA sequence for 8-d4fwd  
5 SEQ ID NO: 217 is the determined cDNA sequence for 8-d9rev  
SEQ ID NO: 218 is the determined cDNA sequence for 8-g3fwd  
SEQ ID NO: 219 is the determined cDNA sequence for 8-g3rev  
SEQ ID NO: 220 is the determined cDNA sequence for 8-h11rev  
SEQ ID NO: 221 is the determined cDNA sequence for g-f12fwd  
10 SEQ ID NO: 222 is the determined cDNA sequence for g-f3rev  
SEQ ID NO: 223 is the determined cDNA sequence for P509S  
SEQ ID NO: 224 is the determined cDNA sequence for P510S  
SEQ ID NO: 225 is the determined cDNA sequence for P703DE5  
SEQ ID NO: 226 is the determined cDNA sequence for 9-A11  
15 SEQ ID NO: 227 is the determined cDNA sequence for 8-C6  
SEQ ID NO: 228 is the determined cDNA sequence for 8-H7  
SEQ ID NO: 229 is the determined cDNA sequence for JPTPN13  
SEQ ID NO: 230 is the determined cDNA sequence for JPTPN14  
SEQ ID NO: 231 is the determined cDNA sequence for JPTPN23  
20 SEQ ID NO: 232 is the determined cDNA sequence for JPTPN24  
SEQ ID NO: 233 is the determined cDNA sequence for JPTPN25  
SEQ ID NO: 234 is the determined cDNA sequence for JPTPN30  
SEQ ID NO: 235 is the determined cDNA sequence for JPTPN34  
SEQ ID NO: 236 is the determined cDNA sequence for PTPN35  
25 SEQ ID NO: 237 is the determined cDNA sequence for JPTPN36  
SEQ ID NO: 238 is the determined cDNA sequence for JPTPN38  
SEQ ID NO: 239 is the determined cDNA sequence for JPTPN39  
SEQ ID NO: 240 is the determined cDNA sequence for JPTPN40  
SEQ ID NO: 241 is the determined cDNA sequence for JPTPN41  
30 SEQ ID NO: 242 is the determined cDNA sequence for JPTPN42



SEQ ID NO: 243 is the determined cDNA sequence for JPTPN45  
SEQ ID NO: 244 is the determined cDNA sequence for JPTPN46  
SEQ ID NO: 245 is the determined cDNA sequence for JPTPN51  
SEQ ID NO: 246 is the determined cDNA sequence for JPTPN56  
5 SEQ ID NO: 247 is the determined cDNA sequence for PTPN64  
SEQ ID NO: 248 is the determined cDNA sequence for JPTPN65  
SEQ ID NO: 249 is the determined cDNA sequence for JPTPN67  
SEQ ID NO: 250 is the determined cDNA sequence for JPTPN76  
SEQ ID NO: 251 is the determined cDNA sequence for JPTPN84  
10 SEQ ID NO: 252 is the determined cDNA sequence for JPTPN85  
SEQ ID NO: 253 is the determined cDNA sequence for JPTPN86  
SEQ ID NO: 254 is the determined cDNA sequence for JPTPN87  
SEQ ID NO: 255 is the determined cDNA sequence for JPTPN88  
SEQ ID NO: 256 is the determined cDNA sequence for JP1F1  
15 SEQ ID NO: 257 is the determined cDNA sequence for JP1F2  
SEQ ID NO: 258 is the determined cDNA sequence for JP1C2  
SEQ ID NO: 259 is the determined cDNA sequence for JP1B1  
SEQ ID NO: 260 is the determined cDNA sequence for JP1B2  
SEQ ID NO: 261 is the determined cDNA sequence for JP1D3  
20 SEQ ID NO: 262 is the determined cDNA sequence for JP1A4  
SEQ ID NO: 263 is the determined cDNA sequence for JP1F5  
SEQ ID NO: 264 is the determined cDNA sequence for JP1E6  
SEQ ID NO: 265 is the determined cDNA sequence for JP1D6  
SEQ ID NO: 266 is the determined cDNA sequence for JP1B5  
25 SEQ ID NO: 267 is the determined cDNA sequence for JP1A6  
SEQ ID NO: 268 is the determined cDNA sequence for JP1E8  
SEQ ID NO: 269 is the determined cDNA sequence for JP1D7  
SEQ ID NO: 270 is the determined cDNA sequence for JP1D9  
SEQ ID NO: 271 is the determined cDNA sequence for JP1C10  
30 SEQ ID NO: 272 is the determined cDNA sequence for JP1A9

SEQ ID NO: 273 is the determined cDNA sequence for JP1F12  
SEQ ID NO: 274 is the determined cDNA sequence for JP1E12  
SEQ ID NO: 275 is the determined cDNA sequence for JP1D11  
SEQ ID NO: 276 is the determined cDNA sequence for JP1C11  
5 SEQ ID NO: 277 is the determined cDNA sequence for JP1C12  
SEQ ID NO: 278 is the determined cDNA sequence for JP1B12  
SEQ ID NO: 279 is the determined cDNA sequence for JP1A12  
SEQ ID NO: 280 is the determined cDNA sequence for JP8G2  
SEQ ID NO: 281 is the determined cDNA sequence for JP8H1  
10 SEQ ID NO: 282 is the determined cDNA sequence for JP8H2  
SEQ ID NO: 283 is the determined cDNA sequence for JP8A3  
SEQ ID NO: 284 is the determined cDNA sequence for JP8A4  
SEQ ID NO: 285 is the determined cDNA sequence for JP8C3  
SEQ ID NO: 286 is the determined cDNA sequence for JP8G4  
15 SEQ ID NO: 287 is the determined cDNA sequence for JP8B6  
SEQ ID NO: 288 is the determined cDNA sequence for JP8D6  
SEQ ID NO: 289 is the determined cDNA sequence for JP8F5  
SEQ ID NO: 290 is the determined cDNA sequence for JP8A8  
SEQ ID NO: 291 is the determined cDNA sequence for JP8C7  
20 SEQ ID NO: 292 is the determined cDNA sequence for JP8D7  
SEQ ID NO: 293 is the determined cDNA sequence for P8D8  
SEQ ID NO: 294 is the determined cDNA sequence for JP8E7  
SEQ ID NO: 295 is the determined cDNA sequence for JP8F8  
SEQ ID NO: 296 is the determined cDNA sequence for JP8G8  
25 SEQ ID NO: 297 is the determined cDNA sequence for JP8B10  
SEQ ID NO: 298 is the determined cDNA sequence for JP8C10  
SEQ ID NO: 299 is the determined cDNA sequence for JP8E9  
SEQ ID NO: 300 is the determined cDNA sequence for JP8E10  
SEQ ID NO: 301 is the determined cDNA sequence for JP8F9  
30 SEQ ID NO: 302 is the determined cDNA sequence for JP8H9

- SEQ ID NO: 303 is the determined cDNA sequence for JP8C12  
SEQ ID NO: 304 is the determined cDNA sequence for JP8E11  
SEQ ID NO: 305 is the determined cDNA sequence for JP8E12  
SEQ ID NO: 306 is the amino acid sequence for the peptide PS2#12  
5 SEQ ID NO: 307 is the determined cDNA sequence for P711P  
SEQ ID NO: 308 is the determined cDNA sequence for P712P  
SEQ ID NO: 309 is the determined cDNA sequence for CLONE23  
SEQ ID NO: 310 is the determined cDNA sequence for P774P  
SEQ ID NO: 311 is the determined cDNA sequence for P775P  
10 SEQ ID NO: 312 is the determined cDNA sequence for P715P  
SEQ ID NO: 313 is the determined cDNA sequence for P710P  
SEQ ID NO: 314 is the determined cDNA sequence for P767P  
SEQ ID NO: 315 is the determined cDNA sequence for P768P  
SEQ ID NO: 316-325 are the determined cDNA sequences of previously  
15 isolated genes  
SEQ ID NO: 326 is the determined cDNA sequence for P703PDE5  
SEQ ID NO: 327 is the predicted amino acid sequence for P703PDE5  
SEQ ID NO: 328 is the determined cDNA sequence for P703P6.26  
SEQ ID NO: 329 is the predicted amino acid sequence for P703P6.26  
20 SEQ ID NO: 330 is the determined cDNA sequence for P703PX-23  
SEQ ID NO: 331 is the predicted amino acid sequence for P703PX-23  
SEQ ID NO: 332 is the determined full length cDNA sequence for  
P509S  
SEQ ID NO: 333 is the determined extended cDNA sequence for P707P  
25 (also referred to as 11-C9)  
SEQ ID NO: 334 is the determined cDNA sequence for P714P  
SEQ ID NO: 335 is the determined cDNA sequence for P705P (also  
referred to as 9-F3)  
SEQ ID NO: 336 is the predicted amino acid sequence for P705P  
30 SEQ ID NO: 337 is the amino acid sequence of the peptide P1S#10

- SEQ ID NO: 338 is the amino acid sequence of the peptide p5
- SEQ ID NO: 339 is the predicted amino acid sequence of P509S
- SEQ ID NO: 340 is the determined cDNA sequence for P778P
- SEQ ID NO: 341 is the determined cDNA sequence for P786P
- 5 SEQ ID NO: 342 is the determined cDNA sequence for P789P
- SEQ ID NO: 343 is the determined cDNA sequence for a clone showing  
homology to Homo sapiens MM46 mRNA
- SEQ ID NO: 344 is the determined cDNA sequence for a clone showing  
homology to Homo sapiens TNF-alpha stimulated ABC protein (ABC50) mRNA
- 10 SEQ ID NO: 345 is the determined cDNA sequence for a clone showing  
homology to Homo sapiens mRNA for E-cadherin
- SEQ ID NO: 346 is the determined cDNA sequence for a clone showing  
homology to Human nuclear-encoded mitochondrial serine hydroxymethyltransferase  
(SHMT)
- 15 SEQ ID NO: 347 is the determined cDNA sequence for a clone showing  
homology to Homo sapiens natural resistance-associated macrophage protein2  
(NRAMP2)
- SEQ ID NO: 348 is the determined cDNA sequence for a clone showing  
homology to Homo sapiens phosphoglucomutase-related protein (PGMRP)
- 20 SEQ ID NO: 349 is the determined cDNA sequence for a clone showing  
homology to Human mRNA for proteosome subunit p40
- SEQ ID NO: 350 is the determined cDNA sequence for P777P
- SEQ ID NO: 351 is the determined cDNA sequence for P779P
- SEQ ID NO: 352 is the determined cDNA sequence for P790P
- 25 SEQ ID NO: 353 is the determined cDNA sequence for P784P
- SEQ ID NO: 354 is the determined cDNA sequence for P776P
- SEQ ID NO: 355 is the determined cDNA sequence for P780P
- SEQ ID NO: 356 is the determined cDNA sequence for P544S
- SEQ ID NO: 357 is the determined cDNA sequence for P745S
- 30 SEQ ID NO: 358 is the determined cDNA sequence for P782P

- SEQ ID NO: 359 is the determined cDNA sequence for P783P
- SEQ ID NO: 360 is the determined cDNA sequence for unknown 17984
- SEQ ID NO: 361 is the determined cDNA sequence for P787P
- SEQ ID NO: 362 is the determined cDNA sequence for P788P
- 5 SEQ ID NO: 363 is the determined cDNA sequence for unknown 17994
- SEQ ID NO: 364 is the determined cDNA sequence for P781P
- SEQ ID NO: 365 is the determined cDNA sequence for P785P
- SEQ ID NO: 366-375 are the determined cDNA sequences for splice variants of B305D.
- 10 SEQ ID NO: 376 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 366.
- SEQ ID NO: 377 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 372.
- SEQ ID NO: 378 is the predicted amino acid sequence encoded by the
- 15 sequence of SEQ ID NO: 373.
- SEQ ID NO: 379 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 374.
- SEQ ID NO: 380 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 375.
- 20 SEQ ID NO: 381 is the determined cDNA sequence for B716P.
- SEQ ID NO: 382 is the determined full-length cDNA sequence for P711P.
- SEQ ID NO: 383 is the predicted amino acid sequence for P711P.
- SEQ ID NO: 384 is the cDNA sequence for P1000C.
- 25 SEQ ID NO: 385 is the cDNA sequence for CGI-82.
- SEQ ID NO: 386 is the cDNA sequence for 23320.
- SEQ ID NO: 387 is the cDNA sequence for CGI-69.
- SEQ ID NO: 388 is the cDNA sequence for L-iditol-2-dehydrogenase.
- SEQ ID NO: 389 is the cDNA sequence for 23379.
- 30 SEQ ID NO: 390 is the cDNA sequence for 23381.

- SEQ ID NO:391 is the cDNA sequence for KIAA0122.  
SEQ ID NO:392 is the cDNA sequence for 23399.  
SEQ ID NO:393 is the cDNA sequence for a previously identified gene.  
SEQ ID NO:394 is the cDNA sequence for HCLBP.  
5 SEQ ID NO:395 is the cDNA sequence for transglutaminase.  
SEQ ID NO:396 is the cDNA sequence for a previously identified gene.  
SEQ ID NO:397 is the cDNA sequence for PAP.  
SEQ ID NO:398 is the cDNA sequence for Ets transcription factor  
PDEF.  
10 SEQ ID NO:399 is the cDNA sequence for hTGR.  
SEQ ID NO:400 is the cDNA sequence for KIAA0295.  
SEQ ID NO:401 is the cDNA sequence for 22545.  
SEQ ID NO:402 is the cDNA sequence for 22547.  
SEQ ID NO:403 is the cDNA sequence for 22548.  
15 SEQ ID NO:404 is the cDNA sequence for 22550.  
SEQ ID NO:405 is the cDNA sequence for 22551.  
SEQ ID NO:406 is the cDNA sequence for 22552.  
SEQ ID NO:407 is the cDNA sequence for 22553 (also known as  
P1020C).  
20 SEQ ID NO:408 is the cDNA sequence for 22558.  
SEQ ID NO:409 is the cDNA sequence for 22562.  
SEQ ID NO:410 is the cDNA sequence for 22565.  
SEQ ID NO:411 is the cDNA sequence for 22567.  
SEQ ID NO:412 is the cDNA sequence for 22568.  
25 SEQ ID NO:413 is the cDNA sequence for 22570.  
SEQ ID NO:414 is the cDNA sequence for 22571.  
SEQ ID NO:415 is the cDNA sequence for 22572.  
SEQ ID NO:416 is the cDNA sequence for 22573.  
SEQ ID NO:417 is the cDNA sequence for 22573.  
30 SEQ ID NO:418 is the cDNA sequence for 22575.

SEQ ID NO:419 is the cDNA sequence for 22580.  
SEQ ID NO:420 is the cDNA sequence for 22581.  
SEQ ID NO:421 is the cDNA sequence for 22582.  
SEQ ID NO:422 is the cDNA sequence for 22583.  
5 SEQ ID NO:423 is the cDNA sequence for 22584.  
SEQ ID NO:424 is the cDNA sequence for 22585.  
SEQ ID NO:425 is the cDNA sequence for 22586.  
SEQ ID NO:426 is the cDNA sequence for 22587.  
SEQ ID NO:427 is the cDNA sequence for 22588.  
10 SEQ ID NO:428 is the cDNA sequence for 22589.  
SEQ ID NO:429 is the cDNA sequence for 22590.  
SEQ ID NO:430 is the cDNA sequence for 22591.  
SEQ ID NO:431 is the cDNA sequence for 22592.  
SEQ ID NO:432 is the cDNA sequence for 22593.  
15 SEQ ID NO:433 is the cDNA sequence for 22594.  
SEQ ID NO:434 is the cDNA sequence for 22595.  
SEQ ID NO:435 is the cDNA sequence for 22596.  
SEQ ID NO:436 is the cDNA sequence for 22847.  
SEQ ID NO:437 is the cDNA sequence for 22848.  
20 SEQ ID NO:438 is the cDNA sequence for 22849.  
SEQ ID NO:439 is the cDNA sequence for 22851.  
SEQ ID NO:440 is the cDNA sequence for 22852.  
SEQ ID NO:441 is the cDNA sequence for 22853.  
SEQ ID NO:442 is the cDNA sequence for 22854.  
25 SEQ ID NO:443 is the cDNA sequence for 22855.  
SEQ ID NO:444 is the cDNA sequence for 22856.  
SEQ ID NO:445 is the cDNA sequence for 22857.  
SEQ ID NO:446 is the cDNA sequence for 23601.  
SEQ ID NO:447 is the cDNA sequence for 23602.  
30 SEQ ID NO:448 is the cDNA sequence for 23605.

- SEQ ID NO:449 is the cDNA sequence for 23606.
- SEQ ID NO:450 is the cDNA sequence for 23612.
- SEQ ID NO:451 is the cDNA sequence for 23614.
- SEQ ID NO:452 is the cDNA sequence for 23618.
- 5 SEQ ID NO:453 is the cDNA sequence for 23622.
- SEQ ID NO:454 is the cDNA sequence for folate hydrolase.
- SEQ ID NO:455 is the cDNA sequence for LIM protein.
- SEQ ID NO:456 is the cDNA sequence for a known gene.
- SEQ ID NO:457 is the cDNA sequence for a known gene.
- 10 SEQ ID NO:458 is the cDNA sequence for a previously identified gene.
- SEQ ID NO:459 is the cDNA sequence for 23045.
- SEQ ID NO:460 is the cDNA sequence for 23032.
- SEQ ID NO:461 is the cDNA sequence for clone 23054.
- SEQ ID NO:462-467 are cDNA sequences for known genes.
- 15 SEQ ID NO:468-471 are cDNA sequences for P710P.
- SEQ ID NO:472 is a cDNA sequence for P1001C.
- SEQ ID NO: 473 is the determined cDNA sequence for a first splice variant of P775P (referred to as 27505).
- SEQ ID NO: 474 is the determined cDNA sequence for a second splice variant of P775P (referred to as 19947).
- 20 SEQ ID NO: 475 is the determined cDNA sequence for a third splice variant of P775P (referred to as 19941).
- SEQ ID NO: 476 is the determined cDNA sequence for a fourth splice variant of P775P (referred to as 19937).
- 25 SEQ ID NO: 477 is a first predicted amino acid sequence encoded by the sequence of SEQ ID NO: 474.
- SEQ ID NO: 478 is a second predicted amino acid sequence encoded by the sequence of SEQ ID NO: 474.
- SEQ ID NO: 479 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 475.
- 30



SEQ ID NO: 480 is a first predicted amino acid sequence encoded by the sequence of SEQ ID NO: 473.

SEQ ID NO: 481 is a second predicted amino acid sequence encoded by the sequence of SEQ ID NO: 473.

5 SEQ ID NO: 482 is a third predicted amino acid sequence encoded by the sequence of SEQ ID NO: 473.

SEQ ID NO: 483 is a fourth predicted amino acid sequence encoded by the sequence of SEQ ID NO: 473.

10 SEQ ID NO: 484 is the first 30 amino acids of the *M. tuberculosis* antigen Ra12.

SEQ ID NO: 485 is the PCR primer AW025.

SEQ ID NO: 486 is the PCR primer AW003.

SEQ ID NO: 487 is the PCR primer AW027.

SEQ ID NO: 488 is the PCR primer AW026.

15 SEQ ID NO: 489-501 are peptides employed in epitope mapping studies.

SEQ ID NO: 502 is the determined cDNA sequence of the complementarity determining region for the anti-P503S monoclonal antibody 20D4.

SEQ ID NO: 503 is the determined cDNA sequence of the complementarity determining region for the anti-P503S monoclonal antibody JA1.

20 SEQ ID NO: 504 & 505 are peptides employed in epitope mapping studies.

SEQ ID NO: 506 is the determined cDNA sequence of the complementarity determining region for the anti-P703P monoclonal antibody 8H2.

25 SEQ ID NO: 507 is the determined cDNA sequence of the complementarity determining region for the anti-P703P monoclonal antibody 7H8.

SEQ ID NO: 508 is the determined cDNA sequence of the complementarity determining region for the anti-P703P monoclonal antibody 2D4.

SEQ ID NO: 509-522 are peptides employed in epitope mapping studies.

30 SEQ ID NO: 523 is a mature form of P703P used to raise antibodies against P703P.

- SEQ ID NO: 524 is the putative full-length cDNA sequence of P703P.
- SEQ ID NO: 525 is the predicted amino acid sequence encoded by SEQ ID NO: 524.
- SEQ ID NO: 526 is the full-length cDNA sequence for P790P.
- 5 SEQ ID NO: 527 is the predicted amino acid sequence for P790P.
- SEQ ID NO: 528 & 529 are PCR primers.
- SEQ ID NO: 530 is the cDNA sequence of a splice variant of SEQ ID NO: 366.
- 10 SEQ ID NO: 531 is the cDNA sequence of the open reading frame of SEQ ID NO: 530.
- SEQ ID NO: 532 is the predicted amino acid encoded by the sequence of SEQ ID NO: 531.
- SEQ ID NO: 533 is the DNA sequence of a putative ORF of P775P.
- SEQ ID NO: 534 is the predicted amino acid sequence encoded by SEQ ID NO: 533.
- 15 SEQ ID NO: 535 is a first full-length cDNA sequence for P510S.
- SEQ ID NO: 536 is a second full-length cDNA sequence for P510S.
- SEQ ID NO: 537 is the predicted amino acid sequence encoded by SEQ ID NO: 535.
- 20 SEQ ID NO: 538 is the predicted amino acid sequence encoded by SEQ ID NO: 536.
- SEQ ID NO: 539 is the peptide P501S-370.
- SEQ ID NO: 540 is the peptide P501S-376.
- SEQ ID NO: 541-551 are epitopes of P501S.
- 25 SEQ ID NO: 552 is an extended cDNA sequence for P712P.
- SEQ ID NO: 553-568 are the amino acid sequences encoded by predicted open reading frames within SEQ ID NO: 552.
- SEQ ID NO: 569 is an extended cDNA sequence for P776P.
- SEQ ID NO: 570 is the determined cDNA sequence for a splice variant of P776P referred to as contig 6.
- 30

SEQ ID NO: 571 is the determined cDNA sequence for a splice variant of P776P referred to as contig 7.

SEQ ID NO: 572 is the determined cDNA sequence for a splice variant of P776P referred to as contig 14.

5           SEQ ID NO: 573 is the amino acid sequence encoded by a first predicted ORF of SEQ ID NO: 570.

SEQ ID NO: 574 is the amino acid sequence encoded by a second predicted ORF of SEQ ID NO: 570.

10          SEQ ID NO: 575 is the amino acid sequence encoded by a predicted ORF of SEQ ID NO: 571.

SEQ ID NO: 576-586 are amino acid sequences encoded by predicted ORFs of SEQ ID NO: 569.

SEQ ID NO: 587 is a DNA consensus sequence of the sequences of P767P and P777P.

15          SEQ ID NO: 588-590 are amino acid sequences encoded by predicted ORFs of SEQ ID NO: 587.

SEQ ID NO: 591 is an extended cDNA sequence for P1020C.

SEQ ID NO: 592 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: P1020C.

20          SEQ ID NO: 593 is a splice variant of P775P referred to as 50748.

SEQ ID NO: 594 is a splice variant of P775P referred to as 50717.

SEQ ID NO: 595 is a splice variant of P775P referred to as 45985.

SEQ ID NO: 596 is a splice variant of P775P referred to as 38769.

SEQ ID NO: 597 is a splice variant of P775P referred to as 37922.

25          SEQ ID NO: 598 is a splice variant of P510S referred to as 49274.

SEQ ID NO: 599 is a splice variant of P510S referred to as 39487.

SEQ ID NO: 600 is a splice variant of P504S referred to as 5167.16.

SEQ ID NO: 601 is a splice variant of P504S referred to as 5167.1.

SEQ ID NO: 602 is a splice variant of P504S referred to as 5163.46.

30          SEQ ID NO: 603 is a splice variant of P504S referred to as 5163.42.

SEQ ID NO: 604 is a splice variant of P504S referred to as 5163.34.

SEQ ID NO: 605 is a splice variant of P504S referred to as 5163.17.

SEQ ID NO: 606 is a splice variant of P501S referred to as 10640.

SEQ ID NO: 607-615 are the sequences of PCR primers.

5           SEQ ID NO: 616 is the determined cDNA sequence of a fusion of P703P  
and PSA.

SEQ ID NO: 617 is the amino acid sequence of the fusion of P703P and  
PSA.

SEQ ID NO: 618 is the cDNA sequence of the gene DD3.

10           SEQ ID NO: 619 is an extended cDNA sequence for P714P.

SEQ ID NO: 620-622 are the cDNA sequences for splice variants of  
P704P.

SEQ ID NO: 623 is the cDNA sequence of a splice variant of P553S  
referred to as P553S-14.

15           SEQ ID NO: 624 is the cDNA sequence of a splice variant of P553S  
referred to as P553S-12.

SEQ ID NO: 625 is the cDNA sequence of a splice variant of P553S  
referred to as P553S-10.

20           SEQ ID NO: 626 is the cDNA sequence of a splice variant of P553S  
referred to as P553S-6.

SEQ ID NO: 627 is the amino acid sequence encoded by SEQ ID NO:  
626.

SEQ ID NO: 628 is a first amino acid sequence encoded by SEQ ID NO:  
623.

25           SEQ ID NO: 629 is a second amino acid sequence encoded by SEQ ID  
NO: 623.

SEQ ID NO: 630 is a first full-length cDNA sequence for prostate-  
specific transglutaminase gene (also referred to herein as P558S).

30           SEQ ID NO: 631 is a second full-length cDNA sequence for prostate-  
specific transglutaminase gene.

SEQ ID NO: 632 is the amino acid sequence encoded by the sequence of SEQ ID NO: 630.

SEQ ID NO: 633 is the amino acid sequence encoded by the sequence of SEQ ID NO: 631.

5 SEQ ID NO: 634 is the full-length cDNA sequence for P788P.

SEQ ID NO: 635 is the amino acid sequence encoded by SEQ ID NO: 634.

SEQ ID NO: 636 is the determined cDNA sequence for a polymorphic variant of P788P.

10 SEQ ID NO: 637 is the amino acid sequence encoded by SEQ ID NO: 636.

SEQ ID NO: 638 is the amino acid sequence of peptide 4 from P703P.

SEQ ID NO: 639 is the cDNA sequence that encodes peptide 4 from P703P.

15 SEQ ID NO: 640-655 are cDNA sequences encoding epitopes of P703P.

SEQ ID NO: 656-671 are the amino acid sequences of epitopes of P703P.

SEQ ID NO: 672 and 673 are PCR primers.

20 SEQ ID NO: 674 is the cDNA sequence encoding an N-terminal portion of P788P expressed in *E. coli*.

SEQ ID NO: 675 is the amino acid sequence of the N-terminal portion of P788P expressed in *E. coli*.

SEQ ID NO: 676 is the amino acid sequence of the *M. tuberculosis* antigen Ra12.

25 SEQ ID NO: 677 and 678 are PCR primers.

SEQ ID NO: 679 is the cDNA sequence for the Ra12-P510S-C construct.

SEQ ID NO: 680 is the cDNA sequence for the P510S-C construct.

SEQ ID NO: 681 is the cDNA sequence for the P510S-E3 construct.

SEQ ID NO: 682 is the amino acid sequence for the Ra12-P510S-C construct.

SEQ ID NO: 683 is the amino acid sequence for the P510S-C construct.

SEQ ID NO: 684 is the amino acid sequence for the P510S-E3 construct.

5 SEQ ID NO: 685-690 are PCR primers.

SEQ ID NO: 691 is the cDNA sequence of the construct Ra12-P775P-ORF3.

SEQ ID NO: 692 is the amino acid sequence of the construct Ra12-P775P-ORF3.

10 SEQ ID NO: 693 and 694 are PCR primers.

SEQ ID NO: 695 is the determined amino acid sequence for a P703P His tag fusion protein.

SEQ ID NO: 696 is the determined cDNA sequence for a P703P His tag fusion protein.

15 SEQ ID NO: 697 and 698 are PCR primers.

SEQ ID NO: 699 is the determined amino acid sequence for a P705P His tag fusion protein.

SEQ ID NO: 700 is the determined cDNA sequence for a P705P His tag fusion protein.

20 SEQ ID NO: 701 and 702 are PCR primers.

SEQ ID NO: 703 is the determined amino acid sequence for a P711P His tag fusion protein.

SEQ ID NO: 704 is the determined cDNA sequence for a P711P His tag fusion protein.

25 SEQ ID NO: 705 is the amino acid sequence of the *M. tuberculosis* antigen Ra12.

SEQ ID NO: 706 and 707 are PCR primers.

SEQ ID NO: 708 is the determined cDNA sequence for the construct Ra12-P501S-E2.

SEQ ID NO: 709 is the determined amino acid sequence for the construct Ra12-P501S-E2.

SEQ ID NO: 710 is the amino acid sequence for an epitope of P501S.

SEQ ID NO: 711 is the DNA sequence encoding SEQ ID NO: 710.

5 SEQ ID NO: 712 is the amino acid sequence for an epitope of P501S.

SEQ ID NO: 713 is the DNA sequence encoding SEQ ID NO: 712.

SEQ ID NO: 714 is a peptide employed in epitope mapping studies.

SEQ ID NO: 715 is the amino acid sequence for an epitope of P501S.

SEQ ID NO: 716 is the DNA sequence encoding SEQ ID NO: 715.

10 SEQ ID NO: 717-719 are the amino acid sequences for CD4 epitopes of P501S.

SEQ ID NO: 720-722 are the DNA sequences encoding the sequences of SEQ ID NO: 717-719.

15 SEQ ID NO: 723-734 are the amino acid sequences for putative CTL epitopes of P703P.

SEQ ID NO: 735 is the full-length cDNA sequence for P789P.

SEQ ID NO: 736 is the amino acid sequence encoded by SEQ ID NO: 735.

20 SEQ ID NO: 737 is the determined full-length cDNA sequence for the splice variant of P776P referred to as contig 6.

SEQ ID NO: 738-739 are determined full-length cDNA sequences for the splice variant of P776P referred to as contig 7.

SEQ ID NO: 740-744 are amino acid sequences encoded by SEQ ID NO: 737.

25 SEQ ID NO: 745-750 are amino acid sequences encoded by the splice variant of P776P referred to as contig 7.

SEQ ID NO: 751 is the full-length cDNA sequence for human transmembrane protease serine 2.

30 SEQ ID NO: 752 is the amino acid sequence encoded by SEQ ID NO: 751.

SEQ ID NO: 753 is the cDNA sequence encoding the first 209 amino acids of human transmembrane protease serine 2.

SEQ ID NO: 754 is the first 209 amino acids of human transmembrane protease serine 2.

5           SEQ ID NO: 755 is the amino acid sequence of peptide 296-322 of P501S.

SEQ ID NO: 756-759 are PCR primers.

SEQ ID NO: 760 is the determined cDNA sequence of the Vb chain of a T cell receptor for the P501S-specific T cell clone 4E5.

10           SEQ ID NO: 761 is the determined cDNA sequence of the Va chain of a T cell receptor for the P501S-specific T cell clone 4E5.

SEQ ID NO: 762 is the amino acid sequence encoded by SEQ ID NO 760.

15           SEQ ID NO: 763 is the amino acid sequence encoded by SEQ ID NO 761.

SEQ ID NO: 764 is the full-length open reading frame for P768P including stop codon.

SEQ ID NO: 765 is the full-length open reading frame for P768P without stop codon.

20           SEQ ID NO: 766 is the amino acid sequence encoded by SEQ ID NO: 765.

SEQ ID NO: 767-772 are the amino acid sequences for predicted domains of P768P.

SEQ ID NO: 773 is the full-length cDNA sequence of P835P.

25           SEQ ID NO: 774 is the cDNA sequence of the previously identified clone FLJ13581.

SEQ ID NO: 775 is the cDNA sequence of the open reading frame for P835P with stop codon.

30           SEQ ID NO: 776 is the cDNA sequence of the open reading frame for P835P without stop codon.



SEQ ID NO: 777 is the full-length amino acid sequence for P835P.

SEQ ID NO: 778-785 are the amino acid sequences of extracellular and intracellular domains of P835P.

SEQ ID NO: 786 is the full-length cDNA sequence for P1000C.

5 SEQ ID NO: 787 is the cDNA sequence of the open reading frame for P1000C, including stop codon.

SEQ ID NO: 788 is the cDNA sequence of the open reading frame for P1000C, without stop codon.

SEQ ID NO: 789 is the full-length amino acid sequence for P1000C.

10 SEQ ID NO: 790 is amino acids 1-100 of SEQ ID NO: 789.

SEQ ID NO: 791 is amino acids 100-492 of SEQ ID NO: 789.

SEQ ID NO: 792 is the amino acid sequence of an  $\alpha$  prepro-P501S recombinant protein.

## 15 DETAILED DESCRIPTION OF THE INVENTION

The present invention is directed generally to compositions and their use in the therapy and diagnosis of cancer, particularly prostate cancer. As described further below, illustrative compositions of the present invention include, but are not restricted to, polypeptides, particularly immunogenic polypeptides, polynucleotides encoding such  
20 polypeptides, antibodies and other binding agents, antigen presenting cells (APCs) and immune system cells (*e.g.*, T cells).

The practice of the present invention will employ, unless indicated specifically to the contrary, conventional methods of virology, immunology, microbiology, molecular biology and recombinant DNA techniques within the skill of  
25 the art, many of which are described below for the purpose of illustration. Such techniques are explained fully in the literature. See, *e.g.*, Sambrook, et al. Molecular Cloning: A Laboratory Manual (2nd Edition, 1989); Maniatis et al. Molecular Cloning: A Laboratory Manual (1982); DNA Cloning: A Practical Approach, vol. I & II (D. Glover, ed.); Oligonucleotide Synthesis (N. Gait, ed., 1984); Nucleic Acid

Hybridization (B. Hames & S. Higgins, eds., 1985); Transcription and Translation (B. Hames & S. Higgins, eds., 1984); Animal Cell Culture (R. Freshney, ed., 1986); Perbal, A Practical Guide to Molecular Cloning (1984).

All publications, patents and patent applications cited herein, whether  
5 supra or infra, are hereby incorporated by reference in their entirety.

As used in this specification and the appended claims, the singular forms "a," "an" and "the" include plural references unless the content clearly dictates otherwise.

#### Polypeptide Compositions

10 As used herein, the term "polypeptide" " is used in its conventional meaning, *i.e.*, as a sequence of amino acids. The polypeptides are not limited to a specific length of the product; thus, peptides, oligopeptides, and proteins are included within the definition of polypeptide, and such terms may be used interchangeably herein unless specifically indicated otherwise. This term also does not refer to or exclude post-  
15 expression modifications of the polypeptide, for example, glycosylations, acetylations, phosphorylations and the like, as well as other modifications known in the art, both naturally occurring and non-naturally occurring. A polypeptide may be an entire protein, or a subsequence thereof. Particular polypeptides of interest in the context of this invention are amino acid subsequences comprising epitopes, *i.e.*, antigenic  
20 determinants substantially responsible for the immunogenic properties of a polypeptide and being capable of evoking an immune response.

Particularly illustrative polypeptides of the present invention comprise those encoded by a polynucleotide sequence set forth in any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382  
25 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788, or a sequence that hybridizes under moderately stringent conditions, or, alternatively, under highly stringent conditions, to a polynucleotide sequence set forth in any one of SEQ ID NOs: 1-111, 115-171, 173-175,

177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788. In specific embodiments, the polypeptides of the invention  
5 comprise amino acid sequences as set forth in any one of SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534, 537-551, 553-568, 573-586, 588-590, 592, 627-629, 632, 633, 635, 637, 638, 656-671, 675, 683, 684, 710, 712, 714, 715, 717-719, 723-734, 736, 740-750, 752, 754, 755, 766-772, 777-785 and 789-791.

10           The polypeptides of the present invention are sometimes herein referred to as prostate-specific proteins or prostate-specific polypeptides, as an indication that their identification has been based at least in part upon their increased levels of expression in prostate tissue samples. Thus, a "prostate-specific polypeptide" or "prostate-specific protein," refers generally to a polypeptide sequence of the present  
15 invention, or a polynucleotide sequence encoding such a polypeptide, that is expressed in a substantial proportion of prostate tissue samples, for example preferably greater than about 20%, more preferably greater than about 30%, and most preferably greater than about 50% or more of prostate tissue samples tested, at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in other  
20 normal tissues, as determined using a representative assay provided herein. A prostate-specific polypeptide sequence of the invention, based upon its increased level of expression in tumor cells, has particular utility both as a diagnostic marker as well as a therapeutic target, as further described below.

          In certain preferred embodiments, the polypeptides of the invention are  
25 immunogenic, *i.e.*, they react detectably within an immunoassay (such as an ELISA or T-cell stimulation assay) with antisera and/or T-cells from a patient with prostate cancer. Screening for immunogenic activity can be performed using techniques well known to the skilled artisan. For example, such screens can be performed using methods such as those described in Harlow and Lane, *Antibodies: A Laboratory*  
30 *Manual*, Cold Spring Harbor Laboratory, 1988. In one illustrative example, a

polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, <sup>125</sup>I-labeled Protein A.

- 5                   As would be recognized by the skilled artisan, immunogenic portions of the polypeptides disclosed herein are also encompassed by the present invention. An "immunogenic portion," as used herein, is a fragment of an immunogenic polypeptide of the invention that itself is immunologically reactive (*i.e.*, specifically binds) with the B-cells and/or T-cell surface antigen receptors that recognize the polypeptide.
- 10 Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they
- 15 specifically bind to an antigen (*i.e.*, they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins). Such antisera and antibodies may be prepared as described herein, and using well-known techniques.

- In one preferred embodiment, an immunogenic portion of a polypeptide of the present invention is a portion that reacts with antisera and/or T-cells at a level that
- 20 is not substantially less than the reactivity of the full-length polypeptide (*e.g.*, in an ELISA and/or T-cell reactivity assay). Preferably, the level of immunogenic activity of the immunogenic portion is at least about 50%, preferably at least about 70% and most preferably greater than about 90% of the immunogenicity for the full-length polypeptide. In some instances, preferred immunogenic portions will be identified that
- 25 have a level of immunogenic activity greater than that of the corresponding full-length polypeptide, *e.g.*, having greater than about 100% or 150% or more immunogenic activity.

- In certain other embodiments, illustrative immunogenic portions may include peptides in which an N-terminal leader sequence and/or transmembrane domain
- 30 has been deleted. Other illustrative immunogenic portions will contain a small N-

and/or C-terminal deletion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

In another embodiment, a polypeptide composition of the invention may also comprise one or more polypeptides that are immunologically reactive with T cells and/or antibodies generated against a polypeptide of the invention, particularly a  
5 polypeptide having an amino acid sequence disclosed herein, or to an immunogenic fragment or variant thereof.

In another embodiment of the invention, polypeptides are provided that comprise one or more polypeptides that are capable of eliciting T cells and/or antibodies  
10 that are immunologically reactive with one or more polypeptides described herein, or one or more polypeptides encoded by contiguous nucleic acid sequences contained in the polynucleotide sequences disclosed herein, or immunogenic fragments or variants thereof, or to one or more nucleic acid sequences which hybridize to one or more of these sequences under conditions of moderate to high stringency.

15 The present invention, in another aspect, provides polypeptide fragments comprising at least about 5, 10, 15, 20, 25, 50, or 100 contiguous amino acids, or more, including all intermediate lengths, of a polypeptide composition set forth herein, such as those set forth in SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534, 537-551, 553-568,  
20 573-586, 588-590, 592, 627-629, 632, 633, 635, 637, 638, 656-671, 675, 683, 684, 710, 712, 714, 715, 717-719, 723-734, 736, 740-750, 752, 754, 755, 766-772, 777-785 and 789-791, or those encoded by a polynucleotide sequence set forth in a sequence of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591,  
25 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788.

In another aspect, the present invention provides variants of the polypeptide compositions described herein. Polypeptide variants generally encompassed by the present invention will typically exhibit at least about 70%, 75%,  
30 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% or more identity

(determined as described below), along its length, to a polypeptide sequence set forth herein.

In one preferred embodiment, the polypeptide fragments and variants provided by the present invention are immunologically reactive with an antibody and/or  
5 T-cell that reacts with a full-length polypeptide specifically set forth herein.

In another preferred embodiment, the polypeptide fragments and variants provided by the present invention exhibit a level of immunogenic activity of at least about 50%, preferably at least about 70%, and most preferably at least about 90% or more of that exhibited by a full-length polypeptide sequence specifically set forth  
10 herein.

A polypeptide "variant," as the term is used herein, is a polypeptide that typically differs from a polypeptide specifically disclosed herein in one or more substitutions, deletions, additions and/or insertions. Such variants may be naturally occurring or may be synthetically generated, for example, by modifying one or more of  
15 the above polypeptide sequences of the invention and evaluating their immunogenic activity as described herein using any of a number of techniques well known in the art.

For example, certain illustrative variants of the polypeptides of the invention include those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other illustrative variants  
20 include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein.

In many instances, a variant will contain conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide  
25 chemistry would expect the secondary structure and hydrophobic nature of the polypeptide to be substantially unchanged. As described above, modifications may be made in the structure of the polynucleotides and polypeptides of the present invention and still obtain a functional molecule that encodes a variant or derivative polypeptide with desirable characteristics, *e.g.*, with immunogenic characteristics. When it is  
30 desired to alter the amino acid sequence of a polypeptide to create an equivalent, or

even an improved, immunogenic variant or portion of a polypeptide of the invention, one skilled in the art will typically change one or more of the codons of the encoding DNA sequence according to Table 1.

For example, certain amino acids may be substituted for other amino acids in a protein structure without appreciable loss of interactive binding capacity with structures such as, for example, antigen-binding regions of antibodies or binding sites on substrate molecules. Since it is the interactive capacity and nature of a protein that defines that protein's biological functional activity, certain amino acid sequence substitutions can be made in a protein sequence, and, of course, its underlying DNA coding sequence, and nevertheless obtain a protein with like properties. It is thus contemplated that various changes may be made in the peptide sequences of the disclosed compositions, or corresponding DNA sequences which encode said peptides without appreciable loss of their biological utility or activity.

TABLE 1

Amino Acids			Codons						
Alanine	Ala	A	GCA	GCC	GCG	GCU			
Cysteine	Cys	C	UGC	UGU					
Aspartic acid	Asp	D	GAC	GAU					
Glutamic acid	Glu	E	GAA	GAG					
Phenylalanine	Phe	F	UUC	UUU					
Glycine	Gly	G	GGA	GGC	GGG	GGU			
Histidine	His	H	CAC	CAU					
Isoleucine	Ile	I	AUA	AUC	AUU				
Lysine	Lys	K	AAA	AAG					
Leucine	Leu	L	UUA	UUG	CUA	CUC	CUG	CUU	
Methionine	Met	M	AUG						
Asparagine	Asn	N	AAC	AAU					
Proline	Pro	P	CCA	CCC	CCG	CCU			
Glutamine	Gln	Q	CAA	CAG					
Arginine	Arg	R	AGA	AGG	CGA	CGC	CGG	CGU	
Serine	Ser	S	AGC	AGU	UCA	UCC	UCG	UCU	
Threonine	Thr	T	ACA	ACC	ACG	ACU			
Valine	Val	V	GUA	GUC	GUG	GUU			
Tryptophan	Trp	W	UGG						
Tyrosine	Tyr	Y	UAC	UAU					

In making such changes, the hydropathic index of amino acids may be considered. The importance of the hydropathic amino acid index in conferring interactive biologic function on a protein is generally understood in the art (Kyte and Doolittle, 1982, incorporated herein by reference). It is accepted that the relative hydropathic character of the amino acid contributes to the secondary structure of the resultant protein, which in turn defines the interaction of the protein with other molecules, for example, enzymes, substrates, receptors, DNA, antibodies, antigens, and the like. Each amino acid has been assigned a hydropathic index on the basis of its



hydrophobicity and charge characteristics (Kyte and Doolittle, 1982). These values are: isoleucine (+4.5); valine (+4.2); leucine (+3.8); phenylalanine (+2.8); cysteine/cystine (+2.5); methionine (+1.9); alanine (+1.8); glycine (−0.4); threonine (−0.7); serine (−0.8); tryptophan (−0.9); tyrosine (−1.3); proline (−1.6); histidine (−3.2); glutamate (−3.5);  
5 glutamine (−3.5); aspartate (−3.5); asparagine (−3.5); lysine (−3.9); and arginine (−4.5).

It is known in the art that certain amino acids may be substituted by other amino acids having a similar hydropathic index or score and still result in a protein with similar biological activity, *i.e.* still obtain a biological functionally equivalent protein. In making such changes, the substitution of amino acids whose hydropathic indices are  
10 within  $\pm 2$  is preferred, those within  $\pm 1$  are particularly preferred, and those within  $\pm 0.5$  are even more particularly preferred. It is also understood in the art that the substitution of like amino acids can be made effectively on the basis of hydrophilicity. U.S. Patent 4,554,101 (specifically incorporated herein by reference in its entirety), states that the greatest local average hydrophilicity of a protein, as governed by the hydrophilicity of  
15 its adjacent amino acids, correlates with a biological property of the protein.

As detailed in U. S. Patent 4,554,101, the following hydrophilicity values have been assigned to amino acid residues: arginine (+3.0); lysine (+3.0); aspartate (+3.0  $\pm$  1); glutamate (+3.0  $\pm$  1); serine (+0.3); asparagine (+0.2); glutamine (+0.2); glycine (0); threonine (−0.4); proline (−0.5  $\pm$  1); alanine (−0.5); histidine (−0.5); cysteine  
20 (−1.0); methionine (−1.3); valine (−1.5); leucine (−1.8); isoleucine (−1.8); tyrosine (−2.3); phenylalanine (−2.5); tryptophan (−3.4). It is understood that an amino acid can be substituted for another having a similar hydrophilicity value and still obtain a biologically equivalent, and in particular, an immunologically equivalent protein. In such changes, the substitution of amino acids whose hydrophilicity values are within  $\pm 2$   
25 is preferred, those within  $\pm 1$  are particularly preferred, and those within  $\pm 0.5$  are even more particularly preferred.

As outlined above, amino acid substitutions are generally therefore based on the relative similarity of the amino acid side-chain substituents, for example, their hydrophobicity, hydrophilicity, charge, size, and the like. Exemplary substitutions that  
30 take various of the foregoing characteristics into consideration are well known to those

of skill in the art and include: arginine and lysine; glutamate and aspartate; serine and threonine; glutamine and asparagine; and valine, leucine and isoleucine.

In addition, any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of  
5 flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such as inosine, queosine and wybutosine, as well as acetyl-methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

10 Amino acid substitutions may further be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values  
15 include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a  
20 preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydrophobic nature of the polypeptide.

25 As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein, which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the polypeptide (*e.g.*, poly-His), or to enhance binding of the polypeptide to a solid support. For  
30 example, a polypeptide may be conjugated to an immunoglobulin Fc region.

When comparing polypeptide sequences, two sequences are said to be “identical” if the sequence of amino acids in the two sequences is the same when aligned for maximum correspondence, as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A “comparison window” as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, 40 to about 50, in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices for detecting distant relationships. In Dayhoff, M.O. (ed.) *Atlas of Protein Sequence and Structure*, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) Unified Approach to Alignment and Phylogenies pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad. Sci. USA* 80:726-730.

Alternatively, optimal alignment of sequences for comparison may be conducted by the local identity algorithm of Smith and Waterman (1981) *Add. APL. Math* 2:482, by the identity alignment algorithm of Needleman and Wunsch (1970) *J. Mol. Biol.* 48:443, by the search for similarity methods of Pearson and Lipman (1988) *Proc. Natl. Acad. Sci. USA* 85: 2444, by computerized implementations of these algorithms (GAP, BESTFIT, BLAST, FASTA, and TFASTA in the Wisconsin Genetics

Software Package, Genetics Computer Group (GCG), 575 Science Dr., Madison, WI), or by inspection.

One preferred example of algorithms that are suitable for determining percent sequence identity and sequence similarity are the BLAST and BLAST 2.0 algorithms, which are described in Altschul et al. (1977) *Nucl. Acids Res.* 25:3389-3402 and Altschul et al. (1990) *J. Mol. Biol.* 215:403-410, respectively. BLAST and BLAST 2.0 can be used, for example with the parameters described herein, to determine percent sequence identity for the polynucleotides and polypeptides of the invention. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information. For amino acid sequences, a scoring matrix can be used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T and X determine the sensitivity and speed of the alignment.

In one preferred approach, the "percentage of sequence identity" is determined by comparing two optimally aligned sequences over a window of comparison of at least 20 positions, wherein the portion of the polypeptide sequence in the comparison window may comprise additions or deletions (*i.e.*, gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (*i.e.*, the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Within other illustrative embodiments, a polypeptide may be a fusion polypeptide that comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known

tumor protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans, or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the polypeptide or to enable the polypeptide to be targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the polypeptide.

Fusion polypeptides may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion polypeptide is expressed as a recombinant polypeptide, allowing the production of increased levels, relative to a non-fused polypeptide, in an expression system. Briefly, DNA sequences encoding the polypeptide components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase. This permits translation into a single fusion polypeptide that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into the fusion polypeptide using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al.,

*Proc. Natl. Acad. Sci. USA* 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second polypeptides have non-essential N-terminal amino acid regions that can be used to  
5 separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and  
10 transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

The fusion polypeptide can comprise a polypeptide as described herein together with an unrelated immunogenic protein, such as an immunogenic protein capable of eliciting a recall response. Examples of such proteins include tetanus,  
15 tuberculosis and hepatitis proteins (*see, for example, Stoute et al. New Engl. J. Med.*, 336:86-91, 1997).

In one preferred embodiment, the immunological fusion partner is derived from a *Mycobacterium* sp., such as a *Mycobacterium tuberculosis*-derived Ra12 fragment. Ra12 compositions and methods for their use in enhancing the expression  
20 and/or immunogenicity of heterologous polynucleotide/polypeptide sequences is described in U.S. Patent Application 60/158,585, the disclosure of which is incorporated herein by reference in its entirety. Briefly, Ra12 refers to a polynucleotide region that is a subsequence of a *Mycobacterium tuberculosis* MTB32A nucleic acid. MTB32A is a serine protease of 32 KD molecular weight encoded by a gene in virulent  
25 and avirulent strains of *M. tuberculosis*. The nucleotide sequence and amino acid sequence of MTB32A have been described (for example, U.S. Patent Application 60/158,585; *see also, Skeiky et al., Infection and Immun.* (1999) 67:3998-4007, incorporated herein by reference). C-terminal fragments of the MTB32A coding sequence express at high levels and remain as a soluble polypeptides throughout the  
30 purification process. Moreover, Ra12 may enhance the immunogenicity of heterologous

immunogenic polypeptides with which it is fused. One preferred Ra12 fusion polypeptide comprises a 14 KD C-terminal fragment corresponding to amino acid residues 192 to 323 of MTB32A. Other preferred Ra12 polynucleotides generally comprise at least about 15 consecutive nucleotides, at least about 30 nucleotides, at least  
5 about 60 nucleotides, at least about 100 nucleotides, at least about 200 nucleotides, or at least about 300 nucleotides that encode a portion of a Ra12 polypeptide. Ra12 polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a Ra12 polypeptide or a portion thereof) or may comprise a variant of such a sequence. Ra12 polynucleotide variants may contain one or more substitutions,  
10 additions, deletions and/or insertions such that the biological activity of the encoded fusion polypeptide is not substantially diminished, relative to a fusion polypeptide comprising a native Ra12 polypeptide. Variants preferably exhibit at least about 70% identity, more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide sequence that encodes a native Ra12 polypeptide or a  
15 portion thereof.

Within other preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (*e.g.*, the first N-terminal 100-110 amino  
20 acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells.  
25 Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is  
30 derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine

amidase known as amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible for the affinity to the choline or to some choline analogues such as DEAE. This property has been  
5 exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (*see Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion polypeptide. A repeat portion is found in the C-terminal region starting at  
10 residue 178. A particularly preferred repeat portion incorporates residues 188-305.

Yet another illustrative embodiment involves fusion polypeptides, and the polynucleotides encoding them, wherein the fusion partner comprises a targeting signal capable of directing a polypeptide to the endosomal/lysosomal compartment, as described in U.S. Patent No. 5,633,234. An immunogenic polypeptide of the invention,  
15 when fused with this targeting signal, will associate more efficiently with MHC class II molecules and thereby provide enhanced *in vivo* stimulation of CD4<sup>+</sup> T-cells specific for the polypeptide.

Polypeptides of the invention are prepared using any of a variety of well known synthetic and/or recombinant techniques, the latter of which are further  
20 described below. Polypeptides, portions and other variants generally less than about 150 amino acids can be generated by synthetic means, using techniques well known to those of ordinary skill in the art. In one illustrative example, such polypeptides are synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a  
25 growing amino acid chain. *See Merrifield, J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

In general, polypeptide compositions (including fusion polypeptides) of  
30 the invention are isolated. An "isolated" polypeptide is one that is removed from its



original environment. For example, a naturally-occurring protein or polypeptide is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are also purified, *e.g.*, are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure.

#### Polynucleotide Compositions

The present invention, in other aspects, provides polynucleotide compositions. The terms "DNA" and "polynucleotide" are used essentially interchangeably herein to refer to a DNA molecule that has been isolated free of total genomic DNA of a particular species. "Isolated," as used herein, means that a polynucleotide is substantially away from other coding sequences, and that the DNA molecule does not contain large portions of unrelated coding DNA, such as large chromosomal fragments or other functional genes or polypeptide coding regions. Of course, this refers to the DNA molecule as originally isolated, and does not exclude genes or coding regions later added to the segment by the hand of man.

As will be understood by those skilled in the art, the polynucleotide compositions of this invention can include genomic sequences, extra-genomic and plasmid-encoded sequences and smaller engineered gene segments that express, or may be adapted to express, proteins, polypeptides, peptides and the like. Such segments may be naturally isolated, or modified synthetically by the hand of man.

As will be also recognized by the skilled artisan, polynucleotides of the invention may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. RNA molecules may include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a polypeptide/protein of the invention or a portion thereof) or may comprise a sequence that encodes a variant or derivative, preferably an immunogenic variant or derivative, of such a sequence.

5           Therefore, according to another aspect of the present invention, polynucleotide compositions are provided that comprise some or all of a polynucleotide sequence set forth in any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655,  
10 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788, complements of a polynucleotide sequence set forth in any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722,  
15 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788, and degenerate variants of a polynucleotide sequence set forth in any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765,  
20 773-776 and 786-788. In certain preferred embodiments, the polynucleotide sequences set forth herein encode immunogenic polypeptides, as described above.

          In other related embodiments, the present invention provides polynucleotide variants having substantial identity to the sequences disclosed herein in SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-  
25 335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788, for example those comprising at least 70% sequence identity, preferably at least 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% or higher, sequence identity compared to a  
30 polynucleotide sequence of this invention using the methods described herein, (*e.g.*,

BLAST analysis using standard parameters, as described below). One skilled in this art will recognize that these values can be appropriately adjusted to determine corresponding identity of proteins encoded by two nucleotide sequences by taking into account codon degeneracy, amino acid similarity, reading frame positioning and the  
5 like.

Typically, polynucleotide variants will contain one or more substitutions, additions, deletions and/or insertions, preferably such that the immunogenicity of the polypeptide encoded by the variant polynucleotide is not substantially diminished relative to a polypeptide encoded by a polynucleotide sequence specifically set forth  
10 herein). The term "variants" should also be understood to encompass homologous genes of xenogenic origin.

In additional embodiments, the present invention provides polynucleotide fragments comprising various lengths of contiguous stretches of sequence identical to, or complementary to, one or more of the sequences disclosed  
15 herein. For example, polynucleotides are provided by this invention that comprise at least about 10, 15, 20, 30, 40, 50, 75, 100, 150, 200, 300, 400, 500 or 1000 or more contiguous nucleotides of one or more of the sequences disclosed herein as well as all intermediate lengths there between. It will be readily understood that "intermediate lengths", in this context, means any length between the quoted values, such as 16, 17,  
20 18, 19, *etc.*; 21, 22, 23, *etc.*; 30, 31, 32, *etc.*; 50, 51, 52, 53, *etc.*; 100, 101, 102, 103, *etc.*; 150, 151, 152, 153, *etc.*; including all integers through 200-500; 500-1,000, and the like.

In another embodiment of the invention, polynucleotide compositions are provided that are capable of hybridizing under moderate to high stringency conditions to  
25 a polynucleotide sequence provided herein, or a fragment thereof, or a complementary sequence thereof. Hybridization techniques are well known in the art of molecular biology. For purposes of illustration, suitable moderately stringent conditions for testing the hybridization of a polynucleotide of this invention with other polynucleotides include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0);  
30 hybridizing at 50°C-60°C, 5 X SSC, overnight; followed by washing twice at 65°C for

20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS. One skilled in the art will understand that the stringency of hybridization can be readily manipulated, such as by altering the salt content of the hybridization solution and/or the temperature at which the hybridization is performed. For example, in another embodiment, suitable  
5 highly stringent hybridization conditions include those described above, with the exception that the temperature of hybridization is increased, *e.g.*, to 60-65°C or 65-70°C.

In certain preferred embodiments, the polynucleotides described above, *e.g.*, polynucleotide variants, fragments and hybridizing sequences, encode polypeptides  
10 that are immunologically cross-reactive with a polypeptide sequence specifically set forth herein. In other preferred embodiments, such polynucleotides encode polypeptides that have a level of immunogenic activity of at least about 50%, preferably at least about 70%, and more preferably at least about 90% of that for a polypeptide sequence specifically set forth herein.

15 The polynucleotides of the present invention, or fragments thereof, regardless of the length of the coding sequence itself, may be combined with other DNA sequences, such as promoters, polyadenylation signals, additional restriction enzyme sites, multiple cloning sites, other coding segments, and the like, such that their overall length may vary considerably. It is therefore contemplated that a nucleic acid fragment  
20 of almost any length may be employed, with the total length preferably being limited by the ease of preparation and use in the intended recombinant DNA protocol. For example, illustrative polynucleotide segments with total lengths of about 10,000, about 5000, about 3000, about 2,000, about 1,000, about 500, about 200, about 100, about 50 base pairs in length, and the like, (including all intermediate lengths) are contemplated  
25 to be useful in many implementations of this invention.

When comparing polynucleotide sequences, two sequences are said to be "identical" if the sequence of nucleotides in the two sequences is the same when aligned for maximum correspondence, as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison  
30 window to identify and compare local regions of sequence similarity. A "comparison

window” as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, preferably 40 to about 50, in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

- 5                   Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices for detecting distant relationships.
- 10 In Dayhoff, M.O. (ed.) Atlas of Protein Sequence and Structure, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) Unified Approach to Alignment and Phylogenies pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson,
- 15 E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad. Sci. USA* 80:726-730.

- Alternatively, optimal alignment of sequences for comparison may be
- 20 conducted by the local identity algorithm of Smith and Waterman (1981) *Add. APL. Math* 2:482, by the identity alignment algorithm of Needleman and Wunsch (1970) *J. Mol. Biol.* 48:443, by the search for similarity methods of Pearson and Lipman (1988) *Proc. Natl. Acad. Sci. USA* 85: 2444, by computerized implementations of these algorithms (GAP, BESTFIT, BLAST, FASTA, and TFASTA in the Wisconsin Genetics
- 25 Software Package, Genetics Computer Group (GCG), 575 Science Dr., Madison, WI), or by inspection.

- One preferred example of algorithms that are suitable for determining percent sequence identity and sequence similarity are the BLAST and BLAST 2.0 algorithms, which are described in Altschul et al. (1977) *Nucl. Acids Res.* 25:3389-3402
- 30 and Altschul et al. (1990) *J. Mol. Biol.* 215:403-410, respectively. BLAST and BLAST

2.0 can be used, for example with the parameters described herein, to determine percent sequence identity for the polynucleotides of the invention. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information. In one illustrative example, cumulative scores can be calculated using, for  
5 nucleotide sequences, the parameters M (reward score for a pair of matching residues; always >0) and N (penalty score for mismatching residues; always <0). Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments;  
10 or the end of either sequence is reached. The BLAST algorithm parameters W, T and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, and expectation (E) of 10, and the BLOSUM62 scoring matrix (see Henikoff and Henikoff (1989) *Proc. Natl. Acad. Sci. USA* 89:10915) alignments, (B) of 50, expectation (E) of 10, M=5, N=-4 and  
15 a comparison of both strands.

Preferably, the "percentage of sequence identity" is determined by comparing two optimally aligned sequences over a window of comparison of at least 20 positions, wherein the portion of the polynucleotide sequence in the comparison window may comprise additions or deletions (*i.e.*, gaps) of 20 percent or less, usually 5  
20 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the  
25 reference sequence (*i.e.*, the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal  
30 homology to the nucleotide sequence of any native gene. Nonetheless, polynucleotides

that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such as deletions, additions  
5 and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Therefore, in another embodiment of the invention, a mutagenesis approach, such as site-specific mutagenesis, is employed for the preparation of  
10 immunogenic variants and/or derivatives of the polypeptides described herein. By this approach, specific modifications in a polypeptide sequence can be made through mutagenesis of the underlying polynucleotides that encode them. These techniques provides a straightforward approach to prepare and test sequence variants, for example, incorporating one or more of the foregoing considerations, by introducing one or more  
15 nucleotide sequence changes into the polynucleotide.

Site-specific mutagenesis allows the production of mutants through the use of specific oligonucleotide sequences which encode the DNA sequence of the desired mutation, as well as a sufficient number of adjacent nucleotides, to provide a primer sequence of sufficient size and sequence complexity to form a stable duplex on  
20 both sides of the deletion junction being traversed. Mutations may be employed in a selected polynucleotide sequence to improve, alter, decrease, modify, or otherwise change the properties of the polynucleotide itself, and/or alter the properties, activity, composition, stability, or primary sequence of the encoded polypeptide.

In certain embodiments of the present invention, the inventors  
25 contemplate the mutagenesis of the disclosed polynucleotide sequences to alter one or more properties of the encoded polypeptide, such as the immunogenicity of a polypeptide vaccine. The techniques of site-specific mutagenesis are well-known in the art, and are widely used to create variants of both polypeptides and polynucleotides. For example, site-specific mutagenesis is often used to alter a specific portion of a DNA  
30 molecule. In such embodiments, a primer comprising typically about 14 to about 25

nucleotides or so in length is employed, with about 5 to about 10 residues on both sides of the junction of the sequence being altered.

As will be appreciated by those of skill in the art, site-specific mutagenesis techniques have often employed a phage vector that exists in both a single  
5 stranded and double stranded form. Typical vectors useful in site-directed mutagenesis include vectors such as the M13 phage. These phage are readily commercially-available and their use is generally well-known to those skilled in the art. Double-stranded plasmids are also routinely employed in site directed mutagenesis that eliminates the step of transferring the gene of interest from a plasmid to a phage.

10 In general, site-directed mutagenesis in accordance herewith is performed by first obtaining a single-stranded vector or melting apart of two strands of a double-stranded vector that includes within its sequence a DNA sequence that encodes the desired peptide. An oligonucleotide primer bearing the desired mutated sequence is prepared, generally synthetically. This primer is then annealed with the single-stranded  
15 vector, and subjected to DNA polymerizing enzymes such as *E. coli* polymerase I Klenow fragment, in order to complete the synthesis of the mutation-bearing strand. Thus, a heteroduplex is formed wherein one strand encodes the original non-mutated sequence and the second strand bears the desired mutation. This heteroduplex vector is then used to transform appropriate cells, such as *E. coli* cells, and clones are selected  
20 which include recombinant vectors bearing the mutated sequence arrangement.

The preparation of sequence variants of the selected peptide-encoding DNA segments using site-directed mutagenesis provides a means of producing potentially useful species and is not meant to be limiting as there are other ways in which sequence variants of peptides and the DNA sequences encoding them may be  
25 obtained. For example, recombinant vectors encoding the desired peptide sequence may be treated with mutagenic agents, such as hydroxylamine, to obtain sequence variants. Specific details regarding these methods and protocols are found in the teachings of Maloy *et al.*, 1994; Segal, 1976; Prokop and Bajpai, 1991; Kuby, 1994; and Maniatis *et al.*, 1982, each incorporated herein by reference, for that purpose.



As used herein, the term "oligonucleotide directed mutagenesis procedure" refers to template-dependent processes and vector-mediated propagation which result in an increase in the concentration of a specific nucleic acid molecule relative to its initial concentration, or in an increase in the concentration of a detectable  
5 signal, such as amplification. As used herein, the term "oligonucleotide directed mutagenesis procedure" is intended to refer to a process that involves the template-dependent extension of a primer molecule. The term template dependent process refers to nucleic acid synthesis of an RNA or a DNA molecule wherein the sequence of the newly synthesized strand of nucleic acid is dictated by the well-known  
10 rules of complementary base pairing (see, for example, Watson, 1987). Typically, vector mediated methodologies involve the introduction of the nucleic acid fragment into a DNA or RNA vector, the clonal amplification of the vector, and the recovery of the amplified nucleic acid fragment. Examples of such methodologies are provided by U. S. Patent No. 4,237,224, specifically incorporated herein by reference in its entirety.

15 In another approach for the production of polypeptide variants of the present invention, recursive sequence recombination, as described in U.S. Patent No. 5,837,458, may be employed. In this approach, iterative cycles of recombination and screening or selection are performed to "evolve" individual polynucleotide variants of the invention having, for example, enhanced immunogenic activity.

20 In other embodiments of the present invention, the polynucleotide sequences provided herein can be advantageously used as probes or primers for nucleic acid hybridization. As such, it is contemplated that nucleic acid segments that comprise a sequence region of at least about 15 contiguous nucleotides that has the same sequence as, or is complementary to, a 15 nucleotide long contiguous sequence  
25 disclosed herein will find particular utility. Longer contiguous identical or complementary sequences, *e.g.*, those of about 20, 30, 40, 50, 100, 200, 500, 1000 (including all intermediate lengths) and even up to full length sequences will also be of use in certain embodiments.

The ability of such nucleic acid probes to specifically hybridize to a  
30 sequence of interest will enable them to be of use in detecting the presence of

complementary sequences in a given sample. However, other uses are also envisioned, such as the use of the sequence information for the preparation of mutant species primers, or primers for use in preparing other genetic constructions.

Polynucleotide molecules having sequence regions consisting of  
5 contiguous nucleotide stretches of 10-14, 15-20, 30, 50, or even of 100-200 nucleotides or so (including intermediate lengths as well), identical or complementary to a polynucleotide sequence disclosed herein, are particularly contemplated as hybridization probes for use in, *e.g.*, Southern and Northern blotting. This would allow a gene product, or fragment thereof, to be analyzed, both in diverse cell types and also in  
10 various bacterial cells. The total size of fragment, as well as the size of the complementary stretch(es), will ultimately depend on the intended use or application of the particular nucleic acid segment. Smaller fragments will generally find use in hybridization embodiments, wherein the length of the contiguous complementary region may be varied, such as between about 15 and about 100 nucleotides, but larger  
15 contiguous complementarity stretches may be used, according to the length complementary sequences one wishes to detect.

The use of a hybridization probe of about 15-25 nucleotides in length allows the formation of a duplex molecule that is both stable and selective. Molecules having contiguous complementary sequences over stretches greater than 15 bases in  
20 length are generally preferred, though, in order to increase stability and selectivity of the hybrid, and thereby improve the quality and degree of specific hybrid molecules obtained. One will generally prefer to design nucleic acid molecules having gene-complementary stretches of 15 to 25 contiguous nucleotides, or even longer where desired.

25 Hybridization probes may be selected from any portion of any of the sequences disclosed herein. All that is required is to review the sequences set forth herein, or to any continuous portion of the sequences, from about 15-25 nucleotides in length up to and including the full length sequence, that one wishes to utilize as a probe or primer. The choice of probe and primer sequences may be governed by various

factors. For example, one may wish to employ primers from towards the termini of the total sequence.

Small polynucleotide segments or fragments may be readily prepared by, for example, directly synthesizing the fragment by chemical means, as is commonly practiced using an automated oligonucleotide synthesizer. Also, fragments may be obtained by application of nucleic acid reproduction technology, such as the PCR™ technology of U. S. Patent 4,683,202 (incorporated herein by reference), by introducing selected sequences into recombinant vectors for recombinant production, and by other recombinant DNA techniques generally known to those of skill in the art of molecular biology.

The nucleotide sequences of the invention may be used for their ability to selectively form duplex molecules with complementary stretches of the entire gene or gene fragments of interest. Depending on the application envisioned, one will typically desire to employ varying conditions of hybridization to achieve varying degrees of selectivity of probe towards target sequence. For applications requiring high selectivity, one will typically desire to employ relatively stringent conditions to form the hybrids, *e.g.*, one will select relatively low salt and/or high temperature conditions, such as provided by a salt concentration of from about 0.02 M to about 0.15 M salt at temperatures of from about 50°C to about 70°C. Such selective conditions tolerate little, if any, mismatch between the probe and the template or target strand, and would be particularly suitable for isolating related sequences.

Of course, for some applications, for example, where one desires to prepare mutants employing a mutant primer strand hybridized to an underlying template, less stringent (reduced stringency) hybridization conditions will typically be needed in order to allow formation of the heteroduplex. In these circumstances, one may desire to employ salt conditions such as those of from about 0.15 M to about 0.9 M salt, at temperatures ranging from about 20°C to about 55°C. Cross-hybridizing species can thereby be readily identified as positively hybridizing signals with respect to control hybridizations. In any case, it is generally appreciated that conditions can be rendered more stringent by the addition of increasing amounts of formamide, which serves to

destabilize the hybrid duplex in the same manner as increased temperature. Thus, hybridization conditions can be readily manipulated, and thus will generally be a method of choice depending on the desired results.

According to another embodiment of the present invention,  
5 polynucleotide compositions comprising antisense oligonucleotides are provided. Antisense oligonucleotides have been demonstrated to be effective and targeted inhibitors of protein synthesis, and, consequently, provide a therapeutic approach by which a disease can be treated by inhibiting the synthesis of proteins that contribute to the disease. The efficacy of antisense oligonucleotides for inhibiting protein synthesis  
10 is well established. For example, the synthesis of polygalacturonase and the muscarine type 2 acetylcholine receptor are inhibited by antisense oligonucleotides directed to their respective mRNA sequences (U. S. Patent 5,739,119 and U. S. Patent 5,759,829). Further, examples of antisense inhibition have been demonstrated with the nuclear protein cyclin, the multiple drug resistance gene (MDG1), ICAM-1, E-selectin, STK-1,  
15 striatal GABA<sub>A</sub> receptor and human EGF (Jaskulski *et al.*, Science. 1988 Jun 10;240(4858):1544-6; Vasanthakumar and Ahmed, Cancer Commun. 1989;1(4):225-32; Peris *et al.*, Brain Res Mol Brain Res. 1998 Jun 15;57(2):310-20; U. S. Patent 5,801,154; U.S. Patent 5,789,573; U. S. Patent 5,718,709 and U.S. Patent 5,610,288). Antisense constructs have also been described that inhibit and can be used to treat a  
20 variety of abnormal cellular proliferations, *e.g.* cancer (U. S. Patent 5,747,470; U. S. Patent 5,591,317 and U. S. Patent 5,783,683).

Therefore, in certain embodiments, the present invention provides oligonucleotide sequences that comprise all, or a portion of, any sequence that is capable of specifically binding to polynucleotide sequence described herein, or a  
25 complement thereof. In one embodiment, the antisense oligonucleotides comprise DNA or derivatives thereof. In another embodiment, the oligonucleotides comprise RNA or derivatives thereof. In a third embodiment, the oligonucleotides are modified DNAs comprising a phosphorothioated modified backbone. In a fourth embodiment, the oligonucleotide sequences comprise peptide nucleic acids or derivatives thereof. In  
30 each case, preferred compositions comprise a sequence region that is complementary,

and more preferably substantially-complementary, and even more preferably, completely complementary to one or more portions of polynucleotides disclosed herein. Selection of antisense compositions specific for a given gene sequence is based upon analysis of the chosen target sequence and determination of secondary structure,  $T_m$ ,  
5 binding energy, and relative stability. Antisense compositions may be selected based upon their relative inability to form dimers, hairpins, or other secondary structures that would reduce or prohibit specific binding to the target mRNA in a host cell. Highly preferred target regions of the mRNA, are those which are at or near the AUG translation initiation codon, and those sequences which are substantially complementary  
10 to 5' regions of the mRNA. These secondary structure analyses and target site selection considerations can be performed, for example, using v.4 of the OLIGO primer analysis software and/or the BLASTN 2.0.5 algorithm software (Altschul *et al.*, Nucleic Acids Res. 1997 Sep 1;25(17):3389-402).

The use of an antisense delivery method employing a short peptide  
15 vector, termed MPG (27 residues), is also contemplated. The MPG peptide contains a hydrophobic domain derived from the fusion sequence of HIV gp41 and a hydrophilic domain from the nuclear localization sequence of SV40 T-antigen (Morris *et al.*, Nucleic Acids Res. 1997 Jul 15;25(14):2730-6). It has been demonstrated that several molecules of the MPG peptide coat the antisense oligonucleotides and can be delivered  
20 into cultured mammalian cells in less than 1 hour with relatively high efficiency (90%). Further, the interaction with MPG strongly increases both the stability of the oligonucleotide to nuclease and the ability to cross the plasma membrane.

According to another embodiment of the invention, the polynucleotide compositions described herein are used in the design and preparation of ribozyme  
25 molecules for inhibiting expression of the tumor polypeptides and proteins of the present invention in tumor cells. Ribozymes are RNA-protein complexes that cleave nucleic acids in a site-specific fashion. Ribozymes have specific catalytic domains that possess endonuclease activity (Kim and Cech, Proc Natl Acad Sci U S A. 1987 Dec;84(24):8788-92; Forster and Symons, Cell. 1987 Apr 24;49(2):211-20). For  
30 example, a large number of ribozymes accelerate phosphoester transfer reactions with a

high degree of specificity, often cleaving only one of several phosphoesters in an oligonucleotide substrate (Cech *et al.*, Cell. 1981 Dec;27(3 Pt 2):487-96; Michel and Westhof, J Mol Biol. 1990 Dec 5;216(3):585-610; Reinhold-Hurek and Shub, Nature. 1992 May 14;357(6374):173-6). This specificity has been attributed to the requirement  
5 that the substrate bind via specific base-pairing interactions to the internal guide sequence ("IGS") of the ribozyme prior to chemical reaction.

Six basic varieties of naturally-occurring enzymatic RNAs are known presently. Each can catalyze the hydrolysis of RNA phosphodiester bonds *in trans* (and thus can cleave other RNA molecules) under physiological conditions. In general,  
10 enzymatic nucleic acids act by first binding to a target RNA. Such binding occurs through the target binding portion of a enzymatic nucleic acid which is held in close proximity to an enzymatic portion of the molecule that acts to cleave the target RNA. Thus, the enzymatic nucleic acid first recognizes and then binds a target RNA through complementary base-pairing, and once bound to the correct site, acts enzymatically to  
15 cut the target RNA. Strategic cleavage of such a target RNA will destroy its ability to direct synthesis of an encoded protein. After an enzymatic nucleic acid has bound and cleaved its RNA target, it is released from that RNA to search for another target and can repeatedly bind and cleave new targets.

The enzymatic nature of a ribozyme is advantageous over many  
20 technologies, such as antisense technology (where a nucleic acid molecule simply binds to a nucleic acid target to block its translation) since the concentration of ribozyme necessary to affect a therapeutic treatment is lower than that of an antisense oligonucleotide. This advantage reflects the ability of the ribozyme to act enzymatically. Thus, a single ribozyme molecule is able to cleave many molecules of  
25 target RNA. In addition, the ribozyme is a highly specific inhibitor, with the specificity of inhibition depending not only on the base pairing mechanism of binding to the target RNA, but also on the mechanism of target RNA cleavage. Single mismatches, or base-substitutions, near the site of cleavage can completely eliminate catalytic activity of a ribozyme. Similar mismatches in antisense molecules do not prevent their action  
30 (Woolf *et al.*, Proc Natl Acad Sci U S A. 1992 Aug 15;89(16):7305-9). Thus, the

specificity of action of a ribozyme is greater than that of an antisense oligonucleotide binding the same RNA site.

The enzymatic nucleic acid molecule may be formed in a hammerhead, hairpin, a hepatitis  $\delta$  virus, group I intron or RNaseP RNA (in association with an RNA  
5 guide sequence) or Neurospora VS RNA motif. Examples of hammerhead motifs are described by Rossi *et al.* Nucleic Acids Res. 1992 Sep 11;20(17):4559-65. Examples of hairpin motifs are described by Hampel *et al.* (Eur. Pat. Appl. Publ. No. EP 0360257), Hampel and Tritz, Biochemistry 1989 Jun 13;28(12):4929-33; Hampel *et al.*, Nucleic  
Acids Res. 1990 Jan 25;18(2):299-304 and U. S. Patent 5,631,359. An example of the  
10 hepatitis  $\delta$  virus motif is described by Perrotta and Been, Biochemistry. 1992 Dec 1;31(47):11843-52; an example of the RNaseP motif is described by Guerrier-Takada  
*et al.*, Cell. 1983 Dec;35(3 Pt 2):849-57; Neurospora VS RNA ribozyme motif is described by Collins (Saville and Collins, Cell. 1990 May 18;61(4):685-96; Saville and  
Collins, Proc Natl Acad Sci U S A. 1991 Oct 1;88(19):8826-30; Collins and Olive,  
15 Biochemistry. 1993 Mar 23;32(11):2795-9); and an example of the Group I intron is described in (U. S. Patent 4,987,071). All that is important in an enzymatic nucleic acid  
molecule of this invention is that it has a specific substrate binding site which is complementary to one or more of the target gene RNA regions, and that it have  
nucleotide sequences within or surrounding that substrate binding site which impart an  
20 RNA cleaving activity to the molecule. Thus the ribozyme constructs need not be limited to specific motifs mentioned herein.

Ribozymes may be designed as described in Int. Pat. Appl. Publ. No. WO 93/23569 and Int. Pat. Appl. Publ. No. WO 94/02595, each specifically  
incorporated herein by reference) and synthesized to be tested *in vitro* and *in vivo*, as  
25 described. Such ribozymes can also be optimized for delivery. While specific examples are provided, those in the art will recognize that equivalent RNA targets in other species can be utilized when necessary.

Ribozyme activity can be optimized by altering the length of the ribozyme binding arms, or chemically synthesizing ribozymes with modifications that  
30 prevent their degradation by serum ribonucleases (see *e.g.*, Int. Pat. Appl. Publ. No. WO

92/07065; Int. Pat. Appl. Publ. No. WO 93/15187; Int. Pat. Appl. Publ. No. WO 91/03162; Eur. Pat. Appl. Publ. No. 92110298.4; U. S. Patent 5,334,711; and Int. Pat. Appl. Publ. No. WO 94/13688, which describe various chemical modifications that can be made to the sugar moieties of enzymatic RNA molecules), modifications which enhance their efficacy in cells, and removal of stem II bases to shorten RNA synthesis times and reduce chemical requirements.

Sullivan *et al.* (Int. Pat. Appl. Publ. No. WO 94/02595) describes the general methods for delivery of enzymatic RNA molecules. Ribozymes may be administered to cells by a variety of methods known to those familiar to the art, including, but not restricted to, encapsulation in liposomes, by iontophoresis, or by incorporation into other vehicles, such as hydrogels, cyclodextrins, biodegradable nanocapsules, and bioadhesive microspheres. For some indications, ribozymes may be directly delivered *ex vivo* to cells or tissues with or without the aforementioned vehicles. Alternatively, the RNA/vehicle combination may be locally delivered by direct inhalation, by direct injection or by use of a catheter, infusion pump or stent. Other routes of delivery include, but are not limited to, intravascular, intramuscular, subcutaneous or joint injection, aerosol inhalation, oral (tablet or pill form), topical, systemic, ocular, intraperitoneal and/or intrathecal delivery. More detailed descriptions of ribozyme delivery and administration are provided in Int. Pat. Appl. Publ. No. WO 94/02595 and Int. Pat. Appl. Publ. No. WO 93/23569, each specifically incorporated herein by reference.

Another means of accumulating high concentrations of a ribozyme(s) within cells is to incorporate the ribozyme-encoding sequences into a DNA expression vector. Transcription of the ribozyme sequences are driven from a promoter for eukaryotic RNA polymerase I (pol I), RNA polymerase II (pol II), or RNA polymerase III (pol III). Transcripts from pol II or pol III promoters will be expressed at high levels in all cells; the levels of a given pol II promoter in a given cell type will depend on the nature of the gene regulatory sequences (enhancers, silencers, *etc.*) present nearby. Prokaryotic RNA polymerase promoters may also be used, providing that the prokaryotic RNA polymerase enzyme is expressed in the appropriate cells. Ribozymes



expressed from such promoters have been shown to function in mammalian cells. Such transcription units can be incorporated into a variety of vectors for introduction into mammalian cells, including but not restricted to, plasmid DNA vectors, viral DNA vectors (such as adenovirus or adeno-associated vectors), or viral RNA vectors (such as  
5 retroviral, semliki forest virus, sindbis virus vectors).

In another embodiment of the invention, peptide nucleic acids (PNAs) compositions are provided. PNA is a DNA mimic in which the nucleobases are attached to a pseudopeptide backbone (Good and Nielsen, *Antisense Nucleic Acid Drug Dev.* 1997 7(4) 431-37). PNA is able to be utilized in a number methods that  
10 traditionally have used RNA or DNA. Often PNA sequences perform better in techniques than the corresponding RNA or DNA sequences and have utilities that are not inherent to RNA or DNA. A review of PNA including methods of making, characteristics of, and methods of using, is provided by Corey (*Trends Biotechnol* 1997 Jun;15(6):224-9). As such, in certain embodiments, one may prepare PNA sequences  
15 that are complementary to one or more portions of the ACE mRNA sequence, and such PNA compositions may be used to regulate, alter, decrease, or reduce the translation of ACE-specific mRNA, and thereby alter the level of ACE activity in a host cell to which such PNA compositions have been administered.

PNAs have 2-aminoethyl-glycine linkages replacing the normal  
20 phosphodiester backbone of DNA (Nielsen *et al.*, *Science* 1991 Dec 6;254(5037):1497-500; Hanvey *et al.*, *Science*. 1992 Nov 27;258(5087):1481-5; Hyrup and Nielsen, *Bioorg Med Chem.* 1996 Jan;4(1):5-23). This chemistry has three important consequences: firstly, in contrast to DNA or phosphorothioate oligonucleotides, PNAs are neutral molecules; secondly, PNAs are achiral, which avoids the need to develop a  
25 stereoselective synthesis; and thirdly, PNA synthesis uses standard Boc or Fmoc protocols for solid-phase peptide synthesis, although other methods, including a modified Merrifield method, have been used.

PNA monomers or ready-made oligomers are commercially available from PerSeptive Biosystems (Framingham, MA). PNA syntheses by either Boc or  
30 Fmoc protocols are straightforward using manual or automated protocols (Norton *et al.*,

Bioorg Med Chem. 1995 Apr;3(4):437-45). The manual protocol lends itself to the production of chemically modified PNAs or the simultaneous synthesis of families of closely related PNAs.

As with peptide synthesis, the success of a particular PNA synthesis will  
5 depend on the properties of the chosen sequence. For example, while in theory PNAs can incorporate any combination of nucleotide bases, the presence of adjacent purines can lead to deletions of one or more residues in the product. In expectation of this difficulty, it is suggested that, in producing PNAs with adjacent purines, one should repeat the coupling of residues likely to be added inefficiently. This should be followed  
10 by the purification of PNAs by reverse-phase high-pressure liquid chromatography, providing yields and purity of product similar to those observed during the synthesis of peptides.

Modifications of PNAs for a given application may be accomplished by coupling amino acids during solid-phase synthesis or by attaching compounds that  
15 contain a carboxylic acid group to the exposed N-terminal amine. Alternatively, PNAs can be modified after synthesis by coupling to an introduced lysine or cysteine. The ease with which PNAs can be modified facilitates optimization for better solubility or for specific functional requirements. Once synthesized, the identity of PNAs and their derivatives can be confirmed by mass spectrometry. Several studies have made and  
20 utilized modifications of PNAs (for example, Norton *et al.*, Bioorg Med Chem. 1995 Apr;3(4):437-45; Petersen *et al.*, J Pept Sci. 1995 May-Jun;1(3):175-83; Orum *et al.*, Biotechniques. 1995 Sep;19(3):472-80; Footer *et al.*, Biochemistry. 1996 Aug 20;35(33):10673-9; Griffith *et al.*, Nucleic Acids Res. 1995 Aug 11;23(15):3003-8; Pardridge *et al.*, Proc Natl Acad Sci U S A. 1995 Jun 6;92(12):5592-6; Boffa *et al.*,  
25 Proc Natl Acad Sci U S A. 1995 Mar 14;92(6):1901-5; Gambacorti-Passerini *et al.*, Blood. 1996 Aug 15;88(4):1411-7; Armitage *et al.*, Proc Natl Acad Sci U S A. 1997 Nov 11;94(23):12320-5; Seeger *et al.*, Biotechniques. 1997 Sep;23(3):512-7). U.S. Patent No. 5,700,922 discusses PNA-DNA-PNA chimeric molecules and their uses in diagnostics, modulating protein in organisms, and treatment of conditions susceptible to  
30 therapeutics.

Methods of characterizing the antisense binding properties of PNAs are discussed in Rose (Anal Chem. 1993 Dec 15;65(24):3545-9) and Jensen *et al.* (Biochemistry. 1997 Apr 22;36(16):5072-7). Rose uses capillary gel electrophoresis to determine binding of PNAs to their complementary oligonucleotide, measuring the relative binding kinetics and stoichiometry. Similar types of measurements were made  
5 by Jensen *et al.* using BIAcore™ technology.

Other applications of PNAs that have been described and will be apparent to the skilled artisan include use in DNA strand invasion, antisense inhibition, mutational analysis, enhancers of transcription, nucleic acid purification, isolation of  
10 transcriptionally active genes, blocking of transcription factor binding, genome cleavage, biosensors, *in situ* hybridization, and the like.

#### Polynucleotide Identification, Characterization and Expression

Polynucleotide compositions of the present invention may be identified, prepared and/or manipulated using any of a variety of well established techniques (see  
15 generally, Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989, and other like references). For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (*i.e.*, expression that is at least two fold greater in a tumor than in normal tissue, as determined using a  
20 representative assay provided herein). Such screens may be performed, for example, using the microarray technology of Affymetrix, Inc. (Santa Clara, CA) according to the manufacturer's instructions (and essentially as described by Schena *et al.*, *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller *et al.*, *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polynucleotides may be amplified from cDNA  
25 prepared from cells expressing the proteins described herein, such as tumor cells.

Many template dependent processes are available to amplify a target sequences of interest present in a sample. One of the best known amplification methods is the polymerase chain reaction (PCR™) which is described in detail in U.S. Patent Nos. 4,683,195, 4,683,202 and 4,800,159, each of which is incorporated herein by

reference in its entirety. Briefly, in PCR<sup>TM</sup>, two primer sequences are prepared which are complementary to regions on opposite complementary strands of the target sequence. An excess of deoxynucleoside triphosphates is added to a reaction mixture along with a DNA polymerase (*e.g.*, *Taq* polymerase). If the target sequence is present  
5 in a sample, the primers will bind to the target and the polymerase will cause the primers to be extended along the target sequence by adding on nucleotides. By raising and lowering the temperature of the reaction mixture, the extended primers will dissociate from the target to form reaction products, excess primers will bind to the target and to the reaction product and the process is repeated. Preferably reverse  
10 transcription and PCR<sup>TM</sup> amplification procedure may be performed in order to quantify the amount of mRNA amplified. Polymerase chain reaction methodologies are well known in the art.

Any of a number of other template dependent processes, many of which are variations of the PCR<sup>TM</sup> amplification technique, are readily known and available in  
15 the art. Illustratively, some such methods include the ligase chain reaction (referred to as LCR), described, for example, in Eur. Pat. Appl. Publ. No. 320,308 and U.S. Patent No. 4,883,750; Qbeta Replicase, described in PCT Intl. Pat. Appl. Publ. No. PCT/US87/00880; Strand Displacement Amplification (SDA) and Repair Chain Reaction (RCR). Still other amplification methods are described in Great Britain Pat.  
20 Appl. No. 2 202 328, and in PCT Intl. Pat. Appl. Publ. No. PCT/US89/01025. Other nucleic acid amplification procedures include transcription-based amplification systems (TAS) (PCT Intl. Pat. Appl. Publ. No. WO 88/10315), including nucleic acid sequence based amplification (NASBA) and 3SR. Eur. Pat. Appl. Publ. No. 329,822 describes a nucleic acid amplification process involving cyclically synthesizing single-stranded  
25 RNA ("ssRNA"), ssDNA, and double-stranded DNA (dsDNA). PCT Intl. Pat. Appl. Publ. No. WO 89/06700 describes a nucleic acid sequence amplification scheme based on the hybridization of a promoter/primer sequence to a target single-stranded DNA ("ssDNA") followed by transcription of many RNA copies of the sequence. Other amplification methods such as "RACE" (Frohman, 1990), and "one-sided PCR" (Ohara,  
30 1989) are also well-known to those of skill in the art.

An amplified portion of a polynucleotide of the present invention may be used to isolate a full length gene from a suitable library (e.g., a tumor cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification.

- 5 Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

- For hybridization techniques, a partial sequence may be labeled (e.g., by nick-translation or end-labeling with  $^{32}\text{P}$ ) using well known techniques. A bacterial or  
10 bacteriophage library is then generally screened by hybridizing filters containing denatured bacterial colonies (or lawns containing phage plaques) with the labeled probe (see Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may  
15 be analyzed to determine the amount of additional sequence by, for example, PCR using a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences can  
20 then assembled into a single contiguous sequence. A full length cDNA molecule can be generated by ligating suitable fragments, using well known techniques.

- Alternatively, amplification techniques, such as those described above, can be useful for obtaining a full length coding sequence from a partial cDNA sequence. One such amplification technique is inverse PCR (see Triglia et al., *Nucl. Acids Res.*  
25 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a  
30 known region. The amplified sequences are typically subjected to a second round of

amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or  
5 RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids. Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed  
10 to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (e.g., NCBI BLAST searches), and such ESTs  
15 may be used to generate a contiguous full length sequence. Full length DNA sequences may also be obtained by analysis of genomic fragments.

In other embodiments of the invention, polynucleotide sequences or fragments thereof which encode polypeptides of the invention, or fusion proteins or functional equivalents thereof, may be used in recombinant DNA molecules to direct  
20 expression of a polypeptide in appropriate host cells. Due to the inherent degeneracy of the genetic code, other DNA sequences that encode substantially the same or a functionally equivalent amino acid sequence may be produced and these sequences may be used to clone and express a given polypeptide.

As will be understood by those of skill in the art, it may be advantageous  
25 in some instances to produce polypeptide-encoding nucleotide sequences possessing non-naturally occurring codons. For example, codons preferred by a particular prokaryotic or eukaryotic host can be selected to increase the rate of protein expression or to produce a recombinant RNA transcript having desirable properties, such as a half-life which is longer than that of a transcript generated from the naturally occurring  
30 sequence.

Moreover, the polynucleotide sequences of the present invention can be engineered using methods generally known in the art in order to alter polypeptide encoding sequences for a variety of reasons, including but not limited to, alterations which modify the cloning, processing, and/or expression of the gene product. For example, DNA shuffling by random fragmentation and PCR reassembly of gene fragments and synthetic oligonucleotides may be used to engineer the nucleotide sequences. In addition, site-directed mutagenesis may be used to insert new restriction sites, alter glycosylation patterns, change codon preference, produce splice variants, or introduce mutations, and so forth.

10 In another embodiment of the invention, natural, modified, or recombinant nucleic acid sequences may be ligated to a heterologous sequence to encode a fusion protein. For example, to screen peptide libraries for inhibitors of polypeptide activity, it may be useful to encode a chimeric protein that can be recognized by a commercially available antibody. A fusion protein may also be engineered to contain a cleavage site located between the polypeptide-encoding sequence and the heterologous protein sequence, so that the polypeptide may be cleaved and purified away from the heterologous moiety.

Sequences encoding a desired polypeptide may be synthesized, in whole or in part, using chemical methods well known in the art (see Caruthers, M. H. et al. 20 (1980) *Nucl. Acids Res. Symp. Ser.* 215-223, Horn, T. et al. (1980) *Nucl. Acids Res. Symp. Ser.* 225-232). Alternatively, the protein itself may be produced using chemical methods to synthesize the amino acid sequence of a polypeptide, or a portion thereof. For example, peptide synthesis can be performed using various solid-phase techniques (Roberge, J. Y. et al. (1995) *Science* 269:202-204) and automated synthesis may be achieved, for example, using the ABI 431A Peptide Synthesizer (Perkin Elmer, Palo Alto, CA).

A newly synthesized peptide may be substantially purified by preparative high performance liquid chromatography (e.g., Creighton, T. (1983) *Proteins, Structures and Molecular Principles*, WH Freeman and Co., New York, N.Y.) or other comparable techniques available in the art. The composition of the synthetic peptides may be

confirmed by amino acid analysis or sequencing (e.g., the Edman degradation procedure). Additionally, the amino acid sequence of a polypeptide, or any part thereof, may be altered during direct synthesis and/or combined using chemical methods with sequences from other proteins, or any part thereof, to produce a variant polypeptide.

5           In order to express a desired polypeptide, the nucleotide sequences encoding the polypeptide, or functional equivalents, may be inserted into appropriate expression vector, *i.e.*, a vector which contains the necessary elements for the transcription and translation of the inserted coding sequence. Methods which are well known to those skilled in the art may be used to construct expression vectors containing  
10 sequences encoding a polypeptide of interest and appropriate transcriptional and translational control elements. These methods include *in vitro* recombinant DNA techniques, synthetic techniques, and *in vivo* genetic recombination. Such techniques are described, for example, in Sambrook, J. et al. (1989) Molecular Cloning, A Laboratory Manual, Cold Spring Harbor Press, Plainview, N.Y., and Ausubel, F. M. et al. (1989) Current Protocols in Molecular Biology, John Wiley & Sons, New York.  
15 N.Y.

A variety of expression vector/host systems may be utilized to contain and express polynucleotide sequences. These include, but are not limited to, microorganisms such as bacteria transformed with recombinant bacteriophage, plasmid,  
20 or cosmid DNA expression vectors; yeast transformed with yeast expression vectors; insect cell systems infected with virus expression vectors (e.g., baculovirus); plant cell systems transformed with virus expression vectors (e.g., cauliflower mosaic virus, CaMV; tobacco mosaic virus, TMV) or with bacterial expression vectors (e.g., Ti or pBR322 plasmids); or animal cell systems.

25           The "control elements" or "regulatory sequences" present in an expression vector are those non-translated regions of the vector--enhancers, promoters, 5' and 3' untranslated regions--which interact with host cellular proteins to carry out transcription and translation. Such elements may vary in their strength and specificity. Depending on the vector system and host utilized, any number of suitable transcription  
30 and translation elements, including constitutive and inducible promoters, may be used.



For example, when cloning in bacterial systems, inducible promoters such as the hybrid lacZ promoter of the PBLUESCRIPT phagemid (Stratagene, La Jolla, Calif.) or PSPORT1 plasmid (Gibco BRL, Gaithersburg, MD) and the like may be used. In mammalian cell systems, promoters from mammalian genes or from mammalian viruses  
5 are generally preferred. If it is necessary to generate a cell line that contains multiple copies of the sequence encoding a polypeptide, vectors based on SV40 or EBV may be advantageously used with an appropriate selectable marker.

In bacterial systems, any of a number of expression vectors may be selected depending upon the use intended for the expressed polypeptide. For example,  
10 when large quantities are needed, for example for the induction of antibodies, vectors which direct high level expression of fusion proteins that are readily purified may be used. Such vectors include, but are not limited to, the multifunctional *E. coli* cloning and expression vectors such as BLUESCRIPT (Stratagene), in which the sequence encoding the polypeptide of interest may be ligated into the vector in frame with  
15 sequences for the amino-terminal Met and the subsequent 7 residues of .beta.-galactosidase so that a hybrid protein is produced; pIN vectors (Van Heeke, G. and S. M. Schuster (1989) *J. Biol. Chem.* 264:5503-5509); and the like. pGEX Vectors (Promega, Madison, Wis.) may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are  
20 soluble and can easily be purified from lysed cells by adsorption to glutathione-agarose beads followed by elution in the presence of free glutathione. Proteins made in such systems may be designed to include heparin, thrombin, or factor XA protease cleavage sites so that the cloned polypeptide of interest can be released from the GST moiety at will.

25 In the yeast, *Saccharomyces cerevisiae*, a number of vectors containing constitutive or inducible promoters such as alpha factor, alcohol oxidase, and PGH may be used. For reviews, see Ausubel et al. (supra) and Grant et al. (1987) *Methods Enzymol.* 153:516-544.

In cases where plant expression vectors are used, the expression of  
30 sequences encoding polypeptides may be driven by any of a number of promoters. For

example, viral promoters such as the 35S and 19S promoters of CaMV may be used alone or in combination with the omega leader sequence from TMV (Takamatsu, N. (1987) *EMBO J.* 6:307-311. Alternatively, plant promoters such as the small subunit of RUBISCO or heat shock promoters may be used (Coruzzi, G. et al. (1984) *EMBO J.* 3:1671-1680; Broglie, R. et al. (1984) *Science* 224:838-843; and Winter, J. et al. (1991) *Results Probl. Cell Differ.* 17:85-105). These constructs can be introduced into plant cells by direct DNA transformation or pathogen-mediated transfection. Such techniques are described in a number of generally available reviews (see, for example, Hobbs, S. or Murry, L. E. in McGraw Hill Yearbook of Science and Technology (1992) McGraw Hill, New York, N.Y.; pp. 191-196).

An insect system may also be used to express a polypeptide of interest. For example, in one such system, Autographa californica nuclear polyhedrosis virus (AcNPV) is used as a vector to express foreign genes in *Spodoptera frugiperda* cells or in *Trichoplusia* larvae. The sequences encoding the polypeptide may be cloned into a non-essential region of the virus, such as the polyhedrin gene, and placed under control of the polyhedrin promoter. Successful insertion of the polypeptide-encoding sequence will render the polyhedrin gene inactive and produce recombinant virus lacking coat protein. The recombinant viruses may then be used to infect, for example, *S. frugiperda* cells or *Trichoplusia* larvae in which the polypeptide of interest may be expressed (Engelhard, E. K. et al. (1994) *Proc. Natl. Acad. Sci.* 91 :3224-3227).

In mammalian host cells, a number of viral-based expression systems are generally available. For example, in cases where an adenovirus is used as an expression vector, sequences encoding a polypeptide of interest may be ligated into an adenovirus transcription/translation complex consisting of the late promoter and tripartite leader sequence. Insertion in a non-essential E1 or E3 region of the viral genome may be used to obtain a viable virus which is capable of expressing the polypeptide in infected host cells (Logan, J. and Shenk, T. (1984) *Proc. Natl. Acad. Sci.* 81:3655-3659). In addition, transcription enhancers, such as the Rous sarcoma virus (RSV) enhancer, may be used to increase expression in mammalian host cells.

Specific initiation signals may also be used to achieve more efficient translation of sequences encoding a polypeptide of interest. Such signals include the ATG initiation codon and adjacent sequences. In cases where sequences encoding the polypeptide, its initiation codon, and upstream sequences are inserted into the appropriate expression vector, no additional transcriptional or translational control signals may be needed. However, in cases where only coding sequence, or a portion thereof, is inserted, exogenous translational control signals including the ATG initiation codon should be provided. Furthermore, the initiation codon should be in the correct reading frame to ensure translation of the entire insert. Exogenous translational elements and initiation codons may be of various origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of enhancers which are appropriate for the particular cell system which is used, such as those described in the literature (Scharf, D. et al. (1994) *Results Probl. Cell Differ.* 20:125-162).

In addition, a host cell strain may be chosen for its ability to modulate the expression of the inserted sequences or to process the expressed protein in the desired fashion. Such modifications of the polypeptide include, but are not limited to, acetylation, carboxylation, glycosylation, phosphorylation, lipidation, and acylation. Post-translational processing which cleaves a "prepro" form of the protein may also be used to facilitate correct insertion, folding and/or function. Different host cells such as CHO, COS, HeLa, MDCK, HEK293, and WI38, which have specific cellular machinery and characteristic mechanisms for such post-translational activities, may be chosen to ensure the correct modification and processing of the foreign protein.

For long-term, high-yield production of recombinant proteins, stable expression is generally preferred. For example, cell lines which stably express a polynucleotide of interest may be transformed using expression vectors which may contain viral origins of replication and/or endogenous expression elements and a selectable marker gene on the same or on a separate vector. Following the introduction of the vector, cells may be allowed to grow for 1-2 days in an enriched media before they are switched to selective media. The purpose of the selectable marker is to confer resistance to selection, and its presence allows growth and recovery of cells which

successfully express the introduced sequences. Resistant clones of stably transformed cells may be proliferated using tissue culture techniques appropriate to the cell type.

Any number of selection systems may be used to recover transformed cell lines. These include, but are not limited to, the herpes simplex virus thymidine kinase (Wigler, M. et al. (1977) *Cell* 11:223-32) and adenine phosphoribosyltransferase (Lowy, I. et al. (1990) *Cell* 22:817-23) genes which can be employed in tk.sup.- or aprt.sup.- cells, respectively. Also, antimetabolite, antibiotic or herbicide resistance can be used as the basis for selection; for example, dhfr which confers resistance to methotrexate (Wigler, M. et al. (1980) *Proc. Natl. Acad. Sci.* 77:3567-70); npt, which confers resistance to the aminoglycosides, neomycin and G-418 (Colbere-Garapin, F. et al (1981) *J. Mol. Biol.* 150:1-14); and als or pat, which confer resistance to chlorsulfuron and phosphinotricin acetyltransferase, respectively (Murry, *supra*). Additional selectable genes have been described, for example, trpB, which allows cells to utilize indole in place of tryptophan, or hisD, which allows cells to utilize histinol in place of histidine (Hartman, S. C. and R. C. Mulligan (1988) *Proc. Natl. Acad. Sci.* 85:8047-51). The use of visible markers has gained popularity with such markers as anthocyanins, beta-glucuronidase and its substrate GUS, and luciferase and its substrate luciferin, being widely used not only to identify transformants, but also to quantify the amount of transient or stable protein expression attributable to a specific vector system (Rhodes, C. A. et al. (1995) *Methods Mol. Biol.* 55:121-131).

Although the presence/absence of marker gene expression suggests that the gene of interest is also present, its presence and expression may need to be confirmed. For example, if the sequence encoding a polypeptide is inserted within a marker gene sequence, recombinant cells containing sequences can be identified by the absence of marker gene function. Alternatively, a marker gene can be placed in tandem with a polypeptide-encoding sequence under the control of a single promoter. Expression of the marker gene in response to induction or selection usually indicates expression of the tandem gene as well.

Alternatively, host cells that contain and express a desired polynucleotide sequence may be identified by a variety of procedures known to those of

skill in the art. These procedures include, but are not limited to, DNA-DNA or DNA-RNA hybridizations and protein bioassay or immunoassay techniques which include, for example, membrane, solution, or chip based technologies for the detection and/or quantification of nucleic acid or protein.

5           A variety of protocols for detecting and measuring the expression of polynucleotide-encoded products, using either polyclonal or monoclonal antibodies specific for the product are known in the art. Examples include enzyme-linked immunosorbent assay (ELISA), radioimmunoassay (RIA), and fluorescence activated cell sorting (FACS). A two-site, monoclonal-based immunoassay utilizing monoclonal  
10 antibodies reactive to two non-interfering epitopes on a given polypeptide may be preferred for some applications, but a competitive binding assay may also be employed. These and other assays are described, among other places, in Hampton, R. et al. (1990; *Serological Methods, a Laboratory Manual*, APS Press, St Paul, Minn.) and Maddox, D. E. et al. (1983; *J. Exp. Med.* 158:1211-1216).

15           A wide variety of labels and conjugation techniques are known by those skilled in the art and may be used in various nucleic acid and amino acid assays. Means for producing labeled hybridization or PCR probes for detecting sequences related to polynucleotides include oligolabeling, nick translation, end-labeling or PCR amplification using a labeled nucleotide. Alternatively, the sequences, or any portions  
20 thereof may be cloned into a vector for the production of an mRNA probe. Such vectors are known in the art, are commercially available, and may be used to synthesize RNA probes in vitro by addition of an appropriate RNA polymerase such as T7, T3, or SP6 and labeled nucleotides. These procedures may be conducted using a variety of commercially available kits. Suitable reporter molecules or labels, which may be used  
25 include radionuclides, enzymes, fluorescent, chemiluminescent, or chromogenic agents as well as substrates, cofactors, inhibitors, magnetic particles, and the like.

          Host cells transformed with a polynucleotide sequence of interest may be cultured under conditions suitable for the expression and recovery of the protein from cell culture. The protein produced by a recombinant cell may be secreted or contained  
30 intracellularly depending on the sequence and/or the vector used. As will be understood

by those of skill in the art, expression vectors containing polynucleotides of the invention may be designed to contain signal sequences which direct secretion of the encoded polypeptide through a prokaryotic or eukaryotic cell membrane. Other recombinant constructions may be used to join sequences encoding a polypeptide of  
5 interest to nucleotide sequence encoding a polypeptide domain which will facilitate purification of soluble proteins. Such purification facilitating domains include, but are not limited to, metal chelating peptides such as histidine-tryptophan modules that allow purification on immobilized metals, protein A domains that allow purification on immobilized immunoglobulin, and the domain utilized in the FLAGS extension/affinity  
10 purification system (Immunex Corp., Seattle, Wash.). The inclusion of cleavable linker sequences such as those specific for Factor XA or enterokinase (Invitrogen, San Diego, Calif.) between the purification domain and the encoded polypeptide may be used to facilitate purification. One such expression vector provides for expression of a fusion protein containing a polypeptide of interest and a nucleic acid encoding 6 histidine  
15 residues preceding a thioredoxin or an enterokinase cleavage site. The histidine residues facilitate purification on IMIAC (immobilized metal ion affinity chromatography) as described in Porath, J. et al. (1992, *Prot. Exp. Purif.* 3:263-281) while the enterokinase cleavage site provides a means for purifying the desired polypeptide from the fusion protein. A discussion of vectors which contain fusion proteins is provided in Kroll, D. J.  
20 et al. (1993; *DNA Cell Biol.* 12:441-453).

In addition to recombinant production methods, polypeptides of the invention, and fragments thereof, may be produced by direct peptide synthesis using solid-phase techniques (Merrifield J. (1963) *J. Am. Chem. Soc.* 85:2149-2154). Protein synthesis may be performed using manual techniques or by automation. Automated  
25 synthesis may be achieved, for example, using Applied Biosystems 431A Peptide Synthesizer (Perkin Elmer). Alternatively, various fragments may be chemically synthesized separately and combined using chemical methods to produce the full length molecule.

Antibody Compositions, Fragments Thereof and Other Binding Agents

According to another aspect, the present invention further provides binding agents, such as antibodies and antigen-binding fragments thereof, that exhibit immunological binding to a tumor polypeptide disclosed herein, or to a portion, variant or derivative thereof. An antibody, or antigen-binding fragment thereof, is said to "specifically bind," "immunologically bind," and/or is "immunologically reactive" to a polypeptide of the invention if it reacts at a detectable level (within, for example, an ELISA assay) with the polypeptide, and does not react detectably with unrelated polypeptides under similar conditions.

Immunological binding, as used in this context, generally refers to the non-covalent interactions of the type which occur between an immunoglobulin molecule and an antigen for which the immunoglobulin is specific. The strength, or affinity of immunological binding interactions can be expressed in terms of the dissociation constant ( $K_d$ ) of the interaction, wherein a smaller  $K_d$  represents a greater affinity. Immunological binding properties of selected polypeptides can be quantified using methods well known in the art. One such method entails measuring the rates of antigen-binding site/antigen complex formation and dissociation, wherein those rates depend on the concentrations of the complex partners, the affinity of the interaction, and on geometric parameters that equally influence the rate in both directions. Thus, both the "on rate constant" ( $K_{on}$ ) and the "off rate constant" ( $K_{off}$ ) can be determined by calculation of the concentrations and the actual rates of association and dissociation. The ratio of  $K_{off}/K_{on}$  enables cancellation of all parameters not related to affinity, and is thus equal to the dissociation constant  $K_d$ . See, generally, Davies et al. (1990) Annual Rev. Biochem. 59:439-473.

An "antigen-binding site," or "binding portion" of an antibody refers to the part of the immunoglobulin molecule that participates in antigen binding. The antigen binding site is formed by amino acid residues of the N-terminal variable ("V") regions of the heavy ("H") and light ("L") chains. Three highly divergent stretches within the V regions of the heavy and light chains are referred to as "hypervariable regions" which are interposed between more conserved flanking stretches known as

"framework regions," or "FRs". Thus the term "FR" refers to amino acid sequences which are naturally found between and adjacent to hypervariable regions in immunoglobulins. In an antibody molecule, the three hypervariable regions of a light chain and the three hypervariable regions of a heavy chain are disposed relative to each other in three dimensional space to form an antigen-binding surface. The antigen-binding surface is complementary to the three-dimensional surface of a bound antigen, and the three hypervariable regions of each of the heavy and light chains are referred to as "complementarity-determining regions," or "CDRs."

Binding agents may be further capable of differentiating between patients with and without a cancer, such as prostate cancer, using the representative assays provided herein. For example, antibodies or other binding agents that bind to a tumor protein will preferably generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, more preferably at least about 30% of patients. Alternatively, or in addition, the antibody will generate a negative signal indicating the absence of the disease in at least about 90% of individuals without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (*e.g.*, blood, sera, sputum, urine and/or tumor biopsies) from patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. Preferably, a statistically significant number of samples with and without the disease will be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. *See, e.g.,* Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation



of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (*e.g.*, mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically. Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (*i.e.*, reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

A number of therapeutically useful molecules are known in the art which comprise antigen-binding sites that are capable of exhibiting immunological binding properties of an antibody molecule. The proteolytic enzyme papain preferentially cleaves IgG molecules to yield several fragments, two of which (the "F(ab)" fragments) each comprise a covalent heterodimer that includes an intact antigen-binding site. The enzyme pepsin is able to cleave IgG molecules to provide several fragments, including the "F(ab')<sub>2</sub>" fragment which comprises both antigen-binding sites. An "Fv" fragment can be produced by preferential proteolytic cleavage of an IgM, and on rare occasions IgG or IgA immunoglobulin molecule. Fv fragments are, however, more commonly derived using recombinant techniques known in the art. The Fv fragment includes a non-covalent V<sub>H</sub>::V<sub>L</sub> heterodimer including an antigen-binding site which retains much of the antigen recognition and binding capabilities of the native antibody molecule. Inbar et al. (1972) Proc. Nat. Acad. Sci. USA 69:2659-2662; Hochman et al. (1976) Biochem 15:2706-2710; and Ehrlich et al. (1980) Biochem 19:4091-4096.

A single chain Fv ("sFv") polypeptide is a covalently linked V<sub>H</sub>::V<sub>L</sub> heterodimer which is expressed from a gene fusion including V<sub>H</sub>- and V<sub>L</sub>-encoding genes linked by a peptide-encoding linker. Huston et al. (1988) Proc. Nat. Acad. Sci. USA 85(16):5879-5883. A number of methods have been described to discern chemical structures for converting the naturally aggregated--but chemically separated--light and heavy polypeptide chains from an antibody V region into an sFv molecule which will fold into a three dimensional structure substantially similar to the structure of an

antigen-binding site. See, *e.g.*, U.S. Pat. Nos. 5,091,513 and 5,132,405, to Huston et al.; and U.S. Pat. No. 4,946,778, to Ladner et al.

Each of the above-described molecules includes a heavy chain and a light chain CDR set, respectively interposed between a heavy chain and a light chain FR set which provide support to the CDRS and define the spatial relationship of the CDRs relative to each other. As used herein, the term "CDR set" refers to the three hypervariable regions of a heavy or light chain V region. Proceeding from the N-terminus of a heavy or light chain, these regions are denoted as "CDR1," "CDR2," and "CDR3" respectively. An antigen-binding site, therefore, includes six CDRs, comprising the CDR set from each of a heavy and a light chain V region. A polypeptide comprising a single CDR, (*e.g.*, a CDR1, CDR2 or CDR3) is referred to herein as a "molecular recognition unit." Crystallographic analysis of a number of antigen-antibody complexes has demonstrated that the amino acid residues of CDRs form extensive contact with bound antigen, wherein the most extensive antigen contact is with the heavy chain CDR3. Thus, the molecular recognition units are primarily responsible for the specificity of an antigen-binding site.

As used herein, the term "FR set" refers to the four flanking amino acid sequences which frame the CDRs of a CDR set of a heavy or light chain V region. Some FR residues may contact bound antigen; however, FRs are primarily responsible for folding the V region into the antigen-binding site, particularly the FR residues directly adjacent to the CDRS. Within FRs, certain amino residues and certain structural features are very highly conserved. In this regard, all V region sequences contain an internal disulfide loop of around 90 amino acid residues. When the V regions fold into a binding-site, the CDRs are displayed as projecting loop motifs which form an antigen-binding surface. It is generally recognized that there are conserved structural regions of FRs which influence the folded shape of the CDR loops into certain "canonical" structures--regardless of the precise CDR amino acid sequence. Further, certain FR residues are known to participate in non-covalent interdomain contacts which stabilize the interaction of the antibody heavy and light chains.

A number of "humanized" antibody molecules comprising an antigen-binding site derived from a non-human immunoglobulin have been described, including chimeric antibodies having rodent V regions and their associated CDRs fused to human constant domains (Winter et al. (1991) *Nature* 349:293-299; Lobuglio et al. (1989) *Proc. Nat. Acad. Sci. USA* 86:4220-4224; Shaw et al. (1987) *J Immunol.* 138:4534-4538; and Brown et al. (1987) *Cancer Res.* 47:3577-3583), rodent CDRs grafted into a human supporting FR prior to fusion with an appropriate human antibody constant domain (Riechmann et al. (1988) *Nature* 332:323-327; Verhoeyen et al. (1988) *Science* 239:1534-1536; and Jones et al. (1986) *Nature* 321:522-525), and rodent CDRs supported by recombinantly veneered rodent FRs (European Patent Publication No. 519,596, published Dec. 23, 1992). These "humanized" molecules are designed to minimize unwanted immunological response toward rodent antihuman antibody molecules which limits the duration and effectiveness of therapeutic applications of those moieties in human recipients.

As used herein, the terms "veneered FRs" and "recombinantly veneered FRs" refer to the selective replacement of FR residues from, *e.g.*, a rodent heavy or light chain V region, with human FR residues in order to provide a xenogeneic molecule comprising an antigen-binding site which retains substantially all of the native FR polypeptide folding structure. Veneering techniques are based on the understanding that the ligand binding characteristics of an antigen-binding site are determined primarily by the structure and relative disposition of the heavy and light chain CDR sets within the antigen-binding surface. Davies et al. (1990) *Ann. Rev. Biochem.* 59:439-473. Thus, antigen binding specificity can be preserved in a humanized antibody only wherein the CDR structures, their interaction with each other, and their interaction with the rest of the V region domains are carefully maintained. By using veneering techniques, exterior (*e.g.*, solvent-accessible) FR residues which are readily encountered by the immune system are selectively replaced with human residues to provide a hybrid molecule that comprises either a weakly immunogenic, or substantially non-immunogenic veneered surface.

The process of veneering makes use of the available sequence data for human antibody variable domains compiled by Kabat et al., in Sequences of Proteins of Immunological Interest, 4th ed., (U.S. Dept. of Health and Human Services, U.S. Government Printing Office, 1987), updates to the Kabat database, and other accessible U.S. and foreign databases (both nucleic acid and protein). Solvent accessibilities of V region amino acids can be deduced from the known three-dimensional structure for human and murine antibody fragments. There are two general steps in veneering a murine antigen-binding site. Initially, the FRs of the variable domains of an antibody molecule of interest are compared with corresponding FR sequences of human variable domains obtained from the above-identified sources. The most homologous human V regions are then compared residue by residue to corresponding murine amino acids. The residues in the murine FR which differ from the human counterpart are replaced by the residues present in the human moiety using recombinant techniques well known in the art. Residue switching is only carried out with moieties which are at least partially exposed (solvent accessible), and care is exercised in the replacement of amino acid residues which may have a significant effect on the tertiary structure of V region domains, such as proline, glycine and charged amino acids.

In this manner, the resultant "veneered" murine antigen-binding sites are thus designed to retain the murine CDR residues, the residues substantially adjacent to the CDRs, the residues identified as buried or mostly buried (solvent inaccessible), the residues believed to participate in non-covalent (*e.g.*, electrostatic and hydrophobic) contacts between heavy and light chain domains, and the residues from conserved structural regions of the FRs which are believed to influence the "canonical" tertiary structures of the CDR loops. These design criteria are then used to prepare recombinant nucleotide sequences which combine the CDRs of both the heavy and light chain of a murine antigen-binding site into human-appearing FRs that can be used to transfect mammalian cells for the expression of recombinant human antibodies which exhibit the antigen specificity of the murine antibody molecule.

In another embodiment of the invention, monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in

this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include  $^{90}\text{Y}$ ,  $^{123}\text{I}$ ,  $^{125}\text{I}$ ,  $^{131}\text{I}$ ,  $^{186}\text{Re}$ ,  $^{188}\text{Re}$ ,  $^{211}\text{At}$ , and  $^{212}\text{Bi}$ . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred  
5 toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, *Shigella* toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a  
10 substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an  
15 antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents, which  
20 otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups,  
25 sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of  
30 different cleavable linker groups have been described. The mechanisms for the

intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by  
5 serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody.  
10 Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers that provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent  
15 bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for  
20 radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For  
25 example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

### T Cell Compositions

The present invention, in another aspect, provides T cells specific for a tumor polypeptide disclosed herein, or for a variant or derivative thereof. Such cells

may generally be prepared *in vitro* or *ex vivo*, using standard procedures. For example, T cells may be isolated from bone marrow, peripheral blood, or a fraction of bone marrow or peripheral blood of a patient, using a commercially available cell separation system, such as the Isolex™ System, available from Nexell Therapeutics, Inc. (Irvine, CA; see also U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO 92/07243). Alternatively, T cells may be derived from related or unrelated humans, non-human mammals, cell lines or cultures.

T cells may be stimulated with a polypeptide, polynucleotide encoding a polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a time sufficient to permit the generation of T cells that are specific for the polypeptide of interest. Preferably, a tumor polypeptide or polynucleotide of the invention is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for a polypeptide of the present invention if the T cells specifically proliferate, secrete cytokines or kill target cells coated with the polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be evaluated using any of a variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of T cells may be accomplished by a variety of known techniques. For example, T cell proliferation can be detected by measuring an increased rate of DNA synthesis (*e.g.*, by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a tumor polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days will typically result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (*e.g.*, TNF or IFN-γ) is indicative of T cell activation (*see* Coligan et



al., Current Protocols in Immunology, vol. 1, Wiley Interscience (Greene 1998)). T cells that have been activated in response to a tumor polypeptide, polynucleotide or polypeptide-expressing APC may be CD4<sup>+</sup> and/or CD8<sup>+</sup>. Tumor polypeptide-specific T cells may be expanded using standard techniques. Within preferred embodiments, the T  
5 cells are derived from a patient, a related donor or an unrelated donor, and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4<sup>+</sup> or CD8<sup>+</sup> T cells that proliferate in response to a tumor polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a  
10 variety of ways. For example, the T cells can be re-exposed to a tumor polypeptide, or a short peptide corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a tumor polypeptide. Alternatively, one or more T cells that proliferate in the presence of the tumor polypeptide can be expanded in number by  
15 cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

#### Pharmaceutical Compositions

In additional embodiments, the present invention concerns formulation of one or more of the polynucleotide, polypeptide, T-cell and/or antibody compositions  
20 disclosed herein in pharmaceutically-acceptable carriers for administration to a cell or an animal, either alone, or in combination with one or more other modalities of therapy.

It will be understood that, if desired, a composition as disclosed herein may be administered in combination with other agents as well, such as, *e.g.*, other proteins or polypeptides or various pharmaceutically-active agents. In fact, there is  
25 virtually no limit to other components that may also be included, given that the additional agents do not cause a significant adverse effect upon contact with the target cells or host tissues. The compositions may thus be delivered along with various other agents as required in the particular instance. Such compositions may be purified from host cells or other biological sources, or alternatively may be chemically synthesized as

described herein. Likewise, such compositions may further comprise substituted or derivatized RNA or DNA compositions.

Therefore, in another aspect of the present invention, pharmaceutical compositions are provided comprising one or more of the polynucleotide, polypeptide, antibody, and/or T-cell compositions described herein in combination with a physiologically acceptable carrier. In certain preferred embodiments, the pharmaceutical compositions of the invention comprise immunogenic polynucleotide and/or polypeptide compositions of the invention for use in prophylactic and therapeutic vaccine applications. Vaccine preparation is generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995). Generally, such compositions will comprise one or more polynucleotide and/or polypeptide compositions of the present invention in combination with one or more immunostimulants.

It will be apparent that any of the pharmaceutical compositions described herein can contain pharmaceutically acceptable salts of the polynucleotides and polypeptides of the invention. Such salts can be prepared, for example, from pharmaceutically acceptable non-toxic bases, including organic bases (e.g., salts of primary, secondary and tertiary amines and basic amino acids) and inorganic bases (e.g., sodium, potassium, lithium, ammonium, calcium and magnesium salts).

In another embodiment, illustrative immunogenic compositions, e.g., vaccine compositions, of the present invention comprise DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the polynucleotide may be administered within any of a variety of delivery systems known to those of ordinary skill in the art. Indeed, numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998, and references cited therein. Appropriate polynucleotide expression systems will, of course, contain the necessary regulatory DNA regulatory sequences for expression in a patient (such as a suitable promoter and terminating signal). Alternatively, bacterial delivery systems may involve

the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope.

Therefore, in certain embodiments, polynucleotides encoding immunogenic polypeptides described herein are introduced into suitable mammalian host cells for expression using any of a number of known viral-based systems. In one illustrative embodiment, retroviruses provide a convenient and effective platform for gene delivery systems. A selected nucleotide sequence encoding a polypeptide of the present invention can be inserted into a vector and packaged in retroviral particles using techniques known in the art. The recombinant virus can then be isolated and delivered to a subject. A number of illustrative retroviral systems have been described (*e.g.*, U.S. Pat. No. 5,219,740; Miller and Rosman (1989) *BioTechniques* 7:980-990; Miller, A. D. (1990) *Human Gene Therapy* 1:5-14; Scarpa et al. (1991) *Virology* 180:849-852; Burns et al. (1993) *Proc. Natl. Acad. Sci. USA* 90:8033-8037; and Boris-Lawrie and Temin (1993) *Cur. Opin. Genet. Develop.* 3:102-109.

In addition, a number of illustrative adenovirus-based systems have also been described. Unlike retroviruses which integrate into the host genome, adenoviruses persist extrachromosomally thus minimizing the risks associated with insertional mutagenesis (Haj-Ahmad and Graham (1986) *J. Virol.* 57:267-274; Bett et al. (1993) *J. Virol.* 67:5911-5921; Mittereder et al. (1994) *Human Gene Therapy* 5:717-729; Seth et al. (1994) *J. Virol.* 68:933-940; Barr et al. (1994) *Gene Therapy* 1:51-58; Berkner, K. L. (1988) *BioTechniques* 6:616-629; and Rich et al. (1993) *Human Gene Therapy* 4:461-476).

Various adeno-associated virus (AAV) vector systems have also been developed for polynucleotide delivery. AAV vectors can be readily constructed using techniques well known in the art. See, *e.g.*, U.S. Pat. Nos. 5,173,414 and 5,139,941; International Publication Nos. WO 92/01070 and WO 93/03769; Lebkowski et al. (1988) *Molec. Cell. Biol.* 8:3988-3996; Vincent et al. (1990) *Vaccines* 90 (Cold Spring Harbor Laboratory Press); Carter, B. J. (1992) *Current Opinion in Biotechnology* 3:533-539; Muzyczka, N. (1992) *Current Topics in Microbiol. and Immunol.* 158:97-129;

Kotin, R. M. (1994) Human Gene Therapy 5:793-801; Shelling and Smith (1994) Gene Therapy 1:165-169; and Zhou et al. (1994) J. Exp. Med. 179:1867-1875.

Additional viral vectors useful for delivering the polynucleotides encoding polypeptides of the present invention by gene transfer include those derived from the pox family of viruses, such as vaccinia virus and avian poxvirus. By way of example, vaccinia virus recombinants expressing the novel molecules can be constructed as follows. The DNA encoding a polypeptide is first inserted into an appropriate vector so that it is adjacent to a vaccinia promoter and flanking vaccinia DNA sequences, such as the sequence encoding thymidine kinase (TK). This vector is then used to transfect cells which are simultaneously infected with vaccinia. Homologous recombination serves to insert the vaccinia promoter plus the gene encoding the polypeptide of interest into the viral genome. The resulting TK<sup>sup</sup>(-) recombinant can be selected by culturing the cells in the presence of 5-bromodeoxyuridine and picking viral plaques resistant thereto.

A vaccinia-based infection/transfection system can be conveniently used to provide for inducible, transient expression or coexpression of one or more polypeptides described herein in host cells of an organism. In this particular system, cells are first infected in vitro with a vaccinia virus recombinant that encodes the bacteriophage T7 RNA polymerase. This polymerase displays exquisite specificity in that it only transcribes templates bearing T7 promoters. Following infection, cells are transfected with the polynucleotide or polynucleotides of interest, driven by a T7 promoter. The polymerase expressed in the cytoplasm from the vaccinia virus recombinant transcribes the transfected DNA into RNA which is then translated into polypeptide by the host translational machinery. The method provides for high level, transient, cytoplasmic production of large quantities of RNA and its translation products. See, *e.g.*, Elroy-Stein and Moss, Proc. Natl. Acad. Sci. USA (1990) 87:6743-6747; Fuerst et al. Proc. Natl. Acad. Sci. USA (1986) 83:8122-8126.

Alternatively, avipoxviruses, such as the fowlpox and canarypox viruses, can also be used to deliver the coding sequences of interest. Recombinant avipox viruses, expressing immunogens from mammalian pathogens, are known to confer

protective immunity when administered to non-avian species. The use of an Avipox vector is particularly desirable in human and other mammalian species since members of the Avipox genus can only productively replicate in susceptible avian species and therefore are not infective in mammalian cells. Methods for producing recombinant  
5 Avipoxviruses are known in the art and employ genetic recombination, as described above with respect to the production of vaccinia viruses. See, *e.g.*, WO 91/12882; WO 89/03429; and WO 92/03545.

Any of a number of alphavirus vectors can also be used for delivery of polynucleotide compositions of the present invention, such as those vectors described in  
10 U.S. Patent Nos. 5,843,723; 6,015,686; 6,008,035 and 6,015,694. Certain vectors based on Venezuelan Equine Encephalitis (VEE) can also be used, illustrative examples of which can be found in U.S. Patent Nos. 5,505,947 and 5,643,576.

Moreover, molecular conjugate vectors, such as the adenovirus chimeric vectors described in Michael et al. *J. Biol. Chem.* (1993) 268:6866-6869 and Wagner et al. *Proc. Natl. Acad. Sci. USA* (1992) 89:6099-6103, can also be used for gene delivery  
15 under the invention.

Additional illustrative information on these and other known viral-based delivery systems can be found, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487;   
20 WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl. Acad. Sci. USA* 90:11498-11502, 1993; Guzman et al.,   
25 *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993.

In certain embodiments, a polynucleotide may be integrated into the genome of a target cell. This integration may be in a specific location and orientation *via* homologous recombination (gene replacement) or it may be integrated in a random, non-specific location (gene augmentation). In yet further embodiments, the  
30 polynucleotide may be stably maintained in the cell as a separate, episomal segment of

DNA. Such polynucleotide segments or "episomes" encode sequences sufficient to permit maintenance and replication independent of or in synchronization with the host cell cycle. The manner in which the expression construct is delivered to a cell and where in the cell the polynucleotide remains is dependent on the type of expression  
5 construct employed.

In another embodiment of the invention, a polynucleotide is administered/delivered as "naked" DNA, for example as described in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable  
10 beads, which are efficiently transported into the cells.

In still another embodiment, a composition of the present invention can be delivered via a particle bombardment approach, many of which have been described. In one illustrative example, gas-driven particle acceleration can be achieved with devices such as those manufactured by Powderject Pharmaceuticals PLC (Oxford, UK)  
15 and Powderject Vaccines Inc. (Madison, WI), some examples of which are described in U.S. Patent Nos. 5,846,796; 6,010,478; 5,865,796; 5,584,807; and EP Patent No. 0500 799. This approach offers a needle-free delivery approach wherein a dry powder formulation of microscopic particles, such as polynucleotide or polypeptide particles, are accelerated to high speed within a helium gas jet generated by a hand held device,  
20 propelling the particles into a target tissue of interest.

In a related embodiment, other devices and methods that may be useful for gas-driven needle-less injection of compositions of the present invention include those provided by Bioject, Inc. (Portland, OR), some examples of which are described in U.S. Patent Nos. 4,790,824; 5,064,413; 5,312,335; 5,383,851; 5,399,163; 5,520,639  
25 and 5,993,412.

According to another embodiment, the pharmaceutical compositions described herein will comprise one or more immunostimulants in addition to the immunogenic polynucleotide, polypeptide, antibody, T-cell and/or APC compositions of this invention. An immunostimulant refers to essentially any substance that enhances  
30 or potentiates an immune response (antibody and/or cell-mediated) to an exogenous

antigen. One preferred type of immunostimulant comprises an adjuvant. Many adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins.

5 Certain adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated

10 sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF, interleukin-2, -7, -12, and other like growth factors, may also be used as adjuvants.

Within certain embodiments of the invention, the adjuvant composition

15 is preferably one that induces an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (e.g., IFN- $\gamma$ , TNF $\alpha$ , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (e.g., IL-4, IL-5, IL-6 and IL-10) tend to favor the induction of humoral immune responses. Following application of a vaccine as

20 provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using standard assays. For a review of the families of cytokines, see Mosmann and Coffman,

25 *Ann. Rev. Immunol.* 7:145-173, 1989.

Certain preferred adjuvants for eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A, together with an aluminum salt. MPL<sup>®</sup> adjuvants are available from Corixa Corporation (Seattle, WA; see, for example, US

30 Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing

oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555, WO 99/33488 and U.S. Patent Nos. 6,008,200 and 5,856,462. Immunostimulatory DNA sequences are also described, for example, by

5 Sato et al., *Science* 273:352, 1996. Another preferred adjuvant comprises a saponin, such as Quil A, or derivatives thereof, including QS21 and QS7 (Aquila Biopharmaceuticals Inc., Framingham, MA); Escin; Digitonin; or *Gypsophila* or *Chenopodium quinoa* saponins. Other preferred formulations include more than one saponin in the adjuvant combinations of the present invention, for example

10 combinations of at least two of the following group comprising QS21, QS7, Quil A,  $\beta$ -escin, or digitonin.

Alternatively the saponin formulations may be combined with vaccine vehicles composed of chitosan or other polycationic polymers, polylactide and polylactide-co-glycolide particles, poly-N-acetyl glucosamine-based polymer matrix,

15 particles composed of polysaccharides or chemically modified polysaccharides, liposomes and lipid-based particles, particles composed of glycerol monoesters, etc. The saponins may also be formulated in the presence of cholesterol to form particulate structures such as liposomes or ISCOMs. Furthermore, the saponins may be formulated together with a polyoxyethylene ether or ester, in either a non-particulate solution or

20 suspension, or in a particulate structure such as a paucilamellar liposome or ISCOM. The saponins may also be formulated with excipients such as Carbopol<sup>R</sup> to increase viscosity, or may be formulated in a dry powder form with a powder excipient such as lactose.

In one preferred embodiment, the adjuvant system includes the

25 combination of a monophosphoryl lipid A and a saponin derivative, such as the combination of QS21 and 3D-MPL<sup>®</sup> adjuvant, as described in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with cholesterol, as described in WO 96/33739. Other preferred formulations comprise an oil-in-water emulsion and tocopherol. Another particularly preferred adjuvant formulation employing QS21, 3D-




MPL<sup>®</sup> adjuvant and tocopherol in an oil-in-water emulsion is described in WO 95/17210.

Another enhanced adjuvant system involves the combination of a CpG-containing oligonucleotide and a saponin derivative particularly the combination of CpG and QS21 is disclosed in WO 00/09159. Preferably the formulation additionally comprises an oil in water emulsion and tocopherol.

Additional illustrative adjuvants for use in the pharmaceutical compositions of the invention include Montanide ISA 720 (Seppic, France), SAF (Chiron, California, United States), ISCOMS (CSL), MF-59 (Chiron), the SBAS series of adjuvants (*e.g.*, SBAS-2 or SBAS-4, available from SmithKline Beecham, Rixensart, Belgium), Detox (Enhanzyn<sup>®</sup>; Corixa, Hamilton, MT), RC-529 (Corixa, Hamilton, MT) and other aminoalkyl glucosaminide 4-phosphates (AGPs), such as those described in pending U.S. Patent Application Serial Nos. 08/853,826 and 09/074,720, the disclosures of which are incorporated herein by reference in their entireties, and polyoxyethylene ether adjuvants such as those described in WO 99/52549A1.

Other preferred adjuvants include adjuvant molecules of the general formula



wherein,  $n$  is 1-50,  $A$  is a bond or  $-\text{C}(\text{O})-$ ,  $R$  is  $\text{C}_{1-50}$  alkyl or Phenyl  $\text{C}_{1-50}$  alkyl.

One embodiment of the present invention consists of a vaccine formulation comprising a polyoxyethylene ether of general formula (I), wherein  $n$  is between 1 and 50, preferably 4-24, most preferably 9; the  $R$  component is  $\text{C}_{1-50}$ , preferably  $\text{C}_4\text{-C}_{20}$  alkyl and most preferably  $\text{C}_{12}$  alkyl, and  $A$  is a bond. The concentration of the polyoxyethylene ethers should be in the range 0.1-20%, preferably from 0.1-10%, and most preferably in the range 0.1-1%. Preferred polyoxyethylene ethers are selected from the following group: polyoxyethylene-9-lauryl ether, polyoxyethylene-9-stearyl ether, polyoxyethylene-8-stearyl ether, polyoxyethylene-4-lauryl ether, polyoxyethylene-35-lauryl ether, and polyoxyethylene-23-lauryl ether. Poxoxyethylene ethers such as polyoxyethylene lauryl ether are described in the Merck index (12<sup>th</sup> edition: entry 7717). These adjuvant molecules are described in WO

99/52549. The polyoxyethylene ether according to the general formula (I) above may, if desired, be combined with another adjuvant. For example, a preferred adjuvant combination is preferably with CpG as described in the pending UK patent application GB 9820956.2.

5                   According to another embodiment of this invention, an immunogenic composition described herein is delivered to a host via antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve activation and/or  
10 maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

15                   Certain preferred embodiments of the present invention use dendritic cells or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (*see* Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In  
20 general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*), their ability to take up, process and present antigens with high efficiency and their ability to activate naïve T cell responses. Dendritic cells may, of course, be engineered to express specific cell-surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex*  
25 *vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (*see* Zitvogel et al., *Nature Med.* 4:594-600, 1998).

                  Dendritic cells and progenitors may be obtained from peripheral blood,  
30 bone marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph

nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF $\alpha$  to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from  
5 peripheral blood, umbilical cord blood or bone marrow may be differentiated into dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF $\alpha$ , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce differentiation, maturation and proliferation of dendritic cells.

Dendritic cells are conveniently categorized as "immature" and "mature"  
10 cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc $\gamma$  receptor and mannose receptor. The mature  
15 phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II MHC, adhesion molecules (*e.g.*, CD54 and CD11) and costimulatory molecules (*e.g.*, CD40, CD80, CD86 and 4-1BB).

APCs may generally be transfected with a polynucleotide of the  
20 invention (or portion or other variant thereof) such that the encoded polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a pharmaceutical composition comprising such transfected cells may then be used for therapeutic purposes, as described herein. Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be  
25 administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or  
30 progenitor cells with the tumor polypeptide, DNA (naked or within a plasmid vector) or

RNA; or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that provides T cell help (*e.g.*, a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated  
5 immunological partner, separately or in the presence of the polypeptide.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will typically vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration,  
10 including for example, topical, oral, nasal, mucosal, intravenous, intracranial, intraperitoneal, subcutaneous and intramuscular administration.

Carriers for use within such pharmaceutical compositions are biocompatible, and may also be biodegradable. In certain embodiments, the formulation preferably provides a relatively constant level of active component release.  
15 In other embodiments, however, a more rapid rate of release immediately upon administration may be desired. The formulation of such compositions is well within the level of ordinary skill in the art using known techniques. Illustrative carriers useful in this regard include microparticles of poly(lactide-co-glycolide), polyacrylate, latex, starch, cellulose, dextran and the like. Other illustrative delayed-release carriers  
20 include supramolecular biovectors, which comprise a non-liquid hydrophilic core (*e.g.*, a cross-linked polysaccharide or oligosaccharide) and, optionally, an external layer comprising an amphiphilic compound, such as a phospholipid (*see e.g.*, U.S. Patent No. 5,151,254 and PCT applications WO 94/20078, WO/94/23701 and WO 96/06638). The amount of active compound contained within a sustained release formulation depends  
25 upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

In another illustrative embodiment, biodegradable microspheres (*e.g.*, polylactate polyglycolate) are employed as carriers for the compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S.  
30 Patent Nos. 4,897,268; 5,075,109; 5,928,647; 5,811,128; 5,820,883; 5,853,763;

5,814,344, 5,407,609 and 5,942,252. Modified hepatitis B core protein carrier systems, such as described in WO/99 40934, and references cited therein, will also be useful for many applications. Another illustrative carrier/delivery system employs a carrier comprising particulate-protein complexes, such as those described in U.S. Patent No. 5,928,647, which are capable of inducing a class I-restricted cytotoxic T lymphocyte responses in a host.

The pharmaceutical compositions of the invention will often further comprise one or more buffers (*e.g.*, neutral buffered saline or phosphate buffered saline), carbohydrates (*e.g.*, glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, bacteriostats, chelating agents such as EDTA or glutathione, adjuvants (*e.g.*, aluminum hydroxide), solutes that render the formulation isotonic, hypotonic or weakly hypertonic with the blood of a recipient, suspending agents, thickening agents and/or preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate.

The pharmaceutical compositions described herein may be presented in unit-dose or multi-dose containers, such as sealed ampoules or vials. Such containers are typically sealed in such a way to preserve the sterility and stability of the formulation until use. In general, formulations may be stored as suspensions, solutions or emulsions in oily or aqueous vehicles. Alternatively, a pharmaceutical composition may be stored in a freeze-dried condition requiring only the addition of a sterile liquid carrier immediately prior to use.

The development of suitable dosing and treatment regimens for using the particular compositions described herein in a variety of treatment regimens, including *e.g.*, oral, parenteral, intravenous, intranasal, and intramuscular administration and formulation, is well known in the art, some of which are briefly discussed below for general purposes of illustration.

In certain applications, the pharmaceutical compositions disclosed herein may be delivered *via* oral administration to an animal. As such, these compositions may be formulated with an inert diluent or with an assimilable edible carrier, or they

may be enclosed in hard- or soft-shell gelatin capsule, or they may be compressed into tablets, or they may be incorporated directly with the food of the diet.

The active compounds may even be incorporated with excipients and used in the form of ingestible tablets, buccal tables, troches, capsules, elixirs, suspensions, syrups, wafers, and the like (see, for example, Mathiowitz *et al.*, Nature 1997 Mar 27;386(6623):410-4; Hwang *et al.*, Crit Rev Ther Drug Carrier Syst 1998;15(3):243-84; U. S. Patent 5,641,515; U. S. Patent 5,580,579 and U. S. Patent 5,792,451). Tablets, troches, pills, capsules and the like may also contain any of a variety of additional components, for example, a binder, such as gum tragacanth, acacia, cornstarch, or gelatin; excipients, such as dicalcium phosphate; a disintegrating agent, such as corn starch, potato starch, alginic acid and the like; a lubricant, such as magnesium stearate; and a sweetening agent, such as sucrose, lactose or saccharin may be added or a flavoring agent, such as peppermint, oil of wintergreen, or cherry flavoring. When the dosage unit form is a capsule, it may contain, in addition to materials of the above type, a liquid carrier. Various other materials may be present as coatings or to otherwise modify the physical form of the dosage unit. For instance, tablets, pills, or capsules may be coated with shellac, sugar, or both. Of course, any material used in preparing any dosage unit form should be pharmaceutically pure and substantially non-toxic in the amounts employed. In addition, the active compounds may be incorporated into sustained-release preparation and formulations.

Typically, these formulations will contain at least about 0.1% of the active compound or more, although the percentage of the active ingredient(s) may, of course, be varied and may conveniently be between about 1 or 2% and about 60% or 70% or more of the weight or volume of the total formulation. Naturally, the amount of active compound(s) in each therapeutically useful composition may be prepared is such a way that a suitable dosage will be obtained in any given unit dose of the compound. Factors such as solubility, bioavailability, biological half-life, route of administration, product shelf life, as well as other pharmacological considerations will be contemplated by one skilled in the art of preparing such pharmaceutical formulations, and as such, a variety of dosages and treatment regimens may be desirable.

For oral administration, the compositions of the present invention may alternatively be incorporated with one or more excipients in the form of a mouthwash, dentifrice, buccal tablet, oral spray, or sublingual orally-administered formulation. Alternatively, the active ingredient may be incorporated into an oral solution such as one containing sodium borate, glycerin and potassium bicarbonate, or dispersed in a dentifrice, or added in a therapeutically-effective amount to a composition that may include water, binders, abrasives, flavoring agents, foaming agents, and humectants. Alternatively the compositions may be fashioned into a tablet or solution form that may be placed under the tongue or otherwise dissolved in the mouth.

10 In certain circumstances it will be desirable to deliver the pharmaceutical compositions disclosed herein parenterally, intravenously, intramuscularly, or even intraperitoneally. Such approaches are well known to the skilled artisan, some of which are further described, for example, in U. S. Patent 5,543,158; U. S. Patent 5,641,515 and U. S. Patent 5,399,363. In certain embodiments, solutions of the active compounds  
15 as free base or pharmacologically acceptable salts may be prepared in water suitably mixed with a surfactant, such as hydroxypropylcellulose. Dispersions may also be prepared in glycerol, liquid polyethylene glycols, and mixtures thereof and in oils. Under ordinary conditions of storage and use, these preparations generally will contain a preservative to prevent the growth of microorganisms.

20 Illustrative pharmaceutical forms suitable for injectable use include sterile aqueous solutions or dispersions and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersions (for example, see U. S. Patent 5,466,468). In all cases the form must be sterile and must be fluid to the extent that easy syringability exists. It must be stable under the conditions of manufacture and  
25 storage and must be preserved against the contaminating action of microorganisms, such as bacteria and fungi. The carrier can be a solvent or dispersion medium containing, for example, water, ethanol, polyol (*e.g.*, glycerol, propylene glycol, and liquid polyethylene glycol, and the like), suitable mixtures thereof, and/or vegetable oils. Proper fluidity may be maintained, for example, by the use of a coating, such as  
30 lecithin, by the maintenance of the required particle size in the case of dispersion and/or

by the use of surfactants. The prevention of the action of microorganisms can be facilitated by various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, sorbic acid, thimerosal, and the like. In many cases, it will be preferable to include isotonic agents, for example, sugars or sodium chloride.

- 5 Prolonged absorption of the injectable compositions can be brought about by the use in the compositions of agents delaying absorption, for example, aluminum monostearate and gelatin.

In one embodiment, for parenteral administration in an aqueous solution, the solution should be suitably buffered if necessary and the liquid diluent first rendered  
10 isotonic with sufficient saline or glucose. These particular aqueous solutions are especially suitable for intravenous, intramuscular, subcutaneous and intraperitoneal administration. In this connection, a sterile aqueous medium that can be employed will be known to those of skill in the art in light of the present disclosure. For example, one dosage may be dissolved in 1 ml of isotonic NaCl solution and either added to 1000 ml  
15 of hypodermoclysis fluid or injected at the proposed site of infusion, (see for example, "Remington's Pharmaceutical Sciences" 15th Edition, pages 1035-1038 and 1570-1580). Some variation in dosage will necessarily occur depending on the condition of the subject being treated. Moreover, for human administration, preparations will of course preferably meet sterility, pyrogenicity, and the general safety and purity  
20 standards as required by FDA Office of Biologics standards.

In another embodiment of the invention, the compositions disclosed herein may be formulated in a neutral or salt form. Illustrative pharmaceutically-acceptable salts include the acid addition salts (formed with the free amino groups of the protein) and which are formed with inorganic acids such as, for  
25 example, hydrochloric or phosphoric acids, or such organic acids as acetic, oxalic, tartaric, mandelic, and the like. Salts formed with the free carboxyl groups can also be derived from inorganic bases such as, for example, sodium, potassium, ammonium, calcium, or ferric hydroxides, and such organic bases as isopropylamine, trimethylamine, histidine, procaine and the like. Upon formulation, solutions will be



administered in a manner compatible with the dosage formulation and in such amount as is therapeutically effective.

The carriers can further comprise any and all solvents, dispersion media, vehicles, coatings, diluents, antibacterial and antifungal agents, isotonic and absorption  
5 delaying agents, buffers, carrier solutions, suspensions, colloids, and the like. The use of such media and agents for pharmaceutical active substances is well known in the art. Except insofar as any conventional media or agent is incompatible with the active ingredient, its use in the therapeutic compositions is contemplated. Supplementary active ingredients can also be incorporated into the compositions. The phrase  
10 "pharmaceutically-acceptable" refers to molecular entities and compositions that do not produce an allergic or similar untoward reaction when administered to a human.

In certain embodiments, the pharmaceutical compositions may be delivered by intranasal sprays, inhalation, and/or other aerosol delivery vehicles. Methods for delivering genes, nucleic acids, and peptide compositions directly to the  
15 lungs *via* nasal aerosol sprays has been described, *e.g.*, in U. S. Patent 5,756,353 and U. S. Patent 5,804,212. Likewise, the delivery of drugs using intranasal microparticle resins (Takenaga *et al.*, J Controlled Release 1998 Mar 2;52(1-2):81-7) and lysophosphatidyl-glycerol compounds (U. S. Patent 5,725,871) are also well-known in the pharmaceutical arts. Likewise, illustrative transmucosal drug delivery in the form of  
20 a polytetrafluoroethylene support matrix is described in U. S. Patent 5,780,045.

In certain embodiments, liposomes, nanocapsules, microparticles, lipid particles, vesicles, and the like, are used for the introduction of the compositions of the present invention into suitable host cells/organisms. In particular, the compositions of the present invention may be formulated for delivery either encapsulated in a lipid  
25 particle, a liposome, a vesicle, a nanosphere, or a nanoparticle or the like. Alternatively, compositions of the present invention can be bound, either covalently or non-covalently, to the surface of such carrier vehicles.

The formation and use of liposome and liposome-like preparations as potential drug carriers is generally known to those of skill in the art (see for example,  
30 Lasic, Trends Biotechnol 1998 Jul;16(7):307-21; Takakura, Nippon Rinsho 1998

Mar;56(3):691-5; Chandran *et al.*, Indian J Exp Biol. 1997 Aug;35(8):801-9; Margalit, Crit Rev Ther Drug Carrier Syst. 1995;12(2-3):233-61; U.S. Patent 5,567,434; U.S. Patent 5,552,157; U.S. Patent 5,565,213; U.S. Patent 5,738,868 and U.S. Patent 5,795,587, each specifically incorporated herein by reference in its entirety).

5               Liposomes have been used successfully with a number of cell types that are normally difficult to transfect by other procedures, including T cell suspensions, primary hepatocyte cultures and PC 12 cells (Renneisen *et al.*, J Biol Chem. 1990 Sep 25;265(27):16337-42; Muller *et al.*, DNA Cell Biol. 1990 Apr;9(3):221-9). In addition, liposomes are free of the DNA length constraints that are typical of viral-based delivery  
10 systems. Liposomes have been used effectively to introduce genes, various drugs, radiotherapeutic agents, enzymes, viruses, transcription factors, allosteric effectors and the like, into a variety of cultured cell lines and animals. Furthermore, the use of liposomes does not appear to be associated with autoimmune responses or unacceptable toxicity after systemic delivery.

15               In certain embodiments, liposomes are formed from phospholipids that are dispersed in an aqueous medium and spontaneously form multilamellar concentric bilayer vesicles (also termed multilamellar vesicles (MLVs)).

                  Alternatively, in other embodiments, the invention provides for pharmaceutically-acceptable nanocapsule formulations of the compositions of the  
20 present invention. Nanocapsules can generally entrap compounds in a stable and reproducible way (see, for example, Quintanar-Guerrero *et al.*, Drug Dev Ind Pharm. 1998 Dec;24(12):1113-28). To avoid side effects due to intracellular polymeric overloading, such ultrafine particles (sized around 0.1  $\mu$ m) may be designed using polymers able to be degraded *in vivo*. Such particles can be made as described, for  
25 example, by Couvreur *et al.*, Crit Rev Ther Drug Carrier Syst. 1988;5(1):1-20; zur Muhlen *et al.*, Eur J Pharm Biopharm. 1998 Mar;45(2):149-55; Zambaux *et al.* J Controlled Release. 1998 Jan 2;50(1-3):31-40; and U. S. Patent 5,145,684.

Cancer Therapeutic Methods

In further aspects of the present invention, the pharmaceutical compositions described herein may be used for the treatment of cancer, particularly for the immunotherapy of prostate cancer. Within such methods, the pharmaceutical compositions described herein are administered to a patient, typically a warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. Pharmaceutical compositions and vaccines may be administered either prior to or following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs. As discussed above, administration of the pharmaceutical compositions may be by any suitable method, including administration by intravenous, intraperitoneal, intramuscular, subcutaneous, intranasal, intradermal, anal, vaginal, topical and oral routes.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides as provided herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8<sup>+</sup> cytotoxic T lymphocytes and CD4<sup>+</sup> T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The

polypeptides provided herein may also be used to generate antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte, fibroblast and/or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example, antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies have shown that cultured effector cells can be induced to grow *in vivo* and to survive long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (*see, for example, Cheever et al., Immunological Reviews 157:177, 1997*).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions described herein, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g., intracutaneous,*

intramuscular, intravenous or subcutaneous), intranasally (*e.g.*, by aspiration) or orally. Preferably, between 1 and 10 doses may be administered over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50% above the basal (*i.e.*, untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 25 µg to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial, or longer disease-free survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a tumor protein generally correlate with an improved clinical outcome. Such immune responses may generally be evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

#### Cancer Detection and Diagnostic Compositions, Methods and Kits

In general, a cancer may be detected in a patient based on the presence of one or more prostate tumor proteins and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, sputum urine and/or tumor biopsies)

obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as prostate cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer. In general, a prostate tumor sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. *See, e.g.,* Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent immobilized on a solid support to bind to and remove the polypeptide from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding agent. Suitable polypeptides for use within such assays include full length prostate tumor proteins and polypeptide portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the tumor protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10  $\mu$ g, and preferably about 100 ng to about 1  $\mu$ g, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.,* Pierce Immunotechnology Catalog and Handbook, 1991, at A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized

on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody. Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20™ (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.*, incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with prostate cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least about 95% of that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide. An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed



and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

10 To determine the presence or absence of a cancer, such as prostate cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average mean signal obtained when the immobilized antibody is incubated with  
15 samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985,  
20 p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (*i.e.*, the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a  
25 signal that is higher than the cut-off value determined by this method may be considered positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent. Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1  $\mu$ g, and more preferably from about 50 ng to about 500 ng. Such tests can typically be performed with a very small amount of biological sample.

Of course, numerous other assay protocols exist that are suitable for use with the tumor proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to those of ordinary skill in the art that the above protocols may be readily modified to use tumor polypeptides to detect antibodies that bind to such polypeptides in a biological sample. The detection of such tumor protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a tumor protein in a biological sample. Within certain methods, a biological sample comprising CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells isolated from a patient is incubated with a tumor polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with polypeptide (e.g., 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of tumor polypeptide to serve as a control. For CD4<sup>+</sup> T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8<sup>+</sup> T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a tumor protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify a portion of a tumor cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (*i.e.*, hybridizes to) a polynucleotide encoding the tumor protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a tumor protein may be used in a hybridization assay to detect the presence of polynucleotide encoding the tumor protein in a biological sample.

To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%, preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a tumor protein of the invention that is at least 10

nucleotides, and preferably at least 20 nucleotides, in length. Preferably, oligonucleotide primers and/or probes hybridize to a polynucleotide encoding a polypeptide described herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the  
5 diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers comprise at least 10 contiguous nucleotides, more preferably at least 15 contiguous nucleotides, of a DNA molecule having a sequence as disclosed herein. Techniques for both PCR based assays and hybridization assays are well known in the art (*see*, for example, Mullis et al., *Cold*  
10 *Spring Harbor Symp. Quant. Biol.*, 51:263, 1987; Erlich ed., *PCR Technology*, Stockton Press, NY, 1989).

One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules.  
15 PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold  
20 or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered positive.

In another embodiment, the compositions described herein may be used as markers for the progression of cancer. In this embodiment, assays as described above  
25 for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide(s) evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the level of polypeptide or polynucleotide detected increases over time. In contrast, the

cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor. One such assay involves contacting tumor cells with a binding agent. The bound  
5 binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

As noted above, to improve sensitivity, multiple tumor protein markers may be assayed within a given sample. It will be apparent that binding agents specific  
10 for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of tumor protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for tumor proteins provided herein may be combined with assays for other known tumor antigens.

15 The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a tumor protein.  
20 Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements, such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

25 Alternatively, a kit may be designed to detect the level of mRNA encoding a tumor protein in a biological sample. Such kits generally comprise at least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a tumor protein. Such an oligonucleotide may be used, for example, within a PCR or hybridization assay. Additional components that may be

present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a tumor protein.

The following Examples are offered by way of illustration and not by way of limitation.

5

## EXAMPLES

### EXAMPLE 1

#### ISOLATION AND CHARACTERIZATION OF PROSTATE-SPECIFIC POLYPEPTIDES

10

This Example describes the isolation of certain prostate-specific polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library was constructed from prostate tumor poly A<sup>+</sup> RNA using a Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning kit (BRL Life Technologies, Gaithersburg, MD 20897) following the manufacturer's protocol. Specifically, prostate tumor tissues were homogenized with polytron (Kinematica, Switzerland) and total RNA was extracted using Trizol reagent (BRL Life Technologies) as directed by the manufacturer. The poly A<sup>+</sup> RNA was then purified using a Qiagen oligotex spin column mRNA purification kit (Qiagen, Santa Clarita, CA 91355) according to the manufacturer's protocol. First-strand cDNA was synthesized using the NotI/Oligo-dT18 primer. Double-stranded cDNA was synthesized, ligated with EcoRI/BAXI adaptors (Invitrogen, San Diego, CA) and digested with NotI. Following size fractionation with Chroma Spin-1000 columns (Clontech, Palo Alto, CA), the cDNA was ligated into the EcoRI/NotI site of pCDNA3.1 (Invitrogen) and transformed into ElectroMax *E. coli* DH10B cells (BRL Life Technologies) by electroporation.

Using the same procedure, a normal human pancreas cDNA expression library was prepared from a pool of six tissue specimens (Clontech). The cDNA libraries were characterized by determining the number of independent colonies, the percentage of clones that carried insert, the average insert size and by sequence analysis.

30

The prostate tumor library contained  $1.64 \times 10^7$  independent colonies, with 70% of clones having an insert and the average insert size being 1745 base pairs. The normal pancreas cDNA library contained  $3.3 \times 10^6$  independent colonies, with 69% of clones having inserts and the average insert size being 1120 base pairs. For both libraries, sequence analysis showed that the majority of clones had a full length cDNA sequence and were synthesized from mRNA, with minimal rRNA and mitochondrial DNA contamination.

cDNA library subtraction was performed using the above prostate tumor and normal pancreas cDNA libraries, as described by Hara *et al.* (*Blood*, 84:189-199, 1994) with some modifications. Specifically, a prostate tumor-specific subtracted cDNA library was generated as follows. Normal pancreas cDNA library (70  $\mu$ g) was digested with EcoRI, NotI, and SfuI, followed by a filling-in reaction with DNA polymerase Klenow fragment. After phenol-chloroform extraction and ethanol precipitation, the DNA was dissolved in 100  $\mu$ l of H<sub>2</sub>O, heat-denatured and mixed with 100  $\mu$ l (100  $\mu$ g) of Photoprobe biotin (Vector Laboratories, Burlingame, CA). As recommended by the manufacturer, the resulting mixture was irradiated with a 270 W sunlamp on ice for 20 minutes. Additional Photoprobe biotin (50  $\mu$ l) was added and the biotinylation reaction was repeated. After extraction with butanol five times, the DNA was ethanol-precipitated and dissolved in 23  $\mu$ l H<sub>2</sub>O to form the driver DNA.

To form the tracer DNA, 10  $\mu$ g prostate tumor cDNA library was digested with BamHI and XhoI, phenol chloroform extracted and passed through Chroma spin-400 columns (Clontech). Following ethanol precipitation, the tracer DNA was dissolved in 5  $\mu$ l H<sub>2</sub>O. Tracer DNA was mixed with 15  $\mu$ l driver DNA and 20  $\mu$ l of 2 x hybridization buffer (1.5 M NaCl/10 mM EDTA/50 mM HEPES pH 7.5/0.2% sodium dodecyl sulfate), overlaid with mineral oil, and heat-denatured completely. The sample was immediately transferred into a 68 °C water bath and incubated for 20 hours (long hybridization [LH]). The reaction mixture was then subjected to a streptavidin treatment followed by phenol/chloroform extraction. This process was repeated three more times. Subtracted DNA was precipitated, dissolved in 12  $\mu$ l H<sub>2</sub>O, mixed with 8  $\mu$ l driver DNA and 20  $\mu$ l of 2 x hybridization buffer, and subjected to a hybridization at 68

<sup>0</sup>C for 2 hours (short hybridization [SH]). After removal of biotinylated double-stranded DNA, subtracted cDNA was ligated into BamHI/XhoI site of chloramphenicol resistant pBCSK<sup>+</sup> (Stratagene, La Jolla, CA 92037) and transformed into ElectroMax *E. coli* DH10B cells by electroporation to generate a prostate tumor specific subtracted  
5 cDNA library (referred to as "prostate subtraction 1").

To analyze the subtracted cDNA library, plasmid DNA was prepared from 100 independent clones, randomly picked from the subtracted prostate tumor specific library and grouped based on insert size. Representative cDNA clones were further characterized by DNA sequencing with a Perkin Elmer/Applied Biosystems  
10 Division Automated Sequencer Model 373A (Foster City, CA). Six cDNA clones, hereinafter referred to as F1-13, F1-12, F1-16, H1-1, H1-9 and H1-4, were shown to be abundant in the subtracted prostate-specific cDNA library. The determined 3' and 5' cDNA sequences for F1-12 are provided in SEQ ID NO: 2 and 3, respectively, with determined 3' cDNA sequences for F1-13, F1-16, H1-1, H1-9 and H1-4 being provided  
15 in SEQ ID NO: 1 and 4-7, respectively.

The cDNA sequences for the isolated clones were compared to known sequences in the gene bank using the EMBL and GenBank databases (release 96). Four of the prostate tumor cDNA clones, F1-13, F1-16, H1-1, and H1-4, were determined to encode the following previously identified proteins: prostate specific antigen (PSA),  
20 human glandular kallikrein, human tumor expression enhanced gene, and mitochondria cytochrome C oxidase subunit II. H1-9 was found to be identical to a previously identified human autonomously replicating sequence. No significant homologies to the cDNA sequence for F1-12 were found.

Subsequent studies led to the isolation of a full-length cDNA sequence  
25 for F1-12 (also referred to as P504S). This sequence is provided in SEQ ID NO: 107, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 108. cDNA splice variants of P504S are provided in SEQ ID NO: 600-605.

To clone less abundant prostate tumor specific genes, cDNA library subtraction was performed by subtracting the prostate tumor cDNA library described  
30 above with the normal pancreas cDNA library and with the three most abundant genes



in the previously subtracted prostate tumor specific cDNA library: human glandular kallikrein, prostate specific antigen (PSA), and mitochondria cytochrome C oxidase subunit II. Specifically, 1  $\mu$ g each of human glandular kallikrein, PSA and mitochondria cytochrome C oxidase subunit II cDNAs in pCDNA3.1 were added to the driver DNA and subtraction was performed as described above to provide a second subtracted cDNA library hereinafter referred to as the "subtracted prostate tumor specific cDNA library with spike".

Twenty-two cDNA clones were isolated from the subtracted prostate tumor specific cDNA library with spike. The determined 3' and 5' cDNA sequences for the clones referred to as J1-17, L1-12, N1-1862, J1-13, J1-19, J1-25, J1-24, K1-58, K1-63, L1-4 and L1-14 are provided in SEQ ID NOS: 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-21, 22-23, 24-25, 26-27 and 28-29, respectively. The determined 3' cDNA sequences for the clones referred to as J1-12, J1-16, J1-21, K1-48, K1-55, L1-2, L1-6, N1-1858, N1-1860, N1-1861, N1-1864 are provided in SEQ ID NOS: 30-40, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to three of the five most abundant DNA species, (J1-17, L1-12 and N1-1862; SEQ ID NOS: 8-9, 10-11 and 12-13, respectively). Of the remaining two most abundant species, one (J1-12; SEQ ID NO:30) was found to be identical to the previously identified human pulmonary surfactant-associated protein, and the other (K1-48; SEQ ID NO:33) was determined to have some homology to *R. norvegicus* mRNA for 2-arylpropionyl-CoA epimerase. Of the 17 less abundant cDNA clones isolated from the subtracted prostate tumor specific cDNA library with spike, four (J1-16, K1-55, L1-6 and N1-1864; SEQ ID NOS:31, 34, 36 and 40, respectively) were found to be identical to previously identified sequences, two (J1-21 and N1-1860; SEQ ID NOS: 32 and 38, respectively) were found to show some homology to non-human sequences, and two (L1-2 and N1-1861; SEQ ID NOS: 35 and 39, respectively) were found to show some homology to known human sequences. No significant homologies were found to the polypeptides J1-13, J1-19, J1-24, J1-25, K1-58, K1-63, L1-4, L1-14 (SEQ ID NOS: 14-15, 16-17, 20-21, 18-19, 22-23, 24-25, 26-27, 28-29, respectively).

Subsequent studies led to the isolation of full length cDNA sequences for J1-17, L1-12 and N1-1862 (SEQ ID NOS: 109-111, respectively). The corresponding predicted amino acid sequences are provided in SEQ ID NOS: 112-114. L1-12 is also referred to as P501S. A cDNA splice variant of P501S is provided in SEQ ID NO: 606.

- 5 In a further experiment, four additional clones were identified by subtracting a prostate tumor cDNA library with normal prostate cDNA prepared from a pool of three normal prostate poly A+ RNA (referred to as "prostate subtraction 2"). The determined cDNA sequences for these clones, hereinafter referred to as U1-3064, U1-3065, V1-3692 and 1A-3905, are provided in SEQ ID NO: 69-72, respectively.
- 10 Comparison of the determined sequences with those in the gene bank revealed no significant homologies to U1-3065.

- A second subtraction with spike (referred to as "prostate subtraction spike 2") was performed by subtracting a prostate tumor specific cDNA library with spike with normal pancreas cDNA library and further spiked with PSA, J1-17,
- 15 pulmonary surfactant-associated protein, mitochondrial DNA, cytochrome c oxidase subunit II, N1-1862, autonomously replicating sequence, L1-12 and tumor expression enhanced gene. Four additional clones, hereinafter referred to as V1-3686, R1-2330, 1B-3976 and V1-3679, were isolated. The determined cDNA sequences for these clones are provided in SEQ ID NO:73-76, respectively. Comparison of these sequences
- 20 with those in the gene bank revealed no significant homologies to V1-3686 and R1-2330.

- Further analysis of the three prostate subtractions described above (prostate subtraction 2, subtracted prostate tumor specific cDNA library with spike, and prostate subtraction spike 2) resulted in the identification of sixteen additional clones,
- 25 referred to as 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1G-4734, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4810, 1I-4811, 1J-4876, 1K-4884 and 1K-4896. The determined cDNA sequences for these clones are provided in SEQ ID NOS: 77-92, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to 1G-4741, 1G-4734, 1I-4807, 1J-4876 and
- 30 1K-4896 (SEQ ID NOS: 79, 81, 87, 90 and 92, respectively). Further analysis of the

isolated clones led to the determination of extended cDNA sequences for 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4807, 1J-4876, 1K-4884 and 1K-4896, provided in SEQ ID NOS: 179-188 and 191-193, respectively, and to the determination of additional partial cDNA sequences for 1I-4810  
5 and 1I-4811, provided in SEQ ID NOS: 189 and 190, respectively.

Additional studies with prostate subtraction spike 2 resulted in the isolation of three more clones. Their sequences were determined as described above and compared to the most recent GenBank. All three clones were found to have homology to known genes, which are Cysteine-rich protein, KIAA0242, and KIAA0280  
10 (SEQ ID NO: 317, 319, and 320, respectively). Further analysis of these clones by Synteni microarray (Synteni, Palo Alto, CA) demonstrated that all three clones were over-expressed in most prostate tumors and prostate BPH, as well as in the majority of normal prostate tissues tested, but low expression in all other normal tissues.

An additional subtraction was performed by subtracting a normal  
15 prostate cDNA library with normal pancreas cDNA (referred to as "prostate subtraction 3"). This led to the identification of six additional clones referred to as 1G-4761, 1G-4762, 1H-4766, 1H-4770, 1H-4771 and 1H-4772 (SEQ ID NOS: 93-98). Comparison of these sequences with those in the gene bank revealed no significant homologies to 1G-4761 and 1H-4771 (SEQ ID NOS: 93 and 97, respectively). Further analysis of the  
20 isolated clones led to the determination of extended cDNA sequences for 1G-4761, 1G-4762, 1H-4766 and 1H-4772 provided in SEQ ID NOS: 194-196 and 199, respectively, and to the determination of additional partial cDNA sequences for 1H-4770 and 1H-4771, provided in SEQ ID NOS: 197 and 198, respectively.

Subtraction of a prostate tumor cDNA library, prepared from a pool of  
25 polyA<sup>+</sup> RNA from three prostate cancer patients, with a normal pancreas cDNA library (prostate subtraction 4) led to the identification of eight clones, referred to as 1D-4297, 1D-4309, 1D-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280 (SEQ ID NOS: 99-107). These sequences were compared to those in the gene bank as described above. No significant homologies were found to 1D-4283 and 1D-4304 (SEQ ID NOS:  
30 103 and 104, respectively). Further analysis of the isolated clones led to the

determination of extended cDNA sequences for 1D-4309, 1D-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280, provided in SEQ ID NOS: 200-206, respectively.

cDNA clones isolated in prostate subtraction 1 and prostate subtraction  
5 2, described above, were colony PCR amplified and their mRNA expression levels in prostate tumor, normal prostate and in various other normal tissues were determined using microarray technology (Synteni, Palo Alto, CA). Briefly, the PCR amplification products were dotted onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested,  
10 reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. This intensity correlates with the hybridization intensity. Two clones (referred to as P509S and P510S) were found to be over-expressed in prostate tumor and normal prostate and expressed at low levels in all other  
15 normal tissues tested (liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon). The determined cDNA sequences for P509S and P510S are provided in SEQ ID NO: 223 and 224, respectively. Comparison of these sequences with those in the gene bank as described above, revealed some homology to previously  
20 identified ESTs.

Additional, studies led to the isolation of the full-length cDNA sequence for P509S. This sequence is provided in SEQ ID NO: 332, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 339. Two variant full-length cDNA sequences for P510S are provided in SEQ ID NO: 535 and 536, with the  
25 corresponding predicted amino acid sequences being provided in SEQ ID NO: 537 and 538, respectively. Additional splice variants of P510S are provided in SEQ ID NO: 598 and 599.

## EXAMPLE 2

## DETERMINATION OF TISSUE SPECIFICITY OF PROSTATE-SPECIFIC POLYPEPTIDES

Using gene specific primers, mRNA expression levels for the  
5 representative prostate-specific polypeptides F1-16, H1-1, J1-17 (also referred to as P502S), L1-12 (also referred to as P501S), F1-12 (also referred to as P504S) and N1-1862 (also referred to as P503S) were examined in a variety of normal and tumor tissues using RT-PCR.

Briefly, total RNA was extracted from a variety of normal and tumor  
10 tissues using Trizol reagent as described above. First strand synthesis was carried out using 1-2 µg of total RNA with SuperScript II reverse transcriptase (BRL Life Technologies) at 42 °C for one hour. The cDNA was then amplified by PCR with gene-specific primers. To ensure the semi-quantitative nature of the RT-PCR, β-actin was used as an internal control for each of the tissues examined. First, serial dilutions of the  
15 first strand cDNAs were prepared and RT-PCR assays were performed using β-actin specific primers. A dilution was then chosen that enabled the linear range amplification of the β-actin template and which was sensitive enough to reflect the differences in the initial copy numbers. Using these conditions, the β-actin levels were determined for each reverse transcription reaction from each tissue. DNA contamination was  
20 minimized by DNase treatment and by assuring a negative PCR result when using first strand cDNA that was prepared without adding reverse transcriptase.

mRNA Expression levels were examined in four different types of tumor tissue (prostate tumor from 2 patients, breast tumor from 3 patients, colon tumor, lung tumor), and sixteen different normal tissues, including prostate, colon, kidney, liver,  
25 lung, ovary, pancreas, skeletal muscle, skin, stomach, testes, bone marrow and brain. F1-16 was found to be expressed at high levels in prostate tumor tissue, colon tumor and normal prostate, and at lower levels in normal liver, skin and testes, with expression being undetectable in the other tissues examined. H1-1 was found to be expressed at high levels in prostate tumor, lung tumor, breast tumor, normal prostate, normal colon  
30 and normal brain, at much lower levels in normal lung, pancreas, skeletal muscle, skin,

small intestine, bone marrow, and was not detected in the other tissues tested. J1-17 (P502S) and L1-12 (P501S) appear to be specifically over-expressed in prostate, with both genes being expressed at high levels in prostate tumor and normal prostate but at low to undetectable levels in all the other tissues examined. N1-1862 (P503S) was  
5 found to be over-expressed in 60% of prostate tumors and detectable in normal colon and kidney. The RT-PCR results thus indicate that F1-16, H1-1, J1-17 (P502S), N1-1862 (P503S) and L1-12 (P501S) are either prostate specific or are expressed at significantly elevated levels in prostate.

Further RT-PCR studies showed that F1-12 (P504S) is over-expressed in  
10 60% of prostate tumors, detectable in normal kidney but not detectable in all other tissues tested. Similarly, R1-2330 was shown to be over-expressed in 40% of prostate tumors, detectable in normal kidney and liver, but not detectable in all other tissues tested. U1-3064 was found to be over-expressed in 60% of prostate tumors, and also expressed in breast and colon tumors, but was not detectable in normal tissues.

15 RT-PCR characterization of R1-2330, U1-3064 and 1D-4279 showed that these three antigens are over-expressed in prostate and/or prostate tumors.

Northern analysis with four prostate tumors, two normal prostate samples, two BPH prostates, and normal colon, kidney, liver, lung, pancreas, skeletal muscle, brain, stomach, testes, small intestine and bone marrow, showed that L1-12  
20 (P501S) is over-expressed in prostate tumors and normal prostate, while being undetectable in other normal tissues tested. J1-17 (P502S) was detected in two prostate tumors and not in the other tissues tested. N1-1862 (P503S) was found to be over-expressed in three prostate tumors and to be expressed in normal prostate, colon and kidney, but not in other tissues tested. F1-12 (P504S) was found to be highly expressed  
25 in two prostate tumors and to be undetectable in all other tissues tested.

The microarray technology described above was used to determine the expression levels of representative antigens described herein in prostate tumor, breast tumor and the following normal tissues: prostate, liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney,  
30 ovary, lung, spinal cord, skeletal muscle and colon. L1-12 (P501S) was found to be

over-expressed in normal prostate and prostate tumor, with some expression being detected in normal skeletal muscle. Both J1-12 and F1-12 (P504S) were found to be over-expressed in prostate tumor, with expression being lower or undetectable in all other tissues tested. N1-1862 (P503S) was found to be expressed at high levels in prostate tumor and normal prostate, and at low levels in normal large intestine and normal colon, with expression being undetectable in all other tissues tested. R1-2330 was found to be over-expressed in prostate tumor and normal prostate, and to be expressed at lower levels in all other tissues tested. 1D-4279 was found to be over-expressed in prostate tumor and normal prostate, expressed at lower levels in normal spinal cord, and to be undetectable in all other tissues tested.

Further microarray analysis to specifically address the extent to which P501S (SEQ ID NO: 110) was expressed in breast tumor revealed moderate over-expression not only in breast tumor, but also in metastatic breast tumor (2/31), with negligible to low expression in normal tissues. This data suggests that P501S may be over-expressed in various breast tumors as well as in prostate tumors.

The expression levels of 32 ESTs (expressed sequence tags) described by Vasmatzis *et al.* (*Proc. Natl. Acad. Sci. USA* 95:300-304, 1998) in a variety of tumor and normal tissues were examined by microarray technology as described above. Two of these clones (referred to as P1000C and P1001C) were found to be over-expressed in prostate tumor and normal prostate, and expressed at low to undetectable levels in all other tissues tested (normal aorta, thymus, resting and activated PBMC, epithelial cells, spinal cord, adrenal gland, fetal tissues, skin, salivary gland, large intestine, bone marrow, liver, lung, dendritic cells, stomach, lymph nodes, brain, heart, small intestine, skeletal muscle, colon and kidney. The determined cDNA sequences for P1000C and P1001C are provided in SEQ ID NO: 384 and 472, respectively. The sequence of P1001C was found to show some homology to the previously isolated Human mRNA for JM27 protein. Subsequent comparison of the sequence of SEQ ID NO: 384 with sequences in the public databases, led to the identification of a full-length cDNA sequence of P1000C (SEQ ID NO: 786), which encodes a 492 amino acid sequence. Analysis of the amino acid sequence using the PSORT II program led to the

identification of a putative transmembrane domain from amino acids 84-100. The cDNA sequence of the open reading frame of P1000C, including the stop codon, is provided in SEQ ID NO: 787, with the open reading frame without the stop codon being provided in SEQ ID NO: 788. The full-length amino acid sequence of P1000C is  
5 provided in SEQ ID NO: 789. SEQ ID NO: 790 and 791 represent amino acids 1-100 and 100-492 of P1000C, respectively.

The expression of the polypeptide encoded by the full length cDNA sequence for F1-12 (also referred to as P504S; SEQ ID NO: 108) was investigated by immunohistochemical analysis. Rabbit-anti-P504S polyclonal antibodies were  
10 generated against the full length P504S protein by standard techniques. Subsequent isolation and characterization of the polyclonal antibodies were also performed by techniques well known in the art. Immunohistochemical analysis showed that the P504S polypeptide was expressed in 100% of prostate carcinoma samples tested (n=5).

The rabbit-anti-P504S polyclonal antibody did not appear to label benign  
15 prostate cells with the same cytoplasmic granular staining, but rather with light nuclear staining. Analysis of normal tissues revealed that the encoded polypeptide was found to be expressed in some, but not all normal human tissues. Positive cytoplasmic staining with rabbit-anti-P504S polyclonal antibody was found in normal human kidney, liver, brain, colon and lung-associated macrophages, whereas heart and bone marrow were  
20 negative.

This data indicates that the P504S polypeptide is present in prostate cancer tissues, and that there are qualitative and quantitative differences in the staining between benign prostatic hyperplasia tissues and prostate cancer tissues, suggesting that this polypeptide may be detected selectively in prostate tumors and therefore be useful  
25 in the diagnosis of prostate cancer.



## EXAMPLE 3

ISOLATION AND CHARACTERIZATION OF PROSTATE-SPECIFIC  
POLYPEPTIDES BY PCR-BASED SUBTRACTION

5           A cDNA subtraction library, containing cDNA from normal prostate subtracted with ten other normal tissue cDNAs (brain, heart, kidney, liver, lung, ovary, placenta, skeletal muscle, spleen and thymus) and then submitted to a first round of PCR amplification, was purchased from Clontech. This library was subjected to a second round of PCR amplification, following the manufacturer's protocol. The  
10       resulting cDNA fragments were subcloned into the vector pT7 Blue T-vector (Novagen, Madison, WI) and transformed into XL-1 Blue MRF' *E. coli* (Stratagene). DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A.

          Fifty-nine positive clones were sequenced. Comparison of the DNA  
15       sequences of these clones with those in the gene bank, as described above, revealed no significant homologies to 25 of these clones, hereinafter referred to as P5, P8, P9, P18, P20, P30, P34, P36, P38, P39, P42, P49, P50, P53, P55, P60, P64, P65, P73, P75, P76, P79 and P84. The determined cDNA sequences for these clones are provided in SEQ ID NO: 41-45, 47-52 and 54-65, respectively. P29, P47, P68, P80 and P82 (SEQ ID  
20       NO: 46, 53 and 66-68, respectively) were found to show some degree of homology to previously identified DNA sequences. To the best of the inventors' knowledge, none of these sequences have been previously shown to be present in prostate.

          Further studies employing the sequence of SEQ ID NO: 67 as a probe in standard full-length cloning methods, resulted in the isolation of three cDNA sequences  
25       which appear to be splice variants of P80 (also known as P704P). These sequences are provided in SEQ ID NO: 620-622.

          Further studies using the PCR-based methodology described above resulted in the isolation of more than 180 additional clones, of which 23 clones were found to show no significant homologies to known sequences. The determined cDNA  
30       sequences for these clones are provided in SEQ ID NO: 115-123, 127, 131, 137, 145,

147-151, 153, 156-158 and 160. Twenty-three clones (SEQ ID NO: 124-126, 128-130, 132-136, 138-144, 146, 152, 154, 155 and 159) were found to show some homology to previously identified ESTs. An additional ten clones (SEQ ID NO: 161-170) were found to have some degree of homology to known genes. Larger cDNA clones  
5 containing the P20 sequence represent splice variants of a gene referred to as P703P. The determined DNA sequence for the variants referred to as DE1, DE13 and DE14 are provided in SEQ ID NOS: 171, 175 and 177, respectively, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 172, 176 and 178, respectively. The determined cDNA sequence for an extended spliced form of P703 is  
10 provided in SEQ ID NO: 225. The DNA sequences for the splice variants referred to as DE2 and DE6 are provided in SEQ ID NOS: 173 and 174, respectively.

mRNA Expression levels for representative clones in tumor tissues (prostate (n=5), breast (n=2), colon and lung) normal tissues (prostate (n=5), colon, kidney, liver, lung (n=2), ovary (n=2), skeletal muscle, skin, stomach, small intestine  
15 and brain), and activated and non-activated PBMC was determined by RT-PCR as described above. Expression was examined in one sample of each tissue type unless otherwise indicated.

P9 was found to be highly expressed in normal prostate and prostate tumor compared to all normal tissues tested except for normal colon which showed  
20 comparable expression. P20, a portion of the P703P gene, was found to be highly expressed in normal prostate and prostate tumor, compared to all twelve normal tissues tested. A modest increase in expression of P20 in breast tumor (n=2), colon tumor and lung tumor was seen compared to all normal tissues except lung (1 of 2). Increased expression of P18 was found in normal prostate, prostate tumor and breast tumor  
25 compared to other normal tissues except lung and stomach. A modest increase in expression of P5 was observed in normal prostate compared to most other normal tissues. However, some elevated expression was seen in normal lung and PBMC. Elevated expression of P5 was also observed in prostate tumors (2 of 5), breast tumor and one lung tumor sample. For P30, similar expression levels were seen in normal  
30 prostate and prostate tumor, compared to six of twelve other normal tissues tested.

Increased expression was seen in breast tumors, one lung tumor sample and one colon tumor sample, and also in normal PBMC. P29 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to the majority of normal tissues. However, substantial expression of P29 was observed in normal colon and  
5 normal lung (2 of 2). P80 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to all other normal tissues tested, with increased expression also being seen in colon tumor.

Further studies resulted in the isolation of twelve additional clones, hereinafter referred to as 10-d8, 10-h10, 11-c8, 7-g6, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3, 8-  
10 h11, 9-f12 and 9-f3. The determined DNA sequences for 10-d8, 10-h10, 11-c8, 8-d4, 8-d9, 8-h11, 9-f12 and 9-f3 are provided in SEQ ID NO: 207, 208, 209, 216, 217, 220, 221 and 222, respectively. The determined forward and reverse DNA sequences for 7-g6, 8-b5, 8-b6 and 8-g3 are provided in SEQ ID NO: 210 and 211; 212 and 213; 214 and 215; and 218 and 219, respectively. Comparison of these sequences with those in  
15 the gene bank revealed no significant homologies to the sequence of 9-f3. The clones 10-d8, 11-c8 and 8-h11 were found to show some homology to previously isolated ESTs, while 10-h10, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3 and 9-f12 were found to show some homology to previously identified genes. Further characterization of 7-G6 and 8-G3 showed identity to the known genes PAP and PSA, respectively.

20 mRNA expression levels for these clones were determined using the micro-array technology described above. The clones 7-G6, 8-G3, 8-B5, 8-B6, 8-D4, 8-D9, 9-F3, 9-F12, 9-H3, 10-A2, 10-A4, 11-C9 and 11-F2 were found to be over-expressed in prostate tumor and normal prostate, with expression in other tissues tested being low or undetectable. Increased expression of 8-F11 was seen in prostate tumor  
25 and normal prostate, bladder, skeletal muscle and colon. Increased expression of 10-H10 was seen in prostate tumor and normal prostate, bladder, lung, colon, brain and large intestine. Increased expression of 9-B1 was seen in prostate tumor, breast tumor, and normal prostate, salivary gland, large intestine and skin, with increased expression of 11-C8 being seen in prostate tumor, and normal prostate and large intestine.

An additional cDNA fragment derived from the PCR-based normal prostate subtraction, described above, was found to be prostate specific by both micro-array technology and RT-PCR. The determined cDNA sequence of this clone (referred to as 9-A11) is provided in SEQ ID NO: 226. Comparison of this sequence with those  
5 in the public databases revealed 99% identity to the known gene HOXB13.

Further studies led to the isolation of the clones 8-C6 and 8-H7. The determined cDNA sequences for these clones are provided in SEQ ID NO: 227 and 228, respectively. These sequences were found to show some homology to previously isolated ESTs.

10 PCR and hybridization-based methodologies were employed to obtain longer cDNA sequences for clone P20 (also referred to as P703P), yielding three additional cDNA fragments that progressively extend the 5' end of the gene. These fragments, referred to as P703PDE5, P703P6.26, and P703PX-23 (SEQ ID NO: 326, 328 and 330, with the predicted corresponding amino acid sequences being provided in  
15 SEQ ID NO: 327, 329 and 331, respectively) contain additional 5' sequence. P703PDE5 was recovered by screening of a cDNA library (#141-26) with a portion of P703P as a probe. P703P6.26 was recovered from a mixture of three prostate tumor cDNAs and P703PX\_23 was recovered from cDNA library (#438-48). Together, the additional sequences include all of the putative mature serine protease along with part of  
20 the putative signal sequence. The full-length cDNA sequence for P703P is provided in SEQ ID NO: 524, with the corresponding amino acid sequence being provided in SEQ ID NO: 525.

Using computer algorithms, the following regions of P703P were predicted to represent potential HLA A2-binding CTL epitopes: amino acids 164-172  
25 of SEQ ID NO: 525 (SEQ ID NO: 723); amino acids 160-168 of SEQ ID NO: 525 (SEQ ID NO: 724); amino acids 239-247 of SEQ ID NO: 525 (SEQ ID NO: 725); amino acids 118-126 of SEQ ID NO: 525 (SEQ ID NO: 726); amino acids 112-120 of SEQ ID NO: 525 (SEQ ID NO: 727); amino acids 155-164 of SEQ ID NO: 525 (SEQ ID NO: 728); amino acids 117-126 of SEQ ID NO: 525 (SEQ ID NO: 729); amino acids  
30 164-173 of SEQ ID NO: 525 (SEQ ID NO: 730); amino acids 154-163 of SEQ ID NO:

525 (SEQ ID NO: 731); amino acids 163-172 of SEQ ID NO: 525 (SEQ ID NO: 732); amino acids 58-66 of SEQ ID NO: 525 (SEQ ID NO: 733); and amino acids 59-67 of SEQ ID NO: 525 (SEQ ID NO: 734).

P703P was found to show some homology to previously identified  
5 proteases, such as thrombin. The thrombin receptor has been shown to be preferentially expressed in highly metastatic breast carcinoma cells and breast carcinoma biopsy samples. Introduction of thrombin receptor antisense cDNA has been shown to inhibit the invasion of metastatic breast carcinoma cells in culture. Antibodies against thrombin receptor inhibit thrombin receptor activation and thrombin-induced platelet  
10 activation. Furthermore, peptides that resemble the receptor's tethered ligand domain inhibit platelet aggregation by thrombin. P703P may play a role in prostate cancer through a protease-activated receptor on the cancer cell or on stromal cells. The potential trypsin-like protease activity of P703P may either activate a protease-activated receptor on the cancer cell membrane to promote tumorigenesis or activate a protease-  
15 activated receptor on the adjacent cells (such as stromal cells) to secrete growth factors and/or proteases (such as matrix metalloproteinases) that could promote tumor angiogenesis, invasion and metastasis. P703P may thus promote tumor progression and/or metastasis through the activation of protease-activated receptor. Polypeptides and antibodies that block the P703P-receptor interaction may therefore be usefully  
20 employed in the treatment of prostate cancer.

To determine whether P703P expression increases with increased severity of Gleason grade, an indicator of tumor stage, quantitative PCR analysis was performed on prostate tumor samples with a range of Gleason scores from 5 to > 8. The mean level of P703P expression increased with increasing Gleason score, indicating that  
25 P703P expression may correlate with increased disease severity.

Further studies using a PCR-based subtraction library of a prostate tumor pool subtracted against a pool of normal tissues (referred to as JP: PCR subtraction) resulted in the isolation of thirteen additional clones, seven of which did not share any significant homology to known GenBank sequences. The determined cDNA sequences  
30 for these seven clones (P711P, P712P, novel 23, P774P, P775P, P710P and P768P) are

provided in SEQ ID NO: 307-311, 313 and 315, respectively. The remaining six clones (SEQ ID NO: 316 and 321-325) were shown to share some homology to known genes. By microarray analysis, all thirteen clones showed three or more fold over-expression in prostate tissues, including prostate tumors, BPH and normal prostate as compared to  
5 normal non-prostate tissues. Clones P711P, P712P, novel 23 and P768P showed over-expression in most prostate tumors and BPH tissues tested (n=29), and in the majority of normal prostate tissues (n=4), but background to low expression levels in all normal tissues. Clones P774P, P775P and P710P showed comparatively lower expression and expression in fewer prostate tumors and BPH samples, with negative to low expression  
10 in normal prostate.

Further studies led to the isolation of an extended cDNA sequence for P712P (SEQ ID NO: 552). The amino acid sequences encoded by 16 predicted open reading frames present within the sequence of SEQ ID NO: 552 are provided in SEQ ID NO: 553-568.

15 The full-length cDNA for P711P was obtained by employing the partial sequence of SEQ ID NO: 307 to screen a prostate cDNA library. Specifically, a directionally cloned prostate cDNA library was prepared using standard techniques. One million colonies of this library were plated onto LB/Amp plates. Nylon membrane filters were used to lift these colonies, and the cDNAs which were picked up by these  
20 filters were denatured and cross-linked to the filters by UV light. The P711P cDNA fragment of SEQ ID NO: 307 was radio-labeled and used to hybridize with these filters. Positive clones were selected, and cDNAs were prepared and sequenced using an automatic Perkin Elmer/Applied Biosystems sequencer. The determined full-length sequence of P711P is provided in SEQ ID NO: 382, with the corresponding predicted  
25 amino acid sequence being provided in SEQ ID NO: 383.

Using PCR and hybridization-based methodologies, additional cDNA sequence information was derived for two clones described above, 11-C9 and 9-F3, herein after referred to as P707P and P714P, respectively (SEQ ID NO: 333 and 334). After comparison with the most recent GenBank, P707P was found to be a splice  
30 variant of the known gene HoxB13. In contrast, no significant homologies to P714P

were found. Further studies employing the sequence of SEQ ID NO: 334 as a probe in standard full-length cloning methods, resulted in an extended cDNA sequence for P714P. This sequence is provided in SEQ ID NO: 619. This sequence was found to show some homology to the gene that encodes human ribosomal L23A protein.

5 Clones 8-B3, P89, P98, P130 and P201 (as disclosed in U.S. Patent Application No. 09/020,956, filed February 9, 1998) were found to be contained within one contiguous sequence, referred to as P705P (SEQ ID NO: 335, with the predicted amino acid sequence provided in SEQ ID NO: 336), which was determined to be a splice variant of the known gene NKX 3.1.

10 Further studies on P775P resulted in the isolation of four additional sequences (SEQ ID NO: 473-476) which are all splice variants of the P775P gene. The sequence of SEQ ID NO: 474 was found to contain two open reading frames (ORFs). The predicted amino acid sequences encoded by these ORFs are provided in SEQ ID NO: 477 and 478. The cDNA sequence of SEQ ID NO: 475 was found to contain an  
15 ORF which encodes the amino acid sequence of SEQ ID NO: 479. The cDNA sequence of SEQ ID NO: 473 was found to contain four ORFs. The predicted amino acid sequences encoded by these ORFs are provided in SEQ ID NO: 480-483. Additional splice variants of P775P are provided in SEQ ID NO: 593-597.

Subsequent studies led to the identification of a genomic region on  
20 chromosome 22q11.2, known as the Cat Eye Syndrome region, that contains the five prostate genes P704P, P712P, P774P, P775P and B305D. The relative location of each of these five genes within the genomic region is shown in Fig. 10. This region may therefore be associated with malignant tumors, and other potential tumor genes may be contained within this region. These studies also led to the identification of a potential  
25 open reading frame (ORF) for P775P (provided in SEQ ID NO: 533), which encodes the amino acid sequence of SEQ ID NO: 534.

Comparison of the clone of SEQ ID NO: 325 (referred to as P558S) with sequences in the GenBank and GeneSeq DNA databases showed that P558S is identical to the prostate-specific transglutaminase gene, which is known to have two forms. The  
30 full-length sequences for the two forms are provided in SEQ ID NO: 630 and 631, with

the corresponding amino acid sequences being provided in SEQ ID NO: 632 and 633, respectively. The cDNA sequence of SEQ ID NO: 631 has a 15 pair base insert, resulting in a 5 amino acid insert in the corresponding amino acid sequence (SEQ ID NO: 633). This insert is not present in the sequence of SEQ ID NO: 630.

5 Further studies on P768P (SEQ ID NO: 315) led to the identification of the putative full-length open reading frame (ORF). The cDNA sequence of the ORF with stop codon is provided in SEQ ID NO: 764. The cDNA sequence of the ORF without stop codon is provided in SEQ ID NO: 765, with the corresponding amino acid sequence being provided in SEQ ID NO: 766. This sequence was found to show 86%  
10 identity to a rat calcium transporter protein, indicating that P768P may represent a human calcium transporter protein. The locations of transmembrane domains within P768P were predicted using the PSORT II computer algorithm. Six transmembrane domains were predicted at amino acid positions 118-134, 172-188, 211-227, 230-246, 282-298 and 348-364. The amino acid sequences of SEQ ID NO: 767-772 represent  
15 amino acids 1-134, 135-188, 189-227, 228-246, 247-298 and 299-511 of P768P, respectively.

#### EXAMPLE 4

##### SYNTHESIS OF POLYPEPTIDES

20 Polypeptides may be synthesized on a Perkin Elmer/Applied Biosystems 430A peptide synthesizer using FMOC chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of  
25 conjugation, binding to an immobilized surface, or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid  
30 (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of



0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

5

## EXAMPLE 5

FURTHER ISOLATION AND CHARACTERIZATION OF  
PROSTATE-SPECIFIC POLYPEPTIDES BY PCR-BASED SUBTRACTION

10 A cDNA library generated from prostate primary tumor mRNA as described above was subtracted with cDNA from normal prostate. The subtraction was performed using a PCR-based protocol (Clontech), which was modified to generate larger fragments. Within this protocol, tester and driver double stranded cDNA were separately digested with five restriction enzymes that recognize six-nucleotide  
15 restriction sites (MluI, MscI, PvuII, SalI and StuI). This digestion resulted in an average cDNA size of 600 bp, rather than the average size of 300 bp that results from digestion with RsaI according to the Clontech protocol. This modification did not affect the subtraction efficiency. Two tester populations were then created with different adapters, and the driver library remained without adapters.

20 The tester and driver libraries were then hybridized using excess driver cDNA. In the first hybridization step, driver was separately hybridized with each of the two tester cDNA populations. This resulted in populations of (a) unhybridized tester cDNAs, (b) tester cDNAs hybridized to other tester cDNAs, (c) tester cDNAs hybridized to driver cDNAs and (d) unhybridized driver cDNAs. The two separate  
25 hybridization reactions were then combined, and rehybridized in the presence of additional denatured driver cDNA. Following this second hybridization, in addition to populations (a) through (d), a fifth population (e) was generated in which tester cDNA with one adapter hybridized to tester cDNA with the second adapter. Accordingly, the second hybridization step resulted in enrichment of differentially expressed sequences  
30 which could be used as templates for PCR amplification with adaptor-specific primers.

The ends were then filled in, and PCR amplification was performed using adaptor-specific primers. Only population (e), which contained tester cDNA that did not hybridize to driver cDNA, was amplified exponentially. A second PCR amplification step was then performed, to reduce background and further enrich  
5 differentially expressed sequences.

This PCR-based subtraction technique normalizes differentially expressed cDNAs so that rare transcripts that are overexpressed in prostate tumor tissue may be recoverable. Such transcripts would be difficult to recover by traditional subtraction methods.

10 In addition to genes known to be overexpressed in prostate tumor, seventy-seven further clones were identified. Sequences of these partial cDNAs are provided in SEQ ID NO: 29 to 305. Most of these clones had no significant homology to database sequences. Exceptions were JPTPN23 (SEQ ID NO: 231; similarity to pig valosin-containing protein), JPTPN30 (SEQ ID NO: 234; similarity to rat mRNA for  
15 proteasome subunit), JPTPN45 (SEQ ID NO: 243; similarity to rat *norvegicus* cytosolic NADP-dependent isocitrate dehydrogenase), JPTPN46 (SEQ ID NO: 244; similarity to human subclone H8 4 d4 DNA sequence), JP1D6 (SEQ ID NO: 265; similarity to *G. gallus* dynein light chain-A), JP8D6 (SEQ ID NO: 288; similarity to human BAC clone RG016J04), JP8F5 (SEQ ID NO: 289; similarity to human subclone H8 3 b5 DNA  
20 sequence), and JP8E9 (SEQ ID NO: 299; similarity to human Alu sequence).

Additional studies using the PCR-based subtraction library consisting of a prostate tumor pool subtracted against a normal prostate pool (referred to as PT-PN PCR subtraction) yielded three additional clones. Comparison of the cDNA sequences of these clones with the most recent release of GenBank revealed no significant  
25 homologies to the two clones referred to as P715P and P767P (SEQ ID NO: 312 and 314). The remaining clone was found to show some homology to the known gene KIAA0056 (SEQ ID NO: 318). Using microarray analysis to measure mRNA expression levels in various tissues, all three clones were found to be over-expressed in prostate tumors and BPH tissues. Specifically, clone P715P was over-expressed in most  
30 prostate tumors and BPH tissues by a factor of three or greater, with elevated expression

seen in the majority of normal prostate samples and in fetal tissue, but negative to low expression in all other normal tissues. Clone P767P was over-expressed in several prostate tumors and BPH tissues, with moderate expression levels in half of the normal prostate samples, and background to low expression in all other normal tissues tested.

5 Further analysis, by microarray as described above, of the PT-PN PCR subtraction library and of a DNA subtraction library containing cDNA from prostate tumor subtracted with a pool of normal tissue cDNAs, led to the isolation of 27 additional clones (SEQ ID NO: 340-365 and 381) which were determined to be over-expressed in prostate tumor. The clones of SEQ ID NO: 341, 342, 345, 347, 348, 349,  
10 351, 355-359, 361, 362 and 364 were also found to be expressed in normal prostate. Expression of all 26 clones in a variety of normal tissues was found to be low or undetectable, with the exception of P544S (SEQ ID NO: 356) which was found to be expressed in small intestine. Of the 26 clones, 11 (SEQ ID NO: 340-349 and 362) were found to show some homology to previously identified sequences. No significant  
15 homologies were found to the clones of SEQ ID NO: 350, 351, 353-361, and 363-365.

Comparison of the sequence of SEQ ID NO: 362 with sequences in the GenBank and GeneSeq DNA databases showed that this clone (referred to as P788P) is identical to GeneSeq Accession No. X27262, which encodes a protein found in the GeneSeq protein Accession No. Y00931. The full length cDNA sequence of P788P  
20 provided in SEQ ID NO: 634, with the corresponding predicted amino acid being provided in SEQ ID NO: 635. Subsequently, a full-length cDNA sequence for P788P that contains polymorphisms not found in the sequence of SEQ ID NO: 634, was cloned multiple times by PCR amplification from cDNA prepared from several RNA templates from three individuals. This determined cDNA sequence of this polymorphic variant of  
25 P788P is provided in SEQ ID NO: 636, with the corresponding amino acid sequence being provided in SEQ ID NO: 637. The sequence of SEQ ID NO: 637 differs from that of SEQ ID NO: 635 by six amino acid residues. The P788P protein has 7 potential transmembrane domains at the C-terminal portion and is predicted to be a plasma membrane protein with an extracellular N-terminal region.

Further studies on the clone of SEQ ID NO: 352 (referred to as P790P) led to the isolation of the full-length cDNA sequence of SEQ ID NO: 526. The corresponding predicted amino acid is provided in SEQ ID NO: 527. Data from two quantitative PCR experiments indicated that P790P is over-expressed in 11/15 tested prostate tumor samples and is expressed at low levels in spinal cord, with no expression being seen in all other normal samples tested. Data from further PCR experiments and microarray experiments showed over-expression in normal prostate and prostate tumor with little or no expression in other tissues tested. P790P was subsequently found to show significant homology to a previously identified G-protein coupled prostate tissue receptor.

Additional studies on the clone of SEQ ID NO: 354 (referred to as P776P) led to the isolation of an extended cDNA sequence, provided in SEQ ID NO: 569. The determined cDNA sequences of three additional splice variants of P776P are provided in SEQ ID NO: 570-572. The amino acid sequences encoded by two predicted open reading frames (ORFs) contained within SEQ ID NO: 570, one predicted ORF contained within SEQ ID NO: 571, and 11 predicted ORFs contained within SEQ ID NO: 569, are provided in SEQ ID NO: 573-586, respectively. Further studies led to the isolation of the full-length sequence for the clone of SEQ ID NO: 570 (provided in SEQ ID NO: 737). Full-length cloning efforts on the clone of SEQ ID NO: 571 led to the isolation of two sequences (provided in SEQ ID NO: 738 and 739), representing a single clone, that are identical with the exception of a polymorphic insertion/deletion at position 1293. Specifically, the clone of SEQ ID NO: 739 (referred to as clone F1) has a C at position 1293. The clone of SEQ ID NO: 738 (referred to as clone F2) has a single base pair deletion at position 1293. The predicted amino acid sequences encoded by 5 open reading frames located within SEQ ID NO: 737 are provided in SEQ ID NO: 740-744, with the predicted amino acid sequences encoded by the clone of SEQ ID NO: 738 and 739 being provided in SEQ ID NO: 745-750.

Comparison of the cDNA sequences for the clones P767P (SEQ ID NO: 314) and P777P (SEQ ID NO: 350) with sequences in the GenBank human EST database showed that the two clones matched many EST sequences in common,

suggesting that P767P and P777P may represent the same gene. A DNA consensus sequence derived from a DNA sequence alignment of P767P, P777P and multiple EST clones is provided in SEQ ID NO: 587. The amino acid sequences encoded by three putative ORFs located within SEQ ID NO: 587 are provided in SEQ ID NO: 588-590.

5                   The clone of SEQ ID NO: 342 (referred to as P789P) was found to show homology to a previously identified gene. The full length cDNA sequence for P789P and the corresponding amino acid sequence are provided in SEQ ID NO: 735 and 736, respectively.

10

## EXAMPLE 6

## PEPTIDE PRIMING OF MICE AND PROPAGATION OF CTL LINES

6.1. This Example illustrates the preparation of a CTL cell line specific for cells expressing the P502S gene.

15                   Mice expressing the transgene for human HLA A2Kb (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with P2S#12 peptide (VLGWVAEL; SEQ ID NO: 306), which is derived from the P502S gene (also referred to herein as J1-17, SEQ ID NO: 8), as described by Theobald et al., *Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995 with the following modifications. Mice were  
20 immunized with 100µg of P2S#12 and 120µg of an I-A<sup>b</sup> binding peptide derived from hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and using a nylon mesh single cell suspensions prepared. Cells were then resuspended at  $6 \times 10^6$  cells/ml in complete media (RPMI-1640; Gibco BRL, Gaithersburg, MD) containing 10% FCS, 2mM Glutamine (Gibco BRL), sodium  
25 pyruvate (Gibco BRL), non-essential amino acids (Gibco BRL),  $2 \times 10^{-5}$  M 2-mercaptoethanol, 50U/ml penicillin and streptomycin, and cultured in the presence of irradiated (3000 rads) P2S#12-pulsed (5mg/ml P2S#12 and 10mg/ml β2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7µg/ml dextran sulfate and 25µg/ml LPS for 3 days). Six days later, cells ( $5 \times 10^5$ /ml) were  
30 restimulated with  $2.5 \times 10^6$ /ml peptide pulsed irradiated (20,000 rads) EL4A2Kb cells

(Sherman et al, *Science* 258:815-818, 1992) and  $3 \times 10^6$ /ml A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20U/ml IL-2. Cells continued to be restimulated on a weekly basis as described, in preparation for cloning the line.

P2S#12 line was cloned by limiting dilution analysis with peptide pulsed  
5 EL4 A2Kb tumor cells ( $1 \times 10^4$  cells/ well) as stimulators and A2 transgenic spleen cells as feeders ( $5 \times 10^5$  cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were restimulated as before. On day 21, clones that were growing were isolated and maintained in culture. Several of these clones demonstrated significantly higher reactivity (lysis) against human fibroblasts (HLA A2Kb expressing) transduced with  
10 P502S than against control fibroblasts. An example is presented in Figure 1.

This data indicates that P2S #12 represents a naturally processed epitope of the P502S protein that is expressed in the context of the human HLA A2Kb molecule.

15 6.2. This Example illustrates the preparation of murine CTL lines and CTL clones specific for cells expressing the P501S gene.

This series of experiments were performed similarly to that described above. Mice were immunized with the P1S#10 peptide (SEQ ID NO: 337), which is  
20 derived from the P501S gene (also referred to herein as L1-12, SEQ ID NO: 110). The P1S#10 peptide was derived by analysis of the predicted polypeptide sequence for P501S for potential HLA-A2 binding sequences as defined by published HLA-A2 binding motifs (Parker, KC, et al, *J. Immunol.*, 152:163, 1994). P1S#10 peptide was synthesized as described in Example 4, and empirically tested for HLA-A2 binding  
25 using a T cell based competition assay. Predicted A2 binding peptides were tested for their ability to compete HLA-A2 specific peptide presentation to an HLA-A2 restricted CTL clone (D150M58), which is specific for the HLA-A2 binding influenza matrix peptide fluM58. D150M58 CTL secretes TNF in response to self-presentation of peptide fluM58. In the competition assay, test peptides at 100-200  $\mu$ g/ml were added to  
30 cultures of D150M58 CTL in order to bind HLA-A2 on the CTL. After thirty minutes,

CTL cultured with test peptides, or control peptides, were tested for their antigen dose response to the fluM58 peptide in a standard TNF bioassay. As shown in Figure 3, peptide P1S#10 competes HLA-A2 restricted presentation of fluM58, demonstrating that peptide P1S#10 binds HLA-A2.

- 5 Mice expressing the transgene for human HLA A2Kb were immunized as described by Theobald et al. (*Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995) with the following modifications. Mice were immunized with 62.5 $\mu$ g of P1S #10 and 120 $\mu$ g of an I-A<sup>b</sup> binding peptide derived from Hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and single
- 10 cell suspensions prepared using a nylon mesh. Cells were then resuspended at  $6 \times 10^6$  cells/ml in complete media (as described above) and cultured in the presence of irradiated (3000 rads) P1S#10-pulsed (2 $\mu$ g/ml P1S#10 and 10mg/ml  $\beta$ 2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7 $\mu$ g/ml dextran sulfate and 25 $\mu$ g/ml LPS for 3 days). Six days later cells ( $5 \times 10^5$ /ml) were restimulated
- 15 with  $2.5 \times 10^6$ /ml peptide-pulsed irradiated (20,000 rads) EL4A2Kb cells, as described above, and  $3 \times 10^6$ /ml A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20 U/ml IL-2. Cells were restimulated on a weekly basis in preparation for cloning. After three rounds of *in vitro* stimulations, one line was generated that recognized P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat targets as
- 20 shown in Figure 4.

- A P1S#10-specific CTL line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb tumor cells ( $1 \times 10^4$  cells/ well) as stimulators and A2 transgenic spleen cells as feeders ( $5 \times 10^5$  cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were restimulated as before. On day 21, viable clones were
- 25 isolated and maintained in culture. As shown in Figure 5, five of these clones demonstrated specific cytolytic reactivity against P501S-transduced Jurkat A2Kb targets. This data indicates that P1S#10 represents a naturally processed epitope of the P501S protein that is expressed in the context of the human HLA-A2.1 molecule.

## EXAMPLE 7

PRIMING OF CTL *IN VIVO* USING NAKED DNA IMMUNIZATION

## WITH A PROSTATE ANTIGEN

The prostate-specific antigen L1-12, as described above, is also referred  
5 to as P501S. HLA A2Kb Tg mice (provided by Dr L. Sherman, The Scripps Research  
Institute, La Jolla, CA) were immunized with 100 µg P501S in the vector VR1012  
either intramuscularly or intradermally. The mice were immunized three times, with a  
two week interval between immunizations. Two weeks after the last immunization,  
immune spleen cells were cultured with Jurkat A2Kb-P501S transduced stimulator  
10 cells. CTL lines were stimulated weekly. After two weeks of *in vitro* stimulation, CTL  
activity was assessed against P501S transduced targets. Two out of 8 mice developed  
strong anti-P501S CTL responses. These results demonstrate that P501S contains at  
least one naturally processed HLA-A2-restricted CTL epitope.

15

## EXAMPLE 8

## ABILITY OF HUMAN T CELLS TO RECOGNIZE PROSTATE-SPECIFIC POLYPEPTIDES

This Example illustrates the ability of T cells specific for a prostate  
tumor polypeptide to recognize human tumor.

20 Human CD8<sup>+</sup> T cells were primed *in vitro* to the P2S-12 peptide (SEQ  
ID NO: 306) derived from P502S (also referred to as J1-17) using dendritic cells  
according to the protocol of Van Tsai et al. (*Critical Reviews in Immunology* 18:65-75,  
1998). The resulting CD8<sup>+</sup> T cell microcultures were tested for their ability to  
recognize the P2S-12 peptide presented by autologous fibroblasts or fibroblasts which  
25 were transduced to express the P502S gene in a  $\gamma$ -interferon ELISPOT assay (*see*  
Lalvani et al., *J. Exp. Med.* 186:859-865, 1997). Briefly, titrating numbers of T cells  
were assayed in duplicate on 10<sup>4</sup> fibroblasts in the presence of 3 µg/ml human  $\beta_2$ -  
microglobulin and 1 µg/ml P2S-12 peptide or control E75 peptide. In addition, T cells  
were simultaneously assayed on autologous fibroblasts transduced with the P502S gene  
30 or as a control, fibroblasts transduced with HER-2/*neu*. Prior to the assay, the



fibroblasts were treated with 10 ng/ml  $\gamma$ -interferon for 48 hours to upregulate class I MHC expression. One of the microcultures (#5) demonstrated strong recognition of both peptide pulsed fibroblasts as well as transduced fibroblasts in a  $\gamma$ -interferon ELISPOT assay. Figure 2A demonstrates that there was a strong increase in the number of  $\gamma$ -interferon spots with increasing numbers of T cells on fibroblasts pulsed with the P2S-12 peptide (solid bars) but not with the control E75 peptide (open bars). This shows the ability of these T cells to specifically recognize the P2S-12 peptide. As shown in Figure 2B, this microculture also demonstrated an increase in the number of  $\gamma$ -interferon spots with increasing numbers of T cells on fibroblasts transduced to express the P502S gene but not the HER-2/*neu* gene. These results provide additional confirmatory evidence that the P2S-12 peptide is a naturally processed epitope of the P502S protein. Furthermore, this also demonstrates that there exists in the human T cell repertoire, high affinity T cells which are capable of recognizing this epitope. These T cells should also be capable of recognizing human tumors which express the P502S gene.

## EXAMPLE 9

### ELICITATION OF PROSTATE ANTIGEN-SPECIFIC CTL RESPONSES IN HUMAN BLOOD

20

This Example illustrates the ability of a prostate-specific antigen to elicit a CTL response in blood of normal humans.

Autologous dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal donors by growth for five days in RPMI medium containing 10% human serum, 50 ng/ml GMCSF and 30 ng/ml IL-4. Following culture, DC were infected overnight with recombinant P501S-expressing vaccinia virus at an M.O.I. of 5 and matured for 8 hours by the addition of 2 micrograms/ml CD40 ligand. Virus was inactivated by UV irradiation, CD8<sup>+</sup> cells were isolated by positive selection using magnetic beads, and priming cultures were initiated in 24-well plates. Following five stimulation cycles using autologous fibroblasts

retrovirally transduced to express P501S and CD80, CD8+ lines were identified that specifically produced interferon-gamma when stimulated with autologous P501S-transduced fibroblasts. The P501S-specific activity of cell line 3A-1 could be maintained following additional stimulation cycles on autologous B-LCL transduced with P501S. Line 3A-1 was shown to specifically recognize autologous B-LCL transduced to express P501S, but not EGFP-transduced autologous B-LCL, as measured by cytotoxicity assays ( $^{51}\text{Cr}$  release) and interferon-gamma production (Interferon-gamma Elispot; *see above and Lalvani et al., J. Exp. Med. 186:859-865, 1997*). The results of these assays are presented in Figures 6A and 6B.

10

## EXAMPLE 10

IDENTIFICATION OF A NATURALLY PROCESSED CTL EPITOPE CONTAINED WITHIN THE  
PROSTATE-SPECIFIC ANTIGEN P703P

The 9-mer peptide p5 (SEQ ID NO: 338) was derived from the P703P antigen (also referred to as P20). The p5 peptide is immunogenic in human HLA-A2 donors and is a naturally processed epitope. Antigen specific human CD8+ T cells can be primed following repeated *in vitro* stimulations with monocytes pulsed with p5 peptide. These CTL specifically recognize p5-pulsed and P703P-transduced target cells in both ELISPOT (as described above) and chromium release assays. Additionally, immunization of HLA-A2Kb transgenic mice with p5 leads to the generation of CTL lines which recognize a variety of HLA-A2Kb or HLA-A2 transduced target cells expressing P703P.

Initial studies demonstrating that p5 is a naturally processed epitope were done using HLA-A2Kb transgenic mice. HLA-A2Kb transgenic mice were immunized subcutaneously in the footpad with 100  $\mu\text{g}$  of p5 peptide together with 140  $\mu\text{g}$  of hepatitis B virus core peptide (a Th peptide) in Freund's incomplete adjuvant. Three weeks post immunization, spleen cells from immunized mice were stimulated *in vitro* with peptide-pulsed LPS blasts. CTL activity was assessed by chromium release assay five days after primary *in vitro* stimulation. Retrovirally transduced cells expressing the

30

control antigen P703P and HLA-A2Kb were used as targets. CTL lines that specifically recognized both p5-pulsed targets as well as P703P-expressing targets were identified.

Human *in vitro* priming experiments demonstrated that the p5 peptide is immunogenic in humans. Dendritic cells (DC) were differentiated from monocyte  
5 cultures derived from PBMC of normal human donors by culturing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, the DC were pulsed with 1 ug/ml p5 peptide and cultured with CD8+ T cell enriched PBMC. CTL lines were restimulated on a weekly basis with p5-pulsed monocytes. Five to six weeks after initiation of the CTL cultures,  
10 CTL recognition of p5-pulsed target cells was demonstrated. CTL were additionally shown to recognize human cells transduced to express P703P, demonstrating that p5 is a naturally processed epitope.

Studies identifying a further peptide epitope (referred to as peptide 4) derived from the prostate tumor-specific antigen P703P that is capable of being  
15 recognized by CD4 T cells on the surface of cells in the context of HLA class II molecules were carried out as follows. The amino acid sequence for peptide 4 is provided in SEQ ID NO: 638, with the corresponding cDNA sequence being provided in SEQ ID NO: 639.

Twenty 15-mer peptides overlapping by 10 amino acids and derived  
20 from the carboxy-terminal fragment of P703P were generated using standard procedures. Dendritic cells (DC) were derived from PBMC of a normal female donor using GM-CSF and IL-4 by standard protocols. CD4 T cells were generated from the same donor as the DC using MACS beads and negative selection. DC were pulsed overnight with pools of the 15-mer peptides, with each peptide at a final concentration  
25 of 0.25 microgram/ml. Pulsed DC were washed and plated at  $1 \times 10^4$  cells/well of 96-well V-bottom plates and purified CD4 T cells were added at  $1 \times 10^5$ /well. Cultures were supplemented with 60 ng/ml IL-6 and 10 ng/ml IL-12 and incubated at 37°C. Cultures were restimulated as above on a weekly basis using DC generated and pulsed as above as antigen presenting cells, supplemented with 5 ng/ml IL-7 and 10 u/ml IL-2.  
30 Following 4 *in vitro* stimulation cycles, 96 lines (each line corresponding to one well) were tested for specific proliferation and cytokine production in response to the

stimulating pools with an irrelevant pool of peptides derived from mammaglobin being used as a control.

One line (referred to as 1-F9) was identified from pool #1 that demonstrated specific proliferation (measured by <sup>3</sup>H proliferation assays) and cytokine production (measured by interferon-gamma ELISA assays) in response to pool #1 of P703P peptides. This line was further tested for specific recognition of the peptide pool, specific recognition of individual peptides in the pool, and in HLA mismatch analyses to identify the relevant restricting allele. Line 1-F9 was found to specifically proliferate and produce interferon-gamma in response to peptide pool #1, and also to peptide 4 (SEQ ID NO: 638). Peptide 4 corresponds to amino acids 126-140 of SEQ ID NO: 327. Peptide titration experiments were conducted to assess the sensitivity of line 1-F9 for the specific peptide. The line was found to specifically respond to peptide 4 at concentrations as low as 0.25 ng/ml, indicating that the T cells are very sensitive and therefore likely to have high affinity for the epitope.

To determine the HLA restriction of the P703P response, a panel of antigen presenting cells (APC) was generated that was partially matched with the donor used to generate the T cells. The APC were pulsed with the peptide and used in proliferation and cytokine assays together with line 1-F9. APC matched with the donor at HLA-DRB0701 and HLA-DQB02 alleles were able to present the peptide to the T cells, indicating that the P703P-specific response is restricted to one of these alleles.

Antibody blocking assays were utilized to determine if the restricting allele was HLA-DR0701 or HLA-DQ02. The anti-HLA-DR blocking antibody L243 or an irrelevant isotype matched IgG2a were added to T cells and APC cultures pulsed with the peptide RMPTVLQCVNVS VVS (SEQ ID NO: 638) at 250 ng/ml. Standard interferon-gamma and proliferation assays were performed. Whereas the control antibody had no effect on the ability of the T cells to recognize peptide-pulsed APC, in both assays the anti-HLA-DR antibody completely blocked the ability of the T cells to specifically recognize peptide-pulsed APC.

To determine if the peptide epitope RMPTVLQCVNVS VVS (SEQ ID NO: 638) was naturally processed, the ability of line 1-F9 to recognize APC pulsed with recombinant P703P protein was examined. For these experiments a number of

recombinant P703P sources were utilized; *E. coli*-derived P703P, Pichia-derived P703P and baculovirus-derived P703P. Irrelevant protein controls used were *E. coli*-derived L3E (a lung-specific antigen) and baculovirus-derived mammaglobin. In interferon-gamma ELISA assays, line 1-F9 was able to efficiently recognize both *E. coli* forms of  
5 P703P as well as Pichia-derived recombinant P703P, while baculovirus-derived P703P was recognized less efficiently. Subsequent Western blot analysis revealed that the *E. coli* and Pichia P703P protein preparations were intact while the baculovirus P703P preparation was approximately 75% degraded. Thus, peptide RMPTVLQCVNVS VVS (SEQ ID NO: 638) from P703P is a naturally processed peptide epitope derived from  
10 P703P and presented to T cells in the context of HLA-DRB-0701

In further studies, twenty-four 15-mer peptides overlapping by 10 amino acids and derived from the N-terminal fragment of P703P (corresponding to amino acids 27-154 of SEQ ID NO: 525) were generated by standard procedures and their ability to be recognized by CD4 cells was determined essentially as described above.  
15 DC were pulsed overnight with pools of the peptides with each peptide at a final concentration of 10 microgram/ml. A large number of individual CD4 T cell lines (65/480) demonstrated significant proliferation and cytokine release (IFN-gamma) in response to the P703P peptide pools but not to a control peptide pool. The CD4 T cell lines which demonstrated specific activity were restimulated on the appropriate pool of  
20 P703P peptides and reassayed on the individual peptides of each pool as well as a peptide dose titration of the pool of peptides in a IFN-gamma release assay and in a proliferation assay.

Sixteen immunogenic peptides were recognized by the T cells from the entire set of peptide antigens tested. The amino acid sequences of these peptides are  
25 provided in SEQ ID NO: 656-671, with the corresponding cDNA sequences being provided in SEQ ID NO: 640-655, respectively. In some cases the peptide reactivity of the T cell line could be mapped to a single peptide, however some could be mapped to more than one peptide in each pool. Those CD4 T cell lines that displayed a representative pattern of recognition from each peptide pool with a reasonable affinity  
30 for peptide were chosen for further analysis (I-1A, -6A; II-4C, -5E; III-6E, IV-4B, -3F, -9B, -10F, V-5B, -4D, and -10F). These CD4 T cell lines were restimulated on the

appropriate individual peptide and reassayed on autologous DC pulsed with a truncated form of recombinant P703P protein made in *E. coli* (a.a. 96 - 254 of SEQ ID NO: 525), full-length P703P made in the baculovirus expression system, and a fusion between influenza virus NS1 and P703P made in *E. coli*. Of the T cell lines tested, line I-1A  
5 recognized specifically the truncated form of P703P (*E. coli*) but no other recombinant form of P703P. This line also recognized the peptide used to elicit the T cells. Line 2-4C recognized the truncated form of P703P (*E. coli*) and the full length form of P703P made in baculovirus, as well as peptide. The remaining T cell lines tested were either  
10 were non-responsive to any antigen tested (V-10F). These results demonstrate that the peptide sequence RPLLANDLMLIKLDE (SEQ ID NO: 671; corresponding to a.a. 110-124 of SEQ ID NO: 525) recognized by the T cell line I-1A, and the peptide sequences SVSESDTIRSISIAS (SEQ ID NO: 668; corresponding to a.a. 125-139 of SEQ ID NO: 525) and ISIASQCPTAGNSCL (SEQ ID NO: 667; corresponding to a.a. 135-149 of  
15 SEQ ID NO: 525) recognized by the T cell line II-4C may be naturally processed epitopes of the P703P protein.

#### EXAMPLE 11

##### EXPRESSION OF A BREAST TUMOR-DERIVED ANTIGEN IN PROSTATE

Isolation of the antigen B305D from breast tumor by differential display is described in US Patent Application No. 08/700,014, filed August 20, 1996. Several different splice forms of this antigen were isolated. The determined cDNA sequences  
25 for these splice forms are provided in SEQ ID NO: 366-375, with the predicted amino acid sequences corresponding to the sequences of SEQ ID NO: 292, 298 and 301-303 being provided in SEQ ID NO: 299-306, respectively. In further studies, a splice variant of the cDNA sequence of SEQ ID NO: 366 was isolated which was found to contain an additional guanine residue at position 884 (SEQ ID NO: 530), leading to a  
30 frameshift in the open reading frame. The determined DNA sequence of this ORF is

provided in SEQ ID NO: 531. This frameshift generates a protein sequence (provided in SEQ ID NO: 532) of 293 amino acids that contains the C-terminal domain common to the other isoforms of B305D but that differs in the N-terminal region.

The expression levels of B305D in a variety of tumor and normal tissues were examined by real time PCR and by Northern analysis. The results indicated that B305D is highly expressed in breast tumor, prostate tumor, normal prostate and normal testes, with expression being low or undetectable in all other tissues examined (colon tumor, lung tumor, ovary tumor, and normal bone marrow, colon, kidney, liver, lung, ovary, skin, small intestine, stomach). Using real-time PCR on a panel of prostate tumors, expression of B305D in prostate tumors was shown to increase with increasing Gleason grade, demonstrating that expression of B305D increases as prostate cancer progresses.

#### EXAMPLE 12

##### 15 GENERATION OF HUMAN CTL *IN VITRO* USING WHOLE GENE PRIMING AND STIMULATION TECHNIQUES WITH THE PROSTATE-SPECIFIC ANTIGEN P501S

Using *in vitro* whole-gene priming with P501S-vaccinia infected DC (see, for example, Yee et al, *The Journal of Immunology*, 157(9):4079-86, 1996), human CTL lines were derived that specifically recognize autologous fibroblasts transduced with P501S (also known as L1-12), as determined by interferon- $\gamma$  ELISPOT analysis as described above. Using a panel of HLA-mismatched B-LCL lines transduced with P501S, these CTL lines were shown to be likely restricted to HLAB class I allele. Specifically, dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal human donors by growing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, DC were infected overnight with recombinant P501S vaccinia virus at a multiplicity of infection (M.O.I) of five, and matured overnight by the addition of 3  $\mu$ g/ml CD40 ligand. Virus was inactivated by UV irradiation. CD8+ T cells were isolated using a magnetic bead system, and priming cultures were initiated

using standard culture techniques. Cultures were restimulated every 7-10 days using autologous primary fibroblasts retrovirally transduced with P501S and CD80. Following four stimulation cycles, CD8+ T cell lines were identified that specifically produced interferon- $\gamma$  when stimulated with P501S and CD80-transduced autologous  
5 fibroblasts. A panel of HLA-mismatched B-LCL lines transduced with P501S were generated to define the restriction allele of the response. By measuring interferon- $\gamma$  in an ELISPOT assay, the P501S specific response was shown to be likely restricted by HLA B alleles. These results demonstrate that a CD8+ CTL response to P501S can be elicited.

10 To identify the epitope(s) recognized, cDNA encoding P501S was fragmented by various restriction digests, and sub-cloned into the retroviral expression vector pBIB-KS. Retroviral supernatants were generated by transfection of the helper packaging line Phoenix-Ampho. Supernatants were then used to transduce Jurkat/A2Kb cells for CTL screening. CTL were screened in IFN-gamma ELISPOT  
15 assays against these A2Kb targets transduced with the "library" of P501S fragments. Initial positive fragments P501S/H3 and P501S/F2 were sequenced and found to encode amino acids 106-553 and amino acids 136-547, respectively, of SEQ ID NO: 113. A truncation of H3 was made to encode amino acid residues 106-351 of SEQ ID NO: 113, which was unable to stimulate the CTL, thus localizing the epitope to amino acid  
20 residues 351-547. Additional fragments encoding amino acids 1-472 (Fragment A) and amino acids 1-351 (Fragment B) were also constructed. Fragment A but not Fragment B stimulated the CTL thus localizing the epitope to amino acid residues 351-472. Overlapping 20-mer and 18-mer peptides representing this region were tested by pulsing Jurkat/A2Kb cells versus CTL in an IFN-gamma assay. Only peptides P501S-369(20)  
25 and P501S-369(18) stimulated the CTL. Nine-mer and 10-mer peptides representing this region were synthesized and similarly tested. Peptide P501S-370 (SEQ ID NO: 539) was the minimal 9-mer giving a strong response. Peptide P501S-376 (SEQ ID NO: 540) also gave a weak response, suggesting that it might represent a cross-reactive epitope.



In subsequent studies, the ability of primary human B cells transduced with P501S to prime MHC class I-restricted, P501S-specific, autologous CD8 T cells was examined. Primary B cells were derived from PBMC of a homozygous HLA-A2 donor by culture in CD40 ligand and IL-4, transduced at high frequency with recombinant P501S in the vector pBIB, and selected with blastocidin-S. For *in vitro* priming, purified CD8<sup>+</sup> T cells were cultured with autologous CD40 ligand + IL-4 derived, P501S-transduced B cells in a 96-well microculture format. These CTL microcultures were re-stimulated with P501S-transduced B cells and then assayed for specificity. Following this initial screen, microcultures with significant signal above background were cloned on autologous EBV-transformed B cells (BLCL), also transduced with P501S. Using IFN- $\gamma$  ELISPOT for detection, several of these CD8 T cell clones were found to be specific for P501S, as demonstrated by reactivity to BLCL/P501S but not BLCL transduced with control antigen. It was further demonstrated that the anti-P501S CD8 T cell specificity is HLA-A2-restricted. First, antibody blocking experiments with anti-HLA-A,B,C monoclonal antibody (W6.32), anti-HLA-B,C monoclonal antibody (B1.23.2) and a control monoclonal antibody showed that only the anti-HLA-A,B,C antibody blocked recognition of P501S-expressing autologous BLCL. Secondly, the anti-P501S CTL also recognized an HLA-A2 matched, heterologous BLCL transduced with P501S, but not the corresponding EGFP transduced control BLCL.

A naturally processed, CD8, class I-restricted peptide epitope of P501S was identified as follows. Dendritic Cells (DC) were isolated by Percol gradient followed by differential adherence, and cultured for 5 days in the presence of RPMI medium containing 1% human serum, 50ng/ml GM-CSF and 30ng/ml IL-4. Following culture, DC were infected for 24 hours with P501S-expressing adenovirus at an MOI of 10 and matured for an additional 24 hours by the addition of 2 $\mu$ g/ml CD40 ligand. CD8 cells were enriched for by the subtraction of CD4<sup>+</sup>, CD14<sup>+</sup> and CD16<sup>+</sup> populations from PBMC with magnetic beads. Priming cultures containing 10,000 P501S-expressing DC and 100,000 CD8<sup>+</sup> T cells per well were set up in 96-well V-bottom plates with RPMI containing 10% human serum, 5ng/ml IL-12 and 10ng/ml IL-6. Cultures were stimulated every 7 days using autologous fibroblasts retrovirally

transduced to express P501S and CD80, and were treated with IFN-gamma for 48-72 hours to upregulate MHC Class I expression. 10u/ml IL-2 was added at the time of stimulation and on days 2 and 5 following stimulation. Following 4 stimulation cycles, one P501S-specific CD8+ T cell line (referred to as 2A2) was identified that produced IFN-gamma in response to IFN-gamma-treated P501S/CD80 expressing autologous fibroblasts, but not in response to IFN-gamma-treated P703P/CD80 expressing autologous fibroblasts in a  $\gamma$ -IFN Elispot assay. Line 2A2 was cloned in 96-well plates with 0.5 cell/well or 2 cells/well in the presence of 75,000 PBMC/well, 10,000 B-LCL/well, 30ng/ml OKT3 and 50u/ml IL-2. Twelve clones were isolated that showed strong P501S specificity in response to transduced fibroblasts.

Fluorescence activated cell sorting (FACS) analysis was performed on P501S-specific clones using CD3-, CD4- and CD8-specific antibodies conjugated to PercP, FITC and PE respectively. Consistent with the use of CD8 enriched T cells in the priming cultures, P5401S-specific clones were determined to be CD3+, CD8+ and CD4-.

To identify the relevant P501S epitope recognized by P501S specific CTL, pools of 18-20 mer or 30-mer peptides that spanned the majority of the amino acid sequence of P501S were loaded onto autologous B-LCL and tested in  $\gamma$ -IFN Elispot assays for the ability to stimulate two P501S-specific CTL clones, referred to as 4E5 and 4E7. One pool, composed of five 18-20 mer peptides that spanned amino acids 411-486 of P501S (SEQ ID NO: 113), was found to be recognized by both P501S-specific clones. To identify the specific 18-20 mer peptide recognized by the clones, each of the 18-20 mer peptides that comprised the positive pool were tested individually in  $\gamma$ -IFN Elispot assays for the ability to stimulate the two P501S-specific CTL clones, 4E5 and 4E7. Both 4E5 and 4E7 specifically recognized one 20-mer peptide (SEQ ID NO: 710; cDNA sequence provided in SEQ ID NO: 711) that spanned amino acids 453-472 of P501S. Since the minimal epitope recognized by CD8+ T cells is almost always either a 9 or 10-mer peptide sequence, 10-mer peptides that spanned the entire sequence of SEQ ID NO: 710 were synthesized that differed by 1 amino acid. Each of these 10-mer peptides was tested for the ability to stimulate two P501S-specific clones, (referred to as 1D5 and 1E12). One 10-mer peptide (SEQ ID NO: 712; cDNA sequence provided in

SEQ ID NO: 713) was identified that specifically stimulated the P501S-specific clones. This epitope spans amino acids 463-472 of P501S. This sequence defines a minimal 10-mer epitope from P501S that can be naturally processed and to which CTL responses can be identified in normal PBMC. Thus, this epitope is a candidate for use as a vaccine moiety, and as a therapeutic and/or diagnostic reagent for prostate cancer.

To identify the class I restriction element for the P501S-derived sequence of SEQ ID NO: 712, HLA blocking and mismatch analyses were performed. In  $\gamma$ -IFN Elispot assays, the specific response of clones 4A7 and 4E5 to P501S-transduced autologous fibroblasts was blocked by pre-incubation with 25ug/ml W6/32 (pan-Class I blocking antibody) and B1.23.2 (HLA-B/C blocking antibody). These results demonstrate that the SEQ ID NO: 712-specific response is restricted to an HLA-B or HLA-C allele.

For the HLA mismatch analysis, autologous B-LCL (HLA-A1,A2,B8,B51, Cw1, Cw7) and heterologous B-LCL (HLA-A2,A3,B18,B51,Cw5,Cw14) that share the HLAB51 allele were pulsed for one hour with 20ug/ml of peptide of SEQ ID NO: 712, washed, and tested in  $\gamma$ -IFN Elispot assays for the ability to stimulate clones 4A7 and 4E5. Antibody blocking assays with the B1.23.2 (HLA-B/C blocking antibody) were also performed. SEQ ID NO: 712-specific response was detected using both the autologous (D326) and heterologous (D107) B-LCL, and furthermore the responses were blocked by pre-incubation with 25ug/ml of B1.23.2 HLA-B/C blocking antibody. Together these results demonstrate that the P501S-specific response to the peptide of SEQ ID NO: 712 is restricted to the HLA-B51 class I allele. Molecular cloning and sequence analysis of the HLA-B51 allele from D3326 revealed that the HLA-B51 subtype of D326 is HLA-B51011.

Based on the 10-mer P501S-derived epitope of SEQ ID NO: 712, two 9-mers with the sequences of SEQ ID NO: 714 and 715 were synthesized and tested in Elispot assays for the ability to stimulate two P501S-specific CTL clones derived from line 2A2. The 10-mer peptide of SEQ ID NO: 712, as well as the 9-mer peptide of SEQ ID NO: 715, but not the 9-mer peptide of SEQ ID NO: 714, were capable of stimulating the P501S-specific CTL to produce IFN-gamma. These results demonstrate that the peptide of SEQ ID NO: 715 is a 9-mer P501S-derived epitope recognized by P501S-

specific CTL. The DNA sequence encoding the epitope of SEQ ID NO: 715 is provided in SEQ ID NO: 716.

To identify the class I restricting allele for the P501S-derived peptide of SEQ ID NO: 712 and 715 specific response, each of the HLA B and C alleles were  
5 cloned from the donor used in the *in vitro* priming experiment. Sequence analysis indicated that the relevant alleles were HLA-B8, HLA-B51, HLA-Cw01 and HLA-Cw07. Each of these alleles were subcloned into an expression vector and co-transfected together with the P501S gene into VA-13 cells. Transfected VA-13 cells were then tested for the ability to specifically stimulate the P501S-specific CTL in  
10 ELISPOT assays. VA-13 cells transfected with P501S and HLA-B51 were capable of stimulating the P501S-specific CTL to secrete gamma-IFN. VA-13 cells transfected with HLA-B51 alone or P501S + the other HLA-alleles were not capable of stimulating the P501S-specific CTL. These results demonstrate that the restricting allele for the P501S-specific response is the HLAB51 allele. Sequence analysis revealed that the  
15 subtype of the relevant restricting allele is HLA-B51011.

To determine if the P501S-specific CTL could recognize prostate tumor cells that express P501S, the P501S-positive lines LnCAP and CRL2422 (both expressing "moderate" amounts of P501S mRNA and protein), and PC-3 (expressing low amounts of P501S mRNA and protein), plus the P501S-negative cell line DU-145  
20 were retrovirally transduced with the HLA-B51011 allele that was cloned from the donor used to generate the P501S-specific CTL. HLA-B51011- or EGFP-transduced and selected tumor cells were treated with gamma-interferon and androgen (to upregulate stimulatory functions and P501S, respectively) and used in gamma-interferon Elispot assays with the P501S-specific CTL clones 4E5 and 4E7. Untreated  
25 cells were used as a control.

Both 4E5 and 4E7 efficiently and specifically recognized LnCAP and CRL2422 cells that were transduced with the HLA-B51011 allele, but not the same cell lines transduced with EGFP. Additionally, both CTL clones specifically recognized PC-3 cells transduced with HLA-B51011, but not the P501S-negative tumor cell line  
30 DU-145. Treatment with gamma-interferon or androgen did not enhance the ability of CTL to recognize tumor cells. These results demonstrate that P501S-specific CTL,

generated by *in vitro* whole gene priming, specifically and efficiently recognize prostate tumor cell lines that express P501S.

A naturally processed CD4 epitope of P501S was identified as follows.

CD4 cells specific for P501S were prepared as described above. A series  
5 of 16 overlapping peptides were synthesized that spanned approximately 50% of the amino terminal portion of the P501S gene (amino acids 1- 325 of SEQ ID NO: 113). For priming, peptides were combined into pools of 4 peptides, pulsed at 4 µg/ml onto dendritic cells (DC) for 24 hours, with TNF-alpha. DC were then washed and mixed with negatively selected CD4+ T cells in 96 well U-bottom plates. Cultures were re-  
10 stimulated weekly on fresh DC loaded with peptide pools. Following a total of 4 stimulation cycles, cells were rested for an additional week and tested for specificity to APC pulsed with peptide pools using γ-IFN ELISA and proliferation assays. For these assays, adherent monocytes loaded with either the relevant peptide pool at 4ug/ml or an irrelevant peptide at µg/ml were used as APC. T cell lines that demonstrated either  
15 specific cytokine secretion or proliferation were then tested for recognition of individual peptides that were present in the pool. T cell lines could be identified from pools A and B that recognized individual peptides from these pools.

From pool A, lines AD9 and AE10 specifically recognized peptide 1 (SEQ ID NO: 719), and line AF5 recognized peptide 39 (SEQ ID NO: 718). From pool B, line BC6 could be identified that recognized peptide 58 (SEQ ID NO: 717). Each of these lines were stimulated on the specific peptide and tested for specific recognition of the peptide in a titration assay as well as cell lysates generated by infection of HEK 293 cells with adenovirus expressing either P501S or an irrelevant antigen. For these assays, APC-adherent monocytes were pulsed with either 10, 1, or 0.1 µg/ml individual P501S peptides, and DC were pulsed overnight with a 1:5 dilution of adenovirally infected cell lysates. Lines AD9, AE10 and AF5 retained significant recognition of the relevant P501S-derived peptides even at 0.1 mg/ml. Furthermore, line AD9 demonstrated significant (8.1 fold stimulation index) specific activity for lysates from adenovirus-P501S infected cells. These results demonstrate that high affinity CD4 T cell lines can be generated toward P501S-derived epitopes, and that at least a subset of these T cells specific for the P501S derived sequence of SEQ ID NO: 719 are specific for an epitope that is naturally processed by human cells. The DNA sequences encoding the amino acid sequences of SEQ ID NO: 717-719 are provided in SEQ ID NO: 720-722, respectively.

To further characterize the P501S-specific activity of AD9, the line was cloned using anti-CD3. Three clones, referred to as 1A1, 1A9 and 1F5, were identified that were specific for the P501S-1 peptide (SEQ ID NO: 719). To determine the HLA restriction allele for the P501S-specific response, each of these clones was tested in class II antibody blocking and HLA mismatch assays using proliferation and gamma-interferon assays. In antibody blocking assays and measuring gamma-interferon production using ELISA assays, the ability of all three clones to recognize peptide pulsed APC was specifically blocked by co-incubation with either a pan-class II blocking antibody or a HLA-DR blocking antibody, but not with a HLA-DQ or an irrelevant antibody. Proliferation assays performed simultaneously with the same cells confirmed these results. These data indicate that the P501S-specific response of the clones is restricted by an HLA-DR allele. Further studies demonstrated that the restricting allele for the P501S-specific response is HLA-DRB1501.

## EXAMPLE 13

IDENTIFICATION OF PROSTATE-SPECIFIC ANTIGENS  
BY MICROARRAY ANALYSIS

5           This Example describes the isolation of certain prostate-specific polypeptides from a prostate tumor cDNA library.

          A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to  
10 non-prostate normal tissues (not including testis). 372 clones were identified, and 319 were successfully sequenced. Table I presents a summary of these clones, which are shown in SEQ ID NOs:385-400. Of these sequences SEQ ID NOs:386, 389, 390 and 392 correspond to novel genes, and SEQ ID NOs: 393 and 396 correspond to previously identified sequences. The others (SEQ ID NOs:385, 387, 388, 391, 394, 395 and 397-  
15 400) correspond to known sequences, as shown in Table I.

Table I  
Summary of Prostate Tumor Antigens

Known Genes	Previously Identified Genes	Novel Genes
T-cell gamma chain	P504S	23379 (SEQ ID NO:389)
Kallikrein	P1000C	23399 (SEQ ID NO:392)
Vector	P501S	23320 (SEQ ID NO:386)
CGI-82 protein mRNA (23319; SEQ ID NO:385)	P503S	23381 (SEQ ID NO:390)
PSA	P510S	
Ald. 6 Dehyd.	P784P	
L-iditol-2 dehydrogenase (23376; SEQ ID NO:388)	P502S	
Ets transcription factor PDEF (22672; SEQ ID NO:398)	P706P	
hTGR (22678; SEQ ID NO:399)	19142.2, bangur.seq (22621; SEQ ID NO:396)	
KIAA0295(22685; SEQ ID NO:400)	5566.1 Wang (23404; SEQ ID NO:393)	
Prostatic Acid Phosphatase(22655; SEQ ID NO:397)	P712P	
transglutaminase (22611; SEQ ID NO:395)	P778P	
HDLBP (23508; SEQ ID NO:394)		
CGI-69 Protein(23367; SEQ ID NO:387)		
KIAA0122(23383; SEQ ID NO:391)		
TEEG		



CGI-82 showed 4.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 43% of prostate tumors, 25% normal prostate, not detected in other normal tissues tested. L-iditol-2 dehydrogenase showed 4.94 fold over-expression in prostate tissues as compared to  
5 other normal tissues tested. It was over-expressed in 90% of prostate tumors, 100% of normal prostate, and not detected in other normal tissues tested. Ets transcription factor PDEF showed 5.55 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% prostate tumors, 25% normal prostate and not detected in other normal tissues tested. hTGR1 showed 9.11 fold over-expression in  
10 prostate tissues as compared to other normal tissues tested. It was over-expressed in 63% of prostate tumors and is not detected in normal tissues tested including normal prostate. KIAA0295 showed 5.59 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% of prostate tumors, low to undetectable in normal tissues tested including normal prostate tissues. Prostatic acid  
15 phosphatase showed 9.14 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 67% of prostate tumors, 50% of normal prostate, and not detected in other normal tissues tested. Transglutaminase showed 14.84 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 30% of prostate tumors, 50% of normal prostate, and is  
20 not detected in other normal tissues tested. High density lipoprotein binding protein (HDLBP) showed 28.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% of normal prostate, and is undetectable in all other normal tissues tested. CGI-69 showed 3.56 fold over-expression in prostate tissues as compared to other normal tissues tested. It is  
25 a low abundant gene, detected in more than 90% of prostate tumors, and in 75% normal prostate tissues. The expression of this gene in normal tissues was very low. KIAA0122 showed 4.24 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 57% of prostate tumors, it was undetectable in all normal tissues tested including normal prostate tissues. 19142.2  
30 bangur showed 23.25 fold over-expression in prostate tissues as compared to other

normal tissues tested. It was over-expressed in 97% of prostate tumors and 100% of normal prostate. It was undetectable in other normal tissues tested. 5566.1 Wang showed 3.31 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% normal prostate and was also over-expressed in normal bone marrow, pancreas, and activated PBMC. Novel clone 23379 (also referred to as P553S) showed 4.86 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in 97% of prostate tumors and 75% normal prostate and is undetectable in all other normal tissues tested. Novel clone 23399 showed 4.09 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 27% of prostate tumors and was undetectable in all normal tissues tested including normal prostate tissues. Novel clone 23320 showed 3.15 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in all prostate tumors and 50% of normal prostate tissues. It was also expressed in normal colon and trachea. Other normal tissues do not express this gene at high level.

Subsequent full-length cloning studies on P553S, using standard techniques, revealed that this clone is an incomplete spliced form of P501S. The determined cDNA sequences for four splice variants of P553S are provided in SEQ ID NO: 623-626. An amino acid sequence encoded by SEQ ID NO: 626 is provided in SEQ ID NO: 627. The cDNA sequence of SEQ ID NO: 623 was found to contain two open reading frames (ORFs). The amino acid sequences encoded by these two ORFs are provided in SEQ ID NO: 628 and 629.

#### EXAMPLE 14

25

#### IDENTIFICATION OF PROSTATE-SPECIFIC ANTIGENS BY ELECTRONIC SUBTRACTION

This Example describes the use of an electronic subtraction technique to identify prostate-specific antigens.

Potential prostate-specific genes present in the GenBank human EST database were identified by electronic subtraction (similar to that described by Vasmatizis et al., *Proc. Natl. Acad. Sci. USA* 95:300-304, 1998). The sequences of EST clones (43,482) derived from various prostate libraries were obtained from the GenBank public human EST database. Each prostate EST sequence was used as a query sequence in a BLASTN (National Center for Biotechnology Information) search against the human EST database. All matches considered identical (length of matching sequence >100 base pairs, density of identical matches over this region > 70%) were grouped (aligned) together in a cluster. Clusters containing more than 200 ESTs were discarded since they probably represented repetitive elements or highly expressed genes such as those for ribosomal proteins. If two or more clusters shared common ESTs, those clusters were grouped together into a "supercluster," resulting in 4,345 prostate superclusters.

Records for the 479 human cDNA libraries represented in the GenBank release were downloaded to create a database of these cDNA library records. These 479 cDNA libraries were grouped into three groups: Plus (normal prostate and prostate tumor libraries, and breast cell line libraries, in which expression was desired), Minus (libraries from other normal adult tissues, in which expression was not desirable), and Other (libraries from fetal tissue, infant tissue, tissues found only in women, non-prostate tumors and cell lines other than prostate cell lines, in which expression was considered to be irrelevant). A summary of these library groups is presented in Table II.

Table II  
Prostate cDNA Libraries and ESTs

Library	# of Libraries	# of ESTs
Plus	25	43,482
Normal	11	18,875
Tumor	11	21,769
Cell lines	3	2,838
Minus	166	
Other	287	

5                Each supercluster was analyzed in terms of the ESTs within the  
supercluster. The tissue source of each EST clone was noted and used to classify the  
superclusters into four groups: Type 1- EST clones found in the Plus group libraries  
only; no expression detected in Minus or Other group libraries; Type 2- EST clones  
derived from the Plus and Other group libraries only; no expression detected in the  
10 Minus group; Type 3- EST clones derived from the Plus, Minus and Other group  
libraries, but the number of ESTs derived from the Plus group is higher than in either  
the Minus or Other groups; and Type 4- EST clones derived from Plus, Minus and  
Other group libraries, but the number derived from the Plus group is higher than the  
number derived from the Minus group. This analysis identified 4,345 breast clusters  
15 (see Table III). From these clusters, 3,172 EST clones were ordered from Research  
Genetics, Inc., and were received as frozen glycerol stocks in 96-well plates.

Table III  
Prostate Cluster Summary

Type	# of Superclusters	# of ESTs Ordered
1	688	677
2	2899	2484
3	85	11
4	673	0
Total	4345	3172

5                   The EST clone inserts were PCR-amplified using amino-linked PCR primers for Synteni microarray analysis. When more than one PCR product was obtained for a particular clone, that PCR product was not used for expression analysis. In total, 2,528 clones from the electronic subtraction method were analyzed by microarray analysis to identify electronic subtraction breast clones that had high levels of tumor vs. normal tissue mRNA. Such screens were performed using a Synteni (Palo Alto, CA) microarray, according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Within these analyses, the clones were arrayed on the chip, which was then probed with fluorescent probes generated from normal and tumor prostate cDNA, as well as various other normal tissues. The slides were scanned and the fluorescence intensity was measured.

10                   Clones with an expression ratio greater than 3 (*i.e.*, the level in prostate tumor and normal prostate mRNA was at least three times the level in other normal tissue mRNA) were identified as prostate tumor-specific sequences (Table IV). The sequences of these clones are provided in SEQ ID NO: 401-453, with certain novel sequences shown in SEQ ID NO: 407, 413, 416-419, 422, 426, 427 and 450.

Table IV

Prostate-tumor Specific Clones

SEQ ID NO.	Sequence Designation	Comments
401	22545	previously identified P1000C
402	22547	previously identified P704P
403	22548	known
404	22550	known
405	22551	PSA
406	22552	prostate secretory protein 94
407	22553	novel
408	22558	previously identified P509S
409	22562	glandular kallikrein
410	22565	previously identified P1000C
411	22567	PAP
412	22568	B1006C (breast tumor antigen)
413	22570	novel
414	22571	PSA
415	22572	previously identified P706P
416	22573	novel
417	22574	novel
418	22575	novel
419	22580	novel
420	22581	PAP
421	22582	prostatic secretory protein 94
422	22583	novel
423	22584	prostatic secretory protein 94
424	22585	prostatic secretory protein 94
425	22586	known
426	22587	novel
427	22588	novel
428	22589	PAP
429	22590	known
430	22591	PSA
431	22592	known
432	22593	Previously identified P777P
433	22594	T cell receptor gamma chain
434	22595	Previously identified P705P
435	22596	Previously identified P707P
436	22847	PAP
437	22848	known
438	22849	prostatic secretory protein 57

439	22851	PAP
440	22852	PAP
441	22853	PAP
442	22854	previously identified P509S
443	22855	previously identified P705P
444	22856	previously identified P774P
445	22857	PSA
446	23601	previously identified P777P
447	23602	PSA
448	23605	PSA
449	23606	PSA
450	23612	novel
451	23614	PSA
452	23618	previously identified P1000C
453	23622	previously identified P705P

Further studies on the clone of SEQ ID NO: 407 (also referred to as P1020C) led to the isolation of an extended cDNA sequence provided in SEQ ID NO: 591. This extended cDNA sequence was found to contain an open reading frame that encodes the predicted amino acid sequence of SEQ ID NO: 592. The P1020C cDNA and amino acid sequences were found to show some similarity to the human endogenous retroviral HERV-K pol gene and protein.

#### EXAMPLE 15

##### 10 FURTHER IDENTIFICATION OF PROSTATE-SPECIFIC ANTIGENS BY MICROARRAY ANALYSIS

This Example describes the isolation of additional prostate-specific polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 142 clones were identified and sequenced. Certain of these clones are shown in SEQ ID NO: 454-467. Of these sequences, SEQ ID NO: 459-460 represent novel genes. The others (SEQ ID NO: 454-458 and 461-467) correspond to known sequences. Comparison of the determined

cDNA sequence of SEQ ID NO: 461 with sequences in the Genbank database using the BLAST program revealed homology to the previously identified transmembrane protease serine 2 (TMPRSS2). The full-length cDNA sequence for this clone is provided in SEQ ID NO: 751, with the corresponding amino acid sequence being  
5 provided in SEQ ID NO: 752. The cDNA sequence encoding the first 209 amino acids of TMPRSS2 is provided in SEQ ID NO: 753, with the first 209 amino acids being provided in SEQ ID NO: 754.

The sequence of SEQ ID NO: 462 (referred to as P835P) was found to correspond to the previously identified clone FLJ13518 (Accession AK023643; SEQ ID  
10 NO: 774), which had no associated open reading frame (ORF). This clone was used to search the Geneseq DNA database and matched a clone previously identified as a G protein-coupled receptor protein (DNA Geneseq Accession A09351; amino acid Geneseq Accession Y92365), that is characterized by the presence of seven transmembrane domains. The sequences of fragments between these domains are  
15 provided in SEQ ID NO: 778-785, with SEQ ID NO: 778, 780, 782 and 784 representing extracellular domains and SEQ ID NO: 779, 781, 783 and 785 representing intracellular domains. SEQ ID NO: 778-785 represent amino acids 1-28, 53-61, 83-103, 124-143, 165-201, 226-238, 263-272 and 297-381, respectively, of P835P. The full-length cDNA sequence for P835P is provided in SEQ ID NO: 773. The cDNA  
20 sequence of the open reading frame for P835P, including stop codon, is provided in SEQ ID NO: 775, with the open reading frame without stop codon being provided in SEQ ID NO: 776 and the corresponding amino acid sequence being provided in SEQ ID NO: 777.

25

## EXAMPLE 16

### FURTHER CHARACTERIZATION OF PROSTATE-SPECIFIC ANTIGEN P710P

This Example describes the full length cloning of P710P.

The prostate cDNA library described above was screened with the P710P  
30 fragment described above. One million colonies were plated on LB/Ampicillin plates.



Nylon membrane filters were used to lift these colonies, and the cDNAs picked up by these filters were then denatured and cross-linked to the filters by UV light. The P710P fragment was radiolabeled and used to hybridize with the filters. Positive cDNA clones were selected and their cDNAs recovered and sequenced by an automatic Perkin Elmer/Applied Biosystems Division Sequencer. Four sequences were obtained, and are presented in SEQ ID NO: 468-471. These sequences appear to represent different splice variants of the P710P gene. Subsequent comparison of the cDNA sequences of P710P with those in Genbank revealed homology to the DD3 gene (Genbank accession numbers AF103907 & AF103908). The cDNA sequence of DD3 is provided in SEQ ID NO: 618.

### EXAMPLE 17

#### PROTEIN EXPRESSION OF PROSTATE-SPECIFIC ANTIGENS

This example describes the expression and purification of prostate-specific antigens in *E. coli*, baculovirus, mammalian and yeast cells.

##### a) Expression of P501S in *E. coli*

Expression of the full-length form of P501S was attempted by first cloning P501S without the leader sequence (amino acids 36-553 of SEQ ID NO: 113) downstream of the first 30 amino acids of the *M. tuberculosis* antigen Ra12 (SEQ ID NO: 484) in pET17b. Specifically, P501S DNA was used to perform PCR using the primers AW025 (SEQ ID NO: 485) and AW003 (SEQ ID NO: 486). AW025 is a sense cloning primer that contains a HindIII site. AW003 is an antisense cloning primer that contains an EcoRI site. DNA amplification was performed using 5 µl 10X Pfu buffer, 1 µl 20 mM dNTPs, 1 µl each of the PCR primers at 10 µM concentration, 40 µl water, 1 µl Pfu DNA polymerase (Stratagene, La Jolla, CA) and 1 µl DNA at 100 ng/µl. Denaturation at 95°C was performed for 30 sec, followed by 10 cycles of 95°C for 30 sec, 60°C for 1 min and by 72°C for 3 min. 20 cycles of 95°C for 30 sec, 65°C for 1 min and by 72°C for 3 min, and lastly by 1 cycle of 72°C for 10 min. The PCR product was

cloned to Ra12m/pET17b using HindIII and EcoRI. The sequence of the resulting fusion construct (referred to as Ra12-P501S-F) was confirmed by DNA sequencing.

The fusion construct was transformed into BL21(DE3)pLysE, pLysS and CodonPlus *E. coli* (Stratagene) and grown overnight in LB broth with kanamycin. The  
5 resulting culture was induced with IPTG. Protein was transferred to PVDF membrane and blocked with 5% non-fat milk (in PBS-Tween buffer), washed three times and incubated with mouse anti-His tag antibody (Clontech) for 1 hour. The membrane was washed 3 times and probed with HRP-Protein A (Zymed) for 30 min. Finally, the membrane was washed 3 times and developed with ECL (Amersham). No expression  
10 was detected by Western blot. Similarly, no expression was detected by Western blot when the Ra12-P501S-F fusion was used for expression in BL21CodonPlus by CE6 phage (Invitrogen).

An N-terminal fragment of P501S (amino acids 36-325 of SEQ ID NO: 113) was cloned down-stream of the first 30 amino acids of the *M. tuberculosis* antigen  
15 Ra12 in pET17b as follows. P501S DNA was used to perform PCR using the primers AW025 (SEQ ID NO: 485) and AW027 (SEQ ID NO: 487). AW027 is an antisense cloning primer that contains an EcoRI site and a stop codon. DNA amplification was performed essentially as described above. The resulting PCR product was cloned to Ra12 in pET17b at the HindIII and EcoRI sites. The fusion construct (referred to as  
20 Ra12-P501S-N) was confirmed by DNA sequencing.

The Ra12-P501S-N fusion construct was used for expression in BL21(DE3)pLysE, pLysS and CodonPlus, essentially as described above. Using Western blot analysis, protein bands were observed at the expected molecular weight of 36 kDa. Some high molecular weight bands were also observed, probably due to  
25 aggregation of the recombinant protein. No expression was detected by Western blot when the Ra12-P501S-F fusion was used for expression in BL21CodonPlus by CE6 phage.

A fusion construct comprising a C-terminal portion of P501S (amino acids 257-553 of SEQ ID NO: 113) located down-stream of the first 30 amino acids of  
30 the *M. tuberculosis* antigen Ra12 (SEQ ID NO: 484) was prepared as follows. P501S

DNA was used to perform PCR using the primers AW026 (SEQ ID NO: 488) and AW003 (SEQ ID NO: 486). AW026 is a sense cloning primer that contains a HindIII site. DNA amplification was performed essentially as described above. The resulting PCR product was cloned to Ra12 in pET17b at the HindIII and EcoRI sites. The  
5 sequence for the fusion construct (referred to as Ra12-P501S-C) was confirmed.

The Ra12-P501S-C fusion construct was used for expression in BL21(DE3)pLysE, pLysS and CodonPlus, as described above. A small amount of protein was detected by Western blot, with some molecular weight aggregates also being observed. Expression was also detected by Western blot when the Ra12-P501S-C  
10 fusion was used for expression in BL21CodonPlus induced by CE6 phage.

A fusion construct comprising a fragment of P501S (amino acids 36-298 of SEQ ID NO: 113) located down-stream of the *M. tuberculosis* antigen Ra12 (SEQ ID NO: 705) was prepared as follows. P501S DNA was used to perform PCR using the primers AW042 (SEQ ID NO: 706) and AW053 (SEQ ID NO: 707). AW042 is a sense  
15 cloning primer that contains a EcoRI site. AW053 is an antisense primer with stop and Xho I sites. DNA amplification was performed essentially as described above. The resulting PCR product was cloned to Ra12 in pET17b at the EcoRI and Xho I sites. The resulting fusion construct (referred to as Ra12-P501S-E2) was expressed in B834 (DE3) pLys S *E. coli* host cells in TB media for 2 h at room temperature. Expressed protein  
20 was purified by washing the inclusion bodies and running on a Ni-NTA column. The purified protein stayed soluble in buffer containing 20 mM Tris-HCl (pH 8), 100 mM NaCl, 10 mM  $\beta$ -Me and 5% glycerol. The determined cDNA and amino acid sequences for the expressed fusion protein are provided in SEQ ID NO: 708 and 709, respectfully.

25 b) Expression of P501S in Baculovirus

The Bac-to-Bac baculovirus expression system (BRL Life Technologies, Inc.) was used to express P501S protein in insect cells. Full-length P501S (SEQ ID NO: 113) was amplified by PCR and cloned into the XbaI site of the donor plasmid pFastBacI. The recombinant bacmid and baculovirus were prepared according to the

manufacturer's instructions. The recombinant baculovirus was amplified in Sf9 cells and the high titer viral stocks were utilized to infect High Five cells (Invitrogen) to make the recombinant protein. The identity of the full-length protein was confirmed by N-terminal sequencing of the recombinant protein and by Western blot analysis (Figure 7). Specifically, 0.6 million High Five cells in 6-well plates were infected with either the unrelated control virus BV/ECD\_PD (lane 2), with recombinant baculovirus for P501S at different amounts or MOIs (lanes 4-8), or were uninfected (lane 3). Cell lysates were run on SDS-PAGE under reducing conditions and analyzed by Western blot with the anti-P501S monoclonal antibody P501S-10E3-G4D3 (prepared as described below). Lane 1 is the biotinylated protein molecular weight marker (BioLabs).

The localization of recombinant P501S in the insect cells was investigated as follows. The insect cells overexpressing P501S were fractionated into fractions of nucleus, mitochondria, membrane and cytosol. Equal amounts of protein from each fraction were analyzed by Western blot with a monoclonal antibody against P501S. Due to the scheme of fractionation, both nucleus and mitochondria fractions contain some plasma membrane components. However, the membrane fraction is basically free from mitochondria and nucleus. P501S was found to be present in all fractions that contain the membrane component, suggesting that P501S may be associated with plasma membrane of the insect cells expressing the recombinant protein.

#### c) Expression of P501S in Mammalian Cells

Full-length P501S (553 amino acids; SEQ ID NO: 113) was cloned into various mammalian expression vectors, including pCEP4 (Invitrogen), pVR1012 (Vical, San Diego, CA) and a modified form of the retroviral vector pBMN, referred to as pBIB. Transfection of P501S/pCEP4 and P501S/pVR1012 into HEK293 fibroblasts was carried out using the Fugene transfection reagent (Boehringer Mannheim). Briefly, 2 ul of Fugene reagent was diluted into 100 ul of serum-free media and incubated at room temperature for 5-10 min. This mixture was added to 1 ug of P501S plasmid DNA, mixed briefly and incubated for 30 minutes at room temperature. The

Fugene/DNA mixture was added to cells and incubated for 24-48 hours. Expression of recombinant P501S in transfected HEK293 fibroblasts was detected by means of Western blot employing a monoclonal antibody to P501S.

Transfection of p501S/pCEP4 into CHO-K cells (American Type  
5 Culture Collection, Rockville, MD) was carried out using GenePorter transfection reagent (Gene Therapy Systems, San Diego, CA). Briefly, 15  $\mu$ l of GenePorter was diluted in 500  $\mu$ l of serum-free media and incubated at room temperature for 10 min. The GenePorter/media mixture was added to 2  $\mu$ g of plasmid DNA that was diluted in 500  $\mu$ l of serum-free media, mixed briefly and incubated for 30 min at room  
10 temperature. CHO-K cells were rinsed in PBS to remove serum proteins, and the GenePorter/DNA mix was added and incubated for 5 hours. The transfected cells were then fed an equal volume of 2x media and incubated for 24-48 hours.

FACS analysis of P501S transiently infected CHO-K cells, demonstrated surface expression of P501S. Expression was detected using rabbit polyclonal antisera  
15 raised against a P501S peptide, as described below. Flow cytometric analysis was performed using a FaCScan (Becton Dickinson), and the data were analyzed using the Cell Quest program.

d) Expression of P501S in *S. cerevisiae*

20 P501S was expressed in yeast, directed in membranes, using the yeast  $\alpha$  prepro signal sequence. The natural signal sequence and first luminal domain of P501S was deleted in order to conserve the natural positioning of the expressed P501S protein.

Specifically, the  $\alpha$  prepro signal sequence of *S. cerevisiae* linked to amino acids 55-553 of SEQ ID NO: 113 with a His tag tail was cloned into the plasmid  
25 pRIT15068 with the CUP1 promoter and transfected into *S. cerevisiae* strain Y1790. The Y1790 strain is Leu<sup>+</sup> and His<sup>-</sup>. Expression of protein was induced by addition of either 500  $\mu$ M or 250  $\mu$ M of CuSO<sub>4</sub> at 30 °C in minimal medium supplemented with histidine. Cells were harvested 24 hours after induction. Extracts were prepared by growing cells to a concentration of OD<sub>600</sub> 5.0 in 50 mM citrate phosphate buffer (pH  
30 4.0) plus 130 mM NaCl supplemented with protease inhibitors. Cells were disrupted

using glass beads and centrifuged for 20 min at 15,000 g. The recombinant protein was found to be 100% pellet associated.

Expression of the recombinant protein (molecular weight 63 kD) was demonstrated by Western blot analysis, using the anti-P501S monoclonal antibody 10E-D4-G3 described below. The amino acid sequence of the expressed protein is provided in SEQ ID NO: 792.

Fermentation processes for the production of the  $\alpha$  prepro-P501S-His tag recombinant protein in *S. cerevisiae* (strain Y1790 – CUP1 inducible promoter) were evaluated as follows. One hundred  $\mu$ l of a master seed containing  $2.5 \times 10^8$  cells/ml of transformed *S. cerevisiae* Y1790 were spread on FSC004AA solid medium. The composition of the FSC004AA medium is as follows: glucose 10 g/l;  $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$  0.0002 g/l; folic acid 0.000064 g/l;  $\text{KH}_2\text{PO}_4$  1 g/l;  $\text{MnSO}_4 \cdot \text{H}_2\text{O}$  0.0004 g/l; Inositol 0.064 g/l;  $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$  0.5 g/l;  $\text{H}_3\text{BO}_3$  0.0005 g/l; Pyridoxine 0.008 g/l;  $\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$  0.1 g/l; KI 0.0001 g/l; Thiamine 0.008 g/l; NaCl 0.1 g/l;  $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$  0.00009 g/l; Niacin 0.000032 g/l;  $\text{FeCl}_3 \cdot 6\text{H}_2\text{O}$  0.0002 g/l; Riboflavin 0.000016 g/l; Panthotenate Ca 0.008 g/l;  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$  0.00004 g/l; Biotin 0.000064 g/l; para-aminobenzoic acid 0.000016 g/l;  $\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$  0.0004 g/l;  $(\text{NH}_4)_2\text{SO}_4$  5 g/l; agar 18 g/l; Histidine 0.1 g/l.

Two plates were incubated for 26 h at 30 °C. These solid pre-cultures were harvested in 5 ml of liquid medium FSC007AA and 0.5 ml (or  $9.3 \times 10^7$  cells) of this suspension was used to inoculate 2 liquid pre-cultures.

The composition of the FSC007AA medium is as follows: Glucose 10 g/l;  $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$  0.0002 g/l; folic acid 0.000064 g/l;  $\text{KH}_2\text{PO}_4$  1 g/l;  $\text{MnSO}_4 \cdot \text{H}_2\text{O}$  0.0004 g/l; Inositol 0.064 g/l;  $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$  0.5 g/l;  $\text{H}_3\text{BO}_3$  0.0005 g/l; Pyridoxine 0.008 g/l;  $\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$  0.1 g/l; KI 0.0001 g/l; Thiamine 0.008 g/l; NaCl 0.1 g/l;  $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$  0.00009 g/l; Niacine 0.000032 g/l;  $\text{FeCl}_3 \cdot 6\text{H}_2\text{O}$  0.0002 g/l; Riboflavin 0.000016 g/l; Panthotenate Ca 0.008 g/l;  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$  0.00004 g/l; Biotin 0.000064 g/l; para-aminobenzoic acid 0.000016 g/l;  $\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$  0.0004 g/l;  $(\text{NH}_4)_2\text{SO}_4$  5 g/l; Histidine 0.1 g/l.

These pre-cultures were run for 20 hours in 2L flasks containing 400 ml of medium FSC007AA in order to obtain an OD of 1.8. The other characteristics of these pre-cultures are as follows: pH 2.8; glucose 2.3 g/L; ethanol 3.4 g/L.

The best timing for liquid pre-cultures for strain Y1790 was determined in preliminary experiments. Liquid pre-cultures containing 400 ml of medium and inoculated with various volumes of Master Seed (0.25, 0.5, 1 or 2 ml) were monitored in order to identify the best inoculum size and timing. Glucose, ethanol, pH, OD and  
5 cell number (determined by flow cytometry) were followed between 16 and 23 hours of culture. Glucose exhaustion and maximal biomass were obtained after 20 hour incubation with 0.5 inoculum. These conditions were adopted for transferring the pre-culture into fermentation.

In total, 800ml of pre-culture were used to inoculate a 20 L fermenter  
10 containing 5L of medium FSC002AA. Three ml of irradiated antifoam were added before inoculation. The composition of the FSC002AA medium is as follows:  
(NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub> 6.4 g/l; Na<sub>2</sub>MoO<sub>4</sub>.2H<sub>2</sub>O 2.05 mg/l; folic acid 0.54 mg/l; KH<sub>2</sub>PO<sub>4</sub> 8.25 g/l;  
MnSO<sub>4</sub>.H<sub>2</sub>O 4.1 mg/l; inositol 540 mg/l; MgSO<sub>4</sub>.7H<sub>2</sub>O 4.69 g/l; H<sub>3</sub>BO<sub>3</sub> 5.17 ml/l;  
pyridoxine 68 mg/l; CaCl<sub>2</sub>.2H<sub>2</sub>O 0.92 g/l; KI 1.03 mg/l; thiamine 68 mg/l; NaCl 0.06g/l;  
15 CoCl<sub>2</sub>.6H<sub>2</sub>O 0.92 mg/l; Niacine 0.27 mg/l; HCl 1 ml/l; FeCl<sub>3</sub>.6H<sub>2</sub>O 9.92 mg/l;  
Riboflavin 0.13 mg/l; CuSO<sub>4</sub>.5H<sub>2</sub>O 0.41 mg/l; Glucose 0.14 g/l; Panthotenate Ca 68  
mg/l; ZnSO<sub>4</sub>.7H<sub>2</sub>O 4.1 mg/l; Biotin 0.54 mg/l; para-aminobenzoic acid 0.13 mg/l;  
Histidine 0.3 g/l

The carbon source (glucose) was supplemented by a continuous feeding  
20 of FFB004AA medium. The composition of the FFB004AA medium is as follows:  
glucose 350 g/l; Na<sub>2</sub>MoO<sub>4</sub>.2H<sub>2</sub>O 5.15 mg/l; folic acid 1.36 mg/l; KH<sub>2</sub>PO<sub>4</sub> 20.6 g/l;  
MnSO<sub>4</sub>.H<sub>2</sub>O 10.3 mg/l; inositol 1350 mg/l; MgSO<sub>4</sub>.7H<sub>2</sub>O 11.7 g/l; H<sub>3</sub>BO<sub>3</sub> 12.9 ml/l;  
pyridoxine 170 mg/l; CaCl<sub>2</sub>.2H<sub>2</sub>O 2.35 g/l; KI 2.6 mg/l; thiamine 170 g/l; NaCl 0.15 g/l;  
CoCl<sub>2</sub>.6H<sub>2</sub>O 2.3 mg/l; niacine 0.67 mg/l; HCl 2.5 ml/l; FeCl<sub>3</sub>.6H<sub>2</sub>O 24.8 mg/l;  
25 riboflavin; 0.33 mg/l; CuSO<sub>4</sub>.5H<sub>2</sub>O 1.03 mg/l; biotin 1.36 mg/l; panthotenate Ca 170  
mg/l; ZnSO<sub>4</sub>.7H<sub>2</sub>O 10.3 mg/l; para-aminobenzoic acid: 0.33 mg/l; histidine 5.35 g/l.

The residual glucose concentration was maintained very low (□50 mg/L)  
in order to minimize ethanol production by fermentation. This was achieved by limiting  
the development of the microorganism using a limited glucose feed rate. The Standard  
30 biomass content (OD 80-90) was reached in fermentation after 44 hour growth phase.

CUP1 promoter was then induced by adding 500μM CuSO<sub>4</sub> in order to

produce P501S antigen.  $\text{CuSO}_4$  addition was followed by ethanol accumulation (up to 6 g/L), and the glucose feeding rate was then reduced in order to consume the ethanol. The copper available for the microorganism was monitored by testing Cu ion concentration in the broth supernatant using a spectrophotometric copper assay (DETC method). The fermentation was then supplemented by  $\text{CuSO}_4$  throughout the induction phase in order to maintain its concentration between 150 and 250  $\mu\text{M}$  in the supernatant. The biomass reached an OD of 100 at the end of induction. Cells were harvested after 8 hours of induction.

Cell homogenate was prepared and analysed by SDS-PAGE and Western Blot using standard protocols. A major protein band with the expected molecular weight of 62KD was detected by Western blot using anti-P501S monoclonal antibodies. Western blot analysis also showed that the major 62KD band was progressively produced from 30 minutes of induction on, and reached a maximum after 3 hours. No more antigen seemed to be produced between 3 and 12 hours of induction.

The number of passages through a French Press necessary to extract all the antigen from the cells was evaluated. One, three and five passages were tested and total cell lysates, supernatants and pellets of cell lysates were analysed by Western blot. Three passages through a French Press were sufficient to completely extract the antigen. The antigen was present in the insoluble fraction.

20

#### e) Expression of P703P in Baculovirus

The cDNA for full-length P703P-DE5 (SEQ ID NO: 326), together with several flanking restriction sites, was obtained by digesting the plasmid pCDNA703 with restriction endonucleases Xba I and Hind III. The resulting restriction fragment (approx. 800 base pairs) was ligated into the transfer plasmid pFastBacI which was digested with the same restriction enzymes. The sequence of the insert was confirmed by DNA sequencing. The recombinant transfer plasmid pFBP703 was used to make recombinant bacmid DNA and baculovirus using the Bac-To-Bac Baculovirus expression system (BRL Life Technologies). High Five cells were infected with the recombinant virus BVP703, as described above, to obtain recombinant P703P protein.

30



e) Expression of P788P in *E. Coli*

A truncated, N-terminal portion, of P788P (residues 1-644 of SEQ ID NO: 777; referred to as P788P-N) fused with a C-terminal 6xHis Tag was expressed in *E. coli* as follows. P788P cDNA was amplified using the primers AW080 and AW081 (SEQ ID NO: 672 and 673). AW080 is a sense cloning primer with an NdeI site. AW081 is an antisense cloning primer with a XhoI site. The PCR-amplified P788P, as well as the vector pCRX1, were digested with NdeI and XhoI. Vector and insert were ligated and transformed into NovaBlue cells. Colonies were randomly screened for insert and then sequenced. P788P-N clone #6 was confirmed to be identical to the designed construct. The expression construct P788P-N #6/pCRX1 was transformed into *E. coli* BL21 CodonPlus-RIL competent cells. After induction, most of the cells grew well, achieving OD600 of greater than 2.0 after 3 hr. Coomassie stained SDS-PAGE showed an over-expressed band at about 75 kD. Western blot analysis using a 6xHisTag antibody confirmed the band was P788P-N. The determined cDNA sequence for P788P-N is provided in SEQ ID NO: 674, with the corresponding amino acid sequence being provided in SEQ ID NO: 675.

f) Expression of P510S in *E. Coli*

The P510S protein has 9 potential transmembrane domains and is predicted to be located at the plasma membrane. The C-terminal protein of this protein, as well as the predicted third extracellular domain of P510S were expressed in *E. coli* as follows.

The expression construct referred to as Ra12-P501S-C was designed to have a 6 HisTag at the N-terminal end, followed by the *M. tuberculosis* antigen Ra12 (SEQ ID NO: 676) and then the C-terminal portion of P510S (amino residues 1176-1261 of SEQ ID NO: 538). Full-length P510S was used to amplify the P510S-C fragment by PCR using the primers AW056 and AW057 (SEQ ID NO: 677 and 678, respectively). AW056 is a sense cloning primer with an EcoRI site. AW057 is an antisense primer with stop and XhoI sites. The amplified P501S fragment and Ra12/pCRX1 were digested with EcoRI and XhoI and then purified. The insert and

vector were ligated together and transformed into NovaBlue. Colonies were randomly screened for insert and sequences. For protein expression, the expression construct was transformed into *E. coli* BL21 (DE3) CodonPlus-RIL competent cells. A mini-induction screen was performed to optimize the expression conditions. After induction  
5 the cells grew well, achieving OD 600 nm greater than 2.0 after 3 hours. Coomassie stain SDS-PAGE showed a highly over-expressed band at approx. 30 kD. Though this is higher than the expected molecular weight, western blot analysis was positive, showing this band to be the His tag-containing protein. The optimized culture conditions are as follows. Dilute overnight culture/daytime culture (LB + kanamycin +  
10 chloramphenicol) into 2xYT (with kanamycin and chloramphenicol) at a ratio of 25 ml culture to 1 liter 2xYT. Allow to grow at 37 °C until OD600 = 0.6. Take an aliquot out as T0 sample. Add 1 mM IPTG and allow to grow at 30 °C for 3 hours. Take out a T3 sample, spin down cells and store at -80 °C. The determined cDNA and amino acid sequences for the Ra12-P510S-C construct are provided in SEQ ID NO: 679 and 682,  
15 respectively.

The expression construct P510S-C was designed to have a 5' added start codon and a glycine (GGA) codon and then the P510S C terminal fragment followed by the in frame 6x histidine tag and stop codon from the pET28b vector. The cloning strategy is similar to that used for Ra12-P510S-C, except that the PCR primers employed were  
20 those shown in SEQ ID NO: 685 and 686, respectively and the NcoI/XhoI cut in pET28b was used. The primer of SEQ ID NO: 685 created a 5' NcoI site and added a start codon. The antisense primer of SEQ ID NO: 686 creates a XhoI site on P510S C terminal fragment. Clones were confirmed by sequencing. For protein expression, the expression construct was transformed into *E. coli* BL21 (DE3) CodonPlus-RIL  
25 competent cells. An OD600 of greater than 2.0 was obtained 30 hours after induction. Coomassie stained SDS-PAGE showed an over-expressed band at about 11 kD. Western blot analysis confirmed that the band was P510S-C, as did N-terminal protein sequencing. The optimized culture conditions are as follows: dilute overnight culture/daytime culture (LB + kanamycin + chloramphenicol) into 2x YT (+ kanamycin  
30 and chloramphenicol) at a ratio of 25 mL culture to 1 liter 2x YT, and allow to grow at

37 °C until an OD 600 of about 0.5 is reached. Take out an aliquot as T0 sample. Add 1 mM IPTG and allow to grow at 30 °C for 3 hours. Spin down the cells and store at -80 °C until purification. The determined cDNA and amino acid sequences for the P510S-C construct are shown in SEQ ID NO: 680 and 683, respectively.

5                   The predicted third extracellular domain of P510S (P510S-E3; residues 328-676 of SEQ ID NO: 538) was expressed in *E. coli* as follows. The P510S fragment was amplified by PCR using the primers shown in SEQ ID NO: 687 and 688. The primer of SEQ ID NO: 687 is a sense primer with an NdeI site for use in ligating into pPDM. The primer of SEQ ID NO: 688 is an antisense primer with an added XhoI site  
10 for use in ligating into pPDM. The resulting fragment was cloned to pPDM at the NdeI and XhoI sites. Clones were confirmed by sequencing. For protein expression, the clone was transformed into *E. coli* BL21 (DE3) CodonPlus-RIL competent cells. After induction, an OD600 of greater than 2.0 was achieved after 3 hours. Coomassie stained SDS-PAGE showed an over-expressed band at about 39 kD, and N-terminal sequencing  
15 confirmed the N-terminal to be that of P510S-E3. Optimized culture conditions are as follows: dilute overnight culture/daytime culture (LB + kanamycin + chloramphenicol) into 2x YT (kanamycin and chloramphenicol) at a ratio of 25 ml culture to 1 liter 2x YT. Allow to grow at 37 °C until OD 600 equals 0.6. Take out an aliquot as T0 sample. Add 1 mM IPTG and allow to grow at 30 °C for 3 hours. Take out a T3  
20 sample, spin down the cells and store at -80 °C until purification. The determined cDNA and amino acid sequences for the P501S-E3 construct are provided in SEQ ID NO: 681 and 684, respectively.

g) Expression of P775S in *E. Coli*

25                   The antigen P775P contains multiple open reading frames (ORF). The third ORF, encoding the protein of SEQ ID NO: 483, has the best motif score. An expression fusion construct containing the *M. tuberculosis* antigen Ra12 (SEQ ID NO: 676) and P775P-ORF3 with an N-terminal 6x HisTag was prepared as follows. P775P-ORF3 was amplified using the sense PCR primers of SEQ ID NO: 689 and the anti-sense PCR primer of SEQ ID NO: 690. The PCR amplified fragment of P775P and

Ra12/pCRX1 were digested with the restriction enzymes EcoRI and XhoI. Vector and insert were ligated and then transformed into NovaBlue cells. Colonies were randomly screened for insert and then sequenced. A clone having the desired sequence was transformed into *E. coli* BL21 (DE3) CodonPlus-RIL competent cells. Two hours after  
5 induction, the cell density peaked at OD600 of approximately 1.8. Coomassie stained SDS-PAGE showed an over-expressed band at about 31 kD. Western blot using 6x HisTag antibody confirmed that the band was Ra12-P775P-ORF3. The determined cDNA and amino acid sequences for the fusion construct are provided in SEQ ID NO: 691 and 692, respectively.

10

#### **H) EXPRESSION OF A P703P HIS TAG FUSION PROTEIN IN E. COLI**

The cDNA for the coding region of P703P was prepared by PCR using the primers of SEQ ID NO: 693 and 694. The PCR product was digested with EcoRI restriction enzyme, gel purified and cloned into a modified pET28 vector with a His tag  
15 in frame, which had been digested with Eco72I and EcoRI restriction enzymes. The correct construct was confirmed by DNA sequence analysis and then transformed into *E. coli* BL21 (DE3) pLys S expression host cells. The determined amino acid and cDNA sequences for the expressed recombinant P703P are provided in SEQ ID NO: 695 and 696, respectively.

20

#### **I) EXPRESSION OF A P705P HIS TAG FUSION PROTEIN IN E. COLI**

The cDNA for the coding region of P705P was prepared by PCR using the primers of SEQ ID NO: 697 and 698. The PCR product was digested with EcoRI restriction enzyme, gel purified and cloned into a modified pET28 vector with a His tag  
25 in frame, which had been digested with Eco72I and EcoRI restriction enzymes. The correct construct was confirmed by DNA sequence analysis and then transformed into *E. coli* BL21 (DE3) pLys S and BL21 (DE3) CodonPlus expression host cells. The determined amino acid and cDNA sequences for the expressed recombinant P705P are provided in SEQ ID NO: 699 and 700, respectively.

30

**J) EXPRESSION OF A P711P HIS TAG FUSION PROTEIN IN E. COLI**

The cDNA for the coding region of P711P was prepared by PCR using the primers of SEQ ID NO: 701 and 702. The PCR product was digested with EcoRI restriction enzyme, gel purified and cloned into a modified pET28 vector with a His tag in frame, which had been digested with Eco72I and EcoRI restriction enzymes. The correct construct was confirmed by DNA sequence analysis and then transformed into *E. coli* BL21 (DE3) pLys S and BL21 (DE3) CodonPlus expression host cells. The determined amino acid and cDNA sequences for the expressed recombinant P711P are provided in SEQ ID NO: 703 and 704, respectively.

10

**EXAMPLE 18****PREPARATION AND CHARACTERIZATION OF ANTIBODIES****AGAINST PROSTATE-SPECIFIC POLYPEPTIDES**

15

a) Preparation and Characterization of Polyclonal Antibodies against P703P, P504S and P509S

Polyclonal antibodies against P703P, P504S and P509S were prepared as follows.

Each prostate tumor antigen expressed in an *E. coli* recombinant expression system was grown overnight in LB broth with the appropriate antibiotics at 37°C in a shaking incubator. The next morning, 10 ml of the overnight culture was added to 500 ml to 2x YT plus appropriate antibiotics in a 2L-baffled Erlenmeyer flask. When the Optical Density (at 560 nm) of the culture reached 0.4-0.6, the cells were induced with IPTG (1 mM). Four hours after induction with IPTG, the cells were harvested by centrifugation. The cells were then washed with phosphate buffered saline and centrifuged again. The supernatant was discarded and the cells were either frozen for future use or immediately processed. Twenty ml of lysis buffer was added to the cell pellets and vortexed. To break open the *E. coli* cells, this mixture was then run

25

through the French Press at a pressure of 16,000 psi. The cells were then centrifuged again and the supernatant and pellet were checked by SDS-PAGE for the partitioning of the recombinant protein. For proteins that localized to the cell pellet, the pellet was resuspended in 10 mM Tris pH 8.0, 1% CHAPS and the inclusion body pellet was  
5 washed and centrifuged again. This procedure was repeated twice more. The washed inclusion body pellet was solubilized with either 8 M urea or 6 M guanidine HCl containing 10 mM Tris pH 8.0 plus 10 mM imidazole. The solubilized protein was added to 5 ml of nickel-chelate resin (Qiagen) and incubated for 45 min to 1 hour at room temperature with continuous agitation. After incubation, the resin and protein  
10 mixture were poured through a disposable column and the flow through was collected. The column was then washed with 10-20 column volumes of the solubilization buffer. The antigen was then eluted from the column using 8M urea, 10 mM Tris pH 8.0 and 300 mM imidazole and collected in 3 ml fractions. A SDS-PAGE gel was run to determine which fractions to pool for further purification.

15 As a final purification step, a strong anion exchange resin such as HiPrepQ (Biorad) was equilibrated with the appropriate buffer and the pooled fractions from above were loaded onto the column. Each antigen was eluted off the column with a increasing salt gradient. Fractions were collected as the column was run and another SDS-PAGE gel was run to determine which fractions from the column to pool. The  
20 pooled fractions were dialyzed against 10 mM Tris pH 8.0. The proteins were then vialled after filtration through a 0.22 micron filter and the antigens were frozen until needed for immunization.

Four hundred micrograms of each prostate antigen was combined with 100 micrograms of muramyl dipeptide (MDP). Every four weeks rabbits were boosted  
25 with 100 micrograms mixed with an equal volume of Incomplete Freund's Adjuvant (IFA). Seven days following each boost, the animal was bled. Sera was generated by incubating the blood at 4°C for 12-4 hours followed by centrifugation.

Ninety-six well plates were coated with antigen by incubating with 50 microliters (typically 1 microgram) of recombinant protein at 4 °C for 20 hours. 250  
30 microliters of BSA blocking buffer was added to the wells and incubated at room

temperature for 2 hours. Plates were washed 6 times with PBS/0.01% Tween. Rabbit sera was diluted in PBS. Fifty microliters of diluted sera was added to each well and incubated at room temperature for 30 min. Plates were washed as described above before 50 microliters of goat anti-rabbit horse radish peroxidase (HRP) at a 1:10000  
5 dilution was added and incubated at room temperature for 30 min. Plates were again washed as described above and 100 microliters of TMB microwell peroxidase substrate was added to each well. Following a 15 min incubation in the dark at room temperature, the colorimetric reaction was stopped with 100 microliters of 1N H<sub>2</sub>SO<sub>4</sub> and read immediately at 450 nm. All polyclonal antibodies showed immunoreactivity  
10 to the appropriate antigen.

b) Preparation and Characterization of Antibodies against P501S

A murine monoclonal antibody directed against the carboxy-terminus of the prostate-specific antigen P501S was prepared as follows.

A truncated fragment of P501S (amino acids 355-526 of SEQ ID NO:  
15 113) was generated and cloned into the pET28b vector (Novagen) and expressed in *E. coli* as a thioredoxin fusion protein with a histidine tag. The trx-P501S fusion protein was purified by nickel chromatography, digested with thrombin to remove the trx fragment and further purified by an acid precipitation procedure followed by reverse phase HPLC.

20 Mice were immunized with truncated P501S protein. Serum bleeds from mice that potentially contained anti-P501S polyclonal sera were tested for P501S-specific reactivity using ELISA assays with purified P501S and trx-P501S proteins. Serum bleeds that appeared to react specifically with P501S were then screened for P501S reactivity by Western analysis. Mice that contained a P501S-specific antibody  
25 component were sacrificed and spleen cells were used to generate anti-P501S antibody producing hybridomas using standard techniques. Hybridoma supernatants were tested for P501S-specific reactivity initially by ELISA, and subsequently by FACS analysis of reactivity with P501S transduced cells. Based on these results, a monoclonal hybridoma referred to as 10E3 was chosen for further subcloning. A number of subclones were

generated, tested for specific reactivity to P501S using ELISA and typed for IgG isotype. The results of this analysis are shown below in Table V. Of the 16 subclones tested, the monoclonal antibody 10E3-G4-D3 was selected for further study.

5

Table V

Isotype analysis of murine anti-P501S monoclonal antibodies

Hybridoma clone	Isotype	Estimated [Ig] in supernatant ( $\mu\text{g/ml}$ )
4D11	IgG1	14.6
1G1	IgG1	0.6
4F6	IgG1	72
4H5	IgG1	13.8
4H5-E12	IgG1	10.7
4H5-EH2	IgG1	9.2
4H5-H2-A10	IgG1	10
4H5-H2-A3	IgG1	12.8
4H5-H2-A10-G6	IgG1	13.6
4H5-H2-B11	IgG1	12.3
10E3	IgG2a	3.4
10E3-D4	IgG2a	3.8
10E3-D4-G3	IgG2a	9.5
10E3-D4-G6	IgG2a	10.4
10E3-E7	IgG2a	6.5
8H12	IgG2a	0.6

The specificity of 10E3-G4-D3 for P501S was examined by FACS analysis. Specifically, cells were fixed (2% formaldehyde, 10 minutes), permeabilized (0.1% saponin, 10 minutes) and stained with 10E3-G4-D3 at 0.5 – 1  $\mu\text{g/ml}$ , followed by incubation with a secondary, FITC-conjugated goat anti-mouse Ig antibody (Pharmingen, San Diego, CA). Cells were then analyzed for FITC fluorescence using an Excalibur fluorescence activated cell sorter. For FACS analysis of transduced cells, B-LCL were retrovirally transduced with P501S. For analysis of infected cells, B-LCL were infected with a vaccinia vector that expresses P501S. To demonstrate specificity in these assays, B-LCL transduced with a different antigen (P703P) and uninfected B-LCL vectors were utilized. 10E3-G4-D3 was shown to bind with P501S-transduced B-



LCL and also with P501S-infected B-LCL, but not with either uninfected cells or P703P-transduced cells.

To determine whether the epitope recognized by 10E3-G4-D3 was found on the surface or in an intracellular compartment of cells, B-LCL were transduced with  
5 P501S or HLA-B8' as a control antigen and either fixed and permeabilized as described above or directly stained with 10E3-G4-D3 and analyzed as above. Specific recognition of P501S by 10E3-G4-D3 was found to require permeabilization, suggesting that the epitope recognized by this antibody is intracellular.

The reactivity of 10E3-G4-D3 with the three prostate tumor cell lines  
10 Lncap, PC-3 and DU-145, which are known to express high, medium and very low levels of P501S, respectively, was examined by permeabilizing the cells and treating them as described above. Higher reactivity of 10E3-G4-D3 was seen with Lncap than with PC-3, which in turn showed higher reactivity than DU-145. These results are in agreement with the real time PCR and demonstrate that the antibody specifically  
15 recognizes P501S in these tumor cell lines and that the epitope recognized in prostate tumor cell lines is also intracellular.

Specificity of 10E3-G4-D3 for P501S was also demonstrated by Western blot analysis. Lysates from the prostate tumor cell lines Lncap, DU-145 and PC-3, from P501S-transiently transfected HEK293 cells, and from non-transfected HEK293 cells  
20 were generated. Western blot analysis of these lysates with 10E3-G4-D3 revealed a 46 kDa immunoreactive band in Lncap, PC-3 and P501S-transfected HEK cells, but not in DU-145 cells or non-transfected HEK293 cells. P501S mRNA expression is consistent with these results since semi-quantitative PCR analysis revealed that P501S mRNA is expressed in Lncap, to a lesser but detectable level in PC-3 and not at all in DU-145  
25 cells. Bacterially expressed and purified recombinant P501S (referred to as P501SStr2) was recognized by 10E3-G4-D3 (24 kDa), as was full-length P501S that was transiently expressed in HEK293 cells using either the expression vector VR1012 or pCEP4. Although the predicted molecular weight of P501S is 60.5 kDa, both transfected and "native" P501S run at a slightly lower mobility due to its hydrophobic nature.

Immunohistochemical analysis was performed on prostate tumor and a panel of normal tissue sections (prostate, adrenal, breast, cervix, colon, duodenum, gall bladder, ileum, kidney, ovary, pancreas, parotid gland, skeletal muscle, spleen and testis). Tissue samples were fixed in formalin solution for 24 hours and embedded in paraffin before being sliced into 10 micron sections. Tissue sections were permeabilized and incubated with 10E3-G4-D3 antibody for 1 hr. HRP-labeled anti-mouse followed by incubation with DAB chromogen was used to visualize P501S immunoreactivity. P501S was found to be highly expressed in both normal prostate and prostate tumor tissue but was not detected in any of the other tissues tested.

To identify the epitope recognized by 10E3-G4-D3, an epitope mapping approach was pursued. A series of 13 overlapping 20-21 mers (5 amino acid overlap; SEQ ID NO: 489-501) was synthesized that spanned the fragment of P501S used to generate 10E3-G4-D3. Flat bottom 96 well microtiter plates were coated with either the peptides or the P501S fragment used to immunize mice, at 1 microgram/ml for 2 hours at 37 °C. Wells were then aspirated and blocked with phosphate buffered saline containing 1% (w/v) BSA for 2 hours at room temperature, and subsequently washed in PBS containing 0.1% Tween 20 (PBST). Purified antibody 10E3-G4-D3 was added at 2 fold dilutions (1000 ng – 16 ng) in PBST and incubated for 30 minutes at room temperature. This was followed by washing 6 times with PBST and subsequently incubating with HRP-conjugated donkey anti-mouse IgG (H+L)Affinipure F(ab') fragment (Jackson Immunoresearch, West Grove, PA) at 1:20000 for 30 minutes. Plates were then washed and incubated for 15 minutes in tetramethyl benzidine. Reactions were stopped by the addition of 1N sulfuric acid and plates were read at 450 nm using an ELISA plate reader. As shown in Fig. 8, reactivity was seen with the peptide of SEQ ID NO: 496 (corresponding to amino acids 439-459 of P501S) and with the P501S fragment but not with the remaining peptides, demonstrating that the epitope recognized by 10E3-G4-D3 is localized to amino acids 439-459 of SEQ ID NO: 113.

In order to further evaluate the tissue specificity of P501S, multi-array immunohistochemical analysis was performed on approximately 4700 different human tissues encompassing all the major normal organs as well as neoplasias derived from

these tissues. Sixty-five of these human tissue samples were of prostate origin. Tissue sections 0.6 mm in diameter were formalin-fixed and paraffin embedded. Samples were pretreated with HIER using 10 mM citrate buffer pH 6.0 and boiling for 10 min. Sections were stained with 10E3-G4-D3 and P501S immunoreactivity was visualized with HRP. All the 65 prostate tissues samples (5 normal, 55 untreated prostate tumors, 5 hormone refractory prostate tumors) were positive, showing distinct perinuclear staining. All other tissues examined were negative for P501S expression.

c) Preparation and Characterization of Antibodies against P503S

A fragment of P503S (amino acids 113-241 of SEQ ID NO: 114) was expressed and purified from bacteria essentially as described above for P501S and used to immunize both rabbits and mice. Mouse monoclonal antibodies were isolated using standard hybridoma technology as described above. Rabbit monoclonal antibodies were isolated using Selected Lymphocyte Antibody Method (SLAM) technology at Immgenics Pharmaceuticals (Vancouver, BC, Canada). Table VI, below, lists the monoclonal antibodies that were developed against P503S.

Table VI

Antibody	Species
20D4	Rabbit
JA1	Rabbit
1A4	Mouse
1C3	Mouse
1C9	Mouse
1D12	Mouse
2A11	Mouse
2H9	Mouse
4H7	Mouse
8A8	Mouse
8D10	Mouse
9C12	Mouse
6D12	Mouse

The DNA sequences encoding the complementarity determining regions (CDRs) for the rabbit monoclonal antibodies 20D4 and JA1 were determined and are provided in SEQ ID NO: 502 and 503, respectively.

5           In order to better define the epitope binding region of each of the antibodies, a series of overlapping peptides were generated that span amino acids 109-213 of SEQ ID NO: 114. These peptides were used to epitope map the anti-P503S monoclonal antibodies by ELISA as follows. The recombinant fragment of P503S that was employed as the immunogen was used as a positive control. Ninety-six well  
10 microtiter plates were coated with either peptide or recombinant antigen at 20 ng/well overnight at 4 °C. Plates were aspirated and blocked with phosphate buffered saline containing 1% (w/v) BSA for 2 hours at room temperature then washed in PBS containing 0.1% Tween 20 (PBST). Purified rabbit monoclonal antibodies diluted in PBST were added to the wells and incubated for 30 min at room temperature. This was  
15 followed by washing 6 times with PBST and incubation with Protein-A HRP conjugate at a 1:2000 dilution for a further 30 min. Plates were washed six times in PBST and incubated with tetramethylbenzidine (TMB) substrate for a further 15 min. The reaction was stopped by the addition of 1N sulfuric acid and plates were read at 450 nm using at ELISA plate reader. ELISA with the mouse monoclonal antibodies was performed with  
20 supernatants from tissue culture run neat in the assay.

All of the antibodies bound to the recombinant P503S fragment, with the exception of the negative control SP2 supernatant. 20D4, JA1 and 1D12 bound strictly to peptide #2101 (SEQ ID NO: 504), which corresponds to amino acids 151-169 of SEQ ID NO: 114. 1C3 bound to peptide #2102 (SEQ ID NO: 505), which corresponds  
25 to amino acids 165-184 of SEQ ID NO: 114. 9C12 bound to peptide #2099 (SEQ ID NO: 522), which corresponds to amino acids 120-139 of SEQ ID NO: 114. The other antibodies bind to regions that were not examined in these studies.

Subsequent to epitope mapping, the antibodies were tested by FACS analysis on a cell line that stably expressed P503S to confirm that the antibodies bind to  
30 cell surface epitopes. Cells stably transfected with a control plasmid were employed as

a negative control. Cells were stained live with no fixative. 0.5 ug of anti-P503S monoclonal antibody was added and cells were incubated on ice for 30 min before being washed twice and incubated with a FITC-labelled goat anti-rabbit or mouse secondary antibody for 20 min. After being washed twice, cells were analyzed with an Excalibur  
5 fluorescent activated cell sorter. The monoclonal antibodies 1C3, 1D12, 9C12, 20D4 and JA1, but not 8D3, were found to bind to a cell surface epitope of P503S.

In order to determine which tissues express P503S, immunohistochemical analysis was performed, essentially as described above, on a panel of normal tissues (prostate, adrenal, breast, cervix, colon, duodenum, gall bladder,  
10 ileum, kidney, ovary, pancreas, parotid gland, skeletal muscle, spleen and testis). HRP-labeled anti-mouse or anti-rabbit antibody followed by incubation with TMB was used to visualize P503S immunoreactivity. P503S was found to be highly expressed in prostate tissue, with lower levels of expression being observed in cervix, colon, ileum and kidney, and no expression being observed in adrenal, breast, duodenum, gall  
15 bladder, ovary, pancreas, parotid gland, skeletal muscle, spleen and testis.

Western blot analysis was used to characterize anti-P503S monoclonal antibody specificity. SDS-PAGE was performed on recombinant (rec) P503S expressed in and purified from bacteria and on lysates from HEK293 cells transfected with full length P503S. Protein was transferred to nitrocellulose and then Western blotted with  
20 each of the anti-P503S monoclonal antibodies (20D4, JA1, 1D12, 6D12 and 9C12) at an antibody concentration of 1 ug/ml. Protein was detected using horse radish peroxidase (HRP) conjugated to either a goat anti-mouse monoclonal antibody or to protein A-sepharose. The monoclonal antibody 20D4 detected the appropriate molecular weight 14 kDa recombinant P503S (amino acids 113-241) and the 23.5 kDa  
25 species in the HEK293 cell lysates transfected with full length P503S. Other anti-P503S monoclonal antibodies displayed similar specificity by Western blot.

#### d) Preparation and Characterization of Antibodies against P703P

Rabbits were immunized with either a truncated (P703Ptr1; SEQ ID NO: 172) or full-length mature form (P703Pfl; SEQ ID NO: 523) of recombinant P703P

protein was expressed in and purified from bacteria as described above. Affinity purified polyclonal antibody was generated using immunogen P703Pfl or P703Ptrl attached to a solid support. Rabbit monoclonal antibodies were isolated using SLAM technology at Immgenics Pharmaceuticals. Table VII below lists both the polyclonal and monoclonal antibodies that were generated against P703P.

Table VII

Antibody	Immunogen	Species/type
Aff. Purif. P703P (truncated); #2594	P703Ptrl	Rabbit polyclonal
Aff. Purif. P703P (full length); #9245	P703Pfl	Rabbit polyclonal
2D4	P703Ptrl	Rabbit monoclonal
8H2	P703Ptrl	Rabbit monoclonal
7H8	P703Ptrl	Rabbit monoclonal

The DNA sequences encoding the complementarity determining regions (CDRs) for the rabbit monoclonal antibodies 8H2, 7H8 and 2D4 were determined and are provided in SEQ ID NO: 506-508, respectively.

Epitope mapping studies were performed as described above. Monoclonal antibodies 2D4 and 7H8 were found to specifically bind to the peptides of SEQ ID NO: 509 (corresponding to amino acids 145-159 of SEQ ID NO: 172) and SEQ ID NO: 510 (corresponding to amino acids 11-25 of SEQ ID NO: 172), respectively. The polyclonal antibody 2594 was found to bind to the peptides of SEQ ID NO: 511-514, with the polyclonal antibody 9427 binding to the peptides of SEQ ID NO: 515-517.

The specificity of the anti-P703P antibodies was determined by Western blot analysis as follows. SDS-PAGE was performed on (1) bacterially expressed recombinant antigen; (2) lysates of HEK293 cells and Ltk<sup>-/-</sup> cells either untransfected or transfected with a plasmid expressing full length P703P; and (3) supernatant isolated from these cell cultures. Protein was transferred to nitrocellulose and then Western blotted using the anti-P703P polyclonal antibody #2594 at an antibody concentration of 1 ug/ml. Protein was detected using horse radish peroxidase (HRP) conjugated to an anti-rabbit antibody. A 35 kDa immunoreactive band could be observed with

recombinant P703P. Recombinant P703P runs at a slightly higher molecular weight since it is epitope tagged. In lysates and supernatants from cells transfected with full length P703P, a 30 kDa band corresponding to P703P was observed. To assure specificity, lysates from HEK293 cells stably transfected with a control plasmid were  
5 also tested and were negative for P703P expression. Other anti-P703P antibodies showed similar results.

Immunohistochemical studies were performed as described above, using anti-P703P monoclonal antibody. P703P was found to be expressed at high levels in normal prostate and prostate tumor tissue but was not detectable in all other tissues  
10 tested (breast tumor, lung tumor and normal kidney).

e) Preparation and Characterization of Antibodies against P504S

Full-length P504S (SEQ ID NO: 108) was expressed and purified from bacteria essentially as described above for P501S and employed to raise rabbit monoclonal antibodies using Selected Lymphocyte Antibody Method (SLAM)  
15 technology at Immgenics Pharmaceuticals (Vancouver, BC, Canada). The anti-P504S monoclonal antibody 13H4 was shown by Western blot to bind to both expressed recombinant P504S and to native P504S in tumor cells.

Immunohistochemical studies using 13H4 to assess P504S expression in various prostate tissues were performed as described above. A total of 104 cases,  
20 including 65 cases of radical prostatectomies with prostate cancer (PC), 26 cases of prostate biopsies and 13 cases of benign prostate hyperplasia (BPH), were stained with the anti-P504S monoclonal antibody 13H4. P504S showed strongly cytoplasmic granular staining in 64/65 (98.5%) of PCs in prostatectomies and 26/26 (100%) of PCs in prostatic biopsies. P504S was stained strongly and diffusely in carcinomas (4+ in  
25 91.2% of cases of PC; 3+ in 5.5%; 2+ in 2.2% and 1+ in 1.1%) and high grade prostatic intraepithelial neoplasia (4+ in all cases). The expression of P504S did not vary with Gleason score. Only 17/91 (18.7%) of cases of NP/BPH around PC and 2/13 (15.4%) of BPH cases were focally (1+, no 2+ to 4+ in all cases) and weakly positive for P504S in large glands. Expression of P504S was not found in small atrophic glands, postatrophic  
30 hyperplasia, basal cell hyperplasia and transitional cell metaplasia in either biopsies or

prostatectomies. P504S was thus found to be over-expressed in all Gleason scores of prostate cancer (98.5 to 100% of sensitivity) and exhibited only focal positivities in large normal glands in 19/104 of cases (82.3% of specificity). These findings indicate that P504S may be usefully employed for the diagnosis of prostate cancer.

5

## EXAMPLE 19

CHARACTERIZATION OF CELL SURFACE EXPRESSION AND  
CHROMOSOME LOCALIZATION OF THE PROSTATE-SPECIFIC ANTIGEN P501S

10 This example describes studies demonstrating that the prostate-specific antigen P501S is expressed on the surface of cells, together with studies to determine the probable chromosomal location of P501S.

The protein P501S (SEQ ID NO: 113) is predicted to have 11 transmembrane domains. Based on the discovery that the epitope recognized by the anti-  
15 P501S monoclonal antibody 10E3-G4-D3 (described above in Example 17) is intracellular, it was predicted that following transmembrane determinants would allow the prediction of extracellular domains of P501S. Fig. 9 is a schematic representation of the P501S protein showing the predicted location of the transmembrane domains and the intracellular epitope described in Example 17. Underlined sequence represents the  
20 predicted transmembrane domains, bold sequence represents the predicted extracellular domains, and italicized sequence represents the predicted intracellular domains. Sequence that is both bold and underlined represents sequence employed to generate polyclonal rabbit serum. The location of the transmembrane domains was predicted using HHMTOP as described by Tusnady and Simon (Principles Governing Amino  
25 Acid Composition of Integral Membrane Proteins: Applications to Topology Prediction, *J. Mol. Biol.* 283:489-506, 1998).

Based on Fig. 9, the P501S domain flanked by the transmembrane domains corresponding to amino acids 274-295 and 323-342 is predicted to be extracellular. The peptide of SEQ ID NO: 518 corresponds to amino acids 306-320 of  
30 P501S and lies in the predicted extracellular domain. The peptide of SEQ ID NO: 519,



which is identical to the peptide of SEQ ID NO: 518 with the exception of the substitution of the histidine with an asparagine, was synthesized as described above. A Cys-Gly was added to the C-terminus of the peptide to facilitate conjugation to the carrier protein. Cleavage of the peptide from the solid support was carried out using the following cleavage mixture: trifluoroacetic acid:ethanediol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for two hours, the peptide was precipitated in cold ether. The peptide pellet was then dissolved in 10% v/v acetic acid and lyophilized prior to purification by C18 reverse phase hplc. A gradient of 5-60% acetonitrile (containing 0.05% TFA) in water (containing 0.05% TFA) was used to elute the peptide. The purity of the peptide was verified by hplc and mass spectrometry, and was determined to be >95%. The purified peptide was used to generate rabbit polyclonal antisera as described above.

Surface expression of P501S was examined by FACS analysis. Cells were stained with the polyclonal anti-P501S peptide serum at 10 µg/ml, washed, incubated with a secondary FITC-conjugated goat anti-rabbit Ig antibody (ICN), washed and analyzed for FITC fluorescence using an Excalibur fluorescence activated cell sorter. For FACS analysis of transduced cells, B-LCL were retrovirally transduced with P501S. To demonstrate specificity in these assays, B-LCL transduced with an irrelevant antigen (P703P) or nontransduced were stained in parallel. For FACS analysis of prostate tumor cell lines, Lncap, PC-3 and DU-145 were utilized. Prostate tumor cell lines were dissociated from tissue culture plates using cell dissociation medium and stained as above. All samples were treated with propidium iodide (PI) prior to FACS analysis, and data was obtained from PI-excluding (*i.e.*, intact and non-permeabilized) cells. The rabbit polyclonal serum generated against the peptide of SEQ ID NO: 519 was shown to specifically recognize the surface of cells transduced to express P501S, demonstrating that the epitope recognized by the polyclonal serum is extracellular.

To determine biochemically if P501S is expressed on the cell surface, peripheral membranes from Lncap cells were isolated and subjected to Western blot analysis. Specifically, Lncap cells were lysed using a dounce homogenizer in 5 ml of homogenization buffer (250 mM sucrose, 10 mM HEPES, 1mM EDTA, pH 8.0, 1

complete protease inhibitor tablet (Boehringer Mannheim)). Lysate samples were spun at 1000 g for 5 min at 4 °C. The supernatant was then spun at 8000g for 10 min at 4 °C. Supernatant from the 8000g spin was recovered and subjected to a 100,000g spin for 30 min at 4 °C to recover peripheral membrane. Samples were then separated by SDS-  
5 PAGE and Western blotted with the mouse monoclonal antibody 10E3-G4-D3 (described above in Example 17) using conditions described above. Recombinant purified P501S, as well as HEK293 cells transfected with and over-expressing P501S were included as positive controls for P501S detection. LCL cell lysate was included as a negative control. P501S could be detected in Lncap total cell lysate, the 8000g  
10 (internal membrane) fraction and also in the 100,000g (plasma membrane) fraction. These results indicate that P501S is expressed at, and localizes to, the peripheral membrane.

To demonstrate that the rabbit polyclonal antiserum generated to the peptide of SEQ ID NO: 519 specifically recognizes this peptide as well as the  
15 corresponding native peptide of SEQ ID NO: 518, ELISA analyses were performed. For these analyses, flat-bottomed 96 well microtiter plates were coated with either the peptide of SEQ ID NO: 519, the longer peptide of SEQ ID NO: 520 that spans the entire predicted extracellular domain, the peptide of SEQ ID NO: 521 which represents the epitope recognized by the P501S-specific antibody 10E3-G4-D3, or a P501S fragment  
20 (corresponding to amino acids 355-526 of SEQ ID NO: 113) that does not include the immunizing peptide sequence, at 1 µg/ml for 2 hours at 37 °C. Wells were aspirated, blocked with phosphate buffered saline containing 1% (w/v) BSA for 2 hours at room temperature and subsequently washed in PBS containing 0.1% Tween 20 (PBST). Purified anti-P501S polyclonal rabbit serum was added at 2 fold dilutions (1000 ng -  
25 125 ng) in PBST and incubated for 30 min at room temperature. This was followed by washing 6 times with PBST and incubating with HRP-conjugated goat anti-rabbit IgG (H+L) Affinipure F(ab') fragment at 1:20000 for 30 min. Plates were then washed and incubated for 15 min in tetramethyl benzidine. Reactions were stopped by the addition of 1N sulfuric acid and plates were read at 450 nm using an ELISA plate reader. As  
30 shown in Fig. 11, the anti-P501S polyclonal rabbit serum specifically recognized the

peptide of SEQ ID NO: 519 used in the immunization as well as the longer peptide of SEQ ID NO: 520, but did not recognize the irrelevant P501S-derived peptides and fragments.

In further studies, rabbits were immunized with peptides derived from the P501S sequence and predicted to be either extracellular or intracellular, as shown in Fig. 9. Polyclonal rabbit sera were isolated and polyclonal antibodies in the serum were purified, as described above. To determine specific reactivity with P501S, FACS analysis was employed, utilizing either B-LCL transduced with P501S or the irrelevant antigen P703P, of B-LCL infected with vaccinia virus-expressing P501S. For surface expression, dead and non-intact cells were excluded from the analysis as described above. For intracellular staining, cells were fixed and permeabilized as described above. Rabbit polyclonal serum generated against the peptide of SEQ ID NO: 548, which corresponds to amino acids 181-198 of P501S, was found to recognize a surface epitope of P501S. Rabbit polyclonal serum generated against the peptide SEQ ID NO: 551, which corresponds to amino acids 543-553 of P501S, was found to recognize an epitope that was either potentially extracellular or intracellular since in different experiments intact or permeabilized cells were recognized by the polyclonal sera. Based on similar deductive reasoning, the sequences of SEQ ID NO: 541-547, 549 and 550, which correspond to amino acids 109-122, 539-553, 509-520, 37-54, 342-359, 295-323, 217-274, 143-160 and 75-88, respectively, of P501S, can be considered to be potential surface epitopes of P501S recognized by antibodies.

In further studies, mouse monoclonal antibodies were raised against amino acids 296 to 322 to P501S, which are predicted to be in an extracellular domain. A/J mice were immunized with P501S/adenovirus, followed by subsequent boosts with an *E. coli* recombinant protein, referred to as P501N, that contains amino acids 296 to 322 of P501S, and with peptide 296-322 (SEQ ID NO: 755) coupled with KLH. The mice were subsequently used for splenic B cell fusions to generate anti-peptide hybridomas. The resulting 3 clones, referred to as 4F4 (IgG1,kappa), 4G5 (IgG2a,kappa) and 9B9 (IgG1,kappa), were grown for antibody production. The 4G5 mAb was purified by passing the supernatant over a Protein A-sepharose column,

followed by antibody elution using 0.2M glycine, pH 2.3. Purified antibody was neutralized by the addition of 1M Tris, pH 8, and buffer exchanged into PBS.

For ELISA analysis, 96 well plates were coated with P501S peptide 296-322 (referred to as P501-long), an irrelevant P775 peptide, P501S-N, P501TR2, P501S-long-KLH, P501S peptide 306-319 (referred to as P501-short)-KLH, or the irrelevant peptide 2073-KLH, all at a concentration of 2 ug/ml and allowed to incubate for 60 minutes at 37 °C. After coating, plates were washed 5X with PBS + 0.1% Tween and then blocked with PBS, 0.5% BSA, 0.4% Tween20 for 2 hours at room temperature. Following the addition of supernatants or purified mAb, the plates were incubated for 60 minutes at room temperature. Plates were washed as above and donkey anti-mouse IgHRP-linked secondary antibody was added and incubated for 30 minutes at room temperature, followed by a final washing as above. TMB peroxidase substrate was added and incubated 15 minutes at room temperature in the dark. The reaction was stopped by the addition of 1N H<sub>2</sub>SO<sub>4</sub> and the OD was read at 450 nM. All three hybrid clones secreted mAb that recognized peptide 296-322 and the recombinant protein P501N.

For FACS analysis, HEK293 cells were transiently transfected with a P501S/VR1012 expression constructs using Fugene 6 reagent. After 2 days of culture, cells were harvested and washed, then incubated with purified 4G5 mAb for 30 minutes on ice. After several washes in PBS, 0.5% BSA, 0.01% azide, goat anti-mouse Ig-FITC was added to the cells and incubated for 30 minutes on ice. Cells were washed and resuspended in wash buffer including 1% propidium iodide and subjected to FACS analysis. The FACS analysis confirmed that amino acids 296-322 of P501S are in an extracellular domain and are cell surface expressed.

The chromosomal location of P501S was determined using the GeneBridge 4 Radiation Hybrid panel (Research Genetics). The PCR primers of SEQ ID NO: 528 and 529 were employed in PCR with DNA pools from the hybrid panel according to the manufacturer's directions. After 38 cycles of amplification, the reaction products were separated on a 1.2% agarose gel, and the results were analyzed through the Whitehead Institute/MIT Center for Genome Research web server

(<http://www-genome.wi.mit.edu/cgi-bin/contig/rhmapper.pl>) to determine the probable chromosomal location. Using this approach, P501S was mapped to the long arm of chromosome 1 at WI-9641 between q32 and q42. This region of chromosome 1 has been linked to prostate cancer susceptibility in hereditary prostate cancer (Smith *et al.* *Science* 274:1371-1374, 1996 and Berthon *et al.* *Am. J. Hum. Genet.* 62:1416-1424, 1998). These results suggest that P501S may play a role in prostate cancer malignancy.

## EXAMPLE 20

### REGULATION OF EXPRESSION OF THE PROSTATE-SPECIFIC ANTIGEN P501S

10

Steroid (androgen) hormone modulation is a common treatment modality in prostate cancer. The expression of a number of prostate tissue-specific antigens have previously been demonstrated to respond to androgen. The responsiveness of the prostate-specific antigen P501S to androgen treatment was examined in a tissue culture system as follows.

15

Cells from the prostate tumor cell line LNCaP were plated at  $1.5 \times 10^6$  cells/T75 flask (for RNA isolation) or  $3 \times 10^5$  cells/well of a 6-well plate (for FACS analysis) and grown overnight in RPMI 1640 media containing 10% charcoal-stripped fetal calf serum (BRL Life Technologies, Gaithersburg, MD). Cell culture was continued for an additional 72 hours in RPMI 1640 media containing 10% charcoal-stripped fetal calf serum, with 1 nM of the synthetic androgen Methyltrienolone (R1881; New England Nuclear) added at various time points. Cells were then harvested for RNA isolation and FACS analysis at 0, 1, 2, 4, 8, 16, 24, 28 and 72-hours post androgen addition. FACS analysis was performed using the anti-P501S antibody 10E3-G4-D3 and permeabilized cells.

25

For Northern analysis, 5-10 micrograms of total RNA was run on a formaldehyde denaturing gel, transferred to Hybond-N nylon membrane (Amersham Pharmacia Biotech, Piscataway, NJ), cross-linked and stained with methylene blue. The filter was then prehybridized with Church's Buffer (250 mM  $\text{Na}_2\text{HPO}_4$ , 70 mM  $\text{H}_3\text{PO}_4$ , 1 mM EDTA, 1% SDS, 1% BSA in pH 7.2) at 65 °C for 1 hour. P501S DNA was

30

labeled with  $^{32}\text{P}$  using High Prime random-primed DNA labeling kit (Boehringer Mannheim). Unincorporated label was removed using MicroSpin S300-HR columns (Amersham Pharmacia Biotech). The RNA filter was then hybridized with fresh Church's Buffer containing labeled cDNA overnight, washed with 1X SCP (0.1 M NaCl, 0.03 M  $\text{Na}_2\text{HPO}_4 \cdot 7\text{H}_2\text{O}$ , 0.001 M  $\text{Na}_2\text{EDTA}$ ), 1% sarkosyl (n-lauroylsarcosine) and exposed to X-ray film.

Using both FACS and Northern analysis, P501S message and protein levels were found to increase in response to androgen treatment.

10

## EXAMPLE 20

## PREPARATION OF FUSION PROTEINS OF PROSTATE-SPECIFIC ANTIGENS

The example describes the preparation of a fusion protein of the prostate-specific antigen P703P and a truncated form of the known prostate antigen PSA. The truncated form of PSA has a 21 amino acid deletion around the active serine site. The expression construct for the fusion protein also has a restriction site at 3' end, immediately prior to the termination codon, to aid in adding cDNA for additional antigens.

The full-length cDNA for PSA was obtained by RT-PCR from a pool of RNA from human prostate tumor tissues using the primers of SEQ ID NO: 607 and 608, and cloned in the vector pCR-Blunt II-TOPO. The resulting cDNA was employed as a template to make two different fragments of PSA by PCR with two sets of primers (SEQ ID NO: 609 and 610; and SEQ ID NO: 611 and 612). The PCR products having the expected size were used as templates to make truncated forms of PSA by PCR with the primers of SEQ ID NO: 611 and 613, which generated PSA (delta 208-218 in amino acids). The cDNA for the mature form of P703P with a 6X histidine tag at the 5' end, was prepared by PCR with P703P and the primers of SEQ ID NO: 614 and 615. The cDNA for the fusion of P703P with the truncated form of PSA (referred to as FOPP) was then obtained by PCR using the modified P703P cDNA and the truncated form of PSA cDNA as templates and the primers of SEQ ID NO: 614 and 615. The FOPP

cDNA was cloned into the NdeI site and XhoI site of the expression vector pCRX1, and confirmed by DNA sequencing. The determined cDNA sequence for the fusion construct FOPP is provided in SEQ ID NO: 616, with the amino acid sequence being provided in SEQ ID NO: 617.

- 5                   The fusion FOPP was expressed as a single recombinant protein in *E. coli* as follows. The expression plasmid pCRX1FOPP was transformed into the *E. coli* strain BL21-CodonPlus RIL. The transformant was shown to express FOPP protein upon induction with 1 mM IPTG. The culture of the corresponding expression clone was inoculated into 25 ml LB broth containing 50 ug/ml kanamycin and 34 ug/ml
- 10 chloramphenicol, grown at 37 °C to OD600 of about 1, and stored at 4 °C overnight. The culture was diluted into 1 liter of TB LB containing 50 ug/ml kanamycin and 34 ug/ml chloramphenicol, and grown at 37 °C to OD600 of 0.4. IPTG was added to a final concentration of 1 mM, and the culture was incubated at 30 °C for 3 hours. The cells were pelleted by centrifugation at 5,000 RPM for 8 min. To purify the protein, the
- 15 cell pellet was suspended in 25 ml of 10 mM Tris-Cl pH 8.0, 2mM PMSF, complete protease inhibitor and 15 ug lysozyme. The cells were lysed at 4 °C for 30 minutes, sonicated several times and the lysate centrifuged for 30 minutes at 10,000 x g. The precipitate, which contained the inclusion body, was washed twice with 10 mM Tris-Cl pH 8.0 and 1% CHAPS. The inclusion body was dissolved in 40 ml of 10 mM Tris-Cl
- 20 pH 8.0, 100 mM sodium phosphate and 8 M urea. The solution was bound to 8 ml Ni-NTA (Qiagen) for one hour at room temperature. The mixture was poured into a 25 ml column and washed with 50 ml of 10 mM Tris-Cl pH 6.3, 100 mM sodium phosphate, 0.5% DOC and 8M urea. The bound protein was eluted with 350 mM imidazole, 10 mM Tris-Cl pH 8.0, 100 mM sodium phosphate and 8 M urea. The fractions containing
- 25 FOPP proteins were combined and dialyzed extensively against 10 mM Tris-Cl pH 4.6, aliquoted and stored at - 70 °C.

## EXAMPLE 21

REAL-TIME PCR CHARACTERIZATION OF THE PROSTATE-SPECIFIC ANTIGEN P501S IN  
PERIPHERAL BLOOD OF PROSTATE CANCER PATIENTS

5           Circulating epithelial cells were isolated from fresh blood of normal individuals and metastatic prostate cancer patients, mRNA isolated and cDNA prepared using real-time PCR procedures. Real-time PCR was performed with the Taqman™ procedure using both gene specific primers and probes to determine the levels of gene expression.

10           Epithelial cells were enriched from blood samples using an immunomagnetic bead separation method (Dynal A.S., Oslo, Norway). Isolated cells were lysed and the magnetic beads removed. The lysate was then processed for poly A+ mRNA isolation using magnetic beads coated with Oligo(dT)25. After washing the beads in buffer, bead/poly A+ RNA samples were suspended in 10 mM Tris HCl pH 8.0  
15 and subjected to reversed transcription. The resulting cDNA was subjected to real-time PCR using gene specific primers. Beta-actin content was also determined and used for normalization. Samples with P501S copies greater than the mean of the normal samples + 3 standard deviations were considered positive. Real time PCR on blood samples was performed using the Taqman™ procedure but extending to 50 cycles using  
20 forward and reverse primers and probes specific for P501S. Of the eight samples tested, 6 were positive for P501S and  $\beta$ -actin signal. The remaining 2 samples had no detectable  $\beta$ -actin or P501S. No P501S signal was observed in the four normal blood samples tested.

25

## EXAMPLE 22

EXPRESSION OF THE PROSTATE-SPECIFIC ANTIGENS P703P AND P501S IN  
SCID MOUSE-PASSAGED PROSTATE TUMORS

30           When considering the effectiveness of antigens in the treatment of prostate cancer, the continued presence of the antigens in tumors during androgen



ablation therapy is important. The presence of the prostate-specific antigens P703P and P501S in prostate tumor samples grown in SCID mice in the presence of testosterone was evaluated as follows.

Two prostate tumors that had metastasized to the bone were removed from patients, implanted into SCID mice and grown in the presence of testosterone. Tumors were evaluated for mRNA expression of P703P, P501S and PSA using quantitative real time PCR with the SYBR green assay method. Expression of P703P and P501S in a prostate tumor was used as a positive control and the absence in normal intestine and normal heart as negative controls. In both cases, the specific mRNA was present in late passage tumors. Since the bone metastases were grown in the presence of testosterone, this implies that the presence of these genes would not be lost during androgen ablation therapy.

#### EXAMPLE 23

##### ANTI-P503S MONOCLONAL ANTIBODY INHIBITS TUMOR GROWTH *IN VIVO*

The ability of the anti-P503S monoclonal antibody 20D4 to suppress tumor formation in mice was examined as follows.

Ten SCID mice were injected subcutaneously with HEK293 cells that expressed P503S. Five mice received 150 micrograms of 20D4 intravenously at day 0 (time of tumor cell injection), day 5 and day 9. Tumor size was measured for 50 days. Of the five animals that received no 20D4, three formed detectable tumors after about 2 weeks which continued to enlarge throughout the study. In contrast, none of the five mice that received 20D4 formed tumors. These results demonstrate that the anti-P503S Mab 20D4 displays potent anti-tumor activity *in vivo*.

#### EXAMPLE 24

##### CHARACTERIZATION OF A T CELL RECEPTOR CLONE FROM A P501S-SPECIFIC T CELL CLONE

T cells have a limited lifespan. However, cloning of T cell receptor (TCR) chains and subsequent transfer essentially enables infinite propagation of the T

cell specificity. Cloning of tumor-antigen TCR chains allows the transfer of the specificity into T cells isolated from patients that share the TCR MHC-restricting allele. Such T cells could then be expanded and used in adoptive transfer settings to introduce the tumor antigen specificity into patients carrying tumors that express the antigen. T  
 5 cell receptor alpha and beta chains from a CD8 T cell clone specific for the prostate-specific antigen P501S were isolated and sequenced as follows.

Total mRNA from  $2 \times 10^6$  cells from CTL clone 4E5 (described above in Example 12) was isolated using Trizol reagent and cDNA was synthesized. To determine Va and Vb sequences in this clone, a panel of Va and Vb subtype-specific  
 10 primers was synthesized and used in RT-PCR reactions with cDNA generated from each of the clones. The RT-PCR reactions demonstrated that each of the clones expressed a common Vb sequence that corresponded to the Vb7 subfamily. Furthermore, using cDNA generated from the clone, the Va sequence expressed was determined to be Va6. To clone the full TCR alpha and beta chains from clone 4E5,  
 15 primers were designed that spanned the initiator and terminator-coding TCR nucleotides. The primers were as follows: TCR Valpha-6 5'(sense): GGATCC---GCCGCCACC---ATGTCACCTTCTAGCCTGCT (SEQ ID NO: 756) BamHI site Kozak TCR alpha sequence TCR alpha 3' (antisense): GTCGAC---TCAGCTGGACCACAGCCGCAG (SEQ ID NO: 757) SalI site TCR alpha constant  
 20 sequence TCR Vbeta-7. 5'(sense): GGATCC---GCCGCCACC---ATGGGCTGCAGGCTGCTCT (SEQ ID NO: 758) BamHI site Kozak TCR alpha sequence TCR beta 3' (antisense): GTCGAC---TCAGAAATCCTTTCTCTTGAC (SEQ ID NO: 759) SalI site TCR beta constant sequence. Standard 35 cycle RT-PCR reactions were established using cDNA synthesized from the CTL clone and the above  
 25 primers, employing the proofreading thermostable polymerase PWO (Roche, Nutley, NJ).

The resultant specific bands (approx. 850 bp for alpha and approx. 950 for beta) were ligated into the PCR blunt vector (Invitrogen) and transformed into *E. coli*. *E. coli* transformed with plasmids containing full-length alpha and beta chains  
 30 were identified, and large scale preparations of the corresponding plasmids were generated. Plasmids containing full-length TCR alpha and beta chains were submitted

for sequencing. The sequencing reactions demonstrated the cloning of full-length TCR alpha and beta chains with the determined cDNA sequences for the Vb and Va chains being shown in SEQ ID NO: 760 and 761, respectively. The corresponding amino acid sequences are shown in SEQ ID NO: 762 and 763, respectively. The Va sequence was  
5 shown by nucleotide sequence alignment to be 99% identical (347/348) to Va6.2, and the Vb to be 99% identical to Vb7 (336/338).

From the foregoing it will be appreciated that, although specific embodiments of the invention have been described herein for purposes of illustration,  
10 various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the invention is not limited except as by the appended claims.

## CLAIMS

## What is Claimed:

1. An isolated polynucleotide comprising a sequence selected from the group consisting of:

(a) sequences provided in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788;

(b) complements of the sequences provided in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788;

(c) sequences consisting of at least 20 contiguous residues of a sequence provided in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788;

(d) sequences that hybridize to a sequence provided in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788 under moderately stringent conditions;

(e) sequences having at least 75% identity to a sequence of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-

375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788;

(f) sequences having at least 90% identity to a sequence of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788; and

(g) degenerate variants of a sequence provided in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 and 786-788.

2. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of:

(a) sequences recited in SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534, 537-551, 553-568, 573-586, 588-590, 592, 627-629, 632, 633, 635, 637, 638, 656-671, 675, 683, 684, 710, 712, 714, 715, 717-719, 723-734, 736, 740-750, 752, 754, 755, 766-772, 777-785 and 789-791;

(b) sequences having at least 70% identity to a sequence of SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534, 537-551, 553-568, 573-586, 588-590, 592, 627-629, 632, 633, 635, 637, 638, 656-671, 675, 683, 684, 710, 712, 714, 715, 717-719, 723-734, 736, 740-750, 752, 754, 755, 766-772, 777-785 and 789-791;

(c) sequences having at least 90% identity to a sequence of SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534, 537-551, 553-568, 573-586, 588-590, 592, 627-

629, 632, 633, 635, 637, 638, 656-671, 675, 683, 684, 710, 712, 714, 715, 717-719, 723-734, 736, 740-750, 752, 754, 755, 766-772, 777-785 and 789-791;

- (d) sequences encoded by a polynucleotide of claim 1;
- (e) sequences having at least 70% identity to a sequence encoded by a polynucleotide of claim 1; and
- (f) sequences having at least 90% identity to a sequence encoded by a polynucleotide of claim 1.

3. An expression vector comprising a polynucleotide of claim 1 operably linked to an expression control sequence.

4. A host cell transformed or transfected with an expression vector according to claim 3.

5. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a polypeptide of claim 2.

6. A method for detecting the presence of a cancer in a patient, comprising the steps of:

- (a) obtaining a biological sample from the patient;
- (b) contacting the biological sample with a binding agent that binds to a polypeptide of claim 2;
- (c) detecting in the sample an amount of polypeptide that binds to the binding agent; and
- (d) comparing the amount of polypeptide to a predetermined cut-off value and therefrom determining the presence of a cancer in the patient.

7. A fusion protein comprising at least one polypeptide according to claim 2.

8. The fusion protein of claim 7, wherein the fusion protein comprises a sequence selected from the group consisting of:

(a) sequences provided in SEQ ID NO: 682, 692, 695, 699, 703 and 709; and

(b) sequences encoded by SEQ ID NO: 679, 691, 696, 700, 704 and 708.

9. An oligonucleotide that hybridizes to a sequence recited in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535, 536, 552, 569-572, 587, 591, 593-606, 618-626, 630, 631, 634, 636, 639-655, 674, 680, 681, 711, 713, 716, 720-722, 735, 737-739, 751, 753, 764, 765, 773-776 or 786-788 under moderately stringent conditions.

10. A method for stimulating and/or expanding T cells specific for a tumor protein, comprising contacting T cells with at least one component selected from the group consisting of:

(a) polypeptides according to claim 2;  
(b) polynucleotides according to claim 1; and  
(c) antigen-presenting cells that express a polypeptide according to claim 1,

under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

11. An isolated T cell population, comprising T cells prepared according to the method of claim 10.

12. A composition comprising a first component selected from the group consisting of physiologically acceptable carriers and immunostimulants, and a second component selected from the group consisting of:

- (a) polypeptides according to claim 2;
- (b) polynucleotides according to claim 1;
- (c) antibodies according to claim 5;
- (d) fusion proteins according to claim 7;
- (e) T cell populations according to claim 11; and
- (f) antigen presenting cells that express a polypeptide according to claim 2.

13. A method for stimulating an immune response in a patient, comprising administering to the patient a composition of claim 12.

14. A method for the treatment of a cancer in a patient, comprising administering to the patient a composition of claim 12.

15. A method for determining the presence of a cancer in a patient, comprising the steps of:

- (a) obtaining a biological sample from the patient;
- (b) contacting the biological sample with an oligonucleotide according to claim 9;
- (c) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and
- (d) compare the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the presence of the cancer in the patient.

16. A diagnostic kit comprising at least one oligonucleotide according to claim 9.



17. A diagnostic kit comprising at least one antibody according to claim 5 and a detection reagent, wherein the detection reagent comprises a reporter group.

18. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4+ and/or CD8+ T cells isolated from a patient with at least one component selected from the group consisting of: (i) polypeptides according to claim 2; (ii) polynucleotides according to claim 1; and (iii) antigen presenting cells that express a polypeptide of claim 2, such that T cell proliferate; and

(b) administering to the patient an effective amount of the proliferated T cells,

thereby inhibiting the development of a cancer in the patient.




Fig. 1




Fig. 2A




Fig. 25




Fig. 3




Fig. 4




Fig. 5




Fig. 6B





Fig. 6A




# Expression of P501S by the Baculovirus Expression System



0.6 million high 5 cells in 6-well plate were infected with an unrelated control virus BV/ECD\_PD (lane 2), without virus (lane 3), or with recombinant baculovirus for P501 at different MOIs (lane 4-8). Cell lysates were run on SDS-PAGE under the reducing conditions and analyzed by Western blot with a monoclonal antibody against P501S (P501S-10E3-G4D3). Lane 1 is the biotinylated protein molecular weight marker (BioLabs).

Fig. 7

Figure 8. Mapping of the epitope recognized by 10E3-G4-D3



# Figure 1. Schematic of P501S with predicted transmembrane, cytoplasmic, and extracellular regions

MYQRLVWSRLIRK AQLLVNLTTCLEVCIAAGIT VVPPIILLEVGVVERKFN TNVLGIGPVLGVCVPIILGSAS  
 DHWRGRYGRRRP EWALSGLHLSLEIPRAGIWL AGLLCPDPRPLE LALLHGVGLIDFCGQVCFTPL  
 FALSDFRDPDHCRO AYSVYAFMISLGGCTGNIIPAI DWDTSAMAPVLTQICE  
 CLPGLHLLHFLTCVNAATLY AEFSAIGFTEPAEGHSAPLSPIHCTPCRARIAFRNLGALLPRL  
 HQLCGRMPRTLR LLYAHLSWMAINSHITFYTHP YGEGLYOGVPRARPCTIARRHIYDEGVR  
 MGSGLFLFOCAISLYESLYM DRIVQRFCTRAVYLAS VAAIPVAAQATCLSHSVAAVYTA SAA  
 LTGFTFSALQILPYTLASLY HREKQVFLPKYRGDTGGASVEDS/MTSEFLPCPKPGAPFPNCHIVGAGGSGL  
 LPPPPALCGASACDVSRYRVVVGEPTEARVVPGRG ICLDLALDSAPILSQVAPSLF MGSIVQLSQS  
 VTAYMYSAAGLGLVAIFYAT QVVFDKSDIAKYSA

Underscored sequence: Predicted transmembrane domain; **Bold sequence**: Predicted extracellular domain;  
*italic sequence*: Predicted intracellular domain. Sequence in bold/underscored: used to generate polyclonal rabbit serum

Localization of domains predicted using IMMTOPI (G.R. Tusnady and I. Simon (1998) Principles  
 Governing Amino Acid Composition of Integral Membrane Proteins: Applications to topology Prediction. J.Mol Biol. 283,  
 489-506.



**FIGURE 4. Elisa assay of rabbit polyclonal antibody specificity**




Fig. 11

## SEQUENCE LISTING

<110> Corixa Corporation  
 Smithkline Beechan Biologicals S.A.  
 Xu, Jiangchun  
 Dillon, Davin C.  
 Mitcham, Jennifer L.  
 Harlocker, Susan L.  
 Jiang, Yuqui  
 Reed, Steven G.  
 Kalos, Michael D.  
 Fanger, Gary R.  
 Retter, Marc W.  
 Stolk, John A.  
 Day, Craig H.  
 Skeiky, Yasir A.W.  
 Wang, Aijun  
 Meagher, Medeleine Joy  
 Vanderbrugge, Didier  
 Dewerchin, Marianne  
 Dehottay, Ph.  
 de Rop, Philippe

<120> COMPOSITIONS AND METHODS FOR THE THERAPY AND  
 DIAGNOSIS OF PROSTATE CANCER

<130> 210121.42722PC

<140> PCT

<141> 2001-01-16

<160> 792

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 814

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(814)

<223> n = A,T,C or G

<400> 1

tttttttttt	tttttcacag	tataacagct	ctttatttct	gtgagttcta	ctaggaaatc	60
atcaaattctg	agggttgtct	ggaggacttc	aatacacctc	cccccatagt	gaatcagctt	120
ccaggggggtc	cagtcctctc	ccttacttca	tccccatccc	atgccaaagg	aagaccctcc	180
ctccttggtc	cacagccttc	tctaggcttc	ccagtgcttc	caggacagag	tgggttatgt	240
tttcagctcc	atccttgctg	tgagtgtctg	gtgcgttggtg	cctccagctt	ctgctcagtg	300
cttcatggac	agtgtccagc	acatgtcact	ctccactctc	tcagtgtgga	tccactagtt	360
ctagagcggc	cgccaccgcg	gtggagctcc	agcttttggt	cccttttagtg	agggttaatt	420
gcgcgcttg	cgtaatcatg	gtcataactg	tttctgtgtg	gaaattgtta	tccgctcaca	480
attccacaca	acatacgagc	cggaagcata	aagtgtaaag	cctgggggtgc	ctaattagtg	540
anctaactca	cattaattgc	gttgcgctca	ctgnccgctt	tccagtcnng	aaaactgtcg	600
tgccagctgc	attaatgaat	cgccaacgc	ncggggaaaa	gcggtttgctg	ttttgggggc	660

tcttccgctt	ctcgcctcact	nantcctgcg	ctcggctcctt	cggtgcggg	gaaagggtatc	720
actcctcaaa	ggnggtatta	cggttatccn	naaatcnggg	gatacccnng	aaaaaanttt	780
aacaaaaggg	cancaaaggg	cngaaacgta	aaaa			814

&lt;210&gt; 2

&lt;211&gt; 816

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(816)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 2

acagaaatgt	tggatggtgg	agcacctttc	tatacgactt	acaggacagc	agatggggaa	60
ttcatggctg	ttggagcaat	agaaccccag	ttctacgagc	tgctgatcaa	aggacttggg	120
ctaaagtctg	atgaacttcc	caatcagatg	agcatggatg	attggccaga	aatgaagaag	180
aagttttcag	atgtatttgc	aaagaagacg	aaggcagagt	ggtgtcaa	ctttgacggc	240
acagatgcct	gtgtgactcc	ggttctgact	tttgaggagg	ttgttcatca	tgatcacaac	300
aaggaacggg	gctcgtttat	caccagttag	gagcaggacg	tgagcccccg	ccctgcacct	360
ctgctgttaa	acaccccagc	catcccttct	ttcaaaagg	atccactagt	tctagaagcg	420
gccgccaccg	cggtggagct	ccagcttttg	ttcccttttag	tgagggttaa	ttgcgcgctt	480
ggcgtaata	tggtcatagc	tgtttcctgt	gtgaaattgt	tatccgctca	caattccccc	540
aacatacgag	ccggaacata	aagtgttaag	cctgggggtgc	ctaattgagt	agctaactcn	600
cattaattgc	gttgcgctca	ctgcccgtct	tccagtcggg	aaaactgtcg	tgccactgcn	660
ttantgaatc	ngccaccccc	cgggaaaagg	cggttgcntt	ttgggcctct	tccgctttcc	720
tcgctcattg	atcctngcnc	ccggtcttcg	gctgcggnga	acggttcact	cctcaaaggc	780
ggtntnccgg	ttatccccaa	acnggggata	cccnga			816

&lt;210&gt; 3

&lt;211&gt; 773

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(773)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 3

cttttgaaag	aagggatggc	tgggggtgtt	aacagcagag	gtgcagggcg	ggggctcacg	60
tcctgtcctc	cactggtgat	aaacgagccc	cgttccttgt	tgtgatcatg	atgaacaacc	120
tcctcaaaag	tcagaaccgg	agtcacacag	gcatctgtgc	cgtcaaagat	ttgacaccac	180
tctgccttcg	tcttccttgc	aaatacatct	gcaaacttct	tcttcatttc	tgcccaatca	240
tccatgctca	tctgattggg	aagttcatca	gacttttagtc	canntccttt	gatcagcagc	300
tcgtagaact	ggggttctat	tgctccaaca	gccatgaatt	ccccatctgc	tgctcgttaa	360
gtcgtataga	aagggtgctc	accatccaac	atgttctgtc	ctcgaggggg	ggcccggtag	420
ccaattcgcc	ctatantgag	tcgtattacg	cgcgctcact	ggccgtcggt	ttacaacgtc	480
gtgactggga	aaaccctggg	cgttaccaac	ttaatcgctt	tgacgacacat	ccccctttcg	540
ccagctgggc	gtaatanoga	aaaggcccgc	accgatcgcc	cttccaacag	ttgcgcacct	600
gaatgggnaa	atgggacccc	cctgttaccg	cgcattnaac	ccccgcnggg	tttngttgtt	660
acccccacnt	nnaccgctta	cactttgcca	gcgccttanc	gcccgtctcc	tttcnccttt	720
cttcccttcc	tttcnncncc	ctttcccccg	gggtttcccc	cntcaaaccc	cna	773

&lt;210&gt; 4

&lt;211&gt; 828

&lt;212&gt; DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(828)

<223> n = A,T,C or G

<400> 4

cctcctgagt	cctactgacc	tgtgctttct	ggtgtggagt	ccagggctgc	taggaaaagg	60
aatgggcaga	cacaggtgta	tgccaatgtt	tctgaaatgg	gtataatttc	gtcctctcct	120
tcggaacact	ggctgtctct	gaagacttct	cgctcagttt	cagtgaggac	acacacaaaag	180
acgtgggtga	ccatgttggt	tgtgggggtgc	agagatggga	gggggtggggc	ccaccctgga	240
agagtggaca	gtgacacaaag	gtggacactc	tctacagatc	actgaggata	agctggagcc	300
acaatgcatg	aggcacacac	acagcaagga	tgacnctgta	aacatagccc	acgtgtcct	360
gngggcactg	ggaagcctan	atnaggccgt	gagcanaaag	aaggggagga	tccactagtt	420
ctanagcggc	cgccaccgcg	gtgganctcc	ancttttggt	cccttttagtg	aggggttaatt	480
gcgcgcttgg	cntaatcatg	gtcatanctn	tttctgtgtg	gaaattgtta	tccgctcaca	540
attccacaca	acatacganc	cggaaacata	aantgtaaac	ctgggggtgcc	taatgantga	600
ctaactcaca	ttaattgctg	tgcgctcact	gcccgccttc	caatcnggaa	acctgtcttg	660
ccncttgcat	tnatgaatcn	gccaaacccc	ggggaaaagc	gtttgcgttt	tgggcgctct	720
tccgcttctc	cnctcantta	ntccctncnc	tcgggtcattc	cggctgcngc	aaaccggttc	780
accnctcca	aaggggggtat	tccggtttcc	ccnaatccgg	gganancc		828

<210> 5

<211> 834

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(834)

<223> n = A,T,C or G

<400> 5

tttttttttt	tttttactga	tagatggaat	ttattaagct	tttcacatgt	gatagcacat	60
agtttttaatt	gcatccaaag	tactaacaaa	aactctagca	atcaagaatg	gcagcatgtt	120
atttttataac	aatcaacacc	tgtggctttt	aaaatttggg	tttcataaga	taattttatac	180
tgaagtaaatt	ctagccatgc	ttttaaaaaa	tgcttttaggt	cactccaagc	ttggcagtta	240
acattttggca	taaacaataa	taaaacaatc	acaattttaat	aaataacaaa	tacaacattg	300
tagggcataa	tcatatacag	tataaggaaa	aggtggtagt	gttgagtaag	cagttattag	360
aatagaatac	cttggcctct	atgcaaatat	gtctagacac	tttgattcac	tcagccctga	420
cattcagttt	tcaaagtagg	agacaggttc	tacagtatca	ttttacagtt	tccaacacat	480
tgaaaacaag	tagaaaatga	tgagttgatt	tttattaatg	cattacatcc	tcaagagtta	540
tcaccaaccc	ctcagttata	aaaaattttc	aagttatatt	agtcataata	cttggtgtgc	600
ttatttttaa	ttagtgtctaa	atggattaag	tgaagacaac	aatggtcccc	taatgtgatt	660
gatattggtc	atttttacca	gcttctaaat	ctnaactttc	aggcttttga	actggaacat	720
tgatnatacag	tgttccanag	ttncaaccta	ctggaacatt	acagtgtgct	tgattcaaaa	780
tgttattttg	ttaaaaatta	aatttttaacc	tggtggaaaa	ataatttgaa	atna	834

<210> 6

<211> 818

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(818)

<223> n = A,T,C or G



&lt;400&gt; 6

tttttttttt	tttttttttt	aagaccctca	tcaatagatg	gagacataca	gaaatagtca	60
aaccacatct	acaaaaatgcc	agtatcaggc	ggcggcttcg	aagccaaagt	gatgtttgga	120
tgtaaaagtga	aatattagtt	ggcggatgaa	gcagatagtg	aggaaagtgtg	agccaataat	180
gacgtgaagt	ccgtggaagc	ctgtggctac	aaaaaatgtt	gagccgtaga	tgccgtcgga	240
aatggtgaag	ggagactcga	agtactctga	ggctttagtg	agggtaaaat	agagaccag	300
taaaattgta	ataagcagtg	cttgaattat	ttggtttcgg	ttgttttcta	ttagactatg	360
gtgagctcag	gtgattgata	ctcctgatgc	gagtaatacg	gatgtgttta	ggagtgggac	420
ttctagggga	tttagcgggg	tgatgcctgt	tgggggccag	tgccctccta	gttggggggt	480
aggggctagg	ctggagtggg	aaaaggctca	gaaaaatcct	gcgaagaaaa	aaacttctga	540
ggtaataaat	aggattatcc	cgtatcgaag	gcctttttgg	acaggtgggtg	tgtgggtggc	600
ttggtatgtg	ctttctcgtg	ttacatcgcg	ccatcattgg	tatatgggta	gtgtgttggg	660
ttantanggc	ctantatgaa	gaacttttgg	antggaatta	aatcaatngc	ttggccggaa	720
gtcattanga	nggctnaaaa	ggccctgtta	ngggctctgg	ctnggtttta	cccnacccat	780
ggaatncncc	ccccggacna	ntgnatccct	attcttaa			818

&lt;210&gt; 7

&lt;211&gt; 817

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(817)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 7

tttttttttt	tttttttttt	tggtctctaga	gggggtagag	ggggtgctat	agggtaaata	60
cgggccctat	ttcaaagatt	tttaggggaa	ttaattctag	gacgatgggt	atgaaactgt	120
ggtttgctcc	acagatttca	gagcattgac	cgtagtatac	ccccggctcg	gtagcgggta	180
aagtgggtttg	gttttagacgt	ccgggaattg	catctgtttt	taagcctaata	gtggggacag	240
ctcatgagtg	caagacgtct	tgtgatgtaa	ttattatacn	aatgggggct	tcaatcggga	300
gtactactcg	attgtcaacg	tcaaggagtc	gcaggtcgcc	tggttctagg	aataatgggg	360
gaagtatgta	ggaattgaag	attaatccgc	cgtagtcggg	gttctcctag	gttcaatacc	420
attggtggcc	aattgatattg	atggttaagg	gagggatcgt	tgaactcgtc	tgttatgtaa	480
aggatncctt	ngggatggga	aggcnatnaa	ggactangga	tnaatggcgg	gcangatatt	540
tcaaacngtc	tctanttcct	gaaacgtctg	aaatgttaat	aanaattaan	tttngttatt	600
gaatnttnng	gaaaagggct	tacaggacta	gaaaccaaata	angaaaanta	atnntaangg	660
cmttatcntn	aaaggtnata	accnctccta	tnatcccacc	caatngnatt	ccccacncnn	720
acnattggat	nccccanttc	canaaanggc	cnccccccg	tgnannccnc	cttttgttcc	780
cttnantgan	ggttattcnc	ccctngcntt	atcanc			817

&lt;210&gt; 8

&lt;211&gt; 799

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(799)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 8

catttccggg	tttactttct	aaggaaagcc	gagcggaagc	tgctaacgtg	ggaatcgggtg	60
cataaggaga	actttctgct	ggcacgcgct	agggacaagc	gggagagcga	ctccgagcgt	120
ctgaagcgca	cgtcccagaa	ggtggacttg	gcactgaaac	agctgggaca	catccgcgag	180
tacgaacagc	gcctgaaagt	gctggagcgg	gaggtccagc	agtgtagccg	cgtcctgggg	240

tggtggtggcg	angcctganc	cgctctgcct	tgctgcccc	angtggggcg	ccacccccctg	300
acctgcctgy	gtccaaacac	tgagccctgc	tgggcgactt	caagganaac	ccccacangg	360
ggattttgct	cctanantaa	ggctcatctg	ggcctcggcc	ccccacactg	gttggccttg	420
tctttgangt	gagccccatg	tccatctggg	ccactgtong	gaccaccttt	ngggagtgtt	480
ctccttacia	ccacannatg	ccgggtcctt	ccgggaaacc	antcccancc	tnggaaggat	540
caagnccctgn	atccactnnt	nectanaaccg	gccnccnccg	cngtggaaacc	cnccttntgt	600
tccttttctt	tnagggttaa	tnnccgcttg	gccttnccan	ngtcctncnc	nttttccnnt	660
gttnaaattg	ttangcncce	nccnntcccn	cnnccnccan	cccgaaccnn	anntttnnann	720
ncctgggggt	nccnncngat	tgaccncc	nccctntant	tgcnttnggg	nncnntgccc	780
ctttccctct	nggganncg					799

&lt;210&gt; 9

&lt;211&gt; 801

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(801)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 9

acgccttgat	cctcccaggc	tggtactggt	tctgggagga	gccgggcatg	ctgtggtttg	60
taangatgac	actcccaaag	gtggtcctga	cagtggccca	gatggacatg	gggctcacct	120
caaggacaag	gccaccagg	gcggggggcg	aagccacat	gacccctact	ctatgagcaa	180
aatcccctgt	gggggcttct	ccttgaagtc	cgccancagg	gctcagtctt	tggacccang	240
caggtcatgg	ggttgtngnc	caactggggg	ccncaacgca	aaanggcna	gggcctcngn	300
cacccatccc	angacgcggc	tacactnctg	gacctccnc	tccaccactt	tcatgcgctg	360
ttctntaccg	cgatntgtc	ccanctgttt	cngtgcenac	tccancttct	nggacgtgcg	420
ctacatacgc	ccggantcnc	nectcccgtt	tgccctatc	cacgtncan	caacaaattt	480
cncctantg	caccnattcc	cacnttttnc	agntttccnc	nncngcttc	ctntntaaaag	540
ggttganccc	cggaaaatnc	cccaaagggg	ggggggcngg	tacccaactn	ccccctnata	600
gctgaantcc	ccatnaccnn	gnctcnatgg	ancntccnt	tttaannacn	ttctnaactt	660
gggaanantc	ctcgnccntn	ccccnttaa	tccnccctg	cnangnnct	cccccnntcc	720
ncccnntng	gcntntnann	cnaaaaaggc	ccnnnancaa	tctcctnnnc	cctcanttgc	780
ccanccctcg	aaatcggecn	c				801

&lt;210&gt; 10

&lt;211&gt; 789

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(789)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 10

cagtctatnt	ggccagtgtg	gcagctttcc	ctgtggctgc	cggtgccaca	tgcctgtccc	60
acagtgtggc	cgtgggtgaca	gcttcagccg	ccctcaccgg	gttcaccttc	tcagccctgc	120
agatccctgcc	ctacacactg	gcctccctct	accaccggga	gaagcagggtg	ttcctgccca	180
aataccgagg	ggacactgga	ggtgctagca	gtgaggacag	cctgatgacc	agcttcctgc	240
caggccctaa	gcctggagct	cccttcctta	atggacacgt	gggtgctgga	ggcagtggcc	300
tgctcccacc	tccacccgcg	ctctgcccgg	cctctgcctg	tgatgtctcc	gtacgtgtgg	360
tggtgggtga	gcccaccgan	gccagggtgg	ttccggggcg	gggcatctgc	ctggacctcg	420
ccatccctgga	tagtgcttcc	tgctgtccca	ngtggcccca	tccctgttta	tgggtcccat	480
tgtccagctc	agccagtctg	tcactgccta	tatgggtgtct	gccgcaggcc	tgggtctggg	540
cccatttact	ttgctacaca	ggtantattt	gacaagaacg	anttggccaa	atactcagcg	600

ttaaaaaatt	ccagcaacat	tgggggtgga	aggcctgcct	cactgggtcc	aactccccgc	660
tcctgttaac	cccatggggc	tgccggcttg	gccgccaatt	tctgttgctg	ccaaantnat	720
gtggctctct	gctgccacct	gttgctggct	gaagtgcnta	cngcncanct	nggggggtng	780
ggngttccc						789

<210> 11  
 <211> 772  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(772)  
 <223> n = A,T,C or G

<400> 11						
cccaccctac	ccaaatatta	gacaccaaca	cagaaaagct	agcaatggat	tcccttctac	60
tttgttaaat	aaataagtta	aatattttaa	tgctgtgtc	tctgtgatg	caacagaagg	120
accaacaggc	cacatcctga	taaaaggtaa	gaggggggtg	gatcagcaaa	aagacagtgc	180
tgtgggctga	ggggacctgg	ttcttgtgtg	ttgcccctca	ggactcttcc	cctacaaata	240
actttcatat	gttcaaatcc	catggaggag	tgtttcatcc	tagaaactcc	catgcaagag	300
ctacattaaa	cgaagctgca	ggttaagggg	cttanagatg	ggaaaccagg	tgactgagtt	360
tattcagctc	ccaaaaaccc	ttctctaggt	gtgtctcaac	taggaggcta	gctgttaacc	420
ctgagcctgg	gtaatccacc	tgagagtgcc	ccgcattcca	gtgcatggaa	cccttctggc	480
ctccctgtat	aagtccagac	tgaaaccccc	ttggaaggnc	tccagtcagg	cagccctana	540
aactggggaa	aaaagaaaag	gacgcccanc	ccccagctg	tgcanctacy	cacctcaaca	600
gcacagggtg	gcagcaaaaa	aaccacttta	ctttggcaca	aacaaaaact	ngggggggca	660
accccgccac	cccnangggg	gttaacagga	anongggnaa	cntggaaccc	aattnaggca	720
ggcccnccac	ccnnaatntt	gctgggaaat	ttttctccc	ctaaattntt	tc	772

<210> 12  
 <211> 751  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(751)  
 <223> n = A,T,C or G

<400> 12						
gccccaatte	cagctgccac	accacccacg	gtgactgcat	tagttcggat	gtcatacaaa	60
agctgattga	agcaaccctc	tactttttgg	tcgtgagcct	tttgcttggg	gcaggtttca	120
ttggctgtgt	tggtgacgtt	gtcattgcaa	cagaatgggg	gaaaggcact	gttctctttg	180
aagtanggtg	agtcctcaaa	atccgtatag	ttggtgaagc	cacagcactt	gagccctttc	240
atggtgggtg	tccacacttg	agtgaagtct	tcctgggaac	cataatcttt	cttgatggca	300
ggcactacca	gcaacgtcag	ggaagtgtct	agccattgtg	gtgtacacca	aggcgaccac	360
agcagctgcn	acctcagcaa	tgaagatgan	gaggangatg	aagaagaacg	tcncgagggc	420
acacttgctc	tcagtccttan	caccatanca	gcccntgaaa	accaananca	aagaccacna	480
cncgggtgct	gatgaagaaa	tnaccccneg	ttgacaaact	tgcatggcac	tggganccac	540
agtggcccn	aaaatcttca	aaaaggatgc	cccactnatt	gaccccccaa	atgccacttg	600
ccaacagggg	ctgccccacn	cncnnaacga	tgancnatt	gnacaagatc	tncntggtct	660
tnatnaacnt	gaacctgcn	tngtggctcc	tgttcaggnc	cnnngcctga	cttctnaann	720
aangaactcn	gaagncccca	cngganann	g			751

<210> 13  
 <211> 729  
 <212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(729)

<223> n = A,T,C or G

<400> 13

gagccaggcg	tccctctgcc	tgcccactca	gtggcaacac	ccgggagctg	ttttgtcctt	60
tgtggancct	cagcagtncc	ctctttcaga	actcantgcc	aaganccctg	aacaggagcc	120
accatgcagt	gcttcagctt	cattaagacc	atgatgatcc	tcttcaattt	gtcatctttt	180
ctgtgtggtg	cagccctgtt	ggcagtgggc	atctgggtgt	caatcgatgg	ggcatccttt	240
ctgaagatct	tggggccact	gtcgtccagt	gccatgcagt	ttgtcaacgt	gggctacttc	300
ctcatcgtag	ccggcgcttg	ggtcttagct	ctaggtttcc	tgggctgcta	tgggtgctaag	360
actgagagca	agtgtgccct	cgtgacgttc	ttcttcatcc	tectcctcat	cttcattgct	420
gaggttgcaa	tgtgtgtgtc	gccttggtgt	acaccacaat	ggctgagcac	ttcctgacgt	480
tgtgtgtaat	gcctgccatc	aanaaaagat	tatgggttcc	caggaanact	tactcaagt	540
gttggaacac	caccatgaaa	gggctcaagt	gctgtggctt	cnnccaacta	tacggatttt	600
gaagantcac	ctacttcaaa	gaaaanagtg	cctttccccc	atttctgttg	caattgacaa	660
acgtccccaa	cacagccaat	tgaaaacctg	cacccaacct	aaanggggtc	ccaaccanaa	720
attnaagg						729

<210> 14

<211> 816

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(816)

<223> n = A,T,C or G

<400> 14

tgtctcttcc	caaagttgtt	cttgttgcca	taacaaccac	cataggtaaa	gcgggagcag	60
tgttcgctga	aggggttgta	gtaccagcgc	gggatgctct	ccttgagag	tcctgtgtct	120
ggcaggtcca	cgcagtcccc	tttgtacttg	gggaaatgga	tgcgctggag	ctcgtcaaaag	180
ccactcgtgt	atttttcaca	ggcagcctcg	tccgacgcgt	cggggcagtt	gggggtgtct	240
tcacactcca	ggaaactgtc	natgcagcag	ccattgctgc	agcggaaactg	ggtgggctga	300
cangtgccaag	agcacactgg	atggcgcctt	tccatgnnan	gggccctgng	ggaaagtccc	360
tganccccan	anctgcctct	caaangcccc	accttgacac	ccccgacagg	ctagaatgga	420
atcttcttcc	cgaaggttag	ttnttcttgt	tgcccaancc	anccccntaa	acaaactctt	480
gcanatctgc	tccngggggg	tontantacc	ancgtgggaa	aagaacccca	ggcngcgaac	540
caancttgtt	tggatncgaa	gcnataatct	nctnttctgc	ttggtggaca	gcaccantna	600
ctgtnnanct	ttagnccntg	gtcctcntgg	gttgnncttg	aacctaatcn	ccnntcaact	660
gggacaaggt	aantngccnt	cctttnaatt	cccnancntn	ccccctgggt	tgggggtttt	720
cncnctccta	ccccagaaan	nccgtgttcc	cccccaacta	ggggccnaaa	ccnnttnttc	780
cacaaccctn	ccccaccac	gggttcngnt	ggttng			816

<210> 15

<211> 783

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(783)

<223> n = A,T,C or G

&lt;400&gt; 15

ccaaggcctg	ggcaggcata	nacttgaagg	tacaacccca	ggaacccctg	gtgctgaagg	60
atgtgaaaa	cacagattgg	cgcctactgc	ggggtgacac	ggatgtcagg	gtagagagga	120
aagacccaaa	ccaggtggaa	ctgtggggac	tcaaggaang	cacctacctg	ttccagctga	180
cagtgaactag	ctcagaccac	ccagaggaca	cggccaacgt	cacagtcact	gtgctgtcca	240
ccaagcagac	agaagactac	tgcctcgcac	ccaacaangt	gggtcgctgc	cggggctctt	300
tcccacgctg	gtactatgac	cccacggagc	agatctgcaa	gagtttcgtt	tatggaggct	360
gcttgggcaa	caagaacaac	taccttcggg	aagaagagtg	cattctancc	tgtcnggggtg	420
tgcaagggtg	gcctttgana	ngcanctctg	gggtcangc	gactttcccc	cagggggccct	480
ccatgaaaag	gcgccatcca	ntgttctctg	gcacctgtca	gccccaccag	ttccgctgca	540
ncaatggctg	ctgcatcnac	antttcctng	aattgtgaca	acacccccca	ntgcccccaa	600
ccctoccaa	aaagcttccc	tgttnaaaaa	tacnccantt	ggcttttnac	aaacncccg	660
cncctcctt	ttccccnntn	aacaaagggc	ncnngcnttt	gaactgcccn	aaccnnggaa	720
tctnccnng	aaaaantncc	ccccctggtt	cctnnaancc	cctccncaaa	anctncccc	780
ccc						783

&lt;210&gt; 16

&lt;211&gt; 801

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(801)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 16

gccccaatc	cagctgccac	accaaccacg	gtgactgcat	tagttcggat	gtcatacaaa	60
agctgattga	agcaaccctc	tacttttttg	tcgtgagcct	tttgcttgg	gcaggtttca	120
ttggctgtgt	tgggtgacgt	gtcattgcaa	cagaatggg	gaaaggcact	gttctctttg	180
aagtaggggtg	agtcctcaaa	atcogtatag	ttgggtgaagc	cacagcactt	gagccctttc	240
atggtggtgt	tccacacttg	agtgaagtct	tcctgggaac	cataatcttt	cttgatggca	300
ggcactacca	gcaacgtcag	gaagtgtctca	gccattgttg	tgtacaccaa	ggcgaccaca	360
gcagctgcaa	cctcagcaat	gaagatgagg	aggaggatga	agaagaacgt	cncgagggca	420
cacttgctct	ccgtcttagc	accatagcag	cccangaaac	caagagcaaa	gaccacaacg	480
ccngctgcga	atgaaagaaa	ntaccacagt	tgacaaactg	catggccact	ggacgacagt	540
tggcccgaan	atcttcagaa	aagggatgcc	ccatcgattg	aacacccana	tgccactgc	600
cnacagggct	gcncncncn	gaaagaatga	gccattgaag	aaggatcntc	ntggctctaa	660
tgaactgaaa	ccntgcatgg	tggcccctgt	tcagggctct	tggcagtga	ttctganaaa	720
aaggaacngc	ntnagcccc	ccaaangana	aaacaccccc	gggtgttgcc	ctgaattggc	780
ggccaaggan	cctgccccn	g				801

&lt;210&gt; 17

&lt;211&gt; 740

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(740)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 17

gtgagagcca	ggcgtccctc	tgcctgccca	ctcagtggca	acaccggga	gctgttttgt	60
cctttgtgga	gcctcagcag	ttccctcttt	cagaactcac	tgccaagagc	cctgaacagg	120
agccaccatg	cagtgtctca	gcttcattaa	gaccatgatg	atcctcttca	atttgctcat	180
ctttctgtgt	ggtgcagccc	tgttggcagt	gggcatctgg	gtgtcaatcg	atggggcatc	240
ctttctgaa	atcttcgggc	cactgtcgtc	cagtgccatg	cagtttgtca	acgtgggcta	300

cttcctcctc	gcagccggcg	ttgtgggtctt	tgtcttttgg	ttcctgggct	gctatgggtgc	360
taagacggag	agcaagtgtg	ccctcgtgac	gttcttcttc	atcctcctcc	tcattcttcat	420
tgtctgaagt	gcagctgctg	tggctgcctt	gggtgtacacc	acaatggctg	aaccattcct	480
gacgttgctg	gtantgcctg	ccatcaanaa	agattatggg	ttcccaggaa	aaattcactc	540
aantntggaa	caccnccatg	aaaagggtct	caatttctgn	tggcttcccc	aactataccg	600
gaattttgaa	agantcncct	tacttccaaa	aaaaaanant	tgccttttnc	ccntttctgt	660
tgcaatgaaa	acntcccaan	acngccaatn	aaaacctgcc	cnnncaaaaa	ggntcncaaa	720
caaaaaaant	nnaagggttn					740

<210> 18  
 <211> 802  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(802)  
 <223> n = A,T,C or G

<400> 18		
ccgctgggtt	cgctgggtcca gngnagccac gaagcacgtc agcatacaca gcctcaatca 60	
caaggtcttc	cagctgccgc acattacgca gggcaagagc ctccagcaac actgcatatg 120	
ggatacactt	tacttttagca gccagggtga caactgagag gtgtcgaagc ttattcttct 180	
gagcctctgt	tagtggagga agattccggg ctccagctaa gtatgcagcg tatgtcccat 240	
aagcaaacac	tgtgagcagc cggaaggtag aggcaaagtc actctcagcc agctctctaa 300	
cattgggcat	gtccagcagt tctccaaaca cgtagacacc agnggcctcc agcacctgat 360	
ggatgagtgt	ggccagcgct gcccccttgg ccgacttggc taggagcaga aattgctcct 420	
ggttctgccc	tgtcaccttc acttccgcac tcatcactgc actgagtgtg ggggacttgg 480	
gctcaggatg	tccagagacg tggttccgcc ccctcncctt atgacaccgn ccanncaacc 540	
gtcggctccc	gccgantgng ttctgtcgtnc ctgggtcagg gtctgctggc cncacttctg 600	
aancttcgtc	nggcccattg aattcaccnc accggaactn gtangatcca ctntttctat 660	
aaccggncgc	caccgcnnnt ggaactccac tcttnttnc tttacttgag ggttaaggtc 720	
acccttncg	ttaccttggg ccaaaccntn cctgtgtgtg anantngtnaa tcnngnccna 780	
tnccancnc	atangaagcc ng	802

<210> 19  
 <211> 731  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(731)  
 <223> n = A,T,C or G

<400> 19	
cnaagcttcc	aggtnacggg ccgcnaancc tgaccnagg tancanaang cagnncgcgg 60
gagcccaccg	tcacngngng gngtctttat nggagggggc ggagccacat cncgtgacnt 120
cntgacccca	actcccncnc nencantgca gtgatgagtg cagaactgaa ggtnacgtgg 180
caggaaaccaa	gancaaannc tgctccnttc caagtccgcn nagggggcgg ggctggccac 240
gncatccnt	cnagtgtctg aaagcccnnc cctgtctact tgtttggaga acngcnnga 300
catgcccagn	gttanataac nggcnagag tnannttgcc tctcccttcc ggctgcgcan 360
cngntntgct	tagnggacat aacctgacta cttactgaa ccnngaate tncnccct 420
ccactaagct	cagaacaaaa aacttcgaca ccactcantt gtcacctgnc tgcctcaagta 480
aagtgtaccc	catncccaat gntgtctnga ngctctgncc tgcnttangt tcggctcctg 540
gaagacctat	caattnaagc tatgtttctg actgcctctt gctccctgna acaancnacc 600
cnnnntcca	agggggggnc ggcccccaat ccccccaacc ntnaattnan tttancccn 660
ccccngggc	cggcctttta cnancntcnn nnacngggna aaaccnnngc tttncccaac 720

nnaatccncc t

731

<210> 20  
 <211> 754  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(754)  
 <223> n = A,T,C or G

<400> 20  
 tttttttttt tttttttttt taaaaacccc ctccattnaa tgnaaacttc cgaaattgtc 60  
 caacccccctc ntccaaatnn ccntttccgg gnggggggttc caaacccaan ttannnttgg 120  
 annttaaatt aaatnttntt tggngggnna anccnaatgt nangaaagt naaccanta 180  
 tnancctnaa tncctggaaa ccngtngntt ccaaaaatnt ttaaccctta antccctccg 240  
 aaatngttna nggaaaaccc aanttctcnt aaggttggtt gaaggntnaa tnaaaanccc 300  
 nnccaattgt ttttngccac gcctgaatta attggnttcc gntgttttcc nttaaaanaa 360  
 ggnnancccc ggttantnaa tcccccnnc cccaattata ccganttttt ttngaattgg 420  
 gancccnccg gaattaacgg ggnnntccc tnttgggggg cnggnncccc ccccntcggg 480  
 ggttngggnc aggnccnaat tgtttaaggg tccgaaaaat ccctccnaga aaaaaanctc 540  
 ccaggntgag nntnggggtt ncccccccc canggcccct ctognanagt tgggggttgg 600  
 ggggcctggg attttntttc ccctnttnc tcccccccc ccngganag aggttngngt 660  
 tttgntcnnc ggccccnccn aaganccttn ccganttnan ttaaatecnt gcctnggcga 720  
 agtcnttgn agggntaaan ggccccctnn cggg 754

<210> 21  
 <211> 755  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(755)  
 <223> n = A,T,C or G

<400> 21  
 atcancccat gacccnaac nngggaccnc tcanccggnc nnnnacnc cgccnatca 60  
 nngtnagnnc actncnttn natcacnccc cncnactac gccncnanc cnaagcncta 120  
 nncanatnc actganngcg cganngtan ngagaaanct nataccanag ncaccanacn 180  
 ccagctgtcc nanaangcct nnnatacngg nnnatccaat ntgnancctc cnaagtattn 240  
 nncnncanat gattttcctn anccgattac ccntncccc tanccctcc ccccaacna 300  
 cgaaggcnct ggncnaagg nngcgnccc ccgctagntc ccnncaagt cncncncta 360  
 aactcanccn nattaacncc ttctgagta tcaactcccc aatctcacc tactcaactc 420  
 aaaaanacn gatacaaat aatncaagcc tgnttatnac actntgactg ggtctctatt 480  
 ttagnngtcc ntnaancntc ctaatacttc cagtctncc tcnccaattt cnaangget 540  
 ctttcngaca gcatnttttg gttccnntt gggttcttan ngaattgcc ttctnngaac 600  
 gggctcctct tttccttcgg ttancctggn ttcnccggc cagttattat ttcccntttt 660  
 aaattcntnc cntttanttt tggcntttna aacccccgc cttgaaaacg gccccctggt 720  
 aaaaggttgt tttganaaaa tttttgtttt gttcc 755

<210> 22  
 <211> 849  
 <212> DNA  
 <213> Homo sapien

<220>

<221> misc\_feature  
 <222> (1)...(849)  
 <223> n = A,T,C or G

<400> 22  
 tttttttttt tttttangtg tngtcgtgca ggtagaggct tactacaant gtgaanacgt 60  
 acgctnggan taangcgacc cganttctag ganncnccct aaaatcanac tgtgaagatn 120  
 atcctgnnna cggaanggtc accggnggat nntgctaggg tgncnctcc cannncttn 180  
 cataactcng nggccctgcc caccaccttc ggcgggccng ngncggggcc cgggtcattn 240  
 gnnttaaccn cactnngcna ncggtttccn nccccnncng acccnggcga tccgggggtnc 300  
 tctgtcttcc cctgnagncn anaaantggg ccncggnccc ctttaccct nnacaagcca 360  
 cngcctcta nccncngccc cccctccant nngggggact gccnanngt ccgttncng 420  
 nnaccccnnn gggtncctcg gttgtcgant cnaccgnang ccanggattc cnaaggaagg 480  
 tgcgttnttg gccctaccc ttogctncgg nncacccttc ccgacnanga nccgtcccg 540  
 cncnncgng cctcncctcg caacaccgc nctentcngt ncggnnnccc cccacccgc 600  
 nccctcncnc ngncgnancn ctcncncnc gtctcannca ccaccccgcc ccgccaggcc 660  
 ntcnccacn ggngacnng nagenncntc gcncgcgcn gcgncnccct cgcncngaa 720  
 ctncntcngg ccantnncgc tcaanccnna cnaaacgccg ctgcgcggcc cgnagcgncc 780  
 ncctcncga gtctcccg ncttcnacc angnttccn cgaggacacn nnaccccgcc 840  
 nncangcgg 849

<210> 23  
 <211> 872  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(872)  
 <223> n = A,T,C or G

<400> 23  
 gcgcaaacta tacttcgctc gnactcgtgc gcctcgtcnc tcttttcctc cgcaaccatg 60  
 tctgacnanc ccgattnggc ngatatcnan aagntcganc agtccaaact gantaacaca 120  
 cacacncnan aganaaatcc nctgccttcc anagtanacn attgaacnng agaaccangc 180  
 nggcgaatcg taatnaggcg tgccgcgcca atntgtcnc gtttatntn ccagcncnc 240  
 ctncnacc cactcttctn nagctgtcnn acccctngtn cgnaccccc naggtcgga 300  
 tcgggtttnn nntgaccgng cnnccctcc cccctccat nacganccnc ccgcaccacc 360  
 nanngcncgc nccccgnct cttgcncnc ctgtcctntn cccctgtngc ctggcncngn 420  
 accgcattga cctcgcncn ctncnngaaa ncgnanacgt ccgggttggn annancgctg 480  
 tgggnnngcg tctgncccgc gttccttccn ncncttcca ccatcttct tacngggtct 540  
 ccncgcctc tcnncacnc cctgggacgc tntcctntgc ccccttnac tccccctt 600  
 cgncgtgncc cgnccccacc ntcatttnca nacgntcttc acaannncct ggntnnetcc 660  
 cnancngn cnatnccnag ggaaggngg ggncnntg nttgacgttg ngngangtc 720  
 cgaanantcc tcnccntcan cnetaccct cgggcgncct ctngttncc aacttancaa 780  
 ntctccccg ngngcncntc tcagcctcnc cncnccnct ctctgcantg tntctgctc 840  
 tnaccntac gantnttcgn cncctctt cc 872

<210> 24  
 <211> 815  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(815)  
 <223> n = A,T,C or G



```

<400> 24
gcatgcaagc ttgagtattc tatagngtca cctaaatanc ttggcntaat catggtcnta      60
nctgncttcc tgtgtcaaat gtatacnaan tanatatgaa tctnatntga caaganngta      120
tcntncatta gtaacaantg tnntgtccat cctgtongan canattccca tnnattncgn      180
cgcattcncn gcncantatn taatngggaa ntcnnntnnn ncaccnncat ctatcntncc      240
gcnccttgac tggagagat ggatnanttc tnntntgacc nacatgttca tcttggattn      300
aananccccc cgcngnccac cggttngnng cnagccnntc ccaagacctc ctgtggaggt      360
aacctgcgtc aganncatca aacntgggaa acccgcnnc cangtnnaagt ngnnncanan      420
gatcccgctc aggnntnacc atcccttcnc agcgccccct ttngtgcctt anagngnagc      480
gtgtccnanc cncatcaacat ganacgcgcc agnccanccg caattnggca caatgtcgnc      540
gaacccccta gggggantna tncaaanccc caggattgtc cncncangaa atcccnanc      600
ccnccctac ccnncttttg gacngtgacc aantcccgga gtncaggtcc ggccngnctc      660
ccccaccggt nncntgggg ggggtgaanct cngnntcanc cngncgaggn ntcgnaagga      720
accggncctn ggncgaanng ancnntcnga agngccnnt cgtataacc cccctcncca      780
nccnacngnt agntccccc cngggtnccg aangg                                815

```

<210> 25

<211> 775

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(775)

<223> n = A,T,C or G

```

<400> 25
ccgagatgtc tcgctccgtg gccttagctg tgctcgcgt actctctctt tctggcctgg      60
aggctatcca gcgtactcca aagattcagg ttactcacg tcatccagca gagaatggaa      120
agtcaaattt cctgaattgc tatgtgtctg ggtttcatcc atccgacatt gaanttact      180
tactgaagaa tgganagaga attgaaaaag tggagcattc agacttgtct ttcagcaagg      240
actggtcttt ctatctcntg tactacactg aattcacccc cactgaaaaa gatgagtatg      300
cctgccgtgt gaaccatgtg actttgtcac agcccaagat agttaagtgg gatcgagaca      360
tgtaagcagn cncatggaa gtttgaagat gccgcatttg gattggatga attccaaatt      420
ctgcttgctt gcnttttaat antgatatgc ntatacacc taccctttat gnccccaaat      480
tgtaggggtt acatnantgt tcnentngga catgatcttc ctttataant ccncnttcg      540
aattgccgt cncncngttn ngaatgtttc cnaaaccacg gttggctccc ccaggtcncc      600
tcttacggaa gggcctgggc cnccttncaa ggttggggga accnaaaatt tcncctntgc      660
ccncccncca cnntcttgng nncncanttt ggaacccttc cnattcccct tggcctcnna      720
nccttnncta anaaaacttn aaancgtngc naaanntttn acttcccccc ttacc                                775

```

<210> 26

<211> 820

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(820)

<223> n = A,T,C or G

```

<400> 26
anattantac agtgtaatct tttcccagag gtgtgtanag ggaacggggc ctagaggcat      60
cccanagata ncttatanca acagtgtttt gaccaagagc tgctgggcac atttcctgca      120
gaaaagggtg cggcccccat cactcctcct ctcccatagc catcccagag ggggtgagtag      180
ccatcangcc ttcggtggga gggagtcang gaaacaacan accacagagc anacagacca      240
ntgatgacca tgggcgggag cgagcctctt ccctgnaccg ggggtggcana nganagccta      300
nctgaggggg cacactataa acgttaacga ccnagatnan cacctgcttc aagtgcaccc      360

```

ttcctacctg	acnaccagng	accnnaact	gcngcctggg	gacagcnctg	ggancagcta	420
acnnagcaact	cacctgcccc	cccatggccg	tnccgntccc	tggtcctgnc	aaggggaagct	480
ccctgttgga	attncgggga	naccaaggga	nccccctcct	ccanctgtga	aggaaaaann	540
gatggaattt	tncccttccg	gccnntcccc	tcttccttta	cacgccccct	nntactcntc	600
tccctctntt	ntcctgnenc	acttttnacc	ccnnnatttc	ccttnattga	tcggannctn	660
ganattccac	tnncgcctnc	cntcnatcng	naanacnaaa	nactntctna	ccnggggat	720
gggnncctcg	ntcatcctct	ctttttcnct	accnccnntt	ctttgcctct	ccttngatca	780
tccaacntc	gntggccntn	ccccccnnn	tccttttccc			820

&lt;210&gt; 27

&lt;211&gt; 818

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(818)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 27

tctgggtgat	ggcctcttcc	tcctcagggg	cctctgactg	ctctgggcca	aagaatctct	60
tgtttcttct	ccgagcccca	ggcagcgggtg	attcagccct	gcccacactg	attctgatga	120
ctgcggatgc	tgtgacggac	ccaaggggca	aatagggtcc	cagggtccag	ggagggggcg	180
ctgctgagca	cttcgcgccc	tcaccctgcc	cagcccctgc	catgagctct	gggctgggtc	240
tccgcctcca	gggttctgct	cttccangca	ngccancaa	tggcgctggg	ccacactggc	300
ttcttctctg	cccctccctg	gctctganc	tctgtcttcc	tgtcctgtgc	angcnccttg	360
gatctcagtt	tccctcnctc	anngaactct	gtttctgann	tcttcantta	actntgantt	420
tatnaccnan	tggncctgnc	tgtcnnaact	taatgggccc	gaccggctaa	tcctcctctc	480
ntcccttcc	anttonnnna	accngcttnc	cntctctccc	ccntancccg	ccnggggaanc	540
ctcctttgcc	ctnaccangg	gccnnnaccg	cccctnnctn	ggggggcngg	gtnnctncnc	600
ctgntnnccc	cnctcncnnt	tnccctgtcc	cnnncncgcn	nngcannntc	ncngtcccn	660
tnnctcttcn	ngtntcgnaa	ngntcnctn	tnnnnngncn	ngntnntncn	tcctctcnc	720
cnnntgnang	tnntttnnnn	ncngnncccc	nnnnccnnnn	nggnntnnnn	tctnccngc	780
cccncccccc	ngnattaagg	cctccnntct	ccggccnc			818

&lt;210&gt; 28

&lt;211&gt; 731

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(731)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 28

aggaagggcg	gagggatatt	gtangggatt	gagggatagg	agnataangg	gggaggtgtg	60
tcccaacatg	anggtgnngt	tctcttttga	angagggttg	ngtttttann	ccnggtgggt	120
gattnaaccc	cattgtatgg	agnnaaagg	tttnagggat	ttttcggtc	ttatcagtat	180
ntanattcct	gtnaatcgga	aaatnatntt	tcnncnggaa	aatnttgctc	ccatccgnaa	240
attntcccg	ggtagtgc	nttngggggn	cnccangtt	tccaggctg	ctanaatcgt	300
actaaagntt	naagtgggan	tncaaatgaa	aacctnnac	agagnatccn	taccgactg	360
tnnnntnct	tcgcccctng	actctgcng	agcccaatac	ccnngngnat	gtcncccn	420
nnngcgnnc	tgaannnnn	tcngggctnn	gancatcang	gggtttcgca	tcaaaagcnn	480
cgtttcncat	naaggcactt	tngcctcatc	caaccnctng	ccctcncca	tttngccgtc	540
nggttcnct	acgctnnntg	cncctnnntn	ganattttnc	ccgcctnggg	naancctcct	600
gnaatgggta	gggnccttntc	ttttnacnnc	gnggtntact	aatcnctnnc	acgcntnctt	660
tctcnacccc	cccccttttt	caatcccanc	ggcnaatggg	gtctcccnnc	cgangggggg	720

nnnccccannc c

731

<210> 29  
 <211> 822  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(822)  
 <223> n = A,T,C or G

<400> 29  
 actagtccag tgtggtggaa ttccattgtg ttggggncnc ttctatgant antnttagat 60  
 cgctcanacc tcacancctc ccnacnangc ctataangaa nannaataga nctgtncnnt 120  
 atntntacnc tcatanncct cnnnaccac tccctcttaa cccntactgt gcctatngcn 180  
 tnnetantct ntgcgcctn cnanccaccn gtgggcccac cncnngnatt ctcnatctcc 240  
 tcnccatntn gcctananta ngtnccatacc ctatacctac nccaatgcta nnnctaancn 300  
 tccatnantt annntaacta ccactgacnt ngactttcnc atnanctcct aatttgaatc 360  
 tactctgact cccacngcct annnattagc ancntcccc nacnatntct caaccaaadc 420  
 ntcaacaacc tatctanctg ttcnccaacc nttncctccg atccccnnac aacccccctc 480  
 ccaaataccc nccacctgac ncctaaccn caccatcccg gcaagccnan ggncatttan 540  
 ccactggaat cacnatngga naaaaaaac ccnaactctc tancncnnat ctccctaana 600  
 aatnctcctn naattttactn ncantnccat caancccaac tgaaacnnaa cccctgtttt 660  
 tanatccctt ctttcgaaaa ccnacccttt annncccaac ctttngggcc ccccnctnc 720  
 ccnaatgaag gncncccaat cnangaaacg nccntgaaaa ancnaaggcna anannntccg 780  
 canatcctat cccttanttn ggggnccctt nccngggcc cc 822

<210> 30  
 <211> 787  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(787)  
 <223> n = A,T,C or G

<400> 30  
 cggcgcctg ctctggcaca tgccctctga atggcatcaa aagtgatgga ctgcccattg 60  
 ctagagaaga ccttctctcc tactgtcatt atggagccct gcagactgag ggctcccctt 120  
 gtctgcagga tttgatgtct gaagtcgtgg agtgtggctt ggagctcctc atctacatna 180  
 gctggaagcc ctggagggcc tctctcgcca gcctccccct tctctccacg ctctccangg 240  
 acaccagggg ctccaggcag cccattatc ccagnangac atgggtgttc tccacgcgga 300  
 cccatggggc ctgnaaggcc aggtgtcct ttgacaccat ctctcccgtc ctgcctggca 360  
 ggccgtggga tccactantt ctanaacggn cgcacccncc gtgggagctc cagcttttgt 420  
 tccnttaat gaaggtaat tgcncgcttg gcgtaatcat nggtcanaac tntttcctgt 480  
 gtgaaattgt tntccctc ncnattccnc ncnacatacn aaccgggaan cataaagtgt 540  
 taaagcctgg gggtnccctn nngaataaac tnaactcaat taattgcgtt ggctcatggc 600  
 ccgctttccn ttcnggaaaa ctgtcntccc ctgcnttntt gaatcggcc ccccccnggg 660  
 aaaagcgggt tgcnttttng ggggntcctt ccncttcccc cctcnctaan ccctnccgct 720  
 cggtcgttnc nggtngcggg gaangggnat nnnctcccnc naagggggng agnnngntat 780  
 ccccaaa 787

<210> 31  
 <211> 799  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(799)  
 <223> n = A,T,C or G

<400> 31  
 tttttttttt tttttttggc gatgctactg ttttaattgca ggaggtgggg gtgtgtgtac 60  
 catgtaccag ggctattaga agcaagaagg aaggagggag ggcagagcgc cctgctgagc 120  
 aacaaaggac tcctgcagcc ttctctgtct gtctcttggc gcaggcacat ggggaggcct 180  
 cccgcagggt gggggccacc agtccagggg tgggagcact acanggggtg ggagtgggtg 240  
 gtggctggtg cnaatggcct gncacanatc cctacgattc ttgacacctg gatttcacca 300  
 ggggaccttc tgttctccca nggnaacttc nttnatctcn aaagaacaca actgtttctt 360  
 cngcanttct ggctgttcat ggaaagcaca ggtgtccnat ttnggctggg acttggtaca 420  
 tatggttccg gccacactct ccntcnaaa aagtaattca ccccccccn ccntctnttg 480  
 cctgggccct taantacca caccggaact canttanta ttcactctng gntgggcttg 540  
 ntnatcnccn cctgaangcg ccaagttgaa aggccacgcc gtncccnctc cccatagnan 600  
 nttttnnont canctaagtc cccccnngc aacnatccaa tcccccccn tgggggcccc 660  
 agcccanggc ccccgntctg ggnnnccngn cncgnantcc ccaggnctc ccantcngnc 720  
 ccnnngcncc cccgcacgca gaacanaagg ntngagccnc cgcannnnnn nggtnnncac 780  
 ctgcccccc cccnccngg 799

<210> 32  
 <211> 789  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(789)  
 <223> n = A,T,C or G

<400> 32  
 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 60  
 ttttnccnag ggcaggttta ttgacaacct cncgggacac aancaggctg gggacaggac 120  
 ggcaacaggc tccggcgcg cgcgcgcgcg ccctacctgc ggtaccaaata ntgcagcctc 180  
 cgctcccgct tgatnttct ctgcagctgc aggatgcctt aaaacagggc ctccggcctn 240  
 ggtgggcacc ctgggatttn aatttccacg ggcacaatgc ggtcgcanc cctcaccacc 300  
 nattaggaat agtggnttta ccnccnccg ttggcncact cccntggaa accactntc 360  
 gcggtcccg catctggtct taaacctgc aaacnctggg gccctctttt tggttantnt 420  
 nccngccaca atcatnactc agactggcnc gggctggccc caaaaaancn ccccaaaacc 480  
 ggnccatgtc ttncgggggt tgcctgcnat tncatcacct cccgggcnc naaggncac 540  
 caaaaagtgc ttgnggccn caaaaaanct ccgggggnc ccagtttcaa caaagtcac 600  
 ccccttggcc cccaaatcct cccccgntt nctgggtttg ggaaccacg cctctnnctt 660  
 tggngggcaa gntggntccc ccttcgggcc cccggtgggc ccnctctaa ngaaaacnc 720  
 ntctnnnca ccatcccccc nngnnacgnc tancaangna tccctttttt tanaaacggg 780  
 cccccnccg 789

<210> 33  
 <211> 793  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(793)  
 <223> n = A,T,C or G

```

<400> 33
gacagaacat gttggatggt ggagcacctt tctatacgac ttacaggaca gcagatgggg      60
aattcatggc tgttggagca atanaacccc agttctacga gctgctgac aaaggacttg      120
gactaaagtc tgatgaactt cccaatcaga tgagcatgga tgattggcca gaaatgaana      180
agaagtttgc agatgtatth gcaaagaaga cgaaggcaga gtggtgtcaa atctttgacg      240
gcacagatgc ctgtgtgact ccggttctga cttttgagga ggttgttcat catgatcaca      300
acaangaacg gggctcgttt atcaccantg aggagcagga cgtgagcccc cgccctgcac      360
ctctgctgtt aaacacccca gccatccctt ctttcaaaag ggatccacta cttctagagc      420
ggncgccacc gcggtggagc tccagctttt gtcccttta gtgaggggta attgcgcgct      480
tggcgtaatc atggtcatan ctgtttcctg tgtgaaattg ttatccgctc acaattccac      540
acaacatacg anccggaagc atnaaatttt aaagcctggg ggtngcctaa tgantgaact      600
nactcacatt aattggcttt cgctcactt cccgctttcc agtccgaaa acctgtcctt      660
gccagctgcc nttaatgaat cnggccaccc cccggggaaa aggcngtttg cttnttgggg      720
cgnccttccc gctttctcgc ttcctgaant ccttccccc ggcttttcgg cttgcggcna      780
acggtatcna cct                                     793

```

```

<210> 34
<211> 756
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(756)
<223> n = A,T,C or G

```

```

<400> 34
gccgcgaccg gcatgtacga gcaactcaag ggcgagtggg accgtaaaag ccccaatctt      60
ancaagtgcg gggaanagct gggtcgactc aagctagtth ttctggagct caacttcttg      120
ccaaccacag ggaccaagct gaccaaacag cagctaattc tggcccgatga catactggag      180
atcggggccc aatggagcat cctacgcaan gacatcccct ccttcgagcg ctacatggcc      240
cagctcaaat gctactactt tgattacaan gagcagctcc ccgagtcagc ctatatgcac      300
cagctcttgg gcctcaacct cctcttcttg ctgtcccaga accgggtggc tgantnccac      360
acgganttgg ancggctgcc tgcccaanga catacanacc aatgtctaca tcnaccacca      420
gtgtccttga gcaatactga tgganggcag ctaccncaa gtnttcttgg ccnagggtta      480
catccccgcg cgagagctac accttcttca ttgacatcct gctcgacact atcagggatg      540
aaaatcgcn ggttgcctca gaaaggctnc aanaanatcc ttttctctga agcccccg      600
atnctctagt nctagaatcg gcccgccatc gcggtgganc ctccaacctt tcgttncct      660
ttactgaggg ttnattgccg cccttggcgt tatcatggtc acncngttn cctgtgttga      720
aatntttaac ccccccacat tccacgccna cattnng                                     756

```

```

<210> 35
<211> 834
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(834)
<223> n = A,T,C or G

```

```

<400> 35
gggatctct anactnacct gnatgcatgg ttgtcggtgt ggtcgctgtc gatgaanatg      60
aacaggatct tgcccttgaa gctctcggtc gctgtnttta agttgctcag tctgccgtca      120
tagtcagaca cncctcttgg caaaaaacan caggatntga gtcttgattt cacctccaat      180
aatcttcngg gctgtctgct cggtgaactc gatgacnang ggcagctggg tgtgtntgat      240
aaantccanc angttctcct tgggtacctc cccttcaaag ttgttccggc cttcatcaaa      300
cttctnnaan angannancc canctttgtc gagctggnat ttgganaaca cgtcactgtt      360

```

ggaaactgat	cccaaattggt	atgtcatcca	tgcctctgc	tgcctgcaaa	aaacttgctt	420
ggcncaaadc	cgactccccc	tccttgaaag	aagccnatca	cacccccctc	cctggactcc	480
nncaangact	ctnccgctnc	cccntccnng	cagggttggt	ggcannccgg	gccccgtgcg	540
ttcttcagcc	agttcacnat	nttcacagc	ccctctgcca	gctgttntat	tccttggggg	600
ggaanccgtc	tcctccctcc	tgaannaact	ttgaccgtng	gaatagccgc	gcntcncnt	660
acntnctggg	ccgggttcaa	antccctccn	ttgncntcn	cctcgggcca	ttctggattt	720
ncnaaacttt	ttccttcccc	cnccccncgg	ngtttgntt	tttcatnggg	ccccaaactc	780
gctnttgccc	antccctgg	gggcntntan	cnccccctnt	ggtcccntng	ggcc	834

<210> 36  
 <211> 814  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(814)  
 <223> n = A,T,C or G

<400> 36						
cgngcgcctt	cngccgcgc	ccggtttcca	tgacnaaggc	tccttccang	ttaaatacnn	60
cctagnaaac	attaatgggt	tgctctacta	atacatcata	cnaaccagta	agcctgccca	120
naacgccaac	tcaggccatt	cctaccaaag	gaagaaaggc	tggtctctcc	accccctgta	180
ggaaaggcct	gccttgtaag	acaccacaat	ncggctgaat	ctnaagtctt	gtgttttact	240
aatggaaaaa	aaaaataaac	aanagggttt	gttctcatgg	ctgccaccg	cagcctggca	300
ctaaaacanc	ccagcgctca	cttctgcttg	ganaaatatt	ctttgctctt	ttggacatca	360
ggcttgatgg	tatcactgcc	acntttccac	ccagctgggc	ncccttcccc	catntttgtc	420
antganctgg	aaggcctgaa	ncttagtctc	caaaagtctc	ngcccacaag	accggccacc	480
aggggagctc	ntttncagt	gatctgccaa	anantaccn	tatcatcnnt	gaataaaaaag	540
gcccctgaac	ganatgcttc	cancancctt	taagacccat	aatcctngaa	ccatgggtgcc	600
cttccggtct	gatccnaaag	gaatgttctt	gggtcccant	ccctccttg	ttnccttacgt	660
tgtnttgac	cctgtctngn	atnaccnaan	tganatcccc	ngaagcacc	tncccctggc	720
atttganttt	cntaaattct	ctgccctacn	nctgaaagca	cnattccctn	ggcnccnaan	780
gnggaactca	agaaggtctn	ngaaaaacca	cncn			814

<210> 37  
 <211> 760  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(760)  
 <223> n = A,T,C or G

<400> 37						
gcatgctgct	cttctcctcaa	gttggttcttg	ttgccataac	aaccaccata	ggtaaagcgg	60
gcgcagtggt	cgctgaagg	gttgtagtac	cagcgcgga	tgctctcctt	gcagagtcct	120
gtgtctggca	ggctccagca	atgcccttg	tcactgggga	aatggatgcg	ctggagctcg	180
tcnaanccac	togtgtattt	ttcacangca	gcctcctccg	aagntccgg	gcagttgggg	240
gtgtcgtcac	actccactaa	actgtcgatn	cancagccca	ttgctgcagc	ggaactgggt	300
gggctgacag	gtgccagAAC	acactggatn	ggcctttcca	tggaagggcc	tgggggaaat	360
cncctnancc	caaactgcct	ctcaaaggcc	accttgca	ccccgacagg	ctagaaatgc	420
actcttcttc	ccaaaggtag	ttgttcttg	tgcccaagca	ncctccanca	aaccaaaanc	480
ttgcaaaatc	tgctccgtgg	gggtcatnnn	taccanggtt	ggggaaanaa	acccggcngn	540
ganccncctt	gtttgaatgc	naaggnaata	atcctcctgt	cttgcttggg	tggaanagca	600
caattgaact	gttaacnttg	ggccgngttc	cncnnggtg	gtctgaaact	aatcaccgtc	660
actggaaaaa	ggtangtgcc	ttccttgaat	tcccaaannt	cccctngntt	tgggtntttt	720

ctcctctncc ctaaaaatcg tnttcccccc cntanggcg

760

<210> 38  
 <211> 724  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(724)  
 <223> n = A,T,C or G

<400> 38  
 tttttttttt tttttttttt tttttttttt ttttttaaaaa cccctcccat tgaatgaaaa 60  
 cttcnaaat tgtccaaccc cctcnccaa atnnccattt cggggggggg gttccaaacc 120  
 caaattaatt ttgganttta aattaaatnt tnattngggg aanaanccaa atgtnaagaa 180  
 aatttaaccc attatnaact taaatncctn gaaaccctg gnttccaaaa atttttaacc 240  
 cttaaattccc tccgaaattg ntaanggaaa accaaattcn cctaaggctn tttgaagggtt 300  
 ngatttaaac ccccttnant tnttttnacc cnngnctnaa ntattngnt tccggtgttt 360  
 tctnttaan cntnggtaac tcccgnataat gaannnccct aanccaatta aaccgaattt 420  
 tttttgaatt ggaaattccn ngggaattna cgggggtttt tcccntttgg gggccatncc 480  
 ccnctttcg ggggttgggn ntagggtgaa ttttttnang nccccaaaaa ncccccaana 540  
 aaaaaactcc caagnnttaa ttngaantnc ccccttccca ggccttttgg gaaaggnggg 600  
 tttntggggg ccngggantt cnttcccccn ttncncccc cccccnggt aaanggttat 660  
 ngnttttgg ttttgggcc cttnanggac cttccggatn gaaattaaat ccccggnccg 720  
 gccg 724

<210> 39  
 <211> 751  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(751)  
 <223> n = A,T,C or G

<400> 39  
 tttttttttt tttttctttg ctcacattta atttttattt tgattttttt taatgctgca 60  
 caacacaata tttatttcat ttgtttcttt tatttcattt tatttgtttg ctgctgctgt 120  
 tttatttatt tttactgaaa gtgagaggga acttttgggt ccttttttcc tttttctgta 180  
 ggccgcctta agctttctaa atttggaca tctaagcaag ctgaanggaa aaggggtttt 240  
 cgaaaaatca ctcgggggaa nggaaaagggt gctttgttaa tcatgcccta tgggtgggtga 300  
 ttaactgctt gtacaattac ntttcacttt taattaattg tgctnaangc tttaattana 360  
 cttgggggtt ccctcccan accaaccncc ctgacaaaaa gtgccngccc tcaaatnatg 420  
 tcccgcnnt cnttgaaaca cacngcngaa ngttctcatt ntcccncnc caggtnaaaa 480  
 tgaagggtta ccatntttta cncacctcc acntggcnnn gcctgaatcc tcnaaaancn 540  
 ccctcaancn aattnctnng ccccggtcnc gcntnngtcc cncgggggt cggggaantn 600  
 cacccccnga annnntnnc naacnaaatt ccgaaaaat tcccnntcnc tcaattcccc 660  
 cnnagactnt cctcnncnan cncaattttc ttttnntcac gaacncgnnc cnnaaatgn 720  
 nnnncnctc cncntgtccn naatcnccan c 751

<210> 40  
 <211> 753  
 <212> DNA  
 <213> Homo sapien

<220>

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(753)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 40

gtggtatttt	ctgtaagatc	aggtgttctt	ccctcgtagg	tttagaggaa	acaccctcat	60
agatgaaaac	cccccgaga	cagcagcact	gcaactgcca	agcagccggg	gtaggagggg	120
cgcctatgc	acagctgggc	ccttgagaca	gcagggttc	gatgtcaggc	tcgatgtcaa	180
tggctctgaa	gcggcggtg	tacctgcgta	ggggcacacc	gtcagggccc	accaggaact	240
tctcaaagtt	ccaggcaacn	tcgttgcgac	acaccggaga	ccaggtgatn	agcttggggg	300
cggtcataa	cgcggtggcg	tcgtcgtctg	gagctggcag	ggcctcccgc	aggaaaggcna	360
ataaaagggtg	cgcccccgca	ccgttcantc	cgcaattctc	naanaccatg	angttggggc	420
cnaaccacc	accannccgg	acttccttga	nggaattccc	aaatctcttc	gntcttgggc	480
ttctnctgat	gcctanctg	gttgcccnng	atgccaanca	nccccaance	ccggggtcct	540
aaanccaccn	cctcctcntt	tcactctggg	tntntcccc	ggacntggg	tcctctcaag	600
ggancccata	tctcnaccan	tactcacnt	nccccccnt	gnnaccanc	cttctannng	660
ttccncccg	ncctctggcc	cntcaaan	gcttncaacna	cctgggtctg	ccttcccccc	720
tnccctatct	gnaccccn	ttgtctcan	tnt			753

&lt;210&gt; 41

&lt;211&gt; 341

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 41

actatatcca	tcacaacaga	catgcttcat	cccatagact	tcttgacata	gcttcaaagt	60
agtgaacca	tccttgattt	atatacatat	atgttctcag	tattttggga	gcctttccac	120
ttctttaaac	cttggttcatt	atgaacactg	aaaataggaa	tttgtgaaga	gttaaaaagt	180
tatagcttgt	ttacgtagta	agtttttgaa	gtctacattc	aatccagaca	cttagttgag	240
tgttaaactg	tgatttttaa	aaaatatcat	ttgagaatat	tctttcagag	gtattttcat	300
ttttactttt	tgattaattg	tgttttatat	attagggtag	t		341

&lt;210&gt; 42

&lt;211&gt; 101

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 42

acttactgaa	tttagttctg	tgctcttctt	tatttagtgt	tgtatcataa	atactttgat	60
gtttcaaaca	ttctaaataa	ataattttca	gtggcttcat	a		101

&lt;210&gt; 43

&lt;211&gt; 305

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 43

acatctttgt	tacagtctaa	gatgtgttct	taaatcacca	ttccttctctg	gtcctcaccc	60
tccagggtgg	tctcacactg	taattagagc	tattgaggag	tctttacagc	aaattaagat	120
tcagatgcct	tgctaagtct	agagttctag	agttatgttt	cagaaagtct	aagaaaccca	180
cctcttgaga	ggtcagtaaa	gaggacttaa	tatttcatat	ctacaaaatg	accacaggat	240
tggatacaga	acgagagtta	tcctggataa	ctcagagctg	agtacctgcc	cggggggccgc	300
tcgaa						305

&lt;210&gt; 44

&lt;211&gt; 852

&lt;212&gt; DNA

&lt;213&gt; Homo sapien



<220>  
 <221> misc\_feature  
 <222> (1)...(852)  
 <223> n = A,T,C or G

<400> 44  
 acataaatat cagagaaaag tagtctttga aatatttaac tccaggagtt ctttgtttct 60  
 gattatttgg tgtgtgtttt ggtttgtgtc caaagtattg gcagcttcag ttttcatttt 120  
 ctctccatcc tcgggcattc ttoccaaatt tatataccag tcttcgtcca tccacacgct 180  
 ccagaatttc tctttttag taatatctca tagctcggct gagcttttca taggtcatgc 240  
 tgctgttggt cttcttttta ccccatagct gagccactgc ctctgatttc aagaacctga 300  
 agacgccctc agatcgggtct tcccatttta ttaatcctgg gttcttgtct gggttcaaga 360  
 ggatgtcgcg gatgaattcc cataagttag tccctctcgg gttgtgcttt ttggtgtggc 420  
 acttggcagg ggggtcttgc tcctttttca tatcagggtga ctctgcaaca ggaaggtgac 480  
 tgggtggtgt catggagatc tgagcccggc agaaagtttt gctgtccaac aaatctactg 540  
 tgctaccata gttggtgtca tataaatagt tctngtcttt ccagggtgtc atgatggaag 600  
 gctcagtttg ttcagtcttg acaatgacat tgtgtgtgga ctggaacagg tcactactgc 660  
 actggccggt ccacttcaga tgctgcaagt tgctgtagag gagntgccc gccgtccctg 720  
 ccgcccgggt gaactcctgc aaactcatgc tgcaaagggt ctgccggtg atgtcgaaact 780  
 cntggaaagg gatacaattg gcattccagct gggttggtgtc caggaggtga tggagccact 840  
 cccacacctg gt 852

<210> 45  
 <211> 234  
 <212> DNA  
 <213> Homo sapien

<400> 45  
 acaacagacc cttgctcgct aacgacctca tgctcatcaa gttggacgaa tccgtgtccg 60  
 agtctgacac catccggagc atcagcattg cttegcagtg ccctaccgcg gggaactctt 120  
 gcctcgtttc tggctgggggt ctgctggcga acggcagaat gcctaccgtg ctgcagtgcg 180  
 tgaacgtgtc ggtggtgtct gaggaggtct gcagtaagct ctatgacccg ctgt 234

<210> 46  
 <211> 590  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(590)  
 <223> n = A,T,C or G

<400> 46  
 actttttatt taaatgttta taaggcagat ctatgagaat gatagaaaac atggtgtgta 60  
 atttgatagc aatattttgg agattacaga gtttttagtaa ttaccaatta cacagttaaa 120  
 aagaagataa tatattccaa gcanatacaa aatatctaata gaaagatcaa ggcaggaaaa 180  
 tgantataac taattgacaa tggaaaaatca attttaatgt gaattgcaca ttatccttta 240  
 aaagctttca aanaaanaa ttattgcagt ctanttaatt caaacagtggt taaatgggtat 300  
 caggataaan aactgaaggg canaaagaat taattttcac ttcattgtaac ncacccanat 360  
 ttacaatggc ttaaattgcan ggaaaaagca gtggaagtag ggaagtantc aaggtctttc 420  
 tggctctctaa tctgccttac tctttgggtg tggctttgat cctctggaga cagctgccag 480  
 ggctcctggt atatccaaa tcccagcagc aagatgaagg gatgaaaaag gacacatgct 540  
 gccttccttt gaggagactt catctcactg gccaacactc agtcacatgt 590

<210> 47  
 <211> 774

<212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(774)  
 <223> n = A,T,C or G

<400> 47  
 acaagggggc ataatgaagg agtgggggana gattttaaag aaggaaaaaa aacgaggccc 60  
 tgaacagaat ttccctgnac aacgggggctt caaaataatt ttcttgggga ggttcaagac 120  
 gcttcactgc ttgaaactta aatggatgtg ggacanaatt ttctgtaatg accctgaggg 180  
 cattacagac gggactctgg gaggaaggat aaacagaaaag gggacaaaag ctaatcccaa 240  
 aacatcaaag aaaggaaggt ggcgtcatac ctcccagcct acacagttct ccagggtctt 300  
 cctcatccct ggaggacgac agtggaggaa caactgacca tgtcccagc ctctgtgtgt 360  
 ctggctcctg gtcttcagcc ccagctctg gaagcccacc ctctgctgat cctgcgtggc 420  
 ccacactcct tgaacacaca tcccaggtt atattcctgg acatggctga acctcctatt 480  
 cctacttccg agatgccttg ctccctgcag cctgtcaaaa tcccactcac cctccaaacc 540  
 acggcatggg aagcctttct gacttgctg attactccag catcttggaa caatccctga 600  
 ttcccactc cttagaggca agataggggt gttaagagta gggctggacc acttgagacc 660  
 aggtgctgg cttcaaattn tggctcattt acgagctatg ggaccttggg caagtnatct 720  
 tcacttctat gggtcattt ttgttctacc tgcaaaatgg gggataataa tagt 774

<210> 48  
 <211> 124  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(124)  
 <223> n = A,T,C or G

<400> 48  
 canaaattga aattttataa aaaggcattt ttctcttata tccataaaat gatataattt 60  
 ttgcaantat anaaatgtgt cataaattat aatgttcctt aattacagct caacgcaact 120  
 tggt 124

<210> 49  
 <211> 147  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(147)  
 <223> n = A,T,C or G

<400> 49  
 gccgatgcta ctattttatt gcaggagggtg ggggtgtttt tattattctc tcaacagctt 60  
 tgtggctaca ggtgggtgtc gactgcatna aaaanttttt tacgggtgat tgcaaaaatt 120  
 ttagggcacc catatcccaa gcantgt 147

<210> 50  
 <211> 107  
 <212> DNA  
 <213> Homo sapien

<400> 50  
acattaaatt aataaaagga ctgttggggt tctgctaaaa cacatggctt gatataattgc 60  
atggtttgag gttaggagga gttaggcata tgttttggga gaggggt 107

<210> 51  
<211> 204  
<212> DNA  
<213> Homo sapien

<400> 51  
gtcctaggaa gtctagggga cacacgactc tgggggtcacg gggccgacac acttgacagg 60  
cggaaggaa aggcagagaa gtgacaccgt cagggggaaa tgacagaaag gaaaatcaag 120  
gccttgcaag gtcagaaagg ggactcaggg cttccaccac agccctgcc cacttgcca 180  
cctccctttt gggaccagca atgt 204

<210> 52  
<211> 491  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(491)  
<223> n = A,T,C or G

<400> 52  
acaaagataa catttatctt ataacaaaaa tttgatagtt ttaaagggtta gtattgtgta 60  
gggtattttc caaaagacta aagagataac tcaggtaaaa agttagaaat gtataaaaca 120  
ccatcagaca ggttttttaa aaacaacata ttacaaaatt agacaatcat ccttaaaaaa 180  
aaaacttctt gtatcaattt cttttgttca aaatgactga ctttaantatt tttaaatatt 240  
tcanaaacac ttctcaaaaa attttcaana tggtagcttt canatgtnc ctcagtccca 300  
atgttgctca gataaataaa tctogtgaga acttaccacc caccacaagc tttctggggc 360  
atgcaacagt gtcttttctt tnccttttct tttttttttt ttacaggcac agaaactcat 420  
caattttatt tggataacaa agggctctcca aattatattg aaaaataaat ccaagttaat 480  
atcactcttg t 491

<210> 53  
<211> 484  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(484)  
<223> n = A,T,C or G

<400> 53  
acataattta gcagggctaa ttaccataag atgctattta ttaanaggtn tatgatctga 60  
gtattaacag ttgctgaagt ttggtatttt tatgcagcat tttctttttg ctttgataac 120  
actacagaac ccttaaggac actgaaaatt agtaagtaaa gttcagaaac attagctgct 180  
caatcaaata tctacataac actatagtaa ttaaaacggt aaaaaaaagt gttgaaatct 240  
gcactagtat anaccgctcc tgtcaggata anactgcttt ggaacagaaa gggaaaaanc 300  
agctttgant ttctttgtgc tgatangagg aaaggctgaa ttaccttggt gcctctccct 360  
aatgattgac aggtcnggta aatnccaaa catattccaa ctcaacactt cttttccncg 420  
tancttgant ctgtgtattc caggancagg cggatggaat gggccagccc ncggatgttc 480  
cant 484

<210> 54

<211> 151  
<212> DNA  
<213> Homo sapien

<400> 54  
actaaacctc gtgcttgtga actccatata gaaaacgggtg ccatccctga acacggctgg 60  
ccactgggta tactgctgac aaccgcaaca acaaaaacac aaatccttgg cactggctag 120  
tctatgtcct ctcaagtgcc tttttgtttg t 151

<210> 55  
<211> 91  
<212> DNA  
<213> Homo sapien

<400> 55  
acctggcttg tctccgggtg gttcccggcg cccccacgg tccccagaac ggacactttc 60  
gccctccagt ggatactcga gccaaagtgg t 91

<210> 56  
<211> 133  
<212> DNA  
<213> Homo sapien

<400> 56  
ggcgggatgtg cgttgggttat atacaaatat gtcattttat gtaagggact tgagtatact 60  
tggatttttg gtatctgtgg gttgggggga cgggtccagga accaatacc catggatacc 120  
aagggacaac tgt 133

<210> 57  
<211> 147  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(147)  
<223> n = A,T,C or G

<400> 57  
actctggaga acctgagccg ctgctccgcc tctgggatga ggtgatgcan gcngtggcgc 60  
gactgggagc tgagcccttc cctttgcgcc tgcctcagag gattgttgcc gacntgcana 120  
tctcantggg ctggatncat gcagggt 147

<210> 58  
<211> 198  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(198)  
<223> n = A,T,C or G

<400> 58  
acagggatat aggtttnaag ttattgtnat tgtaaaatac attgaatttt ctgtatactc 60  
tgattacata catttatcct ttaaaaaaga tgtaaatctt aatttttatg ccatctatta 120  
atttaccat gagttacctt gtaaagtga agtcatgata gcactgaatt ttaactagtt 180  
ttgacttcta agtttggt 198

<210> 59  
 <211> 330  
 <212> DNA  
 <213> Homo sapien

<400> 59  
 acaacaaatg ggttgtgagg aagtctttatc agcaaaactg gtgatggcta ctgaaaagat 60  
 ccattgaaaa ttatcattaa tgattttaaa tgacaagtta tcaaaaactc actcaatttt 120  
 cacctgtgct agcttgctaa aatgggagtt aactctagag caaatatagt atcttctgaa 180  
 tacagtcaat aaatgacaaa gccagggcct acaggtggtt tccagacttt ccagaccag 240  
 cagaaggaat ctattttatc acatggatct ccgtctgtgc tcaaaatacc taatgatatt 300  
 tttcgtcttt attggacttc tttgaagagt 330

<210> 60  
 <211> 175  
 <212> DNA  
 <213> Homo sapien

<400> 60  
 accgtgggtg ccttctacat tcttgacggc tcttcacca acatctggtt ctacttcggc 60  
 gtcgtgggct ccttctctt catcctcatc cagctggtgc tgctcatcga ctttgcgcac 120  
 tcttgaacc agcgggtggc gggcaaggcc gaggagtgcg attcccgtgc ctggt 175

<210> 61  
 <211> 154  
 <212> DNA  
 <213> Homo sapien

<400> 61  
 accccacttt tctcctgtg agcagtctgg acttctcact gctacatgat gaggggtgagt 60  
 ggttgttgct cttcaacagt atcctcccct ttccggatct gctgagccgg acagcagtgc 120  
 tggactgcac agccccggg ctccacattg ctgt 154

<210> 62  
 <211> 30  
 <212> DNA  
 <213> Homo sapien

<400> 62  
 cgctcgagcc ctatagttag tcgtattaga 30

<210> 63  
 <211> 89  
 <212> DNA  
 <213> Homo sapien

<400> 63  
 acaagtcatt tcagcaccct ttgctcttca aaactgacca tcttttatat ttaatgcttc 60  
 ctgtatgaat aaaaatggtt atgtcaagt 89

<210> 64  
 <211> 97  
 <212> DNA  
 <213> Homo sapien

<400> 64  
 accggagtaa ctgagtcggg acgctgaatc tgaatccacc aataaataaa gggtctgcag 60

aatcagtgca tccaggattg gtccttggat ctgggggt 97

<210> 65  
 <211> 377  
 <212> DNA  
 <213> Homo sapien  
 <220>  
 <221> misc\_feature  
 <222> (1)...(377)  
 <223> n = A,T,C or G

<400> 65  
 acaacaanaa ntcccttctt taggccactg atggaaacct ggaaccccct tttgatggca 60  
 gcatggcgct ctaggccttg acacagcggc tggggtttgg gctntcccaa accgcacacc 120  
 ccaaccctgg tctaccaca nttctggcta tgggctgtct ctgccactga acatcagggt 180  
 tcggtcataa natgaaatcc caanggggac agagggtcagt agaggaagct caatgagaaa 240  
 ggtgctgttt gctcagccag aaaacagctg cctggcattc gccgctgaac tatgaaccgc 300  
 tgggggtgaa ctaccccan gaggaatcat gcctgggcga tgcaanggtg ccaacaggag 360  
 gggcgggagg agcatgt 377

<210> 66  
 <211> 305  
 <212> DNA  
 <213> Homo sapien

<400> 66  
 acgcctttcc ctccagaattc agggaagaga ctgtgcgctg ccttcctccg ttgttgctg 60  
 agaaccctg tgcccttcc caccatatcc accctcgctc catctttgaa ctcaaacacg 120  
 aggaactaac tgaccctgg tcctctcccc agtccccagt tcaccctcca tccctcacct 180  
 tcctccactc taagggatat caacactgcc cagcacagg gccctgaatt tatgtggttt 240  
 ttatatattt ttttaataaga tgcactttat gtcatttttt aataaagtct gaagaattac 300  
 tggtt 305

<210> 67  
 <211> 385  
 <212> DNA  
 <213> Homo sapien

<400> 67  
 actacacaca ctccacttgc ccttgtgaga cactttgttc cagcacttta ggaatgctga 60  
 ggtcggacca gccacatctc atgtgcaaga ttgccagca gacatcaggt ctgagagttc 120  
 cccttttaaa aaaggggact tgcttaaaaa agaagtctag ccacgattgt gtagagcagc 180  
 tgtgctgtgc tggagattca cttttgagag agttctcctc tgagacctga tctttagagg 240  
 ctgggcagtc ttgcacatga gatggggctg gtctgatctc agcactcctt agtctgcttg 300  
 cctctcccag ggcccagcc tggccacacc tgcttacagg gcactctcag atgccatac 360  
 catagtttct gtgctagtgg accgt 385

<210> 68  
 <211> 73  
 <212> DNA  
 <213> Homo sapien

<400> 68  
 acttaaccag atatattttt accccagatg gggatattct ttgtaaaaaa tgaaaataaa 60  
 gtttttttaa tgg 73

<210> 69

<211> 536  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(536)  
<223> n = A,T,C or G

<400> 69  
actagtccag tgtggtggaa ttccattgtg ttgggggctc tcaccctcct ctctgcagc 60  
tccagctttg tgctctgcct ctgaggagac catggcccag catctgagta ccctgctgct 120  
cctgctggcc accctagctg tggccctggc ctggagcccc aaggaggagg ataggataat 180  
cccggttggc atctataacg cagacctcaa tgatgagtgg gtacagcgtg cccttcactt 240  
cgccatcagc gagtataaca aggccaccaa agatgactac tacagacgtc cgctgcgggg 300  
actaagagcc aggcaacaga cggttggggg ggtgaattac ttcttcgacg tagaggtggg 360  
ccgaaccata tgtaccaagt ccagcccaa cttggacacc tgtgccttcc atgaacagcc 420  
agaactgcag aagaaacagt tgtgctcttt cgagatctac gaagttccct ggggagaaca 480  
gaangtccct gggtgaaatc caggtgtcaa gaaatcctan ggatctgttg ccaggc 536

<210> 70  
<211> 477  
<212> DNA  
<213> Homo sapien

<400> 70  
atgaccacct acaggggccc tctcagccct cctaattgacc tccggcctag ccatgtgatt 60  
tcacttccac tccataacgc tctcataact aggcctacta accaacacac taaccatata 120  
ccaatgatgg cgcatgtaa cagagaaaag cacataccaa ggccaccaca caccacctgt 180  
ccaaaaaggc cttcgatacg ggataatcct atttattacc tcagaagttt ttttcttcgc 240  
agggattttt ctgagccttt taccactcca gcctagcccc taccctccaa ctaggagggc 300  
actggccccc aacaggcatc acccgctaa atcccctaga agtcccactc ctaaacacat 360  
ccgtattact cgcatcagga gtatcaatca cctgagctca ccatagtcta atagaaaaca 420  
accgaaacca aattattcaa agcactgctt attacaattt tactgggtct ctatttt 477

<210> 71  
<211> 533  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(533)  
<223> n = A,T,C or G

<400> 71  
agagctatag gtacagtgtg atctcagctt tgcaaacaca ttttctacat agatagtact 60  
aggattaat agatagttaa agaaagaaat cacaccatta ataatgtaa gattggttta 120  
tgtatttta gtggtatttt tggcaccctt atatatgttt tccaaacttt cagcagtgat 180  
attatttcca taacttaaaa agtgagtttg aaaaagaaaa tctccagcaa gcatctcatt 240  
taaataaagg tttgtcatct ttaaaaatac agcaatatgt gactttttta aaaagctgtc 300  
aataggtgt gaccctacta ataattatta gaaatacatt taaaaacatc gagtacctca 360  
agtcagtttg ccttgaaaaa tatcaaatat aactcttaga gaaatgtaca taaaagaatg 420  
cttcgtaatt ttggagtang aggttccctc ctcaattttg tattttttaa aagtacatgg 480  
taaaaaaaaa aattcacaac agtatataag gctgtaaaaa gaagaattct gcc 533

<210> 72  
<211> 511

<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(511)  
<223> n = A,T,C or G

<400> 72  
tattacggaa aaacacacca cataattcaa ctancaaaga anactgcttc agggcgtgta 60  
aatgaaagg cttccaggca gttatctgat taaagaacac taaaagaggg acaaggctaa 120  
aagccgcagg atgtctacac tatancaggc gctatttggg ttggctggag gagctgtgga 180  
aaacatggan agatttgtgc tgganatcgc cgtggctatt cctcattgtt attacanagt 240  
gaggttctct gtgtgcccac tggtttgaaa accgttctnc aataatgata gaatagtaca 300  
cacatgagaa ctgaaatggc ccaaaccag aaagaaagcc caactagatc ctcagaanac 360  
gcttctaggg acaataaccg atgaagaaaa gatggcctcc ttgtgcccc gtctgttatg 420  
atttctctcc attgcagcna naaaccggtt cttctaagca aacncagggt atgatggcna 480  
aaatacacc cctcttgaag naccnggagg a 511

<210> 73  
<211> 499  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(499)  
<223> n = A,T,C or G

<400> 73  
cagtgccagc actggtgcc gtaccagtac caataacagt gccagtgcc gtgccagcac 60  
cagtgggtgc ttcagtgctg gtgccagcct gaccgccact ctcacatttg ggctcttcgc 120  
tggccttggg ggagctggtg ccagcaccag tggcagctct ggtgcctgtg gtttctccta 180  
caagtgaagt tttagatatt gttaatcctg ccagtcttct tcttcaagcc aggggtgcac 240  
ctcagaaaacc tactcaacac agcactctag gcagccacta tcaatcaatt gaagttgaca 300  
ctctgcatta aatctatttg ccatttctga aaaaaaaaaa aaaaaaaggg cgcccgctcg 360  
antctagagg gcccggttaa acccgctgat cagcctcgac tgtgccttct anttgccagc 420  
catctgttgt ttgccctcc cccgntgcct tccttgacct tggaaagtgc cactccact 480  
gtcctttcct aantaaaat 499

<210> 74  
<211> 537  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(537)  
<223> n = A,T,C or G

<400> 74  
tttcatagga gaacacactg aggagatact tgaagaattt ggattcagcc gcgaagagat 60  
ttatcagctt aactcagata aaatcattga aagtaataag gtaaaagcta gtctctaact 120  
tccaggcca cggctcaagt gaatttgaat actgcattta cagtgtagag taacacataa 180  
cattgtatgc atggaaacat ggaggaacag tattacagtg tcctaccact ctaatcaaga 240  
aaagaattac agactctgat tctacagtga tgattgaatt ctaaaaatgg taatcattag 300  
ggcttttgat ttataanact ttgggtactt atactaaatt atggtagtta tactgccttc 360  
cagtttgctt gatataattg ttgatattaa gattcctgac ttatatattg aatgggttct 420



actgaaaaan gaatgatata ttcttgaaga catcgatata catittattta cactcttgat 480  
tctacaatgt agaaaatgaa ggaaatgccc caaattgtat ggtgataaaa gtcccgt 537

<210> 75  
<211> 467  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(467)  
<223> n = A,T,C or G

<400> 75  
caaanacaat tgttcaaaag atgcaaataga tacactactg ctgcagctca caaacacctc 60  
tgcatattac acgtacctcc tcctgctcct caagtagtgt ggtctatttt gccatcatca 120  
cctgctgtct gcttagaaga acggctttct gctgcaangg agagaaatca taacagacgg 180  
tggcacaagg aggccatctt ttctcatcgc gttattgtcc ctagaagcgt cttctgagga 240  
tctagttggg ctttctttct gggtttgggc catttcantt ctcatgtgtg tactattcta 300  
tcattattgt ataacggtt tcaaaccngt gggcacncag agaacctcac tctgtaataa 360  
caatgaggaa tagccacggg gatctccagc accaaatctc tccatgttnt tccagagctc 420  
ctccagccaa cccaaatagc cgctgctatn gtgtagaaca tccctgn 467

<210> 76  
<211> 400  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(400)  
<223> n = A,T,C or G

<400> 76  
aagctgacag cattcgggcc gagatgtctc gctccgtggc cttagctgtg ctgcgcgtac 60  
tctctctttc tggcctggag gctatccagc gtactccaaa gattcaggtt tactcacgtc 120  
atccagcaga gaattgaaag tcaaatttcc tgaattgcta tgtgtctggg ttcatccat 180  
ccgacattga agttgactta ctgaagaatg gagagagaat tgaaaaagtg gagcattcag 240  
acttgtcttt cagcaaggac tggctttct atctcttgta ctacactgaa ttcaccccca 300  
ctgaaaaaga tgagtatgcc tgccgtgtga accatgtgac tttgtcacag cccaagatng 360  
ttnagtggga tcganacatg taagcagcan catgggaggt 400

<210> 77  
<211> 248  
<212> DNA  
<213> Homo sapien

<400> 77  
ctggagtgcc ttggtgtttc aagcccctgc aggaagcaga atgcaccttc tgaggcacct 60  
ccagctgccc cggcgggga tgcgaggctc ggagaccct tgcccggctg tgattgtgc 120  
caggcactgt tcatctcagc ttttctgtcc ctttgcctcc ggcaagcgt tctgtgaaa 180  
gttcatactt ggagcctgat gtcttaacga ataaaggtcc catgctccac ccgaaaaaaa 240  
aaaaaaaa 248

<210> 78  
<211> 201  
<212> DNA  
<213> Homo sapien

```

<400> 78
actagtccag tgtggtggaa ttccattgtg ttgggcccac cacaatggct acctttaaca    60
tcacccagac cccgccctgc ccgtgcccac cgctgctgct aacgacagta tgatgcttac    120
tctgctactc ggaaactatt tttatgtaat taatgtatgc tttcttggtt ataaatgcct    180
gatttaaaaa aaaaaaaaaa a                                     201

```

```

<210> 79
<211> 552
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(552)
<223> n = A,T,C or G

```

```

<400> 79
tccttttgtt aggtttttga gacaacccta gacctaaact gtgtcacaga cttctgaatg    60
tttaggcagt gctagtaatt tcctcgtaat gattctgtta ttactttcct attctttatt    120
cctctttctt ctgaagatta atgaagttga aaattgaggt ggataaatac aaaaaggtag    180
tgtgatagta taagtatcta agtgcagatg aaagtgtgtt atatatatcc attcaaaatt    240
atgcaagtta gtaattactc aggggttaact aaattacttt aatatgctgt tgaacctact    300
ctgttccttg gctagaaaaa attataaaca ggactttgtt agtttgggaa gccaaattga    360
taatattcta tgttctaaaa gttgggctat acataaanta tnaagaaata tggaatttta    420
ttcccaggaa tatgggggtc atttatgaat antaccggg anagaagttt tgantnaaac    480
cngttttggt taatacgtta atatgtcctn aatnaacaag gcntgactta tttccaaaaa    540
aaaaaaaaaa aa                                              552

```

```

<210> 80
<211> 476
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(476)
<223> n = A,T,C or G

```

```

<400> 80
acagggtatt gagatgctaa ggccccagag atcgtttgat ccaaccctct tattttcaga    60
ggggaaaatg gggcctagaa gttacagagc atctagctgg tgcgctggca cccctggcct    120
cacacagact cccgagtagc tgggactaca ggcacacagt cactgaagca ggccctgttt    180
gcaattcacg ttgccacctc caacttaaac attcttcata tgtgatgtcc ttagtcacta    240
aggttaaact ttcccaccca gaaaaggcaa cttagataaa atcttagagt actttcatac    300
tcttctaagt cctcttccag cctcactttg agtcctcctt gggggttgat aggaantntc    360
tcttggtttt ctcaataaaa tctctatcca tctcatgttt aatttggtac gcntaaaaat    420
gctgaaaaaa ttaaaatggt ctggtttcnc tttaaaaaaa aaaaaaaaaa aaaaaa    476

```

```

<210> 81
<211> 232
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(232)
<223> n = A,T,C or G

```

```

<400> 81
tttttttttg tatgccntcn ctgtgnggtt attgttgctg ccaccctgga ggagcccagt    60
ttcttctgta tctttctttt ctgggggata ttcttggtc tgccctcca ttccagcct    120
ctcatcccca tcttgactt ttgctagggt tggaggcgt ttctggtag cccctcagag    180
actcagtcag cgggaataag tcctaggggt ggggggtgtg gcaagccggc ct        232

```

```

<210> 82
<211> 383
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(383)
<223> n = A,T,C or G

```

```

<400> 82
aggcgggagc agaagctaaa gccaaagccc aagaagagtg gcagtgccag cactggtgcc    60
agtaccagta ccaataacat gccagtgccg gtgccagcac cagtgggtggc ttcagtgtg    120
gtgccagcct gaccgccact ctcacatttg ggctcttcgc tggccttggg ggagctgggt    180
ccagcaccag tggcagctct ggtgcctgtg gtttctccta caagtgagat tttagatatt    240
gttaatcctg ccagtctttc tcttcaagcc aggggtgcac ctcagaaacc tactcaacac    300
agcactctng gcagccacta tcaatcaatt gaagttgaca ctctgcatta aatctatttg    360
ccatttcaaa aaaaaaaaaa aaa        383

```

```

<210> 83
<211> 494
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(494)
<223> n = A,T,C or G

```

```

<400> 83
accgaattgg gaccgtggc ttataagcga tcatgtctc cagtattacc tcaacgagca    60
gggagatcga gtctatacgc tgaagaaatt tgaccgatg ggacaacaga cctgctcagc    120
ccatcctgct cgtttctccc cagatgacaa atactctcga caccgaatca ccatcaagaa    180
acgcttcaag gtgctcatga cccagcaacc gcgccctgtc ctctgagggt ccttaaactg    240
atgtctttt tgccacctgt taccctcgg agactccgta accaaactct tcggactgtg    300
agccctgatg cttttttgcc agccatactc ttggontcc agtctctcgt ggcgattgat    360
tatgcttgtg tgaggcaatc atggtggcat caccatnaa gggaacacat ttgantttt    420
tttncatat ttttaattac naccagaata nttcagaata aatgaattga aaaactctta    480
aaaaaaaaa aaaa        494

```

```

<210> 84
<211> 380
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(380)
<223> n = A,T,C or G

```

```

<400> 84

```

gctggtagcc	tatggcgtgg	ccacggangg	gctcctgagg	cacgggacag	tgacttccca	60
agtatcctgc	gccgcgtctt	ctaccgtccc	tacctgcaga	tcttcgggca	gattccccag	120
gaggacatgg	acgtggccct	catggagcac	agcaactgct	cgtcggagcc	cggcttctgg	180
gcacaccctc	ctggggccca	ggcgggcacc	tgctctccc	agtatgccaa	ctggctggtg	240
gtgctgctcc	tcgtcatctt	cctgctcgtg	gccaacatcc	tgctggtcac	ttgctcattg	300
ccatgttcag	ttacacattc	ggcaaaagtac	agggcaacag	cnatctctac	tggaaggcc	360
agcgttncgg	cctcatccgg					380

<210> 85  
 <211> 481  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(481)  
 <223> n = A,T,C or G

<400> 85						
gagttagctc	ctccacaacc	ttgatgaggt	cgctctgcagt	ggcctctcgc	ttcataccgc	60
tnccatcgtc	atactgtagg	tttgccacca	cctcctgcat	cttggggcgg	ctaatatcca	120
ggaaactctc	aatcaagtca	ccgtcnatna	aacctgtggc	tggttctgtc	ttccgctcgg	180
tgtgaaagga	tctccagaag	gagtgtcga	tcttccccac	acttttgatg	actttattga	240
gtcgattctg	catgtccagc	aggaggttgt	accagctctc	tgacagtgag	gtcaccagcc	300
ctatcatgcc	nttgaacgtg	ccgaagaaca	ccgagccttg	tgtggggggg	gnagtctcac	360
ccagattctg	cattaccaga	nagccgtggc	aaaaganatt	gacaactcgc	ccaggnggaa	420
aaagaacacc	tcctggaagt	gctngccgct	cctcgtccnt	tggtggnggc	gcntnccttt	480
t						481

<210> 86  
 <211> 472  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(472)  
 <223> n = A,T,C or G

<400> 86						
aacatcttcc	tgtataatgc	tgtgtaatat	cgatccgatn	ttgtctgctg	agaattcatt	60
acttgaaaa	gcaacttnaa	gcctggacac	tggtattaaa	attcacaata	tgcaacactt	120
taaacagtgt	gtcaatctgc	tcctttactt	tgtcatcacc	agtctgggaa	taagggtatg	180
ccctattcac	acctgttaaa	agggcgctaa	gcatttttga	ttcaacatct	ttttttttga	240
cacaagtccg	aaaaaagcaa	aagtaaacag	ttnttaattt	gttagccaat	tcactttctt	300
catgggacag	agccatttga	tttaaaaagc	aaattgcata	atattgagct	ttgggagctg	360
atatntgagc	ggaagantag	cctttctact	tcaccagaca	caactccttt	catattggga	420
tgtnacnaa	agttatgtct	cttacagatg	ggatgctttt	gtggcaattc	tg	472

<210> 87  
 <211> 413  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(413)  
 <223> n = A,T,C or G

<400> 87							
agaaaccagt	atctctnaaa	acaacctctc	ataccttggtg	gacctaat	tgtgtgcgtg		60
tgtgtgtgcg	cgcatattat	atagacaggc	acatcttttt	tacttttgta	aaagcttatg		120
cctcttttgg	atctatatct	gtgaaagttt	taatgatctg	ccataatgtc	tgggggacct		180
ttgtcttctt	tgtaaatggt	actagagaaa	acacctatnt	tatgagtcaa	tctagttngt		240
tttatttcgac	atgaaggaaa	ttttccagatn	acaacactna	caaaactctcc	cttgactagg		300
ggggacaaag	aaaagcnaaa	ctgaacatna	gaacacaatn	cctggtgaga	aattncataa		360
acagaaattg	ggtngtata	tgaananng	catcattnaa	acgttttttt	ttt		413

```
<210> 88
<211> 448
<212> DNA
<213> Homo sapien
```

```
<220>
<221> misc_feature
<222> (1)...(448)
<223> n = A,T,C or G
```

<400> 88							
cgcagcgggt	cctctctatc	tagctccagc	ctctcgcctg	ccccactccc	cgcgtcccgc		60
gtcctagccn	accatggccg	ggcccctgcg	cgcccgcctg	ctcctgctgg	ccatcctggc		120
cgtggccctg	gocgtgagcc	ccgcggccgg	ctccagtccc	ggcaagccgc	cgcgcctggt		180
gggaggccca	tggaccccgc	gtggaagaag	aagggtgtcg	gcggtgcactg	gactttgccg		240
tcggcnanta	caacaaaccc	gcaacnactt	ttaccnagen	cgcgtctgcag	gttgtgccgc		300
cccaancaa	tgtgttactng	gggttaantaa	ttcttggaag	ttgaacctgg	gccaaacnng		360
tttaccagaa	ccnagccaat	tngaacaatt	nccccccat	aacagccoct	tttaaaaagg		420
gaancantcc	tqntcttttc	caaattttt					448

```
<210> 89
<211> 463
<212> DNA
<213> Homo sapien
```

```
<220>  
<221> misc_feature  
<222> (1)...(463)  
<223> n = A,T,C or G
```

<400> 89								
gaattttgtg	cactggccac	tgtgatggaa	ccattgggcc	aggatgcttt	gagtttatca		60	
gtagtgattc	tgccaaagtt	ggtgtgttaa	catgagtatg	taaaaatgca	aaaaattagc		120	
agaggtctag	gtctgcatat	cagcagacag	tttgccgtg	tattttgtag	ccttgaagtt		180	
ctcagtgaca	agttntttct	gatgcgaagt	tctnattcca	gtgttttagt	cctttgcata		240	
tttnatgttn	agacttgccct	ctntnaaatt	gcttttgtnt	tctgcaggta	ctatctgtgg		300	
tttaacaaaa	tagaannact	tctctgcttn	gaanatttga	atatcttaca	tctnaaaatn		360	
aattctctcc	ccatannaaa	accangccc	ttggganaat	ttgaaaaang	gntccttcnn		420	
aattcnnana	anttcagntn	tcatacaaca	naacngganc	ccc			463	

```
<210> 90
<211> 400
<212> DNA
<213> Homo sapien
```

```
<220>  
<221> misc_feature  
<222> (1)...(400)
```

<223> n = A,T,C or G

<400> 90

agggattgaa ggtctntnt actgtcggac tgttcancca ccaactctac aagttgctgt	60
cttccactca ctgtctgtaa gcntnttaac ccagactgta tcttcataaa tagaacaat	120
tcttcaccag tcacatcttc taggaccttt ttggattcag ttagtataag ctcttccact	180
tcctttgtta agacttcac tcgttaaagtc ttaagttttg tagaaaggaa ttttaattgct	240
cgttctctaa caatgtcctc tccttgaagt atttggctga acaaccacc tnaagtcct	300
ttgtgcatcc attttaata tacttaatag ggcattggtn cactaggta aattctgcaa	360
gagtcactctg tctgcaaaag ttgcgttagt atatctgcca	400

<210> 91

<211> 480

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(480)

<223> n = A,T,C or G

<400> 91

gagctcggat ccaataatct ttgtctgagg gcagcacaca tatncagtgc catgnaact	60
ggtctacccc acatgggagc agcatgccgt agntatataa ggctattccc tgagtcagac	120
atgcctcttt gactaccgtg tgccagtgtc ggtgattctc acacacctcc nccgctctt	180
tgtggaaaaa ctggcacttg nctggaacta gcaagacatc acttacaat tcaccacga	240
gacacttgaa aggtgtaaca aagcgactct tgcatgtgtt tttgtccctc cggcaccagt	300
tgtcaactact aaccgctgg tttgcctcca tcacatttgt gatctgtagc tctggataga	360
tctcctgaca gtactgaaga acttcttctt ttgtttcaaa agcaactctt ggtgcctgtt	420
ngatcaggtt cccatttccc agtccgaatg ttcacatggc atatnttact tcccacaaa	480

<210> 92

<211> 477

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(477)

<223> n = A,T,C or G

<400> 92

atacagcca natcccacca cgaagatgcg cttgttgact gagaacctga tgcggtcact	60
ggteccgctg tagccccagc gactctccac ctgctggaag cggttgatgc tgcactcctt	120
cccacgcagg cagcagcggg gccggtcaat gaactccact cgtggcttgg ggttgacggt	180
taantgcagg aagaggctga ccacctcgcg gtccaccagg atgcccgact gtgcgggacc	240
tgcagcgaaa ctctcctgatg gtcctgagcg ggaagcgaat gangcccagg gccttgccca	300
gaaccttccg cctgttctct ggcgtcacct gcagctgctg ccgctnacac tcggcctcgg	360
accagcggac aaacggcggt gaacagccgc acctcacgga tgcccantgt gtcgcgctcc	420
aggaacggcn ccagcgtgct caggtcaatg tcggtgaanc ctccgcgggt aatggcg	477

<210> 93

<211> 377

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

&lt;222&gt; (1)...(377)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 93

gaacggctgg	accttgccctc	gcattgtgct	gctggcagga	ataccttggc	aagcagctcc	60
agtcggagca	gccccagacc	gctgccgccc	gaagctaagc	ctgcctctgg	ccttccccctc	120
cgctcaatg	cagaaccant	agtgggagca	ctgtgttttag	agttaagagt	gaacactgtn	180
tgattttact	tgggaatttc	ctctgttata	tagcttttcc	caatgctaata	ttccaaacaa	240
caacaacaaa	ataacatgtt	tgctgtttna	gttgataaaa	agtangtgat	tctgtatnta	300
aagaaaatat	tactgtttaca	tatactgctt	gcaantttctg	tattttattgg	tnctctggaa	360
ataaatatat	tattaaa					377

&lt;210&gt; 94

&lt;211&gt; 495

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(495)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 94

ccctttgagg	ggttagggtc	cagttcccag	tggaagaaac	aggccaggag	aantgcgtgc	60
cgagctgang	cagatttccc	acagtgaacc	cagagccctg	ggctatagtc	tctgaccctt	120
ccaaggaaa	accaccttct	ggggacatgg	gctggagggc	aggacctaga	ggcaccaagg	180
gaaggcccca	ttccggggct	gttcccggag	gaggaaggga	aggggctctg	tgtgccqccc	240
acgaggaana	ggccctgant	cctgggatca	nacacccctt	cacgtgtatc	cccacacaaa	300
tgcaagctca	ccaaggtccc	ctctcagtc	cttccctaca	ccctgaacgg	nactggccc	360
acaccacccc	agancancca	cccgccatgg	ggaatgttct	caaggaatcg	cngggcaacg	420
tggactctng	tcccnaagg	gggcagaatc	tccaatagan	gganngaacc	cttgctnana	480
aaaaaaaaana	aaaaa					495

&lt;210&gt; 95

&lt;211&gt; 472

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(472)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 95

ggttacttgg	tttcattgcc	accacttagt	ggatgtcatt	tagaaccatt	ttgtctgctc	60
cctctggaag	ccttgccgag	agcggacttt	gtaattgttg	gagaataact	gctgaatttt	120
tagctgtttt	gagttgattc	gcaccactgc	accacaactc	aatatgaaaa	ctatttnact	180
tattttattat	cttgtgaaaa	gtatacaatg	aaaattttgt	tcatactgta	tttatcaagt	240
atgatgaaaa	gcaatagata	tatattcttt	tattatgttn	aattatgatt	gccattatta	300
atcggcaaaa	tgtggagtgt	atgttctttt	cacagtaata	tatgcctttt	gtaacttcac	360
ttggttattt	tattgtaaat	gaattacaaa	attcttaatt	taagaaaatg	gtangttata	420
tttanttcan	taatttcttt	ccttgttttac	gttaattttg	aaaagaatgc	at	472

&lt;210&gt; 96

&lt;211&gt; 476

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(476)  
 <223> n = A,T,C or G

<400> 96  
 ctgaagcatt tcttcaaact tntctacttt tgtcattgat acctgtagta agttgacaat 60  
 gtgggtgaaat ttcaaaatta tatgtaactt ctactagttt tacttttctcc cccaagtctt 120  
 ttttaactca tgattttttac acacacaatc cagaacttat tatatagcct ctaagtcttt 180  
 attcttcaca gtagatgatg aaagagtcct ccagtgtctt gngcanaatg ttctagntat 240  
 agctggatac atacngtggg agttctataa actcatacct cagtgggact naacccaaat 300  
 tgtgttagtc tcaattccta ccacactgag ggagcctccc aaatcactat attcttatct 360  
 gcagggtactc tccagaaaa acngacaggg caggcttgca tgaaaaagtn acatctgcgt 420  
 tacaaagtct atcttctca nangtctgtt aaggaacaat ttaatcttct agcttt 476

<210> 97  
 <211> 479  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(479)  
 <223> n = A,T,C or G

<400> 97  
 actctttcta atgctgatat gatcttgagt ataagaatgc atatgtcact agaattggata 60  
 aaataatgct gcaaaactta tgttcttatg caaaatggaa cgctaataga acacagctta 120  
 caatcgcaaa tcaaaaactca caagtgtctca tctgtttagt atttagtgta ataagactta 180  
 gattgtgctc ctccggatat gattgtttct canatcttgg gcaatnttcc ttagtcaaatt 240  
 caggctacta gaattctgtt attggatatn tgagagcatg aaatttttaa naatacactt 300  
 gtgattatna aattaatcac aaatttcaact tatacctgct atcagcagct agaaaaacat 360  
 ntntttttta natcaaagta ttttgtgttt ggaantgttn aaatgaaatc tgaatgtggg 420  
 ttcnatctta ttttttccn gacnactant tnccttttta gggncctatc tganccatc 479

<210> 98  
 <211> 461  
 <212> DNA  
 <213> Homo sapien

<400> 98  
 agtgacttgt cctccaacaa aaccocctga tcaagtttgt ggcaactgaca atcagaccta 60  
 tgctagttcc tgtcatctat tcgctactaa atgcagactg gaggggacca aaaaggggca 120  
 tcaactccag ctggattatt ttggagcctg caaatctatt cctacttgta cggactttga 180  
 agtgattcag tttcctctac ggatgagaga ctggctcaag aatatactca tgcagcttta 240  
 tgaagccact ctgaacacgc tggttatcta gatgagaaca gagaaataaa gtcagaaaat 300  
 ttacctggag aaaagaggct ttggctgggg accatcccat tgaaccttct cttaaggact 360  
 ttaagaaaaa ctaccacatg ttgtgtatcc tgggtgccggc cgtttatgaa ctgaccaccc 420  
 tttggaataa tcttgacgct cctgaacttg ctccctctgcg a 461

<210> 99  
 <211> 171  
 <212> DNA  
 <213> Homo sapien

<400> 99  
 gtggccgcgc gcagggtgtt cctcgtaccg cagggccccc tcccttcccc aggcgtccct 60  
 cggcgccctc gcgggcccga ggaggagcgg ctggcggggtg gggggagtgt gaccacacct 120



cggtgagaaa agccttctct agcgatctga gaggcgtgcc ttgggggtac c 171

<210> 100  
<211> 269  
<212> DNA  
<213> Homo sapien

<400> 100  
cggccgcaag tgcaactcca gctggggccg tgcggacgaa gattctgcc a cagttggtc 60  
cgactgcgac gacggcgccg gcgacagtcg caggtgcagc gcgggcgcct ggggtcttgc 120  
aaggctgagc tgacgccgca gaggtcgtgt cacgtccac gaccttgacg ccgtcgggga 180  
cagccggaac agagcccggt gaagcgggag gcctcgggga gcccctcggg aagggcggcc 240  
cgagagatac gcaggtgcag gtggccgcc 269

<210> 101  
<211> 405  
<212> DNA  
<213> Homo sapien

<400> 101  
tttttttttt ttttgaatc tactgcgagc acagcaggtc agcaacaagt ttattttgca 60  
gctagcaagg taacagggta gggcatgggt acatgttcag gtcaacttcc tttgtcgtgg 120  
ttgattgggt tgtctttatg ggggcggggt ggggtagggt aaacgaagca aataacatgg 180  
agtgggtgca ccctccctgt agaacctggt tacaagctt ggggcagttc acctggtctg 240  
tgaccgtcat tttcttgaca tcaatgttat tagaagtcag gatattcttt agagagtcca 300  
ctgttctgga gggagattag ggtttcttgc caaatccaac aaaatccact gaaaaagttg 360  
gatgatcagt acgaataccg aggcattatc tcatatcggg ggcca 405

<210> 102  
<211> 470  
<212> DNA  
<213> Homo sapien

<400> 102  
tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 60  
ggcacttaat ccattttttat ttcaaaatgt ctacaaattt aatcccatta tacggtattt 120  
tcaaaatcta aattattcaa attagccaaa tccttaccaa ataataccca aaaatcaaaa 180  
atatacttct ttcagcaaac ttgttacata aattaaaaaa atatatacgg ctgggtgtttt 240  
caaagtacaa ttatcttaac actgcaaaaca ttttaaggaa ctaaaataaa aaaaaacact 300  
ccgcaaaggt taaaggggaa aacaaattct tttacaacac cattataaaa atcatatctc 360  
aaatcttagg ggaatatata cttcacacgg gatcttaact ttactcact ttgtttattt 420  
ttttaaacca ttgtttgggc ccaacacaat ggaatcccc ctggactagt 470

<210> 103  
<211> 581  
<212> DNA  
<213> Homo sapien

<400> 103  
tttttttttt ttttttttga cccccctctt ataaaaaaca agttaccatt ttattttact 60  
tacacatatt tattttataa ttggtattag atattcaaaa ggcagctttt aaaatcaaac 120  
taaagtggaa ctgccttaga tacataattc ttaggaatta gcttaaaatc tgcctaaagt 180  
gaaaatcttc tctagctctt ttgactgtaa atttttgact cttgtaaaac atccaaattc 240  
atttttcttg tctttaaaat tatctaattc ttccattttt tccctattcc aagtcaattt 300  
gcttctctag cctcatttcc tagctcttat ctactattag taagtggctt ttttcctaaa 360  
agggaaaaca ggaagagaaa tggcacacaa aacaaacatt ttatattcat atttctacct 420  
acgttaataa aatagcattt tgtgaagcca gctcaaaaga aggcttagat ccttttatgt 480  
ccattttagt cactaaacga tatcaaagtg ccagaatgca aaaggtttgt gaacatttat 540

tcaaaagcta atataagata tttcacatac tcatctttct g 581

<210> 104  
<211> 578  
<212> DNA  
<213> Homo sapien

<400> 104

tttttttttt	tttttttttt	tttttctctt	cttttttttt	gaaatgagga	tcgagttttt	60
cactctctag	atagggcgatg	aagaaaactc	atctttccag	ctttaaaata	acaatcaa	120
ctcttatgct	atatcatatt	ttaagttaaa	ctaagagtc	actggcttat	cttctcctga	180
aggaaatctg	ttcattcttc	tcattcatat	agttatatca	agtactacct	tgcatattga	240
gagggttttt	ttctctat	acacatatat	ttccatgtga	atttgtatca	aacctttatt	300
ttcatgcaaa	ctagaaaata	atgtttcttt	tgcataagag	aagagaacaa	tatagcatta	360
caaaactgct	caaattgttt	gttaagtatt	ccattataat	tagttggcag	gagctaatac	420
aaatcacatt	tacgacagca	ataataaaac	tgaagtacca	gttaaatatc	caaaataatt	480
aaaggaacat	tttttagcctg	ggtataatta	gctaattcac	tttacaagca	tttattagaa	540
tgaattcaca	tgttattatt	cctagcccaa	cacaatgg			578

<210> 105  
<211> 538  
<212> DNA  
<213> Homo sapien

<400> 105

tttttttttt	tttttcagta	ataatcagaa	caatatttat	ttttatattt	aaaattcata	60
gaaaagtgcc	ttacatttta	taaaagtttg	tttctcaaag	tgatcagagg	aattagatat	120
gtcttgaaca	ccaatattta	tttgaggaaa	atacaccaaa	atacattaag	taaattattt	180
aagatcatag	agcttgtaag	tgaaaagata	aaatttgacc	tcagaaactc	tgagcattaa	240
aaatccacta	ttagcaata	aattactatg	gacttcttgc	tttaattttg	tgatgaatat	300
ggggtgtcac	tggtaaacca	acacattctg	aaggatacat	tacttagtga	tagattctta	360
tgtactttgc	taatacgttg	atatgagttg	acaagtttct	ctttcttcaa	tcttttaagg	420
ggcgagaaat	gaggaagaaa	agaaaaggat	tacgcatact	gttctttcta	tggaaggatt	480
agatatgttt	cctttgccaa	tattaaaaaa	ataataatgt	ttactactag	tgaaaccc	538

<210> 106  
<211> 473  
<212> DNA  
<213> Homo sapien

<400> 106

tttttttttt	ttttttagtc	aagtttctat	ttttattata	attaaagtct	tggtcatttc	60
atttatttagc	tctgcaactt	acatatttta	attaaagaaa	cgtttttagac	aactgtacaa	120
tttataaatg	taagggtgcca	ttattgagta	atatattcct	ccaagagtgg	atgtgtccct	180
tctcccacca	actaatgaac	agcaacatta	gttttaatttt	attagtagat	atacactgct	240
gcaaacgcta	attctcttct	ccatcccat	gtgatattgt	gtatatgtgt	gagttggtag	300
aatgcatcac	aatctacaat	caacagcaag	atgaagctag	gctgggcttt	cggtgaaaat	360
agactgtgtc	tgtctgaatc	aaatgatctg	acctatcctc	ggtggcaaga	actcttcgaa	420
ccgcttctct	aaaggcgctg	ccacatttgc	ggctctttgc	acttgtttca	aaa	473

<210> 107  
<211> 1621  
<212> DNA  
<213> Homo sapien

<400> 107

cgccatggca	ctgcagggca	tctcggtcat	ggagctgtcc	ggcctggccc	cgggcccgtt	60
ctgtgctatg	gtcctggctg	acttcggggc	gcgtgtggta	cgcgtggacc	ggcccggctc	120

```

ccgctacgac gtgagccgct tgggccgggg caagcgctcg ctagtgctgg acctgaagca 180
gccgcgggga gccgccgtgc tgcggcgtct gtgcaagcgg tcggatgtgc tgctggagcc 240
cttccgccgc ggtgtcatgg agaaactcca gctgggccc gagattctgc agcgggaaaa 300
tccaaggctt atttatgcc ggctgagtggt atttggccag tcaggaagct tctgccggtt 360
agctggccac gatatacaact atttggtctt gtacaggtgt ctctcaaaaa ttggcagaag 420
tggtgagaat ccgtatgccc cgctgaatct cctggctgac tttgctggtg gtggccttat 480
gtgtgcactg ggcattataa tggctctttt tgaccgcaca cgcactgaca agggtcaggt 540
cattgatgca aatatggttg aaggaacagc atatttaagt tcttttctgt ggaaaactca 600
gaaatcgagt ctgtgggaag cacctcgagg acagaacatg ttggatggtg gagcaccttt 660
ctatacgact tacaggacag cagatgggga attcatggct gttggagcaa tagaacccca 720
gttctacgag ctgtgatca aaggacttgg actaaagtct gatgaacttc ccaatcagat 780
gagcatggat gattggccag aaatgaagaa gaagtgttgc gatgtatttg caaagaagac 840
gaaggcagag tgggtgtcaaa tctttgacgg cacagatgcc tgtgtgactc cggttctgac 900
ttttgaggag gttgttcac atgatcacia caaggaacgg ggctcgttta tcaccagtga 960
ggagcaggac gtgagcccc gccctgcacc tctgctgtta aacaccccag ccatcccttc 1020
tttcaaaagg gatcctttca taggagaaca cactgaggag atacttgaag aatttggatt 1080
cagccgcgaa gagatttatc agcttaactc agataaaatc attgaaagta ataaggtaaa 1140
agctagtctc taacttccag gcccacggct caagtgaatt tgaatactgc atttacagt 1200
tagagtaaca cataacattg tatgcatgga aacatggagg aacagtatta cagtgtccta 1260
ccaacttaat caagaaaaga attacagact ctgattctac agtgatgatt gaattctaaa 1320
aatggttatc attagggctt ttgatttata aaactttggg tacttatact aaattatggt 1380
agttattctg ccttccagtt tgcttgatat atttgttgat attaagattc ttgacttata 1440
ttttgaatgg gttctagtga aaaaggaatg atatattctt gaagacatcg atatacattt 1500
atttacactc ttgattctac aatgtagaaa atgaggaaat gccacaaatt gtatggtgat 1560
aaaagtcacg tgaacaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1620
a 1621

```

<210> 108  
 <211> 382  
 <212> PRT  
 <213> Homo sapien

<400> 108  
 Met Ala Leu Gln Gly Ile Ser Val Met Glu Leu Ser Gly Leu Ala Pro  
 1 5 10 15  
 Gly Pro Phe Cys Ala Met Val Leu Ala Asp Phe Gly Ala Arg Val Val  
 20 25 30  
 Arg Val Asp Arg Pro Gly Ser Arg Tyr Asp Val Ser Arg Leu Gly Arg  
 35 40 45  
 Gly Lys Arg Ser Leu Val Leu Asp Leu Lys Gln Pro Arg Gly Ala Ala  
 50 55 60  
 Val Leu Arg Arg Leu Cys Lys Arg Ser Asp Val Leu Leu Glu Pro Phe  
 65 70 75 80  
 Arg Arg Gly Val Met Glu Lys Leu Gln Leu Gly Pro Glu Ile Leu Gln  
 85 90 95  
 Arg Glu Asn Pro Arg Leu Ile Tyr Ala Arg Leu Ser Gly Phe Gly Gln  
 100 105 110  
 Ser Gly Ser Phe Cys Arg Leu Ala Gly His Asp Ile Asn Tyr Leu Ala  
 115 120 125  
 Leu Ser Gly Val Leu Ser Lys Ile Gly Arg Ser Gly Glu Asn Pro Tyr  
 130 135 140  
 Ala Pro Leu Asn Leu Leu Ala Asp Phe Ala Gly Gly Gly Leu Met Cys  
 145 150 155 160  
 Ala Leu Gly Ile Ile Met Ala Leu Phe Asp Arg Thr Arg Thr Asp Lys  
 165 170 175  
 Gly Gln Val Ile Asp Ala Asn Met Val Glu Gly Thr Ala Tyr Leu Ser  
 180 185 190  
 Ser Phe Leu Trp Lys Thr Gln Lys Ser Ser Leu Trp Glu Ala Pro Arg

	195		200		205
Gly	Gln Asn Met Leu Asp	Gly Gly Ala Pro Phe	Tyr Thr Thr Tyr Arg		
210		215	220		
Thr	Ala Asp Gly Glu Phe	Met Ala Val Gly Ala	Ile Glu Pro Gln Phe		
225		230	235		240
Tyr	Glu Leu Leu Ile Lys	Gly Leu Gly Leu Lys	Ser Asp Glu Leu Pro		
	245	250	255		
Asn	Gln Met Ser Met Asp	Asp Trp Pro Glu Met	Lys Lys Lys Phe Ala		
	260	265	270		
Asp	Val Phe Ala Lys Lys	Thr Lys Ala Glu Trp	Cys Gln Ile Phe Asp		
	275	280	285		
Gly	Thr Asp Ala Cys Val	Thr Pro Val Leu Thr	Phe Glu Glu Val Val		
	290	295	300		
His	His Asp His Asn Lys	Glu Arg Gly Ser Phe	Ile Thr Ser Glu Glu		
305		310	315		320
Gln	Asp Val Ser Pro Arg	Pro Ala Pro Leu Leu	Leu Asn Thr Pro Ala		
	325	330	335		
Ile	Pro Ser Phe Lys Arg	Asp Pro Phe Ile Gly	Glu His Thr Glu Glu		
	340	345	350		
Ile	Leu Glu Glu Phe Gly	Phe Ser Arg Glu Glu	Ile Tyr Gln Leu Asn		
	355	360	365		
Ser	Asp Lys Ile Ile Glu	Ser Asn Lys Val Lys	Ala Ser Leu		
370		375	380		

<210> 109  
 <211> 1524  
 <212> DNA  
 <213> Homo sapien

<400> 109

ggcacgaggc	tgcgccaggg	cctgagcggg	ggcgggggca	gcctcgccag	cggggggccc	60
gggcctggcc	atgcctcact	gagccagcgc	ctgcgcctct	acctcgccga	cagctggaac	120
cagtgcgacc	tagtggtctc	caacctgttc	ctcctgggcg	tgggctgccc	gctgaccccg	180
ggtttgtagc	acctgggccc	caactgtcct	tgcctcgact	tcatgggttt	cacgggtgcg	240
ctgcttcaca	tcttcacggt	caacaaacag	ctggggccca	agatcgatcat	cgtgagcaag	300
atgatgaagg	acgtgttctt	cttcctcttc	ttcctcgggc	tgtggctggt	agcctatggc	360
gtggccacgg	aggggtcctc	gaggccacgg	gacagtgcct	tcccagat	cctgcgccgc	420
gtcttctacc	gtccctacct	gcagatcttc	gggcagattc	cccaggagga	catggacgtg	480
gccctcatgg	agcacagcaa	ctgctcgctc	gagcccggct	tctgggcaca	ccctcctggg	540
gccaggcgcg	gcacctgcgt	ctcccagtat	gccaactggc	tgggtggtgct	gtcctcctgc	600
atcttcctgc	togtggccaa	catcctgctg	gtcaacttgc	tcattgccat	gttcagttac	660
acattcggca	aagtacaggg	caacagcgat	ctctactgga	aggcgcagcg	ttaccgcctc	720
atccgggaat	tccactctcg	gcccgcgctg	gccccgccct	ttatcgatcat	ctcccacttg	780
cgcctcctgc	tcaggcaatt	gtgcaggcga	ccccggagcc	cccagccgtc	ctccccggcc	840
ctcgagcatt	tccgggttta	cctttctaag	gaagccgagc	ggaagctgct	aacgtgggaa	900
tccgtgcata	aggagaactt	tctgctggca	cgcgctaggg	acaagcggga	gagcgactcc	960
gagcgtctga	agcgcacgtc	ccagaaggtg	gacttggcac	tgaacacagct	gggacacatc	1020
cgcgagtacg	aacagcgccct	gaaagtgcct	gagcgggagg	tccagcagtg	tagccgcgtc	1080
ctgggggtgg	tggccagggc	cctgagccgc	tctgccttgc	tgcccccagg	tgggcccaca	1140
ccccctgacc	tgcctgggtc	caaagactga	gcctgtctgg	cggacttcaa	ggagaagccc	1200
ccacagggga	ttttgtctct	agagtaaggc	tcatctgggc	ctcgcccccc	gcacctggtg	1260
gccttgtcct	tgaggtgagc	cccatgtcca	tctgggccac	tgtcaggacc	acctttggga	1320
gtgtcatcct	tacaaaccac	agcatgcccg	gctcctccca	gaaccagtcc	cagcctggga	1380
ggatcaaggc	ctggatcccc	ggccgttatc	catctggagg	ctgcagggtc	cttggggtaa	1440
cagggaccac	agacccctca	ccactcacag	attcctcaca	ctgggggaaat	aaagccattt	1500
cagaggaaaa	aaaaaaaaaa	aaaa				1524

<210> 110

&lt;211&gt; 3410

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 110

gggaaccagc	ctgcacgcgc	tggtccggg	tgacagccgc	gcgcctcggc	caggatctga	60
gtgatgagac	gtgtccccc	tgaggtgccc	cacagcagca	ggtgttgagc	atgggctgag	120
aagctggacc	ggcaccaaag	ggctggcaga	aatgggcgcc	tggttgattc	ctaggcagtt	180
ggcggcagca	aggaggagag	gccgcagctt	ctggagcaga	gccgagacga	agcagttctg	240
gagtgcctga	acggccccc	gagccctacc	cgcctggccc	actatggtcc	agaggctgtg	300
ggtgagccgc	ctgctgcggc	accggaaagc	ccagctcttg	ctggtcaacc	tgctaaccct	360
tgccctggag	gtgtgttttg	ccgcaggcat	cacctatgtg	ccgcctctgc	tgctggaagt	420
gggggtagag	gagaagttca	tgaccatggt	gctgggcatt	ggtccagtgc	tgggcctggt	480
ctgtgtcccg	ctcctaggct	cagccagtga	ccactggcgt	ggacgctatg	gccgcgcgcg	540
gcccttcac	tgggcactgt	ccttgggcat	cctgctgagc	ctctttctca	tcccaagggc	600
cggctggcta	gcagggctgc	tgtgcccgga	tcccaggccc	ctggagctgg	cactgctcat	660
cctgggcgtg	gggctgctgg	acttctgtgg	ccaggtgtgc	ttcactccac	tggaggccct	720
gctctctgac	ctcttccggg	accgggacca	ctgtcgccag	gcctactctg	tctatgcctt	780
catgatcagt	cttgggggct	gcctgggcta	cctcctgcct	gccattgact	gggacaccag	840
tgccctggcc	ccctacctgg	gcacccagga	ggagtgcctc	tttggcctgc	tcaccctcat	900
cttcctcacc	tgcgtagcag	ccacactgct	gggtggctgag	gaggcagcgc	tgggcccccac	960
cagaccagca	gaagggctgt	cggccccctc	cttgtcgccc	cactgctgtc	catgccgggc	1020
ccgcttggtc	ttccggaacc	tgggcgcctc	gcttccccgg	ctgcaccagc	tgtgctgccg	1080
catgccccgc	accctgcgcc	ggctcttcgt	ggctgagctg	tgcagctgga	tggcactcat	1140
gaccttcacg	ctgttttaca	cggatttctg	gggcgagggg	ctgtaccagg	gcgtgccccag	1200
agctgagccg	ggcaccgagg	cccggagaca	ctatgatgaa	ggcgttcgga	tgggcagcct	1260
ggggctgttc	ctgcagtgcg	ccatctccct	ggtcttctct	ctggtcatgg	accggctggt	1320
gcagcgattc	ggcactcgag	cagtctattt	ggccagtgtg	gcagctttcc	ctgtggctgc	1380
cgggtgccaca	tgcctgtccc	acagtgtggc	cgtggtgaca	gcttcagccg	ccctcaccgg	1440
gttcaccttc	tcagccctgc	agatcctgcc	ctacacactg	gcctccctct	accaccggga	1500
gaagcaggtg	ttcctgcca	aataccgagg	ggacactgga	ggtgctagca	gtgaggacag	1560
cctgatgacc	agcttcctgc	caggccctaa	gcctggagct	cccttcccta	atggacacgt	1620
gggtgctgga	ggcagtggcc	tgtcccacc	tccaccgcgc	ctctgcgggg	cctctgcctg	1680
tgatgtctcc	gtacgtgtgg	tgggtgggtga	gcccaccgag	gccaggggtg	ttccggggccg	1740
gggcactctgc	ctggacctcg	ccatcctgga	tagtgccttc	ctgctgtccc	aggtggcccc	1800
atccctgttt	atgggtcca	ttgtccagct	cagccagtct	gtcactgcct	atatggtgtc	1860
tgccgcaggc	ctgggtctgg	tcgccattta	ctttgtctaca	caggtagtat	ttgacaagag	1920
cgacttggtc	aaatactcag	cgtagaaaac	ttccagcaca	ttgggtgga	gggcctgcct	1980
cactgggtcc	cagctccccg	ctcctgttag	ccccatgggg	ctgccgggct	ggccgcaggt	2040
ttctgttgct	gccaaagtaa	tgtggctctc	tgtgtccacc	ctgtgctgct	gaggtgcgta	2100
gctgcacagc	tgggggctgg	ggcgtccctc	tcctctctcc	ccagtctcta	gggctgcctg	2160
actggaggcc	ttccaagggg	gtttcagctc	ggacttatac	aggaggcca	gaagggtccc	2220
atgcactgga	atgcggggac	tctgcagtg	gattaccag	gctcagggtt	aacagctagc	2280
ctcctagtgt	agacacacct	agagaagggt	ttttgggagc	tgaataaact	cagtcacctg	2340
gtttcccatc	tctaagcccc	ttaacctgca	gcttcgttta	atgtagctct	tgcattgggag	2400
tttctaggat	gaaacactcc	tccatgggat	ttgaacatat	gacttatattg	taggggaaga	2460
gtcctgaggg	gcaacacaca	agaaccaggt	cccctcagcc	cacagcactg	tctttttgct	2520
gatccacccc	cctcttacct	tttatcagga	tgtggcctgt	tggtccttct	gttgccatca	2580
cagagacaca	ggcattttaa	tatttaactt	atttatttaa	caaagtagaa	gggaatccat	2640
tgtatgcttt	tctgtgttgg	tgtctaatat	ttgggtaggg	tggggggtcc	ccaacaatca	2700
ggtcccctga	gatagctgg	cattgggctg	atcattgcca	gaatcttctt	ctcctggggg	2760
ctggccccc	aaaatgccta	accaggacc	ttggaaattc	tactcatccc	aaatgataat	2820
tccaaatgct	gttacccaag	gttaggggtg	tgaaggagg	tagagggtgg	ggcttcagggt	2880
ctcaacggct	tccctaacca	cccctctct	cttgcccag	cctgggtccc	cccacttcca	2940
ctccccctta	ctctctctag	gactgggctg	atgaaggcac	tgcccaaaat	ttccccctacc	3000
cccaactttc	ccctaccccc	aactttcccc	accagctcca	caaccctgtt	tggagctact	3060
gcaggaccag	aagcacaaag	tgcggtttcc	caagcctttg	tccatctcag	ccccagaggt	3120
atatctgtgc	ttggggaatc	tcacacagaa	actcaggagc	acccctgccc	tgagctaagg	3180

gaggtcttat	ctctcagggg	gggtttaagt	gccgtttgca	ataatgtcgt	cttattttatt	3240
tagcgggggtg	aatattttat	actgtaagt	agcaatcaga	gtataatgtt	tatgggtgaca	3300
aaattaaagg	ctttcttata	tgtttaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	3360
aaaaaaaaara	aaaaaaaaaa	aaaaaaaaaa	aaaaaaataa	aaaaaaaaaa		3410

<210> 111  
 <211> 1289  
 <212> DNA  
 <213> Homo sapien

<400> 111						
agccaggcgt	ccctctgcct	gccactcag	tggcaacacc	cgggagctgt	tttgtccttt	60
gtggagcctc	agcagttccc	tctttcagaa	ctcactgcc	agagccctga	acaggagcca	120
ccatgcagt	cttcagcttc	attaagacca	tgatgatcct	cttcaatttg	ctcatctttc	180
tgtgtggtgc	agccctgttg	gcagtgggca	tctgggtgtc	aatcgatggg	gcatcctttc	240
tgaagatctt	cgggccactg	tcgtccagt	ccatgcagtt	tgtcaacgtg	ggctacttcc	300
tcacgcagc	cggcgttgtg	gtctttgtc	ttggtttcct	gggctgctat	ggtgctaaga	360
ctgagagcaa	gtgtgccctc	gtgacgttct	tcttcaccc	cctcctcatc	ttcattgctg	420
aggttgacg	tgctgtggtc	gccttgggtg	acaccacaat	ggctgagcac	ttcctgacgt	480
tgctggtagt	gcctgccatc	aagaaagatt	atggttccca	ggaagacttc	actcaagtgt	540
ggaacaccac	catgaaagg	ctcaagtgtc	gtggcttcac	caactatacg	gattttgagg	600
actcacccta	cttcaaagag	aacagtgcct	ttcccccatt	ctgttgcaat	gacaacgtca	660
ccaacacagc	caatgaaacc	tgaccaagc	aaaaggctca	cgacccaaaa	gtagagggtt	720
gcttcaatca	gcttttgtat	gacatccgaa	ctaattgcagt	caccgtgggt	ggtgtggcag	780
ctggaattgg	gggcctcgag	ctggctgcc	tgattgtgtc	catgtatctg	tactgcaatc	840
tacaataagt	ccacttctgc	ctctgccact	actgctgcc	catgggaact	gtgaagaggc	900
accctggcaa	gcagcagtga	ttgggggagg	ggacaggatc	taacaatgtc	acttgggcca	960
gaatggacct	gccctttctg	ctccagactt	ggggctagat	agggaccact	ccttttagcg	1020
atgectgact	ttccttccat	tggtgggtgg	atgggtgggg	ggcattccag	agcctctaa	1080
gtagccagtt	ctgttgccca	ttccccagc	ctattaaacc	cttgatatgc	cccagggcc	1140
tagtgggtgat	cccagtgtc	tactggggga	tgagagaaag	gcattttata	gcctgggcat	1200
aagtgaatc	agcagagcct	ctgggtggat	gtgtagaagg	cacttcaaaa	tgcataaacc	1260
tgttacaatg	ttaaaaaaa	aaaaaaaaa				1289

<210> 112  
 <211> 315  
 <212> PRT  
 <213> Homo sapien

<400> 112															
Met	Val	Phe	Thr	Val	Arg	Leu	Leu	His	Ile	Phe	Thr	Val	Asn	Lys	Gln
1				5					10					15	
Leu	Gly	Pro	Lys	Ile	Val	Ile	Val	Ser	Lys	Met	Met	Lys	Asp	Val	Phe
			20					25					30		
Phe	Phe	Leu	Phe	Phe	Leu	Gly	Val	Trp	Leu	Val	Ala	Tyr	Gly	Val	Ala
		35				40					45				
Thr	Glu	Gly	Leu	Leu	Arg	Pro	Arg	Asp	Ser	Asp	Phe	Pro	Ser	Ile	Leu
		50				55					60				
Arg	Arg	Val	Phe	Tyr	Arg	Pro	Tyr	Leu	Gln	Ile	Phe	Gly	Gln	Ile	Pro
65					70					75				80	
Gln	Glu	Asp	Met	Asp	Val	Ala	Leu	Met	Glu	His	Ser	Asn	Cys	Ser	Ser
				85					90					95	
Glu	Pro	Gly	Phe	Trp	Ala	His	Pro	Pro	Gly	Ala	Gln	Ala	Gly	Thr	Cys
			100					105					110		
Val	Ser	Gln	Tyr	Ala	Asn	Trp	Leu	Val	Val	Leu	Leu	Leu	Val	Ile	Phe
		115				120						125			
Leu	Leu	Val	Ala	Asn	Ile	Leu	Leu	Val	Asn	Leu	Leu	Ile	Ala	Met	Phe
		130				135					140				

Ser Tyr Thr Phe Gly Lys Val Gln Gly Asn Ser Asp Leu Tyr Trp Lys  
 145 150 155 160  
 Ala Gln Arg Tyr Arg Leu Ile Arg Glu Phe His Ser Arg Pro Ala Leu  
 165 170 175  
 Ala Pro Pro Phe Ile Val Ile Ser His Leu Arg Leu Leu Leu Arg Gln  
 180 185 190  
 Leu Cys Arg Arg Pro Arg Ser Pro Gln Pro Ser Ser Pro Ala Leu Glu  
 195 200 205  
 His Phe Arg Val Tyr Leu Ser Lys Glu Ala Glu Arg Lys Leu Leu Thr  
 210 215 220  
 Trp Glu Ser Val His Lys Glu Asn Phe Leu Leu Ala Arg Ala Arg Asp  
 225 230 235 240  
 Lys Arg Glu Ser Asp Ser Glu Arg Leu Lys Arg Thr Ser Gln Lys Val  
 245 250 255  
 Asp Leu Ala Leu Lys Gln Leu Gly His Ile Arg Glu Tyr Glu Gln Arg  
 260 265 270  
 Leu Lys Val Leu Glu Arg Glu Val Gln Gln Cys Ser Arg Val Leu Gly  
 275 280 285  
 Trp Val Ala Glu Ala Leu Ser Arg Ser Ala Leu Leu Pro Pro Gly Gly  
 290 295 300  
 Pro Pro Pro Pro Asp Leu Pro Gly Ser Lys Asp  
 305 310 315

<210> 113  
 <211> 553  
 <212> PRT  
 <213> Homo sapien

<400> 113  
 Met Val Gln Arg Leu Trp Val Ser Arg Leu Leu Arg His Arg Lys Ala  
 1 5 10 15  
 Gln Leu Leu Leu Val Asn Leu Leu Thr Phe Gly Leu Glu Val Cys Leu  
 20 25 30  
 Ala Ala Gly Ile Thr Tyr Val Pro Leu Leu Leu Glu Val Gly Val  
 35 40 45  
 Glu Glu Lys Phe Met Thr Met Val Leu Gly Ile Gly Pro Val Leu Gly  
 50 55 60  
 Leu Val Cys Val Pro Leu Leu Gly Ser Ala Ser Asp His Trp Arg Gly  
 65 70 75 80  
 Arg Tyr Gly Arg Arg Arg Pro Phe Ile Trp Ala Leu Ser Leu Gly Ile  
 85 90 95  
 Leu Leu Ser Leu Phe Leu Ile Pro Arg Ala Gly Trp Leu Ala Gly Leu  
 100 105 110  
 Leu Cys Pro Asp Pro Arg Pro Leu Glu Leu Ala Leu Leu Ile Leu Gly  
 115 120 125  
 Val Gly Leu Leu Asp Phe Cys Gly Gln Val Cys Phe Thr Pro Leu Glu  
 130 135 140  
 Ala Leu Leu Ser Asp Leu Phe Arg Asp Pro Asp His Cys Arg Gln Ala  
 145 150 155 160  
 Tyr Ser Val Tyr Ala Phe Met Ile Ser Leu Gly Gly Cys Leu Gly Tyr  
 165 170 175  
 Leu Leu Pro Ala Ile Asp Trp Asp Thr Ser Ala Leu Ala Pro Tyr Leu  
 180 185 190  
 Gly Thr Gln Glu Glu Cys Leu Phe Gly Leu Leu Thr Leu Ile Phe Leu  
 195 200 205  
 Thr Cys Val Ala Ala Thr Leu Leu Val Ala Glu Glu Ala Ala Leu Gly  
 210 215 220  
 Pro Thr Glu Pro Ala Glu Gly Leu Ser Ala Pro Ser Leu Ser Pro His

[illegible]

```
<210> 114
<211> 241
<212> PRT
<213> Homo sapien
```

<400> 114															
Met	Gln	Cys	Phe	Ser	Phe	Ile	Lys	Thr	Met	Met	Ile	Leu	Phe	Asn	Leu
1				5					10					15	
Leu	Ile	Phe	Leu	Cys	Gly	Ala	Ala	Leu	Leu	Ala	Val	Gly	Ile	Trp	Val
			20					25					30		
Ser	Ile	Asp	Gly	Ala	Ser	Phe	Leu	Lys	Ile	Phe	Gly	Pro	Leu	Ser	Ser
		35					40					45			
Ser	Ala	Met	Gln	Phe	Val	Asn	Val	Gly	Tyr	Phe	Leu	Ile	Ala	Ala	Gly
	50					55					60				
Val	Val	Val	Phe	Ala	Leu	Gly	Phe	Leu	Gly	Cys	Tyr	Gly	Ala	Lys	Thr
65					70					75					80



Glu Ser Lys Cys Ala Leu Val Thr Phe Phe Phe Ile Leu Leu Leu Ile  
                   85                  90                  95  
 Phe Ile Ala Glu Val Ala Ala Ala Val Val Ala Leu Val Tyr Thr Thr  
                   100                  105                  110  
 Met Ala Glu His Phe Leu Thr Leu Leu Val Val Pro Ala Ile Lys Lys  
                   115                  120                  125  
 Asp Tyr Gly Ser Gln Glu Asp Phe Thr Gln Val Trp Asn Thr Thr Met  
                   130                  135                  140  
 Lys Gly Leu Lys Cys Cys Gly Phe Thr Asn Tyr Thr Asp Phe Glu Asp  
                   145                  150                  155                  160  
 Ser Pro Tyr Phe Lys Glu Asn Ser Ala Phe Pro Pro Phe Cys Cys Asn  
                   165                  170                  175  
 Asp Asn Val Thr Asn Thr Ala Asn Glu Thr Cys Thr Lys Gln Lys Ala  
                   180                  185                  190  
 His Asp Gln Lys Val Glu Gly Cys Phe Asn Gln Leu Leu Tyr Asp Ile  
                   195                  200                  205  
 Arg Thr Asn Ala Val Thr Val Gly Gly Val Ala Ala Gly Ile Gly Gly  
                   210                  215                  220  
 Leu Glu Leu Ala Ala Met Ile Val Ser Met Tyr Leu Tyr Cys Asn Leu  
                   225                  230                  235                  240  
 Gln

<210> 115  
 <211> 366  
 <212> DNA  
 <213> Homo sapien

<400> 115  
 gctctttctc tcccctcctc tgaatttaat tctttcaact tgcaatttgc aaggattaca 60  
 catttcactg tgatgtatat tgtgttgcaa aaaaaaaaaa gtgtctttgt ttaaaattac 120  
 ttggtttggt aatccatctt gctttttccc cattggaact agtcattaac ccatctctga 180  
 actggttagaa aaacatctga agagctagtc tatcagcatc tgacagggtga attggatggt 240  
 tctcagaacc atttcaccca gacagcctgt ttctatcctg ttttaataaat tagtttggtg 300  
 tctctacatg cataacaaac cctgctccaa tctgtcacat aaaagtctgt gacttgaagt 360  
 ttagtc 366

<210> 116  
 <211> 282  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(282)  
 <223> n = A,T,C or G  
 <400> 116  
 acaaagatga accatttcct atattatagc aaaattaaaa tctacccgta ttctaattatt 60  
 gagaaatgag atnaaacaca atnttataaa gtctacttag agaagatcaa gtgacctcaa 120  
 agactttact attttcatat tttaagacac atgatttata ctatttttagt aacctggttc 180  
 atacgttaaa caaaggataa tgtgaacagc agagaggatt tgttggcaga aaatctatgt 240  
 tcaatctnga actatctana tcacagacat ttctatttcct tt 282

<210> 117  
 <211> 305  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(305)  
 <223> n = A,T,C or G

<400> 117  
 acacatgtcg cttcactgcc ttcttagatg cttctgggtca acatanagga acagggacca 60  
 tatttattcct ccctcctgaa acaattgcaa aataanacaa aatatatgaa acaattgcaa 120  
 aataaggcaa aatatatgaa acaacagggtc tcgagatatt ggaaatcagt caatgaagga 180  
 tactgatccc tgatcactgt cctaattgcag gatgtgggaa acagatgagg tcacctctgt 240  
 gactgcccc gcttactgcc tgtagagagt ttctangctg cagttcagac agggagaaat 300  
 tgggt 305

<210> 118  
 <211> 71  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(71)  
 <223> n = A,T,C or G

<400> 118  
 accaaggtgt ntgaatctct gacgtgggga tctctgattc cgcacaatc tgagtggaaa 60  
 aantcctggg t 71

<210> 119  
 <211> 212  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(212)  
 <223> n = A,T,C or G

<400> 119  
 actccggttg gtgtcagcag cacgtggcat tgaacatngc aatgtggagc ccaaaccaca 60  
 gaaaatgggg tgaaattggc caactttcta tnaacttatg ttggcaantt tgccaccaac 120  
 agtaagctgg cccttctaataaaaagaaat tgaaagggtt ctcactaanc ggaattaant 180  
 aatggantca aganactccc aggcctcagc gt 212

<210> 120  
 <211> 90  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(90)  
 <223> n = A,T,C or G

<400> 120  
 actcgttgca natcaggggc cccccagagt caccgttgca ggagtccttc tggctcttgcc 60  
 ctccgccggc gcagaacatg ctggggtggt 90

<210> 121  
 <211> 218  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(218)  
 <223> n = A,T,C or G

<400> 121  
 tgtancgtga anacgacaga nagggttgtc aaaaatggag aanccttgaa gtcattttga 60  
 gaataagatt tgctaaaaga tttggggcta aaacatgggtt attgggagac atttctgaag 120  
 atatncangt aaattangga atgaattcat ggttcttttg ggaattcctt tacgatngcc 180  
 agcatanact tcatgtgggg atancagcta cccttgta 218

<210> 122  
 <211> 171  
 <212> DNA  
 <213> Homo sapien

<400> 122  
 taggggtgta tgcaactgta aggacaaaaa ttgagactca actggcttaa ccaataaagg 60  
 catttgtag ctcatggaac aggaagtgg atggtggggc atcttcagtg ctgcatgagt 120  
 caccaccccg gcgggggtcat ctgtgccaca ggtccctgtt gacagtgcgg t 171

<210> 123  
 <211> 76  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(76)  
 <223> n = A,T,C or G

<400> 123  
 tgtagcgtga agacnacaga atggtgtgtg ctgtgctatc caggaacaca tttattatca 60  
 ttatcaanta ttgtgt 76

<210> 124  
 <211> 131  
 <212> DNA  
 <213> Homo sapien

<400> 124  
 acctttcccc aaggccaatg tcctgtgtgc taactggccg gctgcaggac agctgcaatt 60  
 caatgtgctg ggtcatatgg aggggaggag actctaaaat agccaatttt attctcttgg 120  
 ttaagatttg t 131

<210> 125  
 <211> 432  
 <212> DNA  
 <213> Homo sapien

<400> 125  
 actttatcta ctggctatga aatagatggg ggaaaattgc gttaccaact ataccactgg 60  
 cttgaaaaag aggtgatagc tcttcagagg acttgtgact ttgtctcaga tgctgaagaa 120

```

ctacagtctg catttggcag aaatgaagat gaatttggat taaatgagga tgctgaagat      180
ttgcctcacc aaacaaaagt gaaacaactg agagaaaatt ttcaggaaaa aagacagtgg      240
ctcttgaagt atcagtcact tttgagaatg tttcttagtt actgcatact tcatggatcc      300
catggtgggg gtcttgcacg tgtaagaatg gaattgattt tgcttttgca agaattctcag      360
caggaaacat cagaaccact attttctagc cctctgtcag agcaaaccctc agtgcctctc      420
ctctttgctt gt                                     432

```

```

<210> 126
<211> 112
<212> DNA
<213> Homo sapien

```

```

<400> 126
acacaacttg aatagtaaaa tagaaactga gctgaaattt ctaattcact ttctaaccat      60
agtaagaatg atatttcccc ccagggatca ccaaataatt ataaaaattt gt          112

```

```

<210> 127
<211> 54
<212> DNA
<213> Homo sapien

```

```

<400> 127
accacgaaac cacaaacaag atggaagcat caatccactt gccaaagcaca gcag          54

```

```

<210> 128
<211> 323
<212> DNA
<213> Homo sapien

```

```

<400> 128
acctcattag taattgtttt gttgtttcat ttttttctaa tgtctcccct ctaccagctc      60
acctgagata acagaatgaa aatggaagga cagccagatt tctcctttgc tctctgctca      120
ttctctctga agtctagggt acccattttg gggaccatt ataggcaata aacacagttc      180
ccaaagcatt tggacagttt cttgttgtgt tttagaatgg ttttcctttt tcttagcctt      240
ttcctgcaaa aggtcactc agtcccttgc ttgctcagtg gactgggctc cccagggcct      300
aggetgcctt cttttccatg tcc                                     323

```

```

<210> 129
<211> 192
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(192)
<223> n = A,T,C or G

```

```

<400> 129
acatacatgt gtgtatattt ttaaatatca cttttgtatc actctgactt tttagcatac      60
tgaaaacaca ctaacataat ttntgtgaac catgatcaga tacaaccaa atcattcatc      120
tagcacattc atctgtgata naaagatagg tgagtttcat ttccttcacg ttggccaatg      180
gataaacaaa gt                                     192

```

```

<210> 130
<211> 362
<212> DNA
<213> Homo sapien

```

<220>  
 <221> misc\_feature  
 <222> (1)...(362)  
 <223> n = A,T,C or G

<400> 130  
 ccctttttta tggaaatgagt agactgtatg tttgaanatt tanccacaac ctctttgaca 60  
 tataatgacg caacaaaaag gtgctgttta gtcctatggg tcagtttatg ccctgacaa 120  
 gtttccattg tgttttgccg atcttctggc taatcgtggg atcctccatg ttattagtaa 180  
 ttctgtattc cattttgtta acgcctggta gatgtaacct gctangaggc taactttata 240  
 cttattttaa agctcttatt ttgtgggcat taaaatggca atttatgtgc agcactttat 300  
 tgcagcagga agcacgtgtg ggttgggtgt aaagctcttt gctaattcta aaaagtaatg 360  
 gg 362

<210> 131  
 <211> 332  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(332)  
 <223> n = A,T,C or G

<400> 131  
 ctttttgaag gatcgtgtcc actcctgtgg acatcttgtt ttaatggagt ttcccatgca 60  
 gtangactgg tatgggttga gctgtccaga taaaaacatt tgaagagctc caaaatgaga 120  
 gtttctccag gttcgccctg ctgctccaag tctcagcagc agcctctttt aggaggcatc 180  
 ttctgaacta gattaaggca gcttgtaaatt ctgatgtgat ttgggtttatt atccaactaa 240  
 cttccatctg ttatcactgg agaaagccca gactcccan gacnggtacg gattgtgggc 300  
 atanaaggat tgggtgaagc tggcggttgc gt 332

<210> 132  
 <211> 322  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(322)  
 <223> n = A,T,C or G

<400> 132  
 actttttgcca ttttgtatat ataaacaatc ttgggacatt ctctgaaaa ctaggtgtcc 60  
 agtggctaag agaactcgat ttcaagcaat tctgaaagga aaaccagcat gacacagaat 120  
 ctcaaattcc caaacagggg ctctgtggga aaaatgaggg aggacctttg tatctcgggt 180  
 tttagcaagt taaaatgaan atgacaggaa aggcttattt atcaacaaag agaagagttg 240  
 ggatgcttct aaaaaaaact ttggtagaga aaataggaat gctnaatcct agggaagcct 300  
 gtaacaatct acaattgggc ca 322

<210> 133  
 <211> 278  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(278)

<223> n = A,T,C or G

<400> 133

acaagccttc acaagtttaa ctaaattggg attaatcttt ctgtanttat ctgcataatt	60
cttgtttttc tttccatctg gctcctgggt tgacaatttg tggaaacaac tctattgcta	120
ctatttaaaa aaaatcacaa atctttocct ttaagctatg ttnaattcaa actattcctg	180
ctattcctgt tttgtcaaag aaattatatt tttcaaaata tgtntatttg tttgatgggt	240
cccacgaaac actaataaaa accacagaga ccagcctg	278

<210> 134

<211> 121

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(121)

<223> n = A,T,C or G

<400> 134

gtttanaaaa cttgttttagc tccatagagg aaagaatggt aaactttgta ttttaaaaca	60
tgattctctg aggttaaact tgggtttcaa atgttatatt tacttgatt ttgcttttg	120
t	121

<210> 135

<211> 350

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(350)

<223> n = A,T,C or G

<400> 135

acttanaacc atgcctagca catcagaatc cctcaaagaa catcagtata atcctataacc	60
atancaagtg gtgactgggt aagcgtgcga caaaggtcag ctggcacatt acttggtgct	120
aaacttgata cttttgttct aagtaggaac tagtatacag tncctaggan tggtaactcca	180
gggtgcccc caactcctgc agccgctcct ctgtgccagn ccctgnaagg aactttcgct	240
ccacctcaat caagccctgg gccatgctac ctgcaattgg ctgaacaaac gtttgctgag	300
ttccaagga tgcaaagcct ggtgctcaac tcctggggcg tcaactcagt	350

<210> 136

<211> 399

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(399)

<223> n = A,T,C or G

<400> 136

tgtaccgtga agacgacaga agttgcatgg cagggacagg gcagggccga ggccagggtt	60
gctgtgattg tatccgaata ntccctcgtga gaaaagataa tgagatgacg tgagcagcct	120
gcagacttgt gtctgccttc aanaagccag acaggaaggc cctgcctgcc ttggctctga	180
cctggcggcc agccagccag ccacaggtgg gcttcttcct tttgtggtga caacnccaag	240
aaaactgcag aggccagggt tcaggtgtna gtgggtangt gaccataaaa caccaggtgc	300

tcccaggaac ccgggcaaag gccatcccca cctacagcca gcatgcccac tggcgtgatg 360  
 ggtgcagang gatgaagcag ccagntgttc tgctgtggt 399

<210> 137  
 <211> 165  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(165)  
 <223> n = A,T,C or G

<400> 137  
 actggtgtgg tngggggtga tgctggtggt anaagttgan gtgacttcan gatggtgtgt 60  
 ggaggaagtg tgtgaacgta gggatgtaga ngttttggcc gtgctaaatg agcttcggga 120  
 ttggctggtc ccaactggtg tcaactgtcat tggtaggggtt cctgt 165

<210> 138  
 <211> 338  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(338)  
 <223> n = A,T,C or G

<400> 138  
 actcactgga atgccacatt cacaacagaa tcagaggtct gtgaaaacat taatggctcc 60  
 ttaacttctc cagtaagaat cagggacttg aaatggaaac gttacagacc acatgcccac 120  
 tgctgggcag tctcccatgc cttccacagt gaaagggctt gagaaaaatc acatccaatg 180  
 tcatgtgttt ccagccacac caaaaggtgc ttgggggtgga gggctggggg catananggt 240  
 cangcctcag gaagcctcaa gttccattca gctttgccac tgtacattcc ccatntttaa 300  
 aaaaactgat gccttttttt tttttttttg taaaattc 338

<210> 139  
 <211> 382  
 <212> DNA  
 <213> Homo sapien

<400> 139  
 gggaatcttg gtttttggca tctggtttgc ctatagccga ggccactttg acagaacaaa 60  
 gaaagggact tcagagtaaga aggtgattta cagccagcct agtgcccga gtgaaggaga 120  
 attcaaacag acctcgatcat tcctggtgtg agcctggctg gctcaccgcc tatcatctgc 180  
 atttgcctta ctcaggtgct accggactct ggccctgat gtctgtagt tcaaggatg 240  
 ccttattttgt cttctacacc ccacagggcc ccctacttct tcggatgtgt ttttaataat 300  
 gtcagctatg tgcccacatc tccttcatgc cctccctccc tttcctacca ctgctgagt 360  
 gcctggaact tgtttaaagt gt 382

<210> 140  
 <211> 200  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(200)

<223> n = A,T,C or G

<400> 140

accaaancctt ctttctgttg tgttngattt tactataggg gtttngcttn ttctaaanat	60
acttttcatt taacancctt tggttaagtgt caggctgcac ttgctccat anaattattg	120
ttttcacatt tcaacttgta tgtgtttgtc tcttanagca ttggtgaaat cacatatattt	180
atattcagca taaaggagaa	200

<210> 141

<211> 335

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(335)

<223> n = A,T,C or G

<400> 141

actttatttt caaaacactc atatgttgca aaaaacacat agaaaaataa agtttgggtg	60
gggtgctgac taaacttcaa gtcacagact tttatgtgac agattggagc aggggtttgtt	120
atgcatgtag agaaccctaa ctaattttatt aaacaggata gaaacaggct gtctgggtga	180
aatggttctg agaaccatcc aattcacctg tcagatgctg atanactagc tcttcagatg	240
ttttctacc agttcagaga tnggttaatg actantttca atgggggaaa agcaagatgg	300
attcacaac caagtaattt taaacaaaga cactt	335

<210> 142

<211> 459

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(459)

<223> n = A,T,C or G

<400> 142

accagggttaa tattgccaca tatatccttt ccaattgcgg gctaaacaga cgtgtattta	60
gggttggtta aagacaaccc agcttaatat caagagaaat tgtgacctt catggagtat	120
ctgatggaga aaacactgag ttttgacaaa tcttatttta tcagatagc agtctgatca	180
cacatggtcc aacaacactc aaataataaa tcaaataatna tcagatgtta aagattggtc	240
ttcaaacatc atagccaatg atgccccgct tgcctataat ctctccgaca taaaaccaca	300
tcaacacctc agtggccacc aaaccattca gcacagcttc cttaactgtg agctgtttga	360
agctaccagt ctgagcacta ttgactatnt ttttcangct ctgaatagct ctagggatct	420
cagcangggg gggaggaacc agctcaacct tggcggtant	459

<210> 143

<211> 140

<212> DNA

<213> Homo sapien

<400> 143

acatttcctt ccaccaagtc aggactcctg gcttctgttg gagttcttat cacctgaggg	60
aatccaaac agtctctcct agaaaggaat agtgtcacca accccaccca tctccctgag	120
accatccgac ttccctgtgt	140

<210> 144

<211> 164



<212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(164)  
 <223> n = A,T,C or G

<400> 144  
 acttcagtaa caacatacaa taacaacatt aagtgtatat tgccatcttt gtcattttct 60  
 atctatacca ctctcccttc tgaaaacaan aatcactanc caatcactta tacaatttg 120  
 aggcaattaa tccatatttg ttttcaataa ggaaaaaaag atgt 164

<210> 145  
 <211> 303  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(303)  
 <223> n = A,T,C or G

<400> 145  
 acgtagacca tccaactttg tatttgtaat ggcaaacatc cagnagcaat tcctaaacaa 60  
 actggagggt atttataccc aattatccca ttcattaaca tgccctctctc ctcaggctat 120  
 gcaggacagc tatcataagt cggcccaggc atccagatac taccatttgt ataaacttca 180  
 gtaggggagt ccatccaagt gacagggtcta atcaaaggag gaaatggaac ataagcccag 240  
 tagtaaaatn ttgcttagct gaaacagcca caaaagactt accgccgtgg tgattaccat 300  
 caa 303

<210> 146  
 <211> 327  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(327)  
 <223> n = A,T,C or G

<400> 146  
 actgcagctc aattagaagt ggtctctgac tttcatcanc ttctccctgg gctccatgac 60  
 actggcctgg agtgactcat tgctctggtt ggttgagaga gtccttttgc caacaggcct 120  
 ccaagtcagg gctgggattt gtttcctttc cacattctag caacaatatg ctggccactt 180  
 cctgaacagg gaggggtgga ggagccagca tggaacaagc tgccactttc taaagtagcc 240  
 agacttgccc ctgggcctgt cacacctact gatgaccttc tgtgcctgca ggatggaatg 300  
 taggggtgag ctgtgtgact ctatggt 327

<210> 147  
 <211> 173  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(173)  
 <223> n = A,T,C or G

<400> 147  
 acattgtttt tttagataa agcattgana gagctctcct taacgtgaca caatggaagg 60  
 actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt 120  
 atattcaagc acatatgtta tatattattc agttccatgt ttatagccta gtt 173

<210> 148  
 <211> 477  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(477)  
 <223> n = A,T,C or G

<400> 148  
 acaaccactt tatctcatcg aattttttaac ccaaactcac tcactgtgcc ttctatcct 60  
 atgggatata ttatttgatg ctccatttca tcacacatat atgaataata cactcatact 120  
 gccctactac ctgctgcaat aatcacattc ccttctgtgc ctgaccctga agccattggg 180  
 gtggtcctag tggccatcag tccangcctg cacccttgagc ccttgagctc cattgctcac 240  
 nccanccac ctcaccgacc ccatcctctt acacagctac ctcccttgctc tctaacccca 300  
 tagattatnt ccaaattcag tcaattaagt tactattaac actctaccgc acatgtccag 360  
 caccactggg aagccttctc cagccaacac acacacacac acacncacac acacacatat 420  
 ccaggcacag gctacctcat cttcacaatc acccctttaa ttaccatgct atggtgg 477

<210> 149  
 <211> 207  
 <212> DNA  
 <213> Homo sapien

<400> 149  
 acagttgtat tataatatca agaaataaac ttgcaatgag agcatttaag agggaagaac 60  
 taacgtatnt tagagagcca aggaagggtt ctgtggggag tgggatgtaa ggtggggcct 120  
 gatgataaat aagagtcagc caggtaagtg ggtggtgtgg tatgggcaca gtgaagaaca 180  
 tttcaggcag agggaacagc agtgaaa 207

<210> 150  
 <211> 111  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(111)  
 <223> n = A,T,C or G

<400> 150  
 accttgattt cattgctgct ctgatggaaa cccaactatc taatttagct aaaacatggg 60  
 cacttaaatg tggtcagtgt ttggacttgt taactantgg catctttggg t 111

<210> 151  
 <211> 196  
 <212> DNA  
 <213> Homo sapien

<400> 151  
 agcgcggcag gtcattattga acattccaga tacctatcat tactcgatgc tgttgataac 60

```

agcaagatgg ctttgaactc agggtcacca ccagctattg gaccttacta tgaaaaccat    120
ggataccaac cggaaaaccc ctatcccgcg cagcccactg tggccccac tgtctacgag    180
gtgcatccgg ctcagt                                         196

```

```

<210> 152
<211> 132
<212> DNA
<213> Homo sapien

```

```

<400> 152
acagcacttt cacatgtaag aaggagaaaa ttcctaaatg taggagaaag ataacagAAC    60
cttccctttt tcatctagtG gtggaaacct gatgctttat gttgacagga atagaaccag    120
gagggagttt gt                                         132

```

```

<210> 153
<211> 285
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(285)
<223> n = A,T,C or G

```

```

<400> 153
acaanaccCa nganaggcca ctggccgtgg tgtcatggcc tccaaacatg aaagtgtcag    60
cttctgctct tatgtcctca tctgacaact ctttaccatt tttatcctcg ctcagcagga    120
gcacatcaat aaagtccaaa gtcttggact tggccttggc ttggaggaag tcatcaacac    180
cctggctagt gagggtgcgg cgccgctcct ggatgacggc atctgtgaag tcgtgcacca    240
gtctgcaggc cctgtggaag cgccgtccac acggagtnag gaatt                                         285

```

```

<210> 154
<211> 333
<212> DNA
<213> Homo sapien

```

```

<400> 154
accacagtcc tgttgggcca gggcttcatg accctttctg tgaaaagcca tattatcacc    60
accccaaatt tttccttaaa tatctttaac tgaaggggtc agcctcttga ctgcaaagac    120
cctaagccgg ttacacagct aactccact ggccctgatt tgtgaaattg ctgctgcctg    180
attggcacag gagtgcgaag tgttcagctc ccctcctccg tggaaacgaga ctctgatttg    240
agtttcacaa attctcgggc cacctcgtca ttgctcctct gaaataaaat ccggagaatg    300
gtcaggcctg tctcatccat atggatcttc cgg                                         333

```

```

<210> 155
<211> 308
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(308)
<223> n = A,T,C or G

```

```

<400> 155
actggaaata ataaaaccca catcacagtG ttgtgtcaaa gatcatcagg gcatggatgg    60
gaaagtgcct tgggaactgt aaagtgccta acacatgatc gatgattttt gttataatat    120
ttgaatcacg gtgcatacaa actctcctgc ctgctcctcc tgggccccag cccagcccc    180

```

atcacagctc actgctctgt tcatccaggc ccagcatgta gtggctgatt cttcttggt	240
gcttttagcc tccanaagtt tctctgaagc caaccaaacc tctangtgta aggcattgctg	300
gccctggt	308

<210> 156  
 <211> 295  
 <212> DNA  
 <213> Homo sapien

<400> 156	
accttgctcg gtgcttgga catattagga actcaaaata tgagatgata acagtgccta	60
ttattgatta ctgagagaac tgtagacat ttagttgaag attttctaca caggaactga	120
gaataggaga ttagtttgg ccctcatatt ctctcctatc ctcttgccct cattctatgt	180
ctaatatatt ctcaatcaaa taaggtttagc ataatcagga aatcgaccaa ataccaatat	240
aaaaccagat gtctatcctt aagattttca aatagaaaac aaattaacag actat	295

<210> 157  
 <211> 126  
 <212> DNA  
 <213> Homo sapien

<400> 157	
acaagtttaa atagtgtgt cactgtgcat gtgctgaaat gtgaaatcca ccacatttct	60
gaagagcaaa acaaattctg tcatgtaatc tctatcttgg gtcgtgggta tatctgtccc	120
cttagt	126

<210> 158  
 <211> 442  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(442)  
 <223> n = A,T,C or G

<400> 158	
accactggt ctggaaaca cccatcctta atacgatgat ttttctgtcg tgtgaaatg	60
aancagcag gctgccccta gtcagtcctt ccttcagag aaaaagagat ttgagaaagt	120
gcctgggtaa ttcaccatta atttcctccc ccaaactctc tgagtcttcc cttaatattt	180
ctggtggttc tgaccaaagc aggtcatggt ttgttgagca tttgggatcc cagtgaagta	240
natgtttgta gccttgcata cttagccctt cccacgcaca aacggagtgg cagagtgggtg	300
ccaaccctgt tttccagtc cagtagaca gattcacagt gcggaattct ggaagctgga	360
nacagacggg ctctttgcag agccgggact ctgagangga catgagggcc tctgcctctg	420
tgttcattct ctgatgtcct gt	442

<210> 159  
 <211> 498  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(498)  
 <223> n = A,T,C or G

<400> 159	
acttcagggt aacgttgttg tttccgttga gcctgaactg atgggtgacg ttgtaggttc	60

tccaacaaga	actgaggttg	cagagcgggt	aggaagagt	gctgttocag	ttgcacctgg	120
gctgctgttg	actgttgttg	attcctcact	acggcccaag	gttgtggaac	tggcanaaag	180
gtgtgttgtt	gganttgagc	tcgggcggct	gtggtagggt	gtgggtcttt	caacaggggc	240
tgtgtgtgtg	ccgggangtg	aangtggttg	gtcacttgag	cttggccagc	tctggaaagt	300
antanattct	tcctgaaggc	cagcgcttgt	ggagctggca	ngggtcantg	ttgtgtgtaa	360
cgaaccagtg	ctgctgtggg	tgggtgtana	tcctccacaa	agcctgaagt	tatggtgtcn	420
tcaggtana	atgtggtttc	agtgtccctg	ggcngctgtg	gaaggttgta	nattgtcacc	480
aagggaataa	gctgtgtgt					498

<210> 160  
 <211> 380  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(380)  
 <223> n = A,T,C or G

<400> 160	
acctgcatcc	agcttccctg ccaaactcac aaggagacat caacctctag acagggaaac 60
agcttcagga	tacttccagg agacagagcc accagcagca aaacaaatat tcccatgcct 120
ggagcatggc	atagaggaag ctganaaatg tgggggtctga ggaagccatt tgagtctggc 180
cactagacat	ctcatcagcc acttgtgtga agagatgcc catgaccca gatgcctctc 240
ccacccttac	ctccatctca cacacttgag ctttccactc tgtataattc taacatcctg 300
gagaaaaatg	gcagtttgac cgaacctgtt cacaacggtg gaggtgatt tctaacgaaa 360
cttgtagaat	gaagcctgga 380

<210> 161  
 <211> 114  
 <212> DNA  
 <213> Homo sapien

<400> 161	
actccacatc	ccctctgagc aggcgggttg cgttcaaggt gtatttggcc ttgcctgtca 60
cactgtccac	tggcccctta tcacttgggt gcttaatccc tcgaaagagc atgt 114

<210> 162  
 <211> 177  
 <212> DNA  
 <213> Homo sapien

<400> 162	
actttctgaa	tcgaatcaaa tgatacttag tgtagtthta atatcctcat atatatcaaa 60
gttttactac	tctgataatt ttgtaaacca ggtaaccaga acatccagtc atacagcttt 120
tggtgatata	taacttggca ataaccagc ctggtgatac ataaaactac tcaactgt 177

<210> 163  
 <211> 137  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(137)  
 <223> n = A,T,C or G

<400> 163

catttataca gacaggcgtg aagacattca cgacaaaaac gcgaaattct atccccgtgac	60
canagaaggc agctacggct actcctacat cctggcgtgg gtggccttcg cctgcacctt	120
catcagcggc atgatgt	137

&lt;210&gt; 164

&lt;211&gt; 469

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(469)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 164

cttatcaciaa tgaatgttct cctgggcagc gttgtgatct ttgccacctt cgtgacttta	60
tgcaatgcat catgctatct catacctaata gagggagtgc caggagattc aaccaggaaa	120
tgcatggatc tcaaaggaaa caaacaccca ataaactcgg agtggcagac tgacaactgt	180
gagacatgca cttgctacga aacagaaatt tcatgttgca cccttgtttc tacacctgtg	240
ggttatgaca aagacaactg ccaaagaatc ttcaagaagg aggactgcaa gtatatcgtg	300
gtggagaaga aggacccaaa aaagacctgt tctgtcagtg aatggataat ctaatgtgct	360
tctagtaggc acagggctcc caggccaggc ctcattctcc tctggcctct aatagtcaat	420
gattgtgtag ccatgcctat cagtaaaaag atntttgagc aaacacttt	469

&lt;210&gt; 165

&lt;211&gt; 195

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(195)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 165

acagtttttt atanatatcg acattgccgg cacttggtgtt cagtttcata aagctgggtg	60
atccgctgtc atccactatt ccttggttag agtaaaaatt attcttatag cccatgtccc	120
tgcaggccgc ccgcccgtag ttctcgttcc agtcgtcttg gcacacaggg tgccaggact	180
tcctctgaga tgagt	195

&lt;210&gt; 166

&lt;211&gt; 383

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(383)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 166

acatcttagt agtgtggcac atcagggggc catcagggtc acagtcactc atagcctcgc	60
cgaggctgga gtccacacca ccggtgtagg tgtgctcaat cttgggcttg gcgcccacct	120
ttggagaagg gatattgctg acacacatgt ccacaaagcc tgtgaactcg ccaaagaatt	180
tttgagacc agcctgagca agggcgggat gttcagcttc agctcctcct tcgtcaggtg	240
gatgccaaac tcgtctangg tccgtgggaa gctgggtgtcc acntcaccta caacctgggc	300
gangatctta taaagaggct ccnagataaa ctccacgaaa cttctctggg agctgctagt	360
nggggccttt ttggtgaact ttc	383

<210> 167  
 <211> 247  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(247)  
 <223> n = A,T,C or G

<400> 167  
 acagagccag accttggcca taaatgaanc agagattaag actaaacccc aagtccganat 60  
 tggagcagaa actggagcaa gaagtgggcc tggggctgaa gtagagacca aggccactgc 120  
 tatanccata cacagagcca actctcaggc caaggcnatg gttggggcag anccagagac 180  
 tcaatctgan tccaaagtgg tggctggaac actggtcatg acanaggcag tgactctgac 240  
 tgangtc 247

<210> 168  
 <211> 273  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(273)  
 <223> n = A,T,C or G

<400> 168  
 acttctaagt tttctagaag tggaaggatt gtantcatcc tgaaaatggg tttacttcaa 60  
 aatccctcan ccttgttctt cacnactgtc tatactgana gtgtcatgtt tccacaaagg 120  
 gctgacacct gagcctgnat tttcactcat ccctgagaag ccctttccag taggggtggc 180  
 aattcccaac ttccttgcca caagcttccc aggcctttctc ccctggaaaa ctccagcttg 240  
 agtcccagat acactcatgg gctgccctgg gca 273

<210> 169  
 <211> 431  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(431)  
 <223> n = A,T,C or G

<400> 169  
 acagccttgg cttccccaaa ctccacagtc tcagtgcaga aagatcatct tccagcagtc 60  
 agctcagacc aggggtcaaag gatgtgacat caacagtttc tggtttcaga acaggttcta 120  
 ctactgtcaa atgacccccc atacttcctc aaaggctgtg gtaagttttg cacagggtgag 180  
 ggcagcagaa aggggggtant tactgatgga caccatcttc tctgtatact ccacactgac 240  
 cttgccatgg gcaaaggccc ctaccacaaa aacaatagga tcaactgctgg gcaccagctc 300  
 acgcacatca ctgacaaccg ggatggaaaa agaantgcc aactttcatac atccaactgg 360  
 aaagtgatct gatactggat tcttaattac cttcaaaagc ttctgggggc catcagctgc 420  
 tcgaacactg a 431

<210> 170  
 <211> 266  
 <212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(266)

<223> n = A,T,C or G

<400> 170

acctgtgggc	tggtgtgta	tgctgtgcc	ggctgtgaa	agggagttca	gaggtggagc	60
tcaaggagct	ctgcaggcat	tttgccaanc	ctctccanag	canagggagc	aacctacact	120
ccccgctaga	aagacaccag	attggagtc	tggtggggg	agttggggg	ggcatttgat	180
gtatacttgt	cacctgaatg	aangagccag	agaggaanga	gacgaanatg	anattggcct	240
tcaaagctag	gggtctggca	ggtgga				266

<210> 171

<211> 1248

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(1248)

<223> n = A,T,C or G

<400> 171

ggcagccaaa	tcataaacgg	cgaggactgc	agcccgcact	cgcagccctg	gcaggcggca	60
ctggtcatgg	aaaacgaatt	gttctgctcg	ggcgtcctgg	tgcatccgca	gtgggtgctg	120
tcagccgcac	actgtttcca	gaagtgaatg	cagagctcct	acaccatcgg	gctgggcctg	180
caagtccttg	agggcgacca	agagccaggg	agccagatgg	tggtggccag	cctctccgta	240
cggcaccag	agtacaacag	acccttgctc	gctaaccgac	tcatgctcat	caagttggac	300
gaatccgtgt	ccgagtcctga	caccatccgg	agcatcagca	ttgcttcgca	gtgccctacc	360
gcggggaact	cttgccctcg	ttctggctgg	ggtctgctgg	cgaacggcag	aatgcctacc	420
gtgctgcagt	gcgtgaacgt	gtcgggtggg	tctgaggagg	tctgcagtaa	gctctatgac	480
ccgctgtacc	accccagcat	gttctgcgcc	ggcggagggg	aagaccagaa	ggactcctgc	540
aacgggtgact	ctggggggcc	cctgatctgc	aacgggtact	tgtagggcct	tgtgtctttc	600
ggaaaagccc	cgtgtggcca	agttggcgtg	ccagggtgtc	acaccaacct	ctgcaaattc	660
actgagtggg	tagagaaaa	cgtccaggcc	agtttaactc	ggggactggg	aacccatgaa	720
attgaccccc	aaatacatcc	tgcggaagga	attcaggaat	atctgttccc	agcccctcct	780
ccctcaggcc	caggagtcca	ggcccccagc	ccctcctccc	tcaaaccaag	ggtacagatc	840
cccagcccct	cctccctcag	accaggaggt	ccagaccccc	cagcccctcc	tccctcagac	900
ccaggagtcc	agcccctcct	ccctcagacc	caggagtcca	gacccccccag	cccctcctcc	960
ctcagaccca	gggtgccagg	cccccaacct	ctcctcctc	agactcagag	gtccaagccc	1020
ccaacccntc	attccccaga	cccagaggtc	cagggtccc	cccctcntcc	ctcagaccca	1080
gcggtccaat	gccacctaga	ctntccctgt	acacagtgcc	cccttggtgg	acgttgaccc	1140
aaccttacca	gttggttttt	catttttngt	ccctttcccc	tagatccaga	aataaagttt	1200
aagagaagng	caaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa		1248

<210> 172

<211> 159

<212> PRT

<213> Homo sapien

<220>

<221> VARIANT

<222> (1)...(159)

<223> Xaa = Any Amino Acid

<400> 172



```

Met Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro
 1          5          10          15
Leu Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser
          20          25          30
Glu Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr
          35          40          45
Ala Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly
          50          55          60
Arg Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu
65          70          75          80
Glu Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe
          85          90          95
Cys Ala Gly Gly Gly Gln Xaa Gln Xaa Asp Ser Cys Asn Gly Asp Ser
          100          105          110
Gly Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe
          115          120          125
Gly Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn
130          135          140
Leu Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
145          150          155

```

&lt;210&gt; 173

&lt;211&gt; 1265

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(1265)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 173

```

ggcagcccgcc actgcagccc ctggcaggcg gcactgggtca tggaaaacga attgttctgc      60
tcgggcgctcc tgggtgcatcc gcagtgggtg ctgtcagccg cacactgttt ccagaactcc      120
tacaccatcg ggctgggcct gcacagtctt gaggcgcgacc aagagccagg gagccagatg      180
gtggaggcca gcctctccgt acggcaccca gagtacaaca gacccttgct cgctaacgac      240
ctcatgctca tcaagttgga cgaatccgtg tccgagtctg acaccatccg gagcatcagc      300
attgcttcgc agtgccctac cgcggggaac tcttgccctg tttctggctg gggctctgctg      360
gcgaacggtg agctcacggg tgtgtgtctg ccctcttcaa ggaggtcctc tgcccagtcg      420
cgggggctga ccagagctc tgcgtcccag gcagaatgcc taccgtgctg cagtgcgtga      480
acgtgtcggg ggtgtctgag gaggtctgca gtaagctcta tgaccgcgtg taccacccca      540
gcatgttctg cgccggcgga gggcaagacc agaaggactc ctgcaacggg gactctgggg      600
ggcccctgat ctgcaacggg tacttgagg gccttgtgtc ttctggaaaa gcccgtgtg      660
gccaaagtgg cgtgccagg gtctacacca acctctgcaa attcactgag tggatagaga      720
aaaccgtcca ggccagttaa ctctggggac tgggaaccca tgaaattgac ccccaaatac      780
atcctgcgga aggaattcag gaatatctgt tcccagcccc tcctccctca ggcccaggag      840
tccaggcccc cagcccctcc tccctcaaac caagggtaca gatcccagc ccctcctccc      900
tcagacccag gagtccagac ccccagccc ctctccctc agacccagga gtccagcccc      960
tcctccttca gacccaggag tccagacccc ccagcccctc ctccctcaga cccagggggt      1020
gaggccccc acccctcctc cttcagagtc agagggtccaa gcccacaacc cctcgttccc      1080
cagacccaga ggtinnaggtc ccagcccctc ttccntcaga ccagnggtc caatgccacc      1140
tagatatttc ctgnacacag tgcccccttg tggngangttg acccaacctt accagttggt      1200
ttttcatttt tngtcccttt cccctagatc cagaaataaa gtttaagaga nngncaaaaa      1260
aaaaa                                         1265

```

&lt;210&gt; 174

&lt;211&gt; 1459

&lt;212&gt; DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(1459)

<223> n = A,T,C or G

<400> 174

ggtcagccgc	acactgtttc	cagaagttag	tgcagagctc	ctacaccatc	gggctggggc	60
tgcacagtct	tgaggccgac	caagagccag	ggagccagat	ggtggaggcc	agcctctccg	120
tacggcacc	agagtacaac	agacccttgc	tcgctaacga	cctcatgtct	atcaagttgg	180
acgaatccgt	gtccgagtct	gacaccatcc	ggagcatcag	cattgcttcg	cagtgcctta	240
ccgcggggaa	ctcttgccct	gtttctggct	ggggtctgct	ggcgaacggt	gagctcacgg	300
gtgtgtgtct	gccctcttca	aggaggtcct	ctgcccagtc	gcgggggctg	acccagagct	360
ctgcgtccca	ggcagaatgc	ctaccgtgct	gcagtgcgtg	aacgtgtcgg	tgggtgtctga	420
ngaggtctgc	antaagctct	atgaccgct	gtaccacccc	ancatgttct	gcgccggcgg	480
agggcaagac	cagaaggact	cctgcaacgt	gagagagggg	aaaggggagg	gcaggcgact	540
cagggaaggg	tgagaaggg	ggagacagag	acacacaggg	ccgcatggcg	agatgcagag	600
atggagagac	acacagggag	acagtgacaa	ctagagagag	aaactgagag	aaacagagaa	660
ataaacacag	gaataaagag	aagcaaagga	agagagaaac	agaaacagac	atggggaggc	720
agaaacacac	acacatagaa	atgcagttga	ccttccaaca	gcatggggcc	tgagggcggt	780
gacctccacc	caatagaaaa	tcctcttata	acttttgact	ccccaaaaac	ctgactagaa	840
atagcctact	gttgacgggg	agccttacca	ataacataaa	tagtcgattt	atgcatacgt	900
tttatgcatt	catgatatac	ctttgttgga	attttttgat	atttctaagc	tacacagttc	960
gtctgtgaat	ttttttaaat	tgttgcaact	ctcctaaaat	ttttctgatg	tgtttattga	1020
aaaaatccaa	gtataagtgg	acttgtgcat	tcaaaccagg	gttgttcaag	ggtcaactgt	1080
gtacccagag	ggaaacagtg	acacagattc	atagaggtga	aacacgaaga	gaaacaggaa	1140
aaatcaagac	tctacaaaga	ggctgggcag	ggtggctcat	gcctgtaatc	ccagcacttt	1200
gggagggcag	cagggcagat	cacttgaggt	aaggagttca	agaccagcct	ggccaaaatg	1260
gtgaaatcct	gtctgtacta	aaaatacaaa	agttagctgg	atatgggtggc	aggcgcctgt	1320
aatcccagct	acttgggagg	ctgaggcagg	agaattgctt	gaatatggga	ggcagagggt	1380
gaagtgagtt	gagatcacac	cactatactc	cagctggggc	aacagagtaa	gactctgtct	1440
caaaaaaaaa	aaaaaaaaa					1459

<210> 175

<211> 1167

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(1167)

<223> n = A,T,C or G

<400> 175

gcgcagccct	ggcaggcggc	actgggtcatg	gaaaacgaat	tgtttctgctc	gggcgtcctg	60
gtgcatccgc	agtgggtgct	gtcagccgca	cactgtttcc	agaactccta	caccatcggg	120
ctgggcctgc	acagtcttga	ggccgaccaa	gagccaggga	gccagatggt	ggaggccagc	180
ctctccgtac	ggcaccacga	gtacaacaga	ctcttgctcg	ctaacgacct	catgtctatc	240
aagttggacg	aatccgtgtc	cgagtctgac	accatccgga	gcatcagcat	tgcttcgcag	300
tgccctaccg	cggggaactc	ttgcctcgtn	tctggctggg	gtctgctggc	gaacggcaga	360
atgcctaccg	tgctgcactg	cgtgaacgtg	tcggtggtgt	ctgaggangt	ctgcagtaag	420
ctctatgacc	cgctgtacca	ccccagcatg	ttctgcgcgg	gcggagggca	agaccagaag	480
gactcctgca	acggtgactc	tggggggccc	ctgatctgca	acgggtactt	gcagggcctt	540
gtgtctttcg	gaaaagcccc	gtgtggccaa	cttggcgtgc	cagggtgtcta	caccaacctc	600
tgcaaattca	ctgagtggat	agagaaaacc	gtccagncca	gttaactctg	gggactggga	660
acccatgaaa	ttgaccccca	aatacatcct	gcggaangaa	ttcaggaata	tctgttccca	720
gcccctctc	cctcaggccc	aggagtccag	gccccagcc	cctcctccct	caaaccaag	780

```

gtacagatcc ccagcccctc ctccctcaga cccaggagtc cagaccccc agccctctnt      840
ccntcagacc caggagtcca gcccctcctc cntcagacgc aggagtccag acccccagc      900
ccntcntccg tcagaccagc ggggtgcaggc ccccaacccc tcntccntca gagtccagagg      960
tccaagcccc caaccctcg ttccccagac ccagaggtn c aggtcccagc ccctcctccc      1020
tcagaccagc cgggtccaatg ccacctagan tntccctgta cacagtgcgc ccttgtggca      1080
ngttgaccca accttaccag ttggtttttc attttttgtc cctttcccct agatccagaa      1140
ataaagtnta agagaagcgc aaaaaaa                                1167

```

<210> 176  
 <211> 205  
 <212> PRT  
 <213> Homo sapien

<220>  
 <221> VARIANT  
 <222> (1)...(205)  
 <223> Xaa = Any Amino Acid

```

<400> 176
Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
  1          5          10          15
Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
  20          25          30
Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
  35          40          45
Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Leu Leu Leu
  50          55          60
Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
  65          70          75          80
Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
  85          90          95
Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met
  100         105         110
Pro Thr Val Leu His Cys Val Asn Val Ser Val Val Ser Glu Xaa Val
  115         120         125
Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala
  130         135         140
Gly Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly
  145         150         155         160
Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys
  165         170         175
Ala Pro Cys Gly Gln Leu Gly Val Pro Gly Val Tyr Thr Asn Leu Cys
  180         185         190
Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Xaa Ser
  195         200         205

```

<210> 177  
 <211> 1119  
 <212> DNA  
 <213> Homo sapien

```

<400> 177
gcgcactcgc agccctggca ggcggcactg gtcattgaaa acgaattgtt ctgctcgggc      60
gtcctgggtgc atccgcagtg ggtgctgtca gccgcacact gtttccagaa ctccacacc      120
atcgggctgg gctgtcacag tcttgaggcc gaccaagagc cagggagcca gatggtggag      180
gccagcctct cgtacggca cccagagtac aacagaccct tgctcgctaa cgacctcatg      240
ctcatcaagt tggacgaatc cgtgtccgag tctgacacca tccggagcat cagcattgct      300
tcgcagtgcc ctaccgcggg gaactcttgc ctgctttctg gctgggggtct gctggcgaac      360

```

```

gatgctgtga ttgccatcca gtcccagact gtgggaggct gggagtgtga gaagctttcc 420
caaccctggc agggttgtac catttcggca acttccagtg caaggacgtc ctgctgcatc 480
ctcactgggt gtcactact gtcactgca tcacccggaa cactgtgac aactagccag 540
caccatagtt ctccgaagtc agactatcat gattactgtg ttgactgtgc tgtctattgt 600
actaaccatg ccgatgttta ggtgaaatta gcgtcacttg gcctcaacca tcttggtatc 660
cagttatcct cactgaattg agatttcctg cttcagtgtc agccattccc acataatttc 720
tgacctacag aggtgaggga tcatatagct cttcaaggat gctggtactc cctcacaaa 780
ttcattttctc ctggtttagt gaaaggtgcg ccctctggag cctcccaggg tgggtgtgca 840
ggtcacaatg atgaatgtat gatcgtgttc ccattaccca aagcctttaa atccctcatg 900
ctcagtacac cagggcaggt ctagcatttc ttcatttagt gtatgctgtc cattcatgca 960
accacctcag gactcctgga ttctctgcct agttgagctc ctgcatgctg cctccttggg 1020
gaggtgaggg agaggggccca tggttcaatg ggatctgtgc agttgtaaca cattaggtgc 1080
ttaataaaca gaagctgtga tgttaaaaaa aaaaaaaaa 1119

```

<210> 178  
 <211> 164  
 <212> PRT  
 <213> Homo sapien

<220>  
 <221> VARIANT  
 <222> (1)...(164)  
 <223> Xaa = Any Amino Acid

```

<400> 178
Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
 1          5          10          15
Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
          20          25          30
Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
          35          40          45
Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu
          50          55          60
Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
65          70          75          80
Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
          85          90          95
Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Asp Ala Val
          100          105          110
Ile Ala Ile Gln Ser Xaa Thr Val Gly Gly Trp Glu Cys Glu Lys Leu
          115          120          125
Ser Gln Pro Trp Gln Gly Cys Thr Ile Ser Ala Thr Ser Ser Ala Arg
          130          135          140
Thr Ser Cys Cys Ile Leu Thr Gly Cys Ser Leu Leu Leu Thr Ala Ser
145          150          155          160
Pro Gly Thr Leu

```

<210> 179  
 <211> 250  
 <212> DNA  
 <213> Homo sapien

```

<400> 179
ctggagtgcc ttggtgtttc aagcccctgc aggaagcaga atgcaccttc tgaggcacct 60
ccagctgccc ccggccgggg gatgcgaggc tcggagcacc cttgcccggc tgtgattgct 120
gccaggcact gttcatctca gcttttctgt ccctttgtc cgggcaagcg cttctgtgta 180
aagttcatat ctggagcctg atgtcttaac gaataaaggc cccatgctcc acccgaaaaa 240

```

```

aaaaaaaaa 250

<210> 180
<211> 202
<212> DNA
<213> Homo sapien

<400> 180
actagtccag tgtggtggaa ttccattgtg ttggggccaa cacaatggct acctttaaca 60
tcaccagac cccgcccctg cccgtgcccc acgtgctgc taacgacagt atgatgctta 120
ctctgctact cggaaactat ttttatgtaa ttaatgtatg ctttcttggt tataaatgcc 180
tgatttaaaa aaaaaaaaaa aa 202

<210> 181
<211> 558
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(558)
<223> n = A,T,C or G

<400> 181
tccytttgkt naggtttkkg agacamccck agacctwaan ctgtgtcaca gacttcyngg 60
aatgtttagg cagtgctagt aatttcytcg taatgattct gttattactt tcctnattct 120
ttattcctct ttcttctgaa gattaatgaa gttgaaaatt gaggtggata aatacaaaaa 180
ggtagtgtga tagtataagt atctaagtgc agatgaaagt gtgttatata tatccattca 240
aaattatgca agttagtaat tactcagggt taactaaatt actttaatat gctgttgaac 300
ctactctgtt ccttggttag aaaaaattat aaacaggact ttgttagttt gggaaagccaa 360
attgataata ttctatgttc taaaagttgg gctatacata aattattaag aaatatggaw 420
ttttattccc aggaatatgg kgttcatttt atgaatatta cscrggatag awgtwtgagt 480
aaaaycagtt ttggtwaata ygtwaatatg tcmtaaataa acaakgcttt gacttatttc 540
caaaaaaaaa aaaaaaaa 558

<210> 182
<211> 479
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(479)
<223> n = A,T,C or G

<400> 182
acagggwttk grggatgcta agsccccrga rwtggtttga tccaaccctg gcttwttttc 60
agaggggaaa atggggccta gaagttacag mscatytagy tgggtgcgmg gcacccctgg 120
cstcacacag astcccagat agctgggact acaggcacac agtcaactgaa gcaggccctg 180
ttwgcaattc acgttgccac ctccaactta aacattcttc atatgtgatg tccttagtca 240
ctaaggttaa actttcccac ccagaaaagg caacttagat aaaatcttag agtactttca 300
tactmttcta agtcctcttc cagcctcact kkgagtcctm cytgggggtt gataggaant 360
ntctcttggc tttctcaata aartctctat ycatctcatg ttttaatttg tacgcatara 420
awtgstgara aaattaaaat gttctgggty mactttaaaa aaaaaaaaaa aaaaaaaaaa 479

<210> 183
<211> 384
<212> DNA

```

<213> Homo sapien

<400> 183

aggcgggagc	agaagctaaa	gccaaagccc	aagaagagtg	gcagtgccag	cactgggtgcc	60
agtaccagta	ccaataacag	tgccagtgcc	agtgccagca	ccagtgggtg	cttcagtgtc	120
ggtgccagcc	tgaccgccac	tctcacattt	gggtctctcg	ctggccttgg	tggagctggg	180
gccagcacca	gtggcagctc	tggcgctgtg	ggtttctcct	acaagtgaga	ttttagatat	240
tgtaatcct	gccagtcttt	ctcttcaagc	caggggtgcat	cctcagaaac	ctactcaaca	300
cagcactcta	ggcagccact	atcaatcaat	tgaagttgac	actctgcatt	aratctattt	360
gccatttcaa	aaaaaaaaaa	aaaa				384

<210> 184

<211> 496

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(496)

<223> n = A,T,C or G

<400> 184

accgaattgg	gaccgctggc	ttataagcga	tcatgttynt	ccrgtatcac	ctcaacgagc	60
agggagatcg	agtctatacg	ctgaagaaat	ttgacccgat	gggacaacag	acctgctcag	120
cccatcctgc	tcggttctcc	ccagatgaca	aatactctsg	acaccgaatc	accatcaaga	180
aacgcttcaa	ggtgctcatg	accagcaac	cgcgcctgt	cctctgaggg	tcccttaaac	240
tgatgtcttt	tctgccacct	gttaccctc	ggagactccg	taaccaaact	cttcggactg	300
tgagccctga	tgcccttttg	ccagccatac	tctttggcat	ccagtctctc	gtggcgattg	360
attatgcttg	tgtgaggcaa	tcatggtggc	atcacccata	aagggaacac	atttgacttt	420
tttttctcat	attttaaat	actacmagaw	tattwmagaw	waaatgawtt	gaaaaactst	480
taaaaaaaaa	aaaaaa					496

<210> 185

<211> 384

<212> DNA

<213> Homo sapien

<400> 185

gctggtagcc	tatggcgkkg	cccaaggagg	ggctcctgag	gccacggrac	agtgacttcc	60
caagtatcyt	gcgcsgcgtc	ttctaccgtc	cctacctgca	gatcttcggg	cagattcccc	120
aggaggacat	ggacgtggcc	ctcatggagc	acagcaactg	ytcgtcggag	cccggtctct	180
gggcacaccc	tcctggggcc	caggcgggca	cctgcgtctc	ccagtatgcc	aactggctgg	240
tgggtgctgct	cctcgctcatc	ttcctgctcg	tggccaacat	cctgctggtc	aacttgctca	300
ttgccatgtt	cagttacaca	ttcggcaaag	tacagggcaa	cagcgatctc	tactgggaag	360
gcgcagcgtt	accgcctcat	ccgg				384

<210> 186

<211> 577

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(577)

<223> n = A,T,C or G

<400> 186

gagttagctc	ctccacaacc	ttgatgaggt	cgtctgcagt	ggcctctcgc	ttcataccgc	60
------------	------------	------------	------------	------------	------------	----

```

tnccatcgtc atactgtagg tttgccacca cytcctggca tcttggggcg gcntaatatt 120
ccaggaaact ctcaatcaag tcaccgtcga tgaaacctgt gggctgggtc tgtcttccgc 180
tcgggtgtgaa aggatctccc agaaggagtg ctcgatcttc cccacacttt tgatgacttt 240
attgagtcga ttctgcatgt ccagcaggag gttgtaccag ctctctgaca gtgaggtcac 300
cagccctatc atgccgttga mcgtgccgaa garcaccgag ccttgtgtgg gggkkgaaagt 360
ctcaccacaga ttctgcatta ccagagagcc gtggcaaaag acattgacaa actcgcccag 420
gtggaaaaag amcamctcct ggargtgctn gccgctcctc gtcmgttggg ggcagcgctw 480
tccttttgac acacaaacaa gttaaaggca ttttcagccc ccagaaantt gtcatcatcc 540
aagatntcgc acagcactna tccagttggg attaaat 577

```

&lt;210&gt; 187

&lt;211&gt; 534

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(534)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 187

```

aacatcttcc tgtataatgc tgtgtaatat cgatccgatn ttgtctgstg agaatycaiw 60
actkggaaaa gmaacattaa agcctggaca ctggtattaa aattcacaaat atgcaacact 120
ttaaacagtg tgtcaatctg ctcccyynac tttgtcatca ccagtctggg aakaagggta 180
tgccctattc acacctgtta aaagggcgct aagcattttt gattcaacat cttttttttt 240
gacacaagtc cgaaaaaagc aaaagtaaag agttatyaat ttgtagcca attcactttc 300
ttcatgggac agagccatyt gatttaaaaa gcaaatlgca taatattgag ctttygggagc 360
tgatatttga gcggaagagt agcctttcta cttcaccaga cacaactccc tttcatattg 420
ggatgttnac naaagtwatg tctctwacag atgggatgct tttgtggcaa ttctgttctg 480
aggatctccc agtttattta ccacttgcac aagaaggcgt tttcttctc aggc 534

```

&lt;210&gt; 188

&lt;211&gt; 761

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(761)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 188

```

agaaaccagt atctctnaaa acaacctctc ataccttggt gacctaatit tgtgtgcgtg 60
tgtgtgtgcg cgcataattat atagacaggc acatcttttt tacttttgta aaagcttatg 120
cctctttggg atctatatct gtgaaagttt taatgatctg ccataatgtc ttggggacct 180
ttgtcttctg tgtaaatggg actagagaaa acacctatnt tatgagtcaa tctagttingt 240
tttattcgac atgaaggaaa tttccagatn acaacactna caaactctcc ctkgackarg 300
ggggacaaag aaaagcaaaa ctgamcataa raaacaatwa cctggtgaga arttgcataa 360
acagaaatwr ggtagtatat tgaarnacag catcattaaa rmgttwkkt wttctccctt 420
gcaaaaaaca gttaacngact tcccgttgag taatgccaag ttgttttttt tatnataaaa 480
cttgcccttc attacatgtt tnaaagtggt gtggtgggccc aaaatattga aatgatggaa 540
ctgactgata aagctgtaca aataagcagt gtgcctaaca agcaacacag taatgttgac 600
atgcttaatt cacaaatgct aatttcatta taaatgtttg ctaaaataca ctttgaacta 660
tttttctgtt ttcccagagc tgagatntta gattttatgt agtatnaagt gaaaaantac 720
gaaaataata acattgaaga aaaaananaa aaanaaaaaa a 761

```

&lt;210&gt; 189

&lt;211&gt; 482

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(482)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 189

tttttttttt	tttgcgatn	ctactatatt	attgcaggan	gtgggggtgt	atgcaccgca	60
caccggggct	atnagaagca	agaaggaagg	agggagggca	cagccccttg	ctgagcaaca	120
aagccgcctg	ctgccttctc	tgtctgtctc	ctggtgcagg	cacatgggga	gaccttcccc	180
aaggcagggg	ccaccagtcc	aggggtggga	atacaggggg	tgggangtgt	gcataagaag	240
tgataggcac	aggccacccg	gtacagaccc	ctcggctcct	gacaggtinga	tttcgaccag	300
gtcattgtgc	cctgccccagg	cacagcgtn	atctggaaaa	gacagaatgc	tttccttttc	360
aaatttggtc	ngtcatngaa	ngggcanttt	tccaantting	gctnggtctt	ggtacncttg	420
gttcggccca	gtccncgtc	caaaaantat	tcaccennct	ccnaattgct	tgcnngnccc	480
cc						482

&lt;210&gt; 190

&lt;211&gt; 471

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(471)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 190

tttttttttt	ttttaaaaca	gtttttcaca	acaaaattta	ttagaagaat	agtgggtttt	60
aaaactctcg	catccagtga	gaactacat	acaccacatt	acagctngga	atgtntctcca	120
aatgtctggt	caaatgatac	aatggaacca	ttcaatctta	cacatgcacg	aaagaacaag	180
cgcttttgac	atacaatgca	caaaaaaaaa	aggggggggg	gaccacatgg	attaaaattt	240
taagtactca	tcacatacat	taagacacag	ttctagtcca	gtcnaaaatc	agaactgcnt	300
tgaaaaattt	catgtatgca	atccaaccaa	agaacttnat	tggtgatcat	gantnctcta	360
ctacatcnac	cttgatcatt	gccaggaacn	aaaagttnaa	ancacncngt	acaaaaanaa	420
tctgtaattn	anttcaacct	ccgtacngaa	aaatnttnt	tatacactcc	c	471

&lt;210&gt; 191

&lt;211&gt; 402

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(402)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 191

gagggtattga	aggtctgttc	tastgtcggm	ctgttcagcc	accaactcta	acaagttgct	60
gtcttccact	cactgtctgt	aagcttttta	accagacwg	tatcttcata	aatagaacaa	120
attcttcacc	agtcacatct	tctaggacct	ttttggattc	agttagtata	agctcttcca	180
cttcctttgt	taagacttca	tctggtaaag	tcttaagttt	tgtagaaagg	aattyaattg	240
ctcgttctct	aacaatgtcc	tctccttgaa	gtatttggct	gaacaaccca	cctaaagtcc	300
ctttgtgcat	ccattttaaa	tatacttaat	agggcattgk	tncactaggt	taaattctgc	360
aagagtcatc	tgtctgcaaa	agttgcgtta	gtatatctgc	ca		402



<210> 192  
<211> 601  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(601)  
<223> n = A,T,C or G

<400> 192  
gagctcggat ccaataatct ttgtctgagg gcagcacaca tatncagtgc catggnaact 60  
ggtctacccc acatgggagc agcatgccgt agntatataa ggtcattccc tgagtcagac 120  
atgcytyttt gaytaccgtg tgccaagtgc tgggtgattct yaacacacyt ccatcccggt 180  
cttttggtga aaaactggca cttktctgga actagcarga catcacttac aaattcacc 240  
acgagacact tgaaagggtg aacaaagcga ytcttgcat gctttttgtc cctccggcac 300  
cagttgtcaa tactaaccgg ctggtttgcc tccatcacat ttgtgatctg tagctctgga 360  
tacatctcct gacagtactg aagaacttct tcttttggtt caaaagcarg tcttggtgcc 420  
tgttggtatc ggttccatt tcccagtcyg aatgttcaca tggcatattt wacttccac 480  
aaaacattgc gatttgaggc tcagcaacag caaatcctgt tccggcattg gctgcaagag 540  
cctcgatgta gccggccagc gccaaaggcag gcgcctgag cccaccagc agcagaagca 600  
g 601

<210> 193  
<211> 608  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(608)  
<223> n = A,T,C or G

<400> 193  
atacagccca natcccacca cgaagatgcg cttgttgact gagaacctga tgcggctcact 60  
ggtcccgtg tagccccagc gactctccac ctgctggaag cggttgatgc tgcaactcytt 120  
cccaacgcag gcagmagcgg gscgggtcaa tgaactccay tcgtggcttg gggtkgacgg 180  
tkaagtgcag gaagaggctg accacctcgc ggtccaccag gatgcccagc tgtgcgggac 240  
ctgcagcgaa actcctcgat ggtcatgagc gggaagcgaa tgaggcccag ggccttgccc 300  
agaaccttcc gcctgttctc tggcgctcacc tgcagctgct gccgctgaca ctcggcctcg 360  
gaccagcggg caaacggcrt tgaacagccg cacctcacgg atgcccagtg tgtcgcgctc 420  
caggammgsc accagcgtgt ccagggtcaat gtccgtgaag ccctccgcgg gtrattggcgt 480  
ctgcagtggt tttgtcgatg ttctccaggc acaggctggc cagctgcggt tcatcgaaga 540  
gtcgcgctg cgtgagcagc atgaaggcgt tgtcggtcgc cagttcttct tcaggaactc 600  
cacgcaat 608

<210> 194  
<211> 392  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(392)  
<223> n = A,T,C or G

<400> 194  
gaacggctgg acctgcctc gcattgtgct tgctggcagg gaatacctg gcaagcagyt 60

```

ccagtccgag cagccccaga ccgtgcccgc ccgaagctaa gcctgcctct ggccttcccc 120
tccgcctcaa tgcagaacca gtagtgggag cactgtgttt agagttaaga gtgaacactg 180
tttgatttta cttgggaatt tcctctgtta tatagctttt cccaatgcta atttccaaac 240
aacaacaaca aaataacatg tttgcctggt aagttgtata aaagtaggtg attctgtatt 300
taaagaaaat attactgtta catatactgc ttgcaatttc tgtatttatt gktnctstgg 360
aaataaatat agttattaaa ggtgtcant cc 392

```

```

<210> 195
<211> 502
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(502)
<223> n = A,T,C or G

```

```

<400> 195
ccsttkgagg ggtkaggkyc cagttyccga gtggaagaaa caggccagga gaagtgcgtg 60
ccgagctgag gcagatgttc ccacagtgc cccagagacc stgggstata gtytctgacc 120
cctcncaagg aaagaccacs ttctggggac atgggctgga gggcaggacc tagaggcacc 180
aagggaaggc ccattccgg ggstgttccc cgaggaggaa ggggaagggc tctgtgtgcc 240
ccccasgagg aagaggccct gagtccctgg atcagacacc ccttcacgtg tatccccaca 300
caaatgcaag ctaccaagg tcccctctca gtccccttcc stacaccctg amcgccact 360
gscscacacc caccagagc acgccacccg ccattgggar tgtgtcaag gartcgcnng 420
gcarcgtgga catctngtcc cagaaggggg cagaatctcc aatagangga ctgarcmstt 480
gctnanaaaa aaaaanaaaa aa 502

```

```

<210> 196
<211> 665
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(665)
<223> n = A,T,C or G

```

```

<400> 196
ggttacttgg tttcattgcc accacttagt ggatgtcatt tagaaccatt ttgtctgctc 60
cctctggaag ccttgcgcag agcggacttt gtaattgttg gagaataact gctgaatttt 120
wagctgtttk gaggttgatts gcaccactgc acccacaact tcaatatgaa aacyawttga 180
actwatattat tatcttgtga aaagtataac aatgaaaatt ttgttcatac tgtattkatc 240
aagtatgatg aaaagcaawa gatatatatt cttttattat gttaaattat gattgccatt 300
attaatcggc aaaatgtgga gtgtatgttc ttttcacagt aatatatgcc ttttgtaact 360
tcacttgggt attttattgt aaatgartta caaaattctt aatttaagar aatgggtatgt 420
watatttatt tcattaattt ctttcctkgt ttacgtwaat ttgaaaaga wtgcatgatt 480
tcttgacaga aatcgatctt gatgctgtgg aagtagtttg acccacatcc ctatgagttt 540
ttcttagaat gtataaagggt ttagagccat cnaacttcaa agaaaaaat gaccacatac 600
tttgcaatca ggctgaaatg tggcatgctn ttctaatttc aactttataa actagcaaan 660
aagtg 665

```

```

<210> 197
<211> 492
<212> DNA
<213> Homo sapien

```

```

<220>

```

<221> misc\_feature

<222> (1)...(492)

<223> n = A,T,C or G

<400> 197

tttntttttt	ttttttttgc	aggaaggatt	ccattttattg	tggatgcatt	ttcacaatat	60
atgtttattg	gagcgatcca	ttatcagtga	aaagtatcaa	gtgtttataa	natttttagg	120
aaggcagatt	cacagaacat	gctngtongc	ttgcagtttt	acctcgтана	gatnacagag	180
aattatagtc	naaccagtaa	acnaggaatt	tactttttcaa	aagattaaat	ccaaactgaa	240
caaaattcta	ccctgaaact	tactccatcc	aaatatigga	ataanagtca	gcagtgatac	300
attctcttct	gaacttttaga	ttttctagaa	aaatatgtaa	tagtgatcag	gaagagctct	360
tgttcaaaag	tacaacnaag	caatgttccc	ttaccatagg	ccttaattca	aactttgatc	420
catttcactc	ccatcacggg	agtcaatgct	acctgggaca	cttgtatttt	gttcatnctg	480
ancntggctt	aa					492

<210> 198

<211> 478

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(478)

<223> n = A,T,C or G

<400> 198

tttnttttgn	atttcantct	gtannaanta	ttttcattat	gtttattana	aaaatatnaa	60
tgnttccacn	acaaatcatn	ttacntnagt	aagaggccan	ctacattgta	caacatacac	120
tgagtatatt	ttgaaaagga	caagttttaa	gtanacncat	attgccganc	atancacatt	180
tatacatggc	ttgattgata	tttagcacag	canaaactga	gtgagttacc	agaaanaaat	240
natatatgtc	aatcngattt	aagatacaaa	acagatccta	tgggtacatan	catontgtag	300
gagttgtggc	tttatgttta	ctgaaagtca	atgcagttcc	tgtacaaaga	gatggccgta	360
agcattctag	tacctctact	ccatgggttaa	gaatcgtaca	cttatgttta	catatgtnca	420
gggtaagaat	tgtgttaagt	naanttatgg	agaggtccan	gagaaaaatt	tgatncaa	478

<210> 199

<211> 482

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(482)

<223> n = A,T,C or G

<400> 199

agtgacttgt	cctccaacaa	aacccttga	tcaagtttgt	ggcactgaca	atcagaccta	60
tgctagttcc	tgtcatctat	tcgctactaa	atgcagactg	gaggggacca	aaaaggggca	120
tcaactccag	ctggattatt	ttggagcctg	caaatctatt	cctacttgta	cggactttga	180
agtgattcag	tttctcttac	ggatgagaga	ctggctcaag	aatatcctca	tgacgcttta	240
tgaagccnac	tctgaacacg	ctggttatct	nagatgagaa	ncagagaaat	aaagtcnaga	300
aaatttacct	ggangaaaag	aggctttngg	ctggggacca	tcccattgaa	ccttctctta	360
anggacttta	agaanaaaact	accacatgtn	tgtngtatcc	tgggtgccngg	cggtttantg	420
aacntngacn	ncacccttnt	ggaatanant	cttgacngcn	tcctgaactt	gctcctctgc	480
ga						482

<210> 200

<211> 270

<212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(270)  
 <223> n = A,T,C or G

<400> 200  
 cggccgcaag tgcaactcca gctggggccg tgcggacgaa gattctgcca gcagttggtc 60  
 cgactgcgac gacggcggcg gcgacagtcg caggtgcagc gcgggcgccot ggggtcttgc 120  
 aaggctgagc tgacgccgca gaggtcgtgt cacgtccac gaccttgacg ccgtcgggga 180  
 cagccggaac agagcccggg gaangcggga ggcctcgggg agccctcggg gaagggcggc 240  
 ccgagagata cgcaggtgca ggtggccgcc 270

<210> 201  
 <211> 419  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(419)  
 <223> n = A,T,C or G

<400> 201  
 tttttttttt ttttggaaatc tactgcgagc acagcaggtc agcaacaagt ttattttgca 60  
 gctagcaagg taacagggtg gggcatggtt acatgttcag gtcaacttcc tttgtcgtgg 120  
 ttgattggtt tgtctttatg ggggcggggt ggggtagggg aaancgaagc anaantaaca 180  
 tggagtgggt gcaccctccc tgtagaacct gggtacnaaa gcttggggca gttcacctgg 240  
 tctgtgaccg tcattttctt gacatcaatg ttattagaag tcaggatata ttttagagag 300  
 tccactgtnt ctggagggag attagggttt cttgccaana tccaancaa atccacntga 360  
 aaaagtggga tgatncangt acngaatacc ganggcatan ttctcatant cggtggccca 419

<210> 202  
 <211> 509  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(509)  
 <223> n = A,T,C or G

<400> 202  
 tttntttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 60  
 tggcacttaa tccattttta tttcaaaatg tctacaaant ttnaatncnc cattatacng 120  
 gtnattttnc aaaatctaaa nttattcaa atnfnagcca aantccttac ncaaatnnaa 180  
 tacnncaaa aatcaaaaat atacntntct ttcagcaaac ttngttacat aaattaaaaa 240  
 aatatatacg gctggtgttt tcaaagtaca attatcttaa cactgcaaac atntttinna 300  
 ggaactaaaa taaaaaaaaa cactnccgca aaggttaaag ggaacaacaa attcntttta 360  
 caacanncnc nattataaaa atcatatctc aaatcttagg ggaatatata cttcacacng 420  
 ggatcttaac ttttactnca ctttgtttat ttttttanaa ccattgtntt gggcccaaca 480  
 caatggnaat nccnccnccncc tggactagt 509

<210> 203  
 <211> 583  
 <212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(583)

<223> n = A,T,C or G

<400> 203

tttttttttt	ttttttttga	ccccctctt	ataaaaaaca	agttaccatt	ttattttact	60
tacacatatt	tattttataa	ttggtattag	atattcaaaa	ggcagctttt	aaaatcaaac	120
taaatggaaa	ctgccttaga	tacataattc	ttaggaatta	gcttaaaatc	tgccataaagt	180
gaaaatcttc	tctagctctt	ttgactgtaa	atttttgact	cttgtaaaac	atccaaattc	240
atttttcttg	tctttaaaat	tatctaattc	ttccattttt	tccctattcc	aagtcaattt	300
gcttctctag	cctcatttcc	tagctcttat	ctactattag	taagtggctt	tttccctaaa	360
agggaaaaca	ggaagagana	atggcacaca	aaacaaacat	tttatattca	tatttctacc	420
tacgttaata	aaatagcatt	ttgtgaagcc	agctcaaaag	aaggcttaga	tccttttatg	480
tccattttag	tcactaaacg	atatcnaaag	tgccagaatg	caaaagggtt	gtgaacattt	540
attcaaaagc	taatataaga	tatttcacat	actcatcttt	ctg		583

<210> 204

<211> 589

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(589)

<223> n = A,T,C or G

<400> 204

ttttttttnt	tttttttttt	tttttttctc	ttcttttttt	ttganaatga	ggatcgagtt	60
tttctctctc	tagatagggc	atgaagaaaa	ctcatctttc	cagcttttaa	ataacaatca	120
aatctcttat	gctatatcat	attttaagtt	aaactaatga	gtcactggct	tatcttctcc	180
tgaaggaaat	ctgttcattc	ttctcattca	tatagttata	tcaagtacta	ccttgcatat	240
tgagagggtt	ttcttctcta	tttacacata	tatttccatg	tgaatttgta	tcaaaccttt	300
attttcatgc	aaactagaaa	ataatgtntt	cttttgcata	agagaagaga	acaatatnag	360
cattacaaaa	ctgctcaaat	tgtttgtaa	gnttatccat	tataattagt	tnggcaggag	420
ctaatacaaa	tcacatttac	ngacnagcaa	taataaaact	gaagtaccag	ttaaatatcc	480
aaaataatta	aaggaacatt	tttagcctgg	gtataattag	ctaattcact	ttacaagcat	540
ttattnagaa	tgaattcaca	tgttattatt	ccntagccca	acacaatgg		589

<210> 205

<211> 545

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(545)

<223> n = A,T,C or G

<400> 205

ttttnttttt	ttttttcagt	aataatcaga	acaatattta	tttttatatt	taaaattcat	60
agaaaagtgc	cttacattta	ataaaagttt	gtttctcaaa	gtgatcagag	gaattagata	120
tngtcttgaa	caccaatatt	aatttgagga	aaatacacca	aaatacatta	agtaaattat	180
ttaagatcat	agagcttgta	agtgaaga	taaaatttga	cctcagaaac	tctgagcatt	240
aaaaatccac	tattagcaaa	taaattacta	tggacttctt	gctttaattt	tgtgatgaat	300
atgggggtgc	actggtaaac	caacacattc	tgaaggatac	attacttagt	gatagattct	360

tatgtacttt gctanatnac gtggatatga gttgacaagt ttctctttct tcaatctttt	420
aaggggcnnga ngaaatgagg aagaaaagaa aaggattacg catactgttc tttctatngg	480
aaggattaga tatgtttcct ttgccaatat taaaaaata ataatgttta ctactagtga	540
aaccc	545

<210> 206  
 <211> 487  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (487)  
 <223> n = A,T,C or G

<400> 206	
tttttttttt ttttttagtc aagtttctna tttttattat aattaaagtc ttggtcattt	60
catttattag ctctgcaact tacatattta aattaaagaa acgttnttag acaactgtna	120
caatttataa atgtaagggt ccattattga gtanatatat tcctccaaga gtggatgtgt	180
cccttctccc accaactaat gaancagcaa cattagttta attttattag tagatnatac	240
actgctgcaa acgctaattc tcttctccat ccccatgtng atattgtgta tatgtgtgag	300
ttggtnagaa tgcatacanca atctnacaat caacagcaag atgaagctag gcntgggctt	360
tgggtgaaaa tagactgtgt ctgtctgaat caaatgatct gacctatcct cgggtggcaag	420
aactcttcga accgcttcct caaaggcngc tgccacattt gtggcntctn ttgcacttgt	480
ttcaaaa	487

<210> 207  
 <211> 332  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (332)  
 <223> n = A,T,C or G

<400> 207	
tgaattggct aaaagactgc atttttanaa ctagcaactc ttatttcttt cctttaaaaa	60
tacatagcat taaatcccaa atoctattta aagacctgac agcttgagaa ggtcactact	120
gcatttatag gaccttctgg tggttctgct gttacntttg aantctgaca atccttgana	180
atctttgcat gcagaggagg taaaagggtat tggattttca cagaggaana acacagcgca	240
gaaatgaagg ggccaggctt actgagcttg tccactggag ggctcatggg tgggacatgg	300
aaaagaaggc agcctaggcc ctggggagcc ca	332

<210> 208  
 <211> 524  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (524)  
 <223> n = A,T,C or G

<400> 208	
agggcgtggg gcgaggggcg ttactgtttt gtctcagtaa caataaatac aaaaagactg	60
gttgtgttcc ggcccatcc aaccacgaag ttgatttctc ttgtgtgcag agtgactgat	120
tttaaaggac atggagcttg tcacaatgtc acaatgtcac agtgtgaagg gcacactcac	180

tcccgcgtga	ttcacattta	gcaaccaaca	atagctcatg	agtccatact	tgtaaatact	240
tttggcagaa	tacttnttga	aacttgcaga	tgataactaa	gatccaagat	atttcccaaa	300
gtaaatagaa	gtgggtcata	ataattaatta	cctgttcaca	tcagcttcca	tttacaagtc	360
atgagcccag	acactgacat	caaactaagc	ccacttagac	tcctcaccac	cagtctgtcc	420
tgtcatcaga	caggaggctg	tcaccttgac	caaattctca	ccagtcfaat	atctatccaa	480
aaaccattac	ctgatccact	tccggtaatg	caccaccttg	gtga		524

<210> 209  
 <211> 159  
 <212> DNA  
 <213> Homo sapien

<400> 209						
gggtgaggaa	atccagagtt	gccatggaga	aaattccagt	gtcagcattc	ttgtccttg	60
tggccctctc	ctacactctg	gccagagata	ccacagtcaa	acctggagcc	aaaaaggaca	120
caaaggactc	tcgacccaaa	ctgccccaga	ccctctcca			159

<210> 210  
 <211> 256  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(256)  
 <223> n = A,T,C or G

<400> 210						
actccctggc	agacaaaggc	agaggagaga	gctctgttag	ttctgtgttg	ttgaactgcc	60
actgaatttc	tttccacttg	gactattaca	tgccanttga	gggactaatg	gaaaaacgta	120
tggggagatt	ttanccaatt	tangtntgta	aatggggaga	ctggggcagg	cgggagagat	180
ttgcagggtg	naaatgggan	ggctggtttg	ttanatgaac	agggacatag	gaggtaggca	240
ccaggatgct	aatca					256

<210> 211  
 <211> 264  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(264)  
 <223> n = A,T,C or G

<400> 211						
acattgtttt	tttgagataa	agcattgaga	gagctctcct	taacgtgaca	caatggaagg	60
actggaacac	ataccacat	ctttgttctg	agggataatt	ttctgataaa	gtcttgctgt	120
atattcaagc	acatatgtta	tatattattc	agttccatgt	ttatagccta	gttaaggaga	180
ggggagatac	attcngaaa	aggactgaaa	gaaatactca	agtnggaaaa	cagaaaaaga	240
aaaaaaggag	caaatgagaa	gcct				264

<210> 212  
 <211> 328  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature

<222> (1)...(328)

<223> n = A,T,C or G

<400> 212

acccaaaaat	ccaatgctga	atatttggct	tcattattcc	canattcttt	gattgtcaaa	60
ggatttaatg	ttgtctcagc	ttgggcactt	cagttaggac	ctaaggatgc	cagccggcag	120
gtttatatat	gcagcaacaa	tattcaagcg	cgacaacagg	ttattgaact	tgcccgccag	180
ttnaatttca	ttccattga	cttgggatcc	ttatcatcag	ccagagagat	tgaaaattta	240
cccctacnac	tctttactct	ctgganaggg	ccagtgggtg	tagctataag	cttggccaca	300
tttttttttc	ctttattcct	ttgtcaga				328

<210> 213

<211> 250

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(250)

<223> n = A,T,C or G

<400> 213

acttatgagc	agagcgacat	atccnagtgt	agactgaata	aaactgaatt	ctctccagtt	60
taaagcattg	ctcactgaag	ggatagaagt	gactgccagg	agggaaagta	agccaaggct	120
cattatgccca	aagganatat	acattttcaat	tctccaaact	tcttcctcat	tccaagagtt	180
ttcaatattt	gcatgaacct	gctgataanc	catgttaana	aacaaatata	tctctnacat	240
tctcatcggt						250

<210> 214

<211> 444

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(444)

<223> n = A,T,C or G

<400> 214

accagaatc	caatgctgaa	tatttggctt	cattattccc	agattctttg	attgtcaaag	60
gatttaaatg	tgtctcagct	tgggcacttc	agttaggacc	taaggatgcc	agccggcagg	120
tttatatatg	cagcaacaat	attcaagcgc	gacaacagg	tattgaactt	gcccggcagg	180
tgaatttcat	tcccattgac	ttgggatcct	tatcatcagc	canagagatt	gaaaatttac	240
ccctacgact	ctttactctc	tggagagggc	cagtgggtgt	agctataagc	ttggccacat	300
ttttttttcc	tttattcctt	tgtcagagat	gcgattcatc	catatgctan	aaaccaacag	360
agtgactttt	acaaaattcc	tataganatt	gtgaataaaa	ccttacctat	agttgccatt	420
actttgctct	ccctaataata	cctc				444

<210> 215

<211> 366

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(366)

<223> n = A,T,C or G



<400> 215  
 acttatgagc agagcgacat atccaagtgt anactgaata aaactgaatt ctctccagtt 60  
 taaagcattg ctactgaag ggatagaagt gactgccagg agggaaagta agccaaggct 120  
 cattatgcca aagganatat acatttcaat tctccaaact tcttcctcat tccaagagtt 180  
 ttcaatatgt gcatgaacct gctgataagc catgttgaga aacaaatata tctctgacct 240  
 tctcatcggt aagcagaggc ttaggcaac atggaccata gcgaanaaaa aacttagtaa 300  
 tccaagctgt tttctacact gtaaccagggt ttccaaccaa ggtggaaatc tcctatactt 360  
 ggtgcc 366

<210> 216  
 <211> 260  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(260)  
 <223> n = A,T,C or G

<400> 216  
 ctgtataaac agaactccac tgcangaggg agggccgggc caggagaatc tccgcttgtc 60  
 caagacaggg gcctaaggag ggtctccaca ctgctnntaa gggctnttnc atttttttat 120  
 taataaaaag tnnaaaaggc ctcttctcaa cttttttccc ttnggctgga aaatttaaaa 180  
 atcaaaaatt tcctnaagtt ntcaagctat catatatact ntatcctgaa aaagcaacat 240  
 aattcttcct tccctccttt 260

<210> 217  
 <211> 262  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(262)  
 <223> n = A,T,C or G

<400> 217  
 acctacgtgg gtaagtttan aaatgttata atttcaggaa naggaacgca tataattgta 60  
 tcttgccat aattttctat tttaataagg aaatagcaaa ttgggggtggg gggaatgtag 120  
 ggcattctac agtttgagca aaatgcaatt aaatgtggaa ggacagcact gaaaaatttt 180  
 atgaataatc tgtatgatta tatgtctcta gagtagattt ataattagcc acttacccta 240  
 atatccttca tgcttgtaaa gt 262

<210> 218  
 <211> 205  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(205)  
 <223> n = A,T,C or G

<400> 218  
 accaaggtgg tgcattaccg gaantggatc aangacacca tctgtggccaa cccctgagca 60  
 cccctatcaa ctcccttttg tagtaaaactt ggaaccttgg aaatgaccag gccaaagactc 120  
 aggcctccc agttctactg acctttgtcc ttangntna ngtccagggt tgctaggaaa 180  
 anaaatcagc agacacaggt gtaaa 205

<210> 219  
 <211> 114  
 <212> DNA  
 <213> Homo sapien

<400> 219  
 tactgttttg tctcagtaac aataaataca aaaagactgg ttgtgttccg gcccaccca 60  
 accacgaagt tgatttctct tgtgtgcaga gtgactgatt ttaaaggaca tgga 114

<210> 220  
 <211> 93  
 <212> DNA  
 <213> Homo sapien

<400> 220  
 actagccagc acaaaaggca gggtagcctg aattgctttc tgctctttac atttctttta 60  
 aaataagcat ttagtgctca gtcctactg agt 93

<210> 221  
 <211> 167  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(167)  
 <223> n = A,T,C or G

<400> 221  
 actangtgca ggtgcgcaca aatatttgtc gatattccct tcatcttgga ttccatgagg 60  
 tcttttgccc agcctgtggc tctactgtag taagtttctg ctgatgagga gccagnatgc 120  
 cccccactac cttccctgac gtccccaana aatcacccaa cctctgt 167

<210> 222  
 <211> 351  
 <212> DNA  
 <213> Homo sapien

<400> 222  
 agggcggtgt gcgaggggcg gtactgacct cattagtagg aggatgcatt ctggcacccc 60  
 gttcttcacc tgtcccccaa tccttaaaag gccatactgc ataaagtcaa caacagataa 120  
 atgtttgctg aattaaagga tggatgaaaa aaattaataa tgaatttttg cataatccaa 180  
 ttttctcttt tatatttcta gaagaagttt ctttgagcct attagatccc gggaatcttt 240  
 taggtgagca tgattagaga gcttgtaggt tgcttttaca tatatctggc atatttgagt 300  
 ctggtatcaa aacaatagat tggtaaaggt ggtattattg tattgataag t 351

<210> 223  
 <211> 383  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(383)  
 <223> n = A,T,C or G

<400> 223

aaaacaaaca	aacaaaaaaa	acaattcttc	attcagaaaa	attatcttag	ggactgatat	60
tggttaattat	ggtcaattta	atwrtrttkt	ggggcatttc	cttacattgt	cttgacaaga	120
ttaaaatgtc	tgtgccaaaa	ttttgtatth	tatttgaga	cttcttatca	aaagtaatgc	180
tgccaaaagg	agtctaagga	attagtagtg	ttcccmccac	ttgtttggag	tgtgctattc	240
taaaagattt	tgatttcctg	gaatgacaat	tatattttaa	ctttggtggg	ggaaanagtt	300
ataggaccac	agtccttact	tctgatactt	gtaaattaat	cttttattgc	acttgttttg	360
accattaagc	tatatgttta	aaa				383

&lt;210&gt; 224

&lt;211&gt; 320

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 224

cccctgaagg	cttcttggtt	gaaaatagta	cagttacaac	caataggaac	aacaaaaaga	60
aaaagtttgt	gacattgtag	tagggagtgt	gtaccctta	ctcccatca	aaaaaaaaat	120
ggatacatgg	ttaaaggata	raaggccaat	atthttatcat	atgttctaaa	agagaaggaa	180
gagaaaatac	tactttctcr	aaatggaagc	ccttaagggt	gctttgatac	tgaaggacac	240
aaatgtggcc	gtccatcctc	ctttaragtt	gcatgacttg	gacacggtaa	ctgttgacgt	300
tttaractcm	gcattgtgac					320

&lt;210&gt; 225

&lt;211&gt; 1214

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 225

gaggactgca	gcccgcactc	gcagccctgg	caggcgccac	tggtcatgga	aaacgaattg	60
ttctgctcgg	gcgtcctggg	gcatccgcag	tggtgctgtg	cagccgcaca	ctgtttccag	120
aaactctaca	ccatcggtgt	gggcctgcac	agtcttgagg	ccgaccaaga	gccaggaggc	180
cagatgggtg	aggccagcct	ctccgtacgg	caccagaggt	acaacagacc	cttgctcgct	240
aacgacctca	tgctcatcaa	gttgacgaa	tccgtgtccg	agtctgacac	catccggagg	300
atcagcattg	cttcgcagtg	ccctaccggg	gggaactctt	gcctcgtttc	tggtctgggt	360
ctgctggcga	acggcagaat	gcctaccgtg	ctgcagtgcg	tgaacgtgtc	ggtggtgtct	420
gaggagggtc	gcagtaagct	ctatgacccg	ctgtaccacc	ccagcatgtt	ctgcgccggc	480
ggaggggcaag	accagaagga	ctcctgcaac	ggtgactctg	ggggggccct	gatctgcaac	540
gggtacttgc	agggccttgt	gtctttcgga	aaagcccggt	gtggccaagt	tggtctgcca	600
ggtgtctaca	ccaacctctg	caaattcact	gagtggatag	agaaaaaccg	ccaggccagt	660
taactctggg	gactgggaac	ccatgaaatt	gacccccaaa	tacatcctgc	ggaagggaatt	720
caggaatatc	tgttcccagc	ccctcctccc	tcaggcccag	gagtccaggc	ccccagcccc	780
tcctccctca	aaccaagggt	acagatcccc	agccctcctc	ccctcagacc	caggagtcca	840
gacccccccag	cccctcctcc	ctcagaccca	ggagtccagc	ccctcctccc	tcagacccag	900
gagtccagac	cccccagccc	ctcctccctc	agaccagggg	gtccaggccc	ccaacccctc	960
ctccctcaga	ctcagaggtc	caagccccca	acccctcctt	ccccagaccc	agagggtccag	1020
gtcccagccc	ctcctccctc	agacccagcg	gtccaatgcc	acctagactc	tcctgtgaca	1080
cagtgcctcc	ttgtggcacg	ttgacccaac	cttaccagtt	ggtttttcat	ttttgtccc	1140
tttcccctag	atccagaaat	aaagtctaag	agaagcgcaa	aaaaaaaaaa	aaaaaaaaaa	1200
aaaaaaaaaa	aaaaa					1214

&lt;210&gt; 226

&lt;211&gt; 119

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 226

accagtatg	tgcagggaga	cggaacccca	tgtgacagcc	cactccacca	gggttcccaa	60
agaacctggc	ccagtcataa	tcattcatcc	tgacagtggc	aataatcacg	ataaccagt	119

<210> 227  
 <211> 818  
 <212> DNA  
 <213> Homo sapien

<400> 227  
 acaattcata gggacgacca atgaggacag ggaatgaacc cggctctccc ccagccctga 60  
 tttttgctac atatgggggc ctttttcatt ctttgcaaaa aactggggtt ttctgagaac 120  
 acggacgggt cttagcaciaa tttgtgaaat ctgtgtaraa cgggctttg caggggagat 180  
 aattttcctc ctctggagga aaggtgggtga ttgacaggca gggagacagt gacaaggcta 240  
 gaaaaagcca cgctcggcct tctctgaaac aggatggaaac ggcagacccc tgaaaacgaa 300  
 gcttgtcccc ttccaatcag ccacttctga gaacccccat ctaacttcct actggaaaag 360  
 agggcctcct caggagcagt ccaagagttt tcaaagataa cgtgacaact accatctaga 420  
 ggaaagggtg caccctcagc agagaagccg agagcttaac tctggtcgtt tccagagaca 480  
 acctgctggc tgtcttggga tgcgccagc ctttgagagg ccactacccc atgaacttct 540  
 gccatccact ggacatgaag ctgaggacac tgggcttcaa cactgagttg tcatgagagg 600  
 gacaggctct gcctcaagc cggctgaggg cagcaaccac tctcctcccc tttctcacgc 660  
 aaagccattc ccacaaatcc agaccatacc atgaagcaac gagacccaaa cagtttggct 720  
 caagaggata tgaggactgt ctcagcctgg ctttgggctg acaccatgca cacacacaag 780  
 gtccacttct aggttttcag cctagatggg agtcgtgt 818

<210> 228  
 <211> 744  
 <212> DNA  
 <213> Homo sapien

<400> 228  
 actggagaca ctggtgaact tgatcaagac ccagaccacc ccaggtctcc ttcgtgggat 60  
 gtcattgacgt ttgacatacc tttggaacga gcctcctcct tggaagatgg aagaccgtgt 120  
 tcgtggccga cctggcctct cctggcctgt ttcttaagat gcggagtac atttcaatgg 180  
 taggaaaagt ggcttcgtaa aatagaagag cagtcaactgt ggaactacca aatggcgaga 240  
 tgctcggtgc acattggggt gctttgggat aaaagattta tgagccaact attctctggc 300  
 accagattct aggccagttt gttccactga agcttttccc acagcagtcc acctctgcag 360  
 gctggcagct gaatggcctt cgggtggctc tgtggcaaga tcacactgag atcgatgggt 420  
 gagaaggcta ggatgcttgt ctagtgttct tagctgtcac gttggctcct tccaggttg 480  
 ccagacgggt ttggccactc ctttctaaaa cacaggcgcc ctctggtga cagtgaaccg 540  
 ccgtggatg ccttggccca ttccagcagt ccagttatg catttcaagt ttgggggttg 600  
 ttcttttctg taatgttctc ctgtgttctc agctgtcttc atttctggg ctaagcagca 660  
 ttgggagatg tggaccagag atccactcct taagaaccag tggcgaaaga cactttcttt 720  
 cttcactctg aagtagctgg tgggt 744

<210> 229  
 <211> 300  
 <212> DNA  
 <213> Homo sapien

<400> 229  
 cgagtctggg ttttgtctat aaagtgtgat ccctcctttt ctcatccaaa tcatgtgaac 60  
 cattacacat cgaaataaaa gaaaggtggc agacttgccc aacgccaggc tgacatgtgc 120  
 tgcagggttg ttgtttttta attattattg ttagaaacgt caccacagc ccctgttaat 180  
 ttgtatgtga cagccaactc tgagaaggtc ctatttttcc acctgcagag gatccagtct 240  
 cactaggctc ctcttgccc tcacactgga gtctccgcca gtgtgggtgc ccactgacat 300

<210> 230  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

&lt;400&gt; 230

cagcagaaca aatacaaata tgaagagtgc aaagatctca taaaatctat gctgaggaat	60
gagcgacagt tcaaggagga gaagcttgca gagcagctca agcaagctga ggagctcagg	120
caatataaag tcctgggtca cactcaggaa cgagagctga ccaggttaag ggagaagttg	180
cggaagggga gagatgcctc cctctcattg aatgagcatc tccaggccct cctcactccg	240
gatgaaccgg acaagtccca ggggcaggac ctccaagaaa cagacctcgg ccgcgaccac	300
g	301

&lt;210&gt; 231

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 231

gcaagcacgc tggcaaatct ctgtcaggtc agctccagag aagccattag tcattttagc	60
caggaactcc aagtccacat ccttggaac tggggacttg cgcaggttag ccttgaggat	120
ggcaacacgg gacttctcat caggaagtgg gatgtagatg agctgatcaa gacggccagg	180
tctgaggatg gcaggatcaa tgatgtcagg ccggttggtg ccgccaatga tgaacacatt	240
tttttttgtg gacatgccat ccatttctgt caggatctgg ttgatgactc ggtcagcagc	300
c	301

&lt;210&gt; 232

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 232

agtaggtatt tcgtgagaag ttcaacacca aaactggaac atagttctcc ttcaagtgtt	60
ggcgacagcg gggcttcctg attctggaat ataactttgt gtaaattaac agccacctat	120
agaagagtcc atctgctgtg aaggagagac agagaactct gggttccgtc gtcctgtcca	180
cgtgctgtac caagtgctgg tgccagcctg ttacctgttc tactgaaaa tctggctaatt	240
gctcttgtgt atcacttctg attctgacaa tcaatcaatc aatggcctag agcactgact	300
g	301

&lt;210&gt; 233

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 233

atgactgact tcccagtaag gctctctaag gggtaagtag gaggatccac aggatttgag	60
atgctaaggc ccagagatc gtttgatcca accctcttat ttccagaggg gaaaatgggg	120
cctagaagtt acagagcatc tagctgggtg gctggcacc cttggcctcac acagactccc	180
gagtagctgg gactacaggc acacagtcac tgaagcaggc cctgttagca attctatgcg	240
tacaaattaa catgagatga gtagagactt tattgagaaa gcaagagaaa atcctatcaa	300
c	301

&lt;210&gt; 234

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 234

aggtcctaca catcgagact catccatgat tgatatgaat ttaaaaatta caagcaaaga	60
cattttattc atcatgatgc tttcttttgt ttctttttt cgttttcttc tttttctttt	120
tcaatttcag caacatactt ctcaatttct tcaggattta aaatcttgag ggattgatct	180
cgctcatga cagcaagttc aatgtttttg ccacctgact gaaccacttc caggagtgcc	240
ttgatcacca gcttaatggg cagatcatct gcttcaatgg ctctgcagt atagttcttc	300

t 301

<210> 235  
 <211> 283  
 <212> DNA  
 <213> Homo sapien

<400> 235  
 tggggctgtg catcaggcgg gtttgagaaa tattcaattc tcagcagaag ccagaatttg 60  
 aattccctca tcttttaggg aatcatttac caggtttgga gaggattcag acagctcagg 120  
 tgctttcact aatgtctctg aacttctgtc cctctttgtt catggatagt ccaataaata 180  
 atgttatctt tgaactgatg ctcataggag agaataaag aactctgagt gatatcaaca 240  
 ttagggattc aaagaaatat tagatttaag ctcacactgg tca 283

<210> 236  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 236  
 aggtcctcca ccaactgcct gaagcacggt taaaattggg aagaagtata gtgcagcata 60  
 aatactttta aatcgatcag atttccctaa cccacatgca atcttcttca ccagaagagg 120  
 tcggagcagc atcattaata ccaagcagaa tgcgtaatag ataaatacaa tggatatatag 180  
 tgggtagacg gcttcgatgag tacagtgtac tgtgggtatcg taatctggac ttgggttgta 240  
 aagcatcgtg taccagtcag aaagcatcaa tactcgacat gaacgaatat aaagaacacc 300  
 a 301

<210> 237  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 237  
 cagtggtagt ggtgggtggac gtggcggttg tcgtgggtgcc ttttttggtg cccgtcacaa 60  
 actcaatttt tgttcgctcc tttttggcct ttccaattt gtccatctca attttctggg 120  
 ccttggctaa tgcctcatag taggagtcct cagaccagcc atggggatca aacatatcct 180  
 ttgggtagtt ggtgccaaagc tcgtcaatgg cacagaatgg atcagcttct cgtaaatacta 240  
 gggttccgaa attctttctt cctttggata atgtagttca tatccattcc ctccctttatc 300  
 t 301

<210> 238  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 238  
 gggcaggttt tttttttttt ttttttgatg gtgcagaccc ttgctttatt tgtctgactt 60  
 gttcacagt t cagccccctg ctcaaaaaac caacgggcca gctaaggaga ggaggaggca 120  
 ccttgagact tccggagtcg aggcctctcca gggttcccca gcccatcaat cattttctgc 180  
 accccctgcc tgggaagcag ctccctgggg ggtgggaatg ggtgactaga agggatttca 240  
 gtgtgggacc cagggctctgt tcttcacagt aggaggtgga agggatgact aatttcttta 300  
 t 301

<210> 239  
 <211> 239  
 <212> DNA  
 <213> Homo sapien

&lt;400&gt; 239

ataagcagct	agggaattct	ttatttagta	atgtcctaac	ataaaagttc	acataactgc	60
ttctgtcaaa	ccatgatact	gagctttgtg	acaaccaga	aataactaag	agaaggcaaa	120
cataatacct	tagagatcaa	gaaacattta	cacagttcaa	ctgtttaaaa	atagctcaac	180
attcagccag	tgagtagagt	gtgaatgcc	gcatacacag	tatacaggtc	cttcaggga	239

&lt;210&gt; 240

&lt;211&gt; 300

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 240

ggtcctaag	aagcagcagc	ttccacattt	taacgcaggt	ttacgggtgat	actgtccttt	60
gggatctgcc	ctccagtgg	accttttaag	gaagaagtgg	gccaagcta	agttccacat	120
gctgggtgag	ccagatgact	tctgttccct	ggtcactttc	ttcaatgggg	cgaatggggg	180
ctgccagggt	tttaaaatca	tgcttcatct	tgaagcacac	ggtcacttca	ccctcctcac	240
gctgtgggtg	tactttgatg	aaaataccca	ctttgttggc	ctttctgaag	ctataatgtc	300

&lt;210&gt; 241

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 241

gaggtctggt	gctgaggtct	ctgggctagg	aagaggagtt	ctgtggagct	ggaagccaga	60
cctctttgga	ggaaactcca	gcagctatgt	tggtgtctct	gagggaatgc	aacaaggctg	120
ctcctccatg	tattggaaaa	ctgcaaaactg	gactcaactg	gaagggaagt	ctgctgccag	180
tgtgaagaac	cagcctgagg	tgacagaaac	ggaagcaaac	aggaacagcc	agtcttttct	240
tcctcctcct	gtcatacggg	ctctctcaag	catcctttgt	tgtcaggggc	ctaaaaggga	300
g						301

&lt;210&gt; 242

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 242

ccgaggctcct	gggatgcaac	caatcactct	gtttcacgtg	acttttatca	ccatacaatt	60
tgtggcattt	cctcattttc	tacattgtag	aatcaagagt	gtaaataaat	gtatatcgat	120
gtcttcaaga	atataatcatt	cctttttcac	tagaaccat	tcaaaatata	agtcaagaat	180
cttaatatca	acaaatatat	caagcaaact	ggaaggcaga	ataactacca	taatttagta	240
taagtaccca	aagttttata	aatcaaaagc	cctaatagata	accattttta	gaattcaatc	300
a						301

&lt;210&gt; 243

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 243

aggtaagtcc	cagtttgaag	ctcaaaagat	ctggatatgag	cataggctca	tcgacgacat	60
ggtggcccaa	gctatgaaat	cagagggagg	cttcatctgg	gcctgtaaaa	actatgatgg	120
tgacgtgcag	tcggactctg	tgcccaagg	gtatggctct	ctcgcatga	tgaccagcgt	180
gctggtttgt	ccagatggca	agacagtaga	agcagaggct	gccacggga	ctgtaacccg	240
tactaccgc	atgttcaga	aaggacagga	gacgtccacc	aatcccattg	cttccatttt	300
t						301

&lt;210&gt; 244

<211> 300  
 <212> DNA  
 <213> Homo sapien

<400> 244  
 gctggtttgc aagaatgaaa tgaatgattc tacagctagg acttaacctt gaaatggaaa 60  
 gtcatgcaat cccatttgca ggatctgtct gtgcacatgc ctctgtagag agcagcattc 120  
 ccagggaacct tggaaacagt tgacactgta aggtgcttgc tccccaagac acatcctaaa 180  
 aggtgttgta atggtgaaaa cgtcttcctt ctttattgcc ctttcttatt tatgtgaaca 240  
 actgtttgtc ttttgtgtat cttttttaa ctgtaaagtt caattgtgaa aatgaatatc 300

<210> 245  
 <211> 301  
 <212> DNA  
 <213> Homo sapien.

<400> 245  
 gtctgagtat ttaaaatggt attgaaatta tccccaacca atgtagaaa agaaagaggt 60  
 tatatactta gataaaaaat gaggtgaatt actatccatt gaaatcatgc tcttagaatt 120  
 aaggccagga gatattgtca ttaatgtara cttcaggaca ctagagtata gcagccctat 180  
 gttttcaaag agcagagatg caattaaata ttgttttagca tcaaaaaggc cactcaatac 240  
 agctaataaa atgaaagacc taatttctaa agcaattcct tataatttac aaagttttaa 300  
 g 301

<210> 246  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 246  
 ggtctgtcct acaatgcctg cttcttgaaa gaagtcggca ctttctagaa tagctaaata 60  
 acctgggctt attttaaaga actatttgta gctcagattg gttttcctat ggctaaaata 120  
 agtgcttctt gtgaaaatta aataaaacag ttaattcaaa gccttgatat atgttaccac 180  
 taacaatcat actaaatata ttttgaagta caaagtttga catgctctaa agtgacaacc 240  
 caaatgtgtc ttacaaaaca cgctcctaac aaggtatgct ttacactacc aatgcagaaa 300  
 c 301

<210> 247  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 247  
 aggtcctttg gcagggctca tggatcagag ctcaaactgg agggaaaggc atttcgggta 60  
 gcctaagagg gcgactggcg gcagcacaac caagggaaggc aaggttggtt ccccaacgct 120  
 gtgtcctgtg ttcagggtgcg acacacaatc ctcatgggaa caggatcacc catgcgctgc 180  
 ccttgatgat caaggttggg gcttaagtgg attaaggag gcaagttctg gggtccttgc 240  
 cttttcaaac catgaagtca ggctctgtat ccctcctttt cctaactgat attctaacta 300  
 a 301

<210> 248  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 248  
 aggtccttgg agatgccatt tcagccgaag gactcttctw ttcggaagta caccctcact 60  
 attaggaaga ttcttagggg taatttttct gaggaaggag aactagccaa ctaagaatt 120



acaggaagaa agtggtttgg aagacagcca aagaaataaa agcagattaa attgtatcag 180  
gtacattcca gcctgttggc aactccataa aaacatttca gattttaatc ccgaatttag 240  
ctaattgagac tggatttttg ttttttatgt tgtgtgtcgc agagctaaaa actcagttcc 300  
c 301

<210> 249  
<211> 301  
<212> DNA  
<213> Homo sapien

<400> 249  
gtccagagga agcacctggg gctgaactag gcttgccctg ctgtgaactt gcacttggag 60  
ccctgacgct gctgttctcc ccgaaaaacc cgaccgacct ccgcgatctc cgtcccggcc 120  
ccaggagagac acagcagtga ctacagagctg gtcgcacact gtgcctccct cctcaccgcc 180  
catcgtaattg aattattttg aaaattaatt ccaccatcct ttcagattct ggatggaaag 240  
actgaatctt tgactcagaa ttgtttgctg aaaagaatga tgtgactttc ttagtcattt 300  
a 301

<210> 250  
<211> 301  
<212> DNA  
<213> Homo sapien

<400> 250  
ggtctgtgac aaggacttgc aggctgtggg aggcaagtga cccttaacac tacacttctc 60  
cttatcttta ttggcttgat aaacataatt atttctaaca ctacttatt tccagttgcc 120  
cataagcaca tcagtacttt tctctggctg gaatagtaaa cttaaagtatg gtacatctac 180  
ctaaaagact actatgtgga ataatacata ctaatgaagt attacatgat ttaaagacta 240  
caataaaacc aaacatgctt ataacattaa gaaaaacaat aaagatacat gattgaaacc 300  
a 301

<210> 251  
<211> 301  
<212> DNA  
<213> Homo sapien

<400> 251  
gccgaggtcc tacatttggc ccagtttccc cctgcacact ctccagggcc cctgcctcat 60  
agacaacctc atagagcata ggagaactgg ttgccctggg ggcaggggga ctgtctggat 120  
ggcaggggtc ctcaaaaatg cactgtcac tgccaggaaa tgcttctgag cagtacacct 180  
cattgggatc aatgaaaagc ttcaagaaat cttcaggctc actctcttga aggcccgga 240  
cctctggagg ggggcagtg aatcccagct ccaggacgga tcctgtcgaa aagatatcct 300  
c 301

<210> 252  
<211> 301  
<212> DNA  
<213> Homo sapien

<400> 252  
gcaaccaatc actctgtttc acgtgacttt tatcaccata caatttgttg catttcctca 60  
ttttctacat tgtagaatca agagtgtaaa taaatgtata tcgatgtctt caagaatata 120  
tcatttcctt ttacttagga acccattcaa aatataagtc aagaatctta atatcaacaa 180  
atatatcaag caaactggaa ggcagaataa ctaccataat ttagtataag tacccaaagt 240  
tttataaatc aaaagcccta atgataacca tttttagaat tcaatcatca ctgtagaatc 300  
a 301

<210> 253

<211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 253  
 ttccctaaga agatgttatt ttgttgggtt ttgttcccc tccatctcga ttctcgtacc 60  
 caactaaaaa aaaaaataa agaaaaaatg tgctgcgttc tgaaaaataa ctcccttagct 120  
 tggctcgatt gttttcagac cttaaaatat aaacttggtt cacaagcttt aatccatgtg 180  
 gatttttttt cttagagaac cacaaaacat aaaaggagca agtcggactg aatacctgtt 240  
 tccatagtgc ccacagggtta ttcctcacat tttctccata ggaaaatgct ttttccaag 300  
 g 301

<210> 254  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 254  
 cgctgcgcct ttcccttggg ggaggggcaa ggccagaggg ggtccaagtg cagcacgagg 60  
 aacttgacca attcccttga agcgggtggg ttaaaccctg taaatgggaa caaaatcccc 120  
 ccaaactctct tcatcttacc ctggtggact cctgactgta gaattttttg gttgaaacaa 180  
 gaaaaaataa aagcttttga cttttcaagg ttgcttaaca ggtactgaaa gactggcctc 240  
 acttaaaactg agccaggaaa agctgcagat ttattaatgg gtgtgttagt gtgcagtgcc 300  
 t 301

<210> 255  
 <211> 302  
 <212> DNA  
 <213> Homo sapien

<400> 255  
 agcttttttt tttttttttt tttttttttt ttcattaaaa aatagtgtctc tttattataa 60  
 attactgaaa tgtttctttt ctgaatataa atataaatat gtgcaaagtt tgacttggat 120  
 tgggattttt ttgagttctt caagcatctc ctaataccct caagggcctg agtagggggg 180  
 aggaaaaagg actggagggtg gaatctttat aaaaaacaag agtgattgag gcagattgta 240  
 aacattatta aaaaacaaga aacaaacaaa aaaatagaga aaaaaaccac cccaacacac 300  
 aa 302

<210> 256  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (301)  
 <223> n = A,T,C or G

<400> 256  
 gttccagaaa acattgaagg tggtttccca aagtctaact agggatacc cctctagcct 60  
 aggaccctcc tccccacacc tcaatccacc aaaccatcca taatgcaccc agataggccc 120  
 acccccacaaa gcctggacac cttgagcaca cagttatgac caggacagac tcatctctat 180  
 aggcaaatag ctgctggcaa actggcatta cctggtttgt ggggatgggg gggcaagtgt 240  
 gtggcctctc ggcctgggta gcaagaacat tcagggtagg cctaagttaan tcgtgttagt 300  
 t 301

<210> 257  
 <211> 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 257

```

gttgtggagg aactctggct tgctcattaa gtcctactga ttttcactat cccctgaatt      60
tccccactta tttttgtctt tcactatcgc aggccttaga agaggtctac ctgcctccag      120
tcttacctag tccagctctac cccctggagt tagaatggcc atcctgaagt gaaaagtaat      180
gtcacattac tcccttcagt gatttcttgt agaagtgcc atccctgaat gccaccaaga      240
tcttaatctt cacatcttta atcttatctc tttgactcct ctttacaccg gagaaggctc      300
c                                                                    301

```

&lt;210&gt; 258

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(301)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 258

```

cagcagtagt agatgccgta tgccagcacg cccagcactc ccaggatcag caccagcacc      60
agggggcccag ccaccaggcg cagaagcaag ataaacagta ggctcaagac cagagccacc      120
cccagggcaa caagaatcca ataccaggac tgggcaaat cttcaaagat cttaacactg      180
atgtctcggg cattgaggct gtcaataana cgctgatccc ctgctgtatg gtggtgtcat      240
tggtgatccc tgggagcgcc ggtggagtaa cgttggtcca tggaagcag cgcccacaac      300
t                                                                    301

```

&lt;210&gt; 259

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(301)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 259

```

tcatatatgc aaacaaatgc agactangcc tcaggcagag actaaaggac atctcttggg      60
gtgtcctgaa gtgatttgga cccctgaggg cagacaccta agtaggaatc ccagtgggaa      120
gcaaagccat aaggaagccc aggattcctt gtgatcagga agtgggcccag gaaggtctgt      180
tccagctcac atctcatctg catgcagcac ggaccggatg cgcccactgg gtcttggctt      240
ccctcccatc ttctcaagca gtgtccttgt tgagccattt gcatccttgg ctccagggtg      300
c                                                                    301

```

&lt;210&gt; 260

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 260

```

tttttttct ccctaaggaa aaagaaggaa caagtctcat aaaaccaa at aagcaatggt      60
aaggtgtctt aacttgaaaa agattaggag tctctgggtt acaagttata attgaatgaa      120
agaactgtaa cagccacagt tggccatttc atgccaatgg cagcaaaca caggattaac      180
tagggcaaaa taaataagtg tgtggaagcc ctgataagtg ctttaataaac agactgattc      240
actgagacat cagtacctgc ccgggcggcc gctcgagccg aattctgcag atatccatca      300

```

c 301

<210> 261  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 261  
 aaatattcga gcaaatcctg taactaatgt gtctccataa aaggctttga actcagtga 60  
 tctgcttcca tccacgattc tagcaatgac ctctcggaca tcaaagctcc tcttaagggtt 120  
 agcaccaact attccatata attcatcagc aggaaataaa ggctcttcag aagggtcaat 180  
 ggtgacatcc aatttcttct gataatttag attcctcaca accttcctag ttaagtgaag 240  
 ggcacgatga tcatccaaag cccagtgggc acttactcca gactttctgc aatgaagatc 300  
 a 301

<210> 262  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 262  
 gagagagacc tggtacagca tttgtaagca cagaatactc caggagtatt tgtaattgtc 60  
 tgtgagcttc ttgccgcaag tctctcagaa atttaaaaag atgcaaatcc ctgagtcacc 120  
 cctagacttc ctaaaccaga tcctctgggg ctggaacctg gactctgca tttgtaatga 180  
 gggctttctg gtgcacacct aattttgtgc atctttgccc taaatcctgg attagtggcc 240  
 catcattacc cccacattat aatgggatag attcagagca gatactctcc agcaaaagaat 300  
 c 301

<210> 263  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

<400> 263  
 tttagcttgt ggtaaatgac tcacaaaact gattttaaaa tcaagttaat gtgaattttg 60  
 aaaattacta cttaatccta attcacaata acaatggcat taaggtttga cttgagttgg 120  
 ttcttagtat tatttatggg aaataggctc ttaccacttg caaataactg gccacatcat 180  
 taatgactga cttcccagta aggtctctta aggggtaagt angaggatcc acaggatttg 240  
 agatgctaag gcccagaga tcgtttgatc caaccctctt attttcagag gggaaaatgg 300  
 g 301

<210> 264  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 264  
 aaagacgtta aaccactcta ctaccacttg tggaactctc aaagggtaaa tgacaaascc 60  
 aatgaatgac tctaaaaaca atatttacat ttaatgggtt gtagacaata aaaaaacaag 120  
 gtggatagat ctagaattgt aacattttta gaaaaccata scatttgaca gatgagaaaag 180  
 ctcaattata gatgcaaagt tataactaaa ctactatagt agtaaagaaa tacatttcac 240  
 acccttcata taaattcact atcttggctt gaggcactcc ataaaatgta tcacgtgcac 300  
 a 301

<210> 265  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 265  
 tgcccaagtt atgtgtaagt gtatccgcac ccagaggtaa aactacactg tcatctttgt 60  
 cttcttgtga cgcagtatit cttctctggg gagaagccgg gaagtcttct cctggctcta 120  
 catattcttg gaagtctcta atcaactttt gttccatttg tttcatttct tcaggaggga 180  
 ttttcagttt gtcaacatgt tctctaaca cacttgccca tttctgtaa gaatccaaag 240  
 cagtccaagg ctttgacatg tcaacaacca gcataactag agtatccttc agagatacgg 300  
 c 301

<210> 266  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 266  
 taccgtctgc ctttcctccc atccaggcca tctgcgaatc tacatgggtc ctctatttcg 60  
 acaccagatc actctttcct ctaccacag gcttgctatg agcaagagac acaacctcct 120  
 ctcttctgtg ttccagcttc ttttcctggt cttccacccc cttaagttct attcctgggg 180  
 atagagacac caatacccat aacctctctc ctaagcctcc ttataaccca ggggtgcacag 240  
 cacagactcc tgacaactgg taaggccaat gaactgggag ctcacagctg gctgtgcctg 300  
 a 301

<210> 267  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 267  
 aaagagcaca ggccagctca gcctgccctg gccatctaga ctacgcctgg ctccatgggg 60  
 gttctcagtg ctgagtcocat ccaggaaaag ctcacctaga cttctgagg ctgaatcttc 120  
 atcctcacag gcagcttctg agagcctgat attcctagcc ttgatggtct ggagtaaagc 180  
 ctcatctga ttcctctcct tcttttcttt caagttggct ttcctcacat ccctctgttc 240  
 aattcgcttc agcttgtctg ctttagccct catttccaga agcttcttct ctttggcatc 300  
 t 301

<210> 268  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 268  
 aatgtctcac tcaactactt cccagcctac cgtggcctaa ttctgggagt tttcttctta 60  
 gatcttggga gagctgggtc ttctaaggag aaggaggaag gacagatgta actttggatc 120  
 tcgaagagga agtctaattg aagtaattag tcaacgggtc ttgttttagac tcttgggaata 180  
 tgctgggtgg ctacgtgagc ccttttgagg aaagcaagta ttattcttaa ggagtaacca 240  
 cttccatttg ttctactttc taccatcatc aattgtatat tatgtattct ttggagaact 300  
 a 301

<210> 269  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 269  
 taacaatata cactagctat ctttttaact gtccatcatt agcaccaatg aagattcaat 60  
 aaaattacct ttattcacac atctcaaaac aattctgcaa attcttagtg aagtttaact 120  
 atagtcacag accttaaata ttcacattgt tttctatgtc tactgaaaat aagttcacta 180  
 cttttctgga tattctttac aaaatcttat taaaattcct ggtattatca cccccaatta 240  
 tacagtagca caaccacctt atgtagtttt tacatgatag ctctgtagaa gtttcacatc 300  
 t 301

<210> 270  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 270  
 cattgaagag cttttgcgaa acatcagaac acaagtgtt ataaaaattaa ttaagcctta 60  
 cacaagaata catattcctt ttatttctaa ggagttaaac atagatgtag ctgatgtgga 120  
 gagcttgctg gtgcagtgc tattggataa cactattcat ggccgaattg atcaagtcaa 180  
 ccaactcctt gaactggatc atcagaagaa ggggtgtgca cgatatactg cactagataa 240  
 tggaccaacc aactaaattc tctcaccagg ctgtatcagt aaactggctt aacagaaaac 300  
 a 301

<210> 271  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

<400> 271  
 aaaagggttct cataagatta acaatttaaa taaatatttg atagaacatt ctttctcatt 60  
 tttatagctc atcttttagg ttgatattca gttcatgtt cccttgctgt tcttgatcca 120  
 gaattgcaat cacttcacga gcctgtattc gctccaattc tctataaagt gggccaagg 180  
 tgaaccacag agccacagca cacctctttc ccttggtgac tgccttcacc ccatganggt 240  
 tctctctcc agatganaac tgatcatgcg cccacatttt gggttttata gaagcagtca 300  
 c 301

<210> 272  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 272  
 taaattgcta agccacagat aacaccaatc aaatggaaca aatcactgtc ttcaaagtgc 60  
 ttatcagaaa accaaatgag cctggaatct tcataatacc taaacatgcc gtatttagga 120  
 tccaataatt cctcatgat gagcaagaaa aattctttgc gcaccctcc tgcattccaca 180  
 gcatcttctc caacaaatat aaccttgagt ggcttctgt aatctatgtt ctttgttttc 240  
 ctaaggactt ccattgcac tcctacaata ttttctctac gcaccactag aattaagcag 300  
 g 301

<210> 273  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 273

acatgtgtgt atgtgtatct ttgggaaan aanaagacat cttgtttayt atttttttgg	60
agagangctg ggacatggat aatcacwtaa ttgtctayta tyactttaat ctgactygaa	120
gaaccgtcta aaaataaaat ttaccatgtc dtataattcct tatagtatgc ttatttcacc	180
ttytttctgt ccagagagag tatcagtgac ananatttma gggatgaamac atgmattggg	240
gggacttnty tttacngagm accctgcccg sgcgccctcg makcngantt ccgcsananc	300
t	301

<210> 274

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 274

cttatatact ctttctcaga ggcaaaagag gagatgggta atgtagacaa ttctttgagg	60
aacagtaaatt gattattaga gagaangaat ggaccaagga gacagaaatt aacttgtaaa	120
tgattctctt tggaatctga atgagatcaa gaggccagct ttagcttggt gaaaagtcca	180
tctaggtatg gttgcattct cgtcttcttt tctgcagtag ataataaggt aaccgaaggc	240
aattgtgctt cttttgataa gaagctttct tggatcatatc aggaaattcc aganaaagtc	300
c	301

<210> 275

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 275

tcggtgtcag cagcacgtgg cattgaacat tgcaatgtgg agcccaaacc acagaaaatg	60
gggtgaaatt ggccaacttt ctattaactt atgttggaat ttttgccacc aacagtaagc	120
tgcccttctt aataaaagaa aattgaaagg tttctcacta aacggaatta agtagtgag	180
tcaagagact cccaggcctc agcgtacctg cccgggaggc cgctcgaagc cgaattctgc	240
agatatccat cacactggcg gncgctcgan catgcatcta gaaggnccaa ttcgacctat	300
a	301

<210> 276

<211> 301

<212> DNA

<213> Homo sapien

<400> 276

tgtacacata ctcaataaat aaatgactgc attgtgggtat tattactata ctgattatat	60
ttatcatgtg acttctaatt agaaaatgta tccaaaagca aaacagcaga tatacaaaat	120
taaagagaca gaagatagac attaacagat aaggcaactt atacattgag aatccaaatc	180
caatacattht aaacatttgg gaaatgaggg ggacaaatgg aagccagatc aaatttgtgt	240

aaaactattc agtatgtttc ccttgcttca tgtctgagaa ggctctcctt caatggggat 300  
g 301

<210> 277  
<211> 301  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(301)  
<223> n = A,T,C or G

<400> 277  
tttgttgatg tcagtatttt attacttgcg ttatgagtgc tcacctggga aattctaaag 60  
atacagagga cttggaggaa gcagagcaac tgaatttaat ttaaaagaag gaaaacattg 120  
gaatcatggc actcctgata ctttccaaa tcaacactct caatgcccca ccctcgtcct 180  
caccatagtg gggagactaa agtggccaag gatttgccct angtgtgcag tgcgttctga 240  
gttcnctgtc gattacatct gaccagtctc ctttttccga agtccttccg ttcaatcttg 300  
c 301

<210> 278  
<211> 301  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(301)  
<223> n = A,T,C or G

<400> 278  
taccactaca ctccagcctg ggcaacagag caagacctgt ctcaaagcat aaaatggaat 60  
aacatatcaa atgaaacagg gaaaatgaag ctgacaattt atggaagcca gggcttgtca 120  
cagtccttac tgttattatg cattacctgg gaatttatat aagcccttaa taataatgcc 180  
aatgaacatc tcatgtgtgc tcacaatggt ctggcactat tataagtgtc tcacaggttt 240  
tatgtgttct tcgtaacttt atggantagg tactcggccg cgaacacgct aagccgaatt 300  
c 301

<210> 279  
<211> 301  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(301)  
<223> n = A,T,C or G

<400> 279  
aaagcaggaa tgacaaagct tgcttttctg gtatgttcta ggtgtattgt gacttttact 60  
gttatattaa ttgccaatat aagtaaatat agattatata tgtatagtgt ttcacaaagc 120  
ttagaccttt accttccagc caccacacag tgcttgatat ttcagagtca gtcattggtt 180  
atacatgtgt agttccaaag cacataagct agaanaanaa atatttctag ggagcactac 240  
catctgtttt cacatgaaat gccacacaca tagaactcca acatcaattt cattgcacag 300  
a 301

<210> 280



<211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 280  
 ggtactggag ttttcctccc ctgtgaaaac gtaactactg ttgggagtga attgaggatg 60  
 tagaaagggtg gtggaaccaa attgtggtca atggaaatag gagaatatgg ttctcactct 120  
 tgagaaaaaa acctaagatt agcccaggta gttgcctgta acttcagttt ttctgcctgg 180  
 gtttgatata gtttaggggtt ggggttagat taagatctaa attacatcag gacaaagaga 240  
 cagactatta actccacagt taattaagga ggtatgttcc atgtttattt gttaaagcag 300  
 t 301

<210> 281  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 281  
 aggtacaaga aggggaatgg gaaagagctg ctgctgtggc attgttcaac ttggatattc 60  
 gccgagcaat ccaaatacctg aatgaagggg catcttctga aaaaggagat ctgaatctca 120  
 atgtggtagc aatggcttta tcgggttata cggatgagaa gaactccctt tggagagaaa 180  
 tgtgtagcac actgcgatta cagctaaata acccgatttt gtgtgtcatg tttgcatttc 240  
 tgacaagtga aacaggatct tacgatggag ttttgtatga aaacaaagtt gcagtacctc 300  
 g 301

<210> 282  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 282  
 cagggtactac agaattaaaa tactgacaag caagtagttt cttggcgtgc acgaattgca 60  
 tccagaacctt aaaaattaag aaattcaaaa agacattttg tgggcacctg ctagcacaga 120  
 agcgcagaag caaagcccag gcagaacctt gtaacctta cagctcagcc tgcacagaag 180  
 cgcagaagca aagcccaggc agaaccatgc taaccttaca gctcagcctg cacagaagcg 240  
 cagaagcaaa gccccaggcag aacatgctaa ccttacagct cagcctgcac agaagcacag 300  
 a 301

<210> 283  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 283  
 atctgtatac ggcagacaaa ctttatarag tgtagagagg tgagcgaaag gatgcaaaag 60  
 cactttgagg gctttataat aatatgctgc ttgaaaaaaa aaatgtgtag ttgatactca 120  
 gtgcatctcc agacatagta aggggttgct ctgaccaatc aggtgatcat tttttctatc 180  
 acttcccagg ttttatgcaa aaattttgtt aaattctata atggtgatat gcatctttta 240  
 ggaaacatat acatttttta aaatctattt tatgtaagaa ctgacagacg aatttgcttt 300  
 g 301

<210> 284  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 284  
 caggtaaaa acgctattaa gtggcttaga atttgaacat ttgtggcttt tattttacttt 60

```

gcttcgtgtg tgggcaaagc aacatcttcc ctaaatatat attaccaaga aaagcaagaa 120
gcagattagg tttttgacaa acaaaacagg ccaaaagggg gctgacctgg agcagagcat 180
ggtgagaggc aaggcatgag agggcaagtt tgttgtggac agatctgtgc ctactttatt 240
actggagtaa aagaaaacaa agttcattga tgtcgaagga tatatacagt gttagaaatt 300
a 301

```

```

<210> 285
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

```

<400> 285
acatcaccat gatcggatcc cccacccatt atacgttgta tgtttacata aatactcttc 60
aatgatcatt agtgttttaa aaaaaatact gaaaactcct tctgcatccc aatctctaac 120
caggaaagca aatgctatctt acagacctgc aagccctccc tcaaacnaaa ctatttctgg 180
attaaatatg tctgacttct tttgaggtca cagcactagg caaatgctat ttacgatctg 240
caaaagctgt ttgaagagtc aaagccccca tgtgaacacg atttctggac cctgtaacag 300
t 301

```

```

<210> 286
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 286
taccactgca ttccagcctg ggtgacagag tgagactccg tctccaaaaa aaactttgct 60
tgtatattat ttttgccctta cagtggatca ttctagtagg aaaggacagt aagatttttt 120
atcaaaatgt gtcatgccag taagagatgt tatattcttt tctcatttct tccccacca 180
aaaataagct accatatagc ttataagtct caaatTTTTT ccttttacta aaatgtgatt 240
gtttctgttc attgtgtatg cttcatcacc tatattaggc aaattccatt ttttcccttg 300
t 301

```

```

<210> 287
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 287
tacagatctg ggaactaaat attaaaaatg agtgtggctg gatatatgga gaatgttggg 60
cccagaagga acgtagagat cagatattac aacagctttg ttttgagggt tagaaatatg 120
aaatgatttg gttatgaacg cacagttagg gcagcagggc cagaatcctg accctctgcc 180
ccgtgggttat ctctcccca gcttggctgc ctcatgttat cacagtattc cattttgttt 240
gttgcatgtc ttgtgaagcc atcaagattt tctcgtctgt tttcctctca ttggtaatgc 300
t 301

```

```

<210> 288
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 288
gtacacctaa ctgcaaggac agctgaggaa tgtaatgggc agccgctttt aaagaagtag 60
agtcaatagg aagacaaatt ccagttccag ctcatctgg gtatctgcaa agctgcaaaa 120

```

```

gatctttaaa gacaatttca agagaatatt tccttaaagt tggcaatttg gagatcatac 180
aaaagcatct gcttttgtga tttaatttag ctcatctggc cactggaaga atccaaacag 240
tctgccttaa ttttgatga atgcatgatg gaaattcaat aatttagaaa gttaaaaaaa 300
a 301

```

```

<210> 289
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

```

<400> 289
ggtacactgt ttccatgta tgtttctaca cattgctacc tcagtgtcc tggaaactta 60
gcttttgatg tctccaagta gtccaccttc atttaactct ttgaaactgt atcatctttg 120
ccaagtaaga gtggtggcct atttcagctg ctttgacaaa atgactggct cctgacttaa 180
cgttctataa atgaatgtgc tgaagcaaag tgcccatggt ggccggcgaan aagagaaaga 240
tgtgttttgt tttggactct ctgtggtccc ttccaatgct gtgggtttcc aaccagnnga 300
a 301

```

```

<210> 290
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

```

<400> 290
aactgagct cttcttgata aatatacaga atgcttggca tatacaagat tctatactac 60
tgactgatct gttcatttct ctcacagctc ttaccccaa aagcttttcc accctaagtg 120
ttctgacctc cttttctaata cacagtaggg atagaggcag anccacctac aatgaacatg 180
gagtctatc aagaggcaga aacagcacag aatcccagtt ttaccattcg ctacagtgac 240
tgccctgaac aaaaacattt ctccatgtct cattttcttc atgcctcaag taacagtga 300
a 301

```

```

<210> 291
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 291
caggtagcaa tttcttctat ctagaaaca tttcatttta tgttggtgaa acataacaac 60
tatatcagct agattttttt tctatgcttt acctgctatg gaaaatttga cacattctgc 120
tttactcttt tgtttatagg tgaatcacia aatgtatttt tatgtattct gtagtccaat 180
agccatggct gtttacttca tttaatttat ttagcataaa gacattatga aaaggcctaa 240
acatgagctt cacttcccca ctaactaatt agcatctggt atttcttaac cgtaatgcct 300
a 301

```

```

<210> 292
<211> 301
<212> DNA
<213> Homo sapien

```

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

<400> 292  
 accttttagt agtaatgtct aataataaat aagaaatcaa ttttataagg tccatatagc 60  
 tgtattaaat aatttttaag tttaaaagat aaaataccat cattttaaat gttggtattc 120  
 aaaaccaaag natataaccg aaaggaaaaa cagatgagac ataaaatgat ttgcnagatg 180  
 ggaaatatag tasttyatga atgttnatta aattccagtt ataatagtgg ctacacactc 240  
 tcactacaca cacagacccc acagtcctat atgccacaaa cacatttcca taacttgaaa 300  
 a 301

<210> 293  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 293  
 ggtaccaagt gctggtgcca gctgttacc tgtttctact gaaaagtctg gctaattgctc 60  
 ttgtgtagtc acttctgatt ctgacaatca atcaatcaat ggcctagagc actgactgtt 120  
 aacacaaacg tcaactagcaa agtagcaaca gctttaagtc taaatacaaa gctgtttctgt 180  
 gtgagaatth tttaaaaggc tactttgtata ataacccttg tcatttttaa tgtacctcgg 240  
 ccgcgaccac gctaagccga attctgcaga tatccatcac actggcggcc gctcgagcat 300  
 g 301

<210> 294  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

<400> 294  
 tgaccataa caatatacac tagctatctt tttaactgtc catcattagc accaatgaag 60  
 attcaataaa attaccttta ttcacacatc tcaaaacaat tctgcaaatt cttagtgaag 120  
 tttaactata gtcacaganc ttaaataatc acattgtttt ctatgtctac tgaaaataag 180  
 ttcaactatt ttctgggata ttctttacaa aatcttatta aaattcctgg tattatcacc 240  
 cccaattata cagtagcaca accaccttat gtagttttta catgatatgct ctgtagaggt 300  
 t 301

<210> 295  
 <211> 305  
 <212> DNA  
 <213> Homo sapien

<400> 295  
 gtactctttc tctcccctcc tctgaattta attctttcaa cttgcaattt gcaaggatta 60  
 cacatttcac tgtgatgtat attgtgttgc aaaaaaaaaa gtgtctttgt ttaaaattac 120  
 ttggtttgtg aatccatctt gctttttccc cattggaact agtcattaac ccatctctga 180  
 actggtagaa aaacrtctga agagctagtc tatcagcatc tgacagggtga attggatggt 240  
 tctcagaacc atttcaccca gacagcctgt ttctatcctg ttttaataaat tagtttgggt 300  
 tctct 305

<210> 296  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 296  
 aggtactatg ggaagctgct aaaataatat ttgatagtaa aagtatgtaa tgtgctatct 60  
 cacctagtag taaactaaaa ataaactgaa actttatgga atctgaagtt attttccttg 120  
 attaaataga attaataaac caatatgagg aaacatgaaa ccatgcaatc tactatcaac 180  
 tttgaaaaag tgattgaacg aaccacttag ctttcagatg atgaacactg ataagtcatt 240  
 tgtcattact ataaatttta aaatctgtta ataagatggc ctataggag gaaaaagggg 300  
 c 301

<210> 297  
 <211> 300  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(300)  
 <223> n = A,T,C or G

<400> 297  
 actgagtttt aactggacgc caagcaggca aggctggaag gttttgctct ctttgctcta 60  
 aaggttttga aaaccttgaa ggagaatcat ttgacaaga agtacttaag agtctagaga 120  
 acaaagangt gaaccagctg aaagctctcg ggggaanctt acatgtgttg ttaggcctgt 180  
 tccatcattg ggagtgcact ggccatccct caaaatttgt ctgggctggc ctgagtggtc 240  
 accgcacctc ggccgcgacc acgctaagcc gaattctgca gatatccatc acactggcgg 300

<210> 298  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

<400> 298  
 tatggggttt gtcacccaaa agctgatgct gagaaaggcc tccctggggc cctcccgcg 60  
 ggcattctgag agacctggtg ttccagtgtt tctggaaatg ggtcccagtg ccgccggctg 120  
 tgaagctctc agatcaatca cgggaagggc ctggcggtgg tggccacctg gaaccaccct 180  
 gtccctgtctg ttacatttc actaycaggt tttctctggg cattacnatt tgttccccta 240  
 caacagtgac ctgtgcattc tgctgtggcc tgctgtgtct gcaggtggct ctcagcgagg 300  
 t 301

<210> 299  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 299  
 gttttgagac ggagtttcac tcttggtgcc cagactggac tgcaatggca gggctctctgc 60  
 tcaactgcacc ctctgcctcc cagggttcgag caattctcct gcctcagcct ccaggttagc 120  
 tgggattgca ggctcagcc accataccca gctaattttt ttgtattttt agtagagacg 180  
 gagtttcgcc atgttggcca gctggtctca aactcctgac ctcaagcgac ctgcctgcct 240

cggcctccca aagtgtgga attataggca tgagtcaaca cgcccagcct aaagatatatt 300  
t 301

<210> 300  
<211> 301  
<212> DNA  
<213> Homo sapien

<400> 300  
attcagtttt atttgcctgcc ccagtatctg taaccaggag tgccacaaaa tcttgccaga 60  
tatgtccac acccactggg aaaggctccc acctggctac ttcctctatc agctgggtca 120  
gctgcattcc acaaggttct cagcctaag agtttacta cctgccagtc tcaaaactta 180  
gtaaagcaag accatgacat tccccacgg aaatcagagt ttgcccacc gtcttgttac 240  
tataaagcct gcctctaaca gtccttgctt cttcacacca atcccagagc catccccat 300  
g 301

<210> 301  
<211> 301  
<212> DNA  
<213> Homo sapien

<400> 301  
ttaaattttt gagaggataa aaaggacaaa taatctagaa atgtgtcttc ttcagtctgc 60  
agaggacccc aggtctccaa gcaaccacat ggtcaagggc atgaataatt aaaagtgggt 120  
gggaactcac aaagaccctc agagctgaga caccacaac agtgggagct cacaaagacc 180  
ctcagagctg agacaccac aacagtggga gtcacaaaag accctcagag ctgagacacc 240  
cacaacagca cctcgcttcag ctgccacatg tgtgaataag gatgcaatgt ccagaagtgt 300  
t 301

<210> 302  
<211> 301  
<212> DNA  
<213> Homo sapien

<400> 302  
aggtacacat ttagcttgtg gtaaatgact cacaaaactg attttaaaat caagttaatg 60  
tgaattttga aaattactac ttaatcctaa ttcacaataa caatggcatt aaggtttgac 120  
ttgagttgggt tcttagtatt atttatggta aataggtctt taccacttgc aaataactgg 180  
ccacatcatt aatgactgac ttcccagtaa ggctctctaa ggggtaagta ggaggatcca 240  
caggatttga gatgctaagg cccagagat cgtttgatcc aaccctctta ttttcagagg 300  
g 301

<210> 303  
<211> 301  
<212> DNA  
<213> Homo sapien

<400> 303  
aggtaccaac tgtggaaata ggtagaggat ctttttttct ttccatatca actaagttgt 60  
atattgtttt ttgacagttt aacacatctt cttctgtcag agattctttc acaatagcac 120  
tggctaattg aactaccgct tgcatgttaa aaatggtgggt ttgtgaaatg atcataggcc 180  
agtaacgggt atgtttttct aactgatctt ttgctcgttc caaagggacc tcaagacttc 240  
catcgatttt atatctgggg tctagaaaag gagttaatct gttttccctc ataaattcac 300  
c 301

<210> 304  
<211> 301  
<212> DNA

<213> Homo sapien

<400> 304

```

acatggatgt tattttgcag actgtcaacc tgaatttgta tttgcttgac attgcctaatt      60
tattagtttc agtttcagct taccactttt ttgtctgcaa catgcaraas agacagtgcc      120
cttttttagtg tatcatatca ggaatcatct cacattgggt tgtgccatta ctgggtgcagt      180
gactttcagc cacttgggta aggtggagtt ggccatatgt ctccactgca aaattactga      240
ttttcctttt gtaattaata agtgtgtgtg tgaagattct ttgagatgag gtatataatct      300
c                                                                                   301

```

<210> 305

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 305

```

gangtacagc gtgggtcaagg taacaagaag aaaaaaatgt gagtggcatc ctgggatgag      60
cagggggaca gacctggaca gacacgttgt catttgctgc tgtgggtagg aaaatgggag      120
taaaggagga gaaacagata caaaatctcc aactcagtat taaggatttc tcatgcctag      180
aatattggta gaaacaagaa tacattcata tggcaaataa ctaaccatgg tggaacaaaa      240
ttctgggatt taagttggat accaangaaa ttgtattaaa agagctgttc atggaataag      300
a                                                                                   301

```

<210> 306

<211> 8

<212> PRT

<213> Homo sapien

<400> 306

```

Val Leu Gly Trp Val Ala Glu Leu
1                               5

```

<210> 307

<211> 637

<212> DNA

<213> Homo sapien

<400> 307

```

acaggggratg aagggaagg gagaggatga ggaagccccc ctggggattt ggtttggtcc      60
ttgtgatcag gtggtctatg gggcttatcc ctacaaagaa gaatccagaa ataggggcac      120
attgaggaat gatacttgag cccaaagagc attcaatcat tgttttatct gccttmtttt      180
cacaccattg gtgagggagg gattaccacc ctggggttat gaagatgggt gaacacccca      240
cacatagcac cggagatatg agatcaacag tttcttagcc atagagattc acagcccaga      300
gcaggaggac gcttgccacac catgcaggat gacatggggg atgcgctcgg gattggtgtg      360
aagaagcaag gactgttaga ggcaggcttt atagtaacaa gacggtgggg caaactctga      420
tttcogtggg ggaatgtcat ggtcttgctt tactaagtct tgagactggc aggtagtga      480
actcattagg ctgagaacct tgtggaatgc acttgaccca scgatagag gaagtagcca      540
ggtgggagcc tttcccagtg ggtgtgggac atatctggca agattttgtg gcactcctgg      600
ttacagatac tggggcagca aataaaactg aatcttg      637

```

<210> 308

<211> 647

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(647)

<223> n = A,T,C or G

<400> 308

acgattttca	ttatcatgta	aatcgggtca	ctcaaggggc	caaccacagc	tgggagccac	60
tgctcagggg	aaggttcata	tgggactttc	tactgcccac	ggttctatac	aggatataaa	120
ggngcctcac	agtatagatc	tggtagcaaa	gaagaagaaa	caaacactga	tctctttctg	180
ccaccctctc	gaccctttgg	aactcctctg	accctttaga	acaagcctac	ctaataatctg	240
ctagagaaaa	gaccaacaac	ggcctcaaag	gatctcttac	catgaaggtc	tcagctaatt	300
cttggctaag	atgtgggttc	cacattaggt	tctgaatatg	gggggaaggg	tcaatttgct	360
cattttgtgt	gtggataaag	tcaggatgcc	cagggggccag	agcagggggc	tgcttgcttt	420
gggaacaatg	gctgagcata	taaccatagg	ttatggggaa	caaaacaaca	tcaaagtcac	480
tgtatcaatt	gccatgaaga	cttgagggac	ctgaatctac	cgattcatct	taaggcagca	540
ggaccagttt	gagtggcaac	aatgcagcag	cagaatcaat	ggaaacaaca	gaatgattgc	600
aatgtccttt	ttttctcctc	gcttctgact	tgataaaaag	ggaccgt		647

<210> 309

<211> 460

<212> DNA

<213> Homo sapien

<400> 309

actttatagt	ttaggctgga	cattggaaaa	aaaaaaaaagc	cagaacaaca	tgtgatagat	60
aatatgattg	gctgcacact	tccagactga	tgaatgatga	acgtgatgga	ctattgtatg	120
gagcacatct	tcagcaagag	ggggaaatac	tcatactttt	tggccagcag	ttgtttgatc	180
accaaaccac	atgccagaat	actcagcaaa	ccttcttagc	tcttgagaag	tcaaagtccg	240
ggggaattta	ttcctggcaa	ttttaattgg	actccttatg	tgagagcagc	ggctaccacg	300
ctggggtggt	ggagcgaacc	cgtcactagt	ggacatgcag	tggcagagct	cctggtaacc	360
acctagagga	atacacaggc	acatgtgtga	tgccaagcgt	gacacctgta	gcactcaaatt	420
ttgtcttggt	tttgtctttc	ggtgtgtaag	attcttaagt			460

<210> 310

<211> 539

<212> DNA

<213> Homo sapien

<400> 310

acgggactta	tcaaataaag	ataggaaaag	aagaaaactc	aaatattata	ggcagaaatg	60
ctaaagggtt	taaaatatgt	caggattgga	agaaggcatg	gataaagaac	aaagttcagt	120
taggaaaagag	aaacacagaa	ggaagagaca	caataaaaagt	cattatgtat	tctgtgagaa	180
gtcagacagt	aagattttgt	ggaaatgggt	tggtttgttg	tatggtatgt	attttagcaa	240
taatctttat	ggcagagaaa	gctaaaatcc	tttagcttgc	gtgaatgatc	acttgctgaa	300
ttcctcaagg	taggcattgat	gaaggagggt	ttagaggaga	cacagacaca	atgaactgac	360
ctagatagaa	agccttagta	tactcagcta	ggaatagtga	ttctgagggc	acactgtgac	420
atgattatgt	cattacatgt	atggtagtga	tgggtagtat	aggaaggaag	aacttatggc	480
atattttcac	ccccacaaaa	gtcagttaaa	tattgggaca	ctaaccatcc	aggtcaaga	539

<210> 311

<211> 526

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature



100

&lt;222&gt; (1)...(526)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 311

caaatttgag ccaatgacat agaattttac aaatcaagaa gcttattctg gggccatttc	60
ttttgacgtt ttctctaaac tactaaagag gcattaatga tccataaatt atattatcta	120
catttacagc atttaaaatg tgttcagcat gaaatattag ctacagggga agctaaataa	180
attaaacatg gaataaagat ttgtccttaa atataatcta caagaagact ttgatatttg	240
tttttcacaa gtgaagcatt cttataaaagt gtcataacct ttttggggaa actatgggaa	300
aaaatgggga aactctgaag gggttttaagt atcttacctg aagctacaga ctccataacc	360
tctctttaca gggagctcct gcagccccta cagaaatgag tggctgagat tcttgattgc	420
acagcaagag cttctcatct aaaccctttc cctttttagt atctgtgtat caagtataaa	480
agttctataa actgtagtnt acttatttta atcccaaaag cacagt	526

&lt;210&gt; 312

&lt;211&gt; 500

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(500)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 312

cctctctctc cccacccct gactctagag aactgggttt tctcccagta ctccagcaat	60
tcattttctga aagcagttga gccactttat tccaaagtac actgcagatg ttcaaactct	120
ccatttctct ttcccttcca cctgccagtt ttgctgactc tcaacttgtc atgagtgtaa	180
gcattaagga cattatgctt cttcgattct gaagacaggc cctgctcatg gatgactctg	240
gcttcttagg aaaatatatt tcttccaaaa tcagtaggaa atctaaactt atcccctctt	300
tgcagatgtc tagcagcttc agacatttgg ttaagaaccc atgggaaaaa aaaaaatcct	360
tgctaagtgt gtttcctttg taaaccanga ttcttatttg nctggtatag aatatcagct	420
ctgaacgtgt ggtaaagatt tttgtgtttg aatataggag aaatcagttt gctgaaaagt	480
tagtcttaat tatctattgg	500

&lt;210&gt; 313

&lt;211&gt; 718

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(718)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 313

ggagatttgt gtggtttgca gccgagggag accaggaaga tctgcatggt gggaaggacc	60
tgatgataca gaggtgagaa ataagaaagg ctgctgactt taccatctga ggccacacat	120
ctgctgaaat ggagataatt aacatcacta gaaacagcaa gatgacaata taatgtctaa	180
gtagtgacat gtttttgcac atttccagcc cttttaataa tccacacaca caggaagcac	240
aaaaggaagc acagagatcc ctgggagaaa tgcccggccg ccatcttggg tcatcgatga	300
gcctgcacct gtgctgntc ccgcttgtga gggaaggaca ttagaaaatg aattgatgtg	360
ttccttaaaag gatggcagga aaacagatcc tgttgtggat atttatttga acgggattac	420
agatttgaaa tgaagtcaca aagtgagcat taccaatgag aggaaaacag acgagaaaat	480
cttgatgggt cacaagacat gcaacaaaca aaatggaata ctgtgatgac acgagcagcc	540
aactggggag gagataccac gggcagagg tcaggattct ggccctgctg cctaaactgtg	600
cgttatacca atcatttcta tttctaccct caaacaagct gtngaatatc tgacttacgg	660
ttctnttggc ccacattttc atnatccacc cntcntttt aannttantic caaantgt	718

<210> 314  
 <211> 358  
 <212> DNA  
 <213> Homo sapien

<400> 314  
 gtttattttac attacagaaa aaacatcaag acaatgtata ctatttcaaa tatatccata 60  
 cataatcaaa tatagctgta gtacatgttt tcattgggtg agattaccac aaatgcaagg 120  
 caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg tgtagtccaa 180  
 gctctcggta gtccagccac tgtgaaacat gtcaccttta gattaacctc gtggacgctc 240  
 ttgttgatt gctgaactgt agtgccctgt attttgcctt tgtctgtgaa ttctgttget 300  
 tctggggcat ttccttgtga tgcagaggac caccacacag atgacagcaa tctgaatt 358

<210> 315  
 <211> 341  
 <212> DNA  
 <213> Homo sapien

<400> 315  
 taccacctcc ccgctggcac tgatgagccg catcaccatg gtcaccagca ccatgaaggc 60  
 ataggtgatg atgaggacat ggaatgggcc cccaaggatg gtctgtccaa agaagcgagt 120  
 gacccccatt ctgaagatgt ctggaacctc taccagcagg atgatgatag cccaatgac 180  
 agtcaccagc tccccgacca gccggatata gtccttaggg gtcatgtagg cttcctgaag 240  
 tagcttctgc tgtaagaggg tggtgtcccg ggggctcgtg cggttattgg tctgggctt 300  
 gagggggcgg tagatgcagc acatggtgaa gcagatgatg t 341

<210> 316  
 <211> 151  
 <212> DNA  
 <213> Homo sapien

<400> 316  
 agactgggca agactcttac gcccacact gcaatttggg cttgttgccg tatccattta 60  
 tgtgggcctt tctcgagttt ctgattataa acaccactgg agcgatgtgt tgactggact 120  
 cattcaggga gctctggttg caatattagt t 151

<210> 317  
 <211> 151  
 <212> DNA  
 <213> Homo sapien

<400> 317  
 agaactagt gatacctaag aaataacctga aacatatatt ggcatttatc aatgggtcaa 60  
 atcttcattt atctctggcc ttaaccctgg ctctgaggc tgcggccagc agatcccagg 120  
 ccagggctct gttcttgcca cacctgcttg a 151

<210> 318  
 <211> 151  
 <212> DNA  
 <213> Homo sapien

<400> 318  
 actgggtggga ggcgctgttt agttggctgt ttccagaggg gtctttcggg gggacctcct 60  
 gctgcaggct ggagtgtctt tattcctggc gggagaccgc acattccact gctgaggctg 120  
 tgggggcggt ttatcaggca gtgataaaca t 151

<210> 319

<211> 151  
 <212> DNA  
 <213> Homo sapien

<400> 319  
 aactagtggga tccagagcta taggtacagt gtgatctcag ctttgcaaac acattttcta 60  
 catagatagt actaggattt aatagatatg taaagaaaga aatcacacca ttaataatgg 120  
 taagattggg tttatgtgat tttagtgggt a 151

<210> 320  
 <211> 150  
 <212> DNA  
 <213> Homo sapien

<400> 320  
 aactagtggga tccactagtc cagtgtggtg gaattccatt gtgttggggt tctagatcgc 60  
 gagcggtgc cttttttttt tttttttttg ggggggaatt tttttttttt aatagttatt 120  
 gagtgttcta cagcttacag taaataccat 151

<210> 321  
 <211> 151  
 <212> DNA  
 <213> Homo sapien

<400> 321  
 agcaactttg tttttcatcc aggttatattt aggccttagga tttcctctca cactgcagtt 60  
 taggggtggca ttgtaaccag ctatggcata ggtgttaacc aaaggctgag taaacatggg 120  
 tgctctgag aaatcaaagt cttcatcac t 151

<210> 322  
 <211> 151  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(151)  
 <223> n = A,T,C or G

<400> 322  
 atccagcadc ttctcctggt tcttgccctc ctttttcttc ttcttasatt ctgcttgagg 60  
 tttgggcttg gtcagtttgc cacagggtt ggagatgggt acagtcttct ggcattcggc 120  
 attgtgcagg gctcgttca nacttcagtt t 151

<210> 323  
 <211> 151  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(151)  
 <223> n = A,T,C or G

<400> 323  
 tgaggacttg tktttttttt ctttatattt aatcctctta ckttgtaaatt atattgccta 60  
 nagactcant tactaccag tttgtggtt twtgggagaa atgtaactgg acagttagct 120  
 gttcaatyaa aaagacactt ancccatgtg g 151

<210> 324  
 <211> 461  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(461)  
 <223> n = A,T,C or G

<400> 324  
 acctgtgtgg aattttcagct ttcctcatgc aaaaggattt tgtatccccg gcctacttga 60  
 agaagtgggc agctaaagga atccaggttg ttgggtggac tgtaataacc tttgatgaaa 120  
 agagttacta cgaatcccat cttgggtcca gctatatcac tgacagcatg gtagaagact 180  
 gcgaacctca cttctagact ttcacggtgg gacgaaacgg gttcagaaac tgccaggggc 240  
 ctcatacagg gatatacaaaa taccctttgt gctacccagg ccctggggaa tcaggtgact 300  
 cacacaaatg caatagttgg tcaactgcatt tttacctgaa ccaaagctaa acccgggtgt 360  
 gccaccatgc accatggcat gccagagttc aacactgttg ctcttgaaaa ttgggtctga 420  
 aaaaacgcac aagagcccct gccctgccct agctgangca c 461

<210> 325  
 <211> 400  
 <212> DNA  
 <213> Homo sapien

<400> 325  
 acactgtttc catgttatgt ttctacacat tgctacctca gtgctcctgg aaacttagct 60  
 tttgatgtct ccaagtagtc caccttcatt taactctttg aaactgtatc atctttgcca 120  
 agtaagagtg gtggcctatt tcagctgctt tgacaaaatg actggctcct gacttaacgt 180  
 tctataaatg aatgtgctga agcaaagtgc ccatggtggc ggcgaagaag agaaagatgt 240  
 gttttgtttt ggactctctg tggctccctc caatgctgtg ggtttccaac caggggaagg 300  
 gtcccttttg cattgccaag tgccataacc atgagcacta cgctaccatg gttctgcctc 360  
 ctggccaagc aggtcggttt gcaagaatga aatgaatgat 400

<210> 326  
 <211> 1215  
 <212> DNA  
 <213> Homo sapien

<400> 326  
 ggaggactgc agcccgact cgcagccctg gcaggcggca ctggtcatgg aaaacgaatt 60  
 gttctgctcg ggcgtcctgg tgcacccgca gtgggtgctg tcagccgcac actgtttcca 120  
 gaactcctac accatcgggc tgggcctgca cagtcttgag gccgaccaag agccaggag 180  
 ccagatggtg gaggccagcc tctccgtacg gcacccagag tacaacagac ccttgctcgc 240  
 taacgacctc atgctcatca agttggacga atccgtgtcc gagtctgaca ccatccggag 300  
 catcagcatt gcttcgcagt gccctacogc ggggaactct tgcctcgttt ctggctgggg 360  
 tctgctggcg aacggcagaa tgctacccgt gctgcagtgc gtgaacgtgt cgggtggtgc 420  
 tgaggaggtc tgcaagtaagc tctatgaccc gctgtaccac cccagcatgt tctgcgccgg 480  
 cggagggcaa gaccagaagg actcctgcaa cgggtgactct ggggggcccc tgatctgcaa 540  
 cgggtacttg cagggccttg tgtctttcgg aaaagccccg tgtggccaag ttggcgtgcc 600  
 aggtgtctac accaacctct gcaaatcac tgagtggata gagaaaaacc tccaggccag 660  
 ttaactctgg ggactgggaa cccatgaaat tgacccccaa atacatcctg cggaaggaaat 720  
 tcaggaatat ctgttcccag cccctcctcc ctgaggccca ggagtcagg ccccgagccc 780  
 ctccctccctc aaaccaaggg tacagatccc cagccctcc tccctcagac ccaggagtcc 840  
 agacccccca gcccctcctc cctcagaccc aggagtccag cccctcctcc ctgagaccca 900  
 ggagtccaga ccccccagcc cctcctccct cagacccagg ggtccaggcc cccaacccct 960  
 cctccctcag actcagaggt ccaagcccc aaccctcct tccccagacc cagaggtcca 1020

104

```

gggtcccagcc cctcctccct cagacccagc ggtccaatgc cacctagact ctccctgtac 1080
acagtgcgcc cttgtggcac gttgacccaa ccttaccagt tggtttttca ttttttgtcc 1140
ctttccccta gatccagaaa taaagtctaa gagaagcgca aaaaaaaaaa aaaaaaaaaa 1200
aaaaaaaaaa aaaaaa 1215

```

<210> 327  
 <211> 220  
 <212> PRT  
 <213> Homo sapien

<400> 327

```

Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met
 1          5          10          15
Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val
          20          25          30
Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly
          35          40          45
Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu
          50          55          60
Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu Ala
          65          70          75          80
Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser Asp
          85          90          95
Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly Asn
          100         105         110
Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met Pro
          115         120         125
Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu Val Cys
          130         135         140
Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala Gly
          145         150         155         160
Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly Pro
          165         170         175
Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys Ala
          180         185         190
Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu Cys Lys
          195         200         205
Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
          210         215         220

```

<210> 328  
 <211> 234  
 <212> DNA  
 <213> Homo sapien

<400> 328

```

cgctcgtctc tggtagctgc agccaaatca taaacggcga ggactgcagc ccgcactcgc 60
agccctggca ggcggcactg gtcattgaaa acgaattgtt ctgctcgggc gtcctgggtgc 120
atccgcagtg ggtgctgtca gccacacact gtttcagaaa ctctacacc atcgggctgg 180
gctgcacag tcttgaggcc gaccaagagc caggagacca gatggtggag gcca 234

```

<210> 329  
 <211> 77  
 <212> PRT  
 <213> Homo sapien

<400> 329

```

Leu Val Ser Gly Ser Cys Ser Gln Ile Ile Asn Gly Glu Asp Cys Ser

```

105

```

      1             5             10             15
Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met Glu Asn Glu Leu
      20             25             30
Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val Leu Ser Ala Thr
      35             40             45
His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly Leu His Ser Leu
      50             55             60
Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu Ala
      65             70             75

```

<210> 330  
 <211> 70  
 <212> DNA  
 <213> Homo sapien

```

      <400> 330
cccaacacaa tggcccgatc ccatccctga ctccgccctc aggatcgctc gtctctggta      60
gctgcagcca                                         70

```

<210> 331  
 <211> 22  
 <212> PRT  
 <213> Homo sapien

```

      <400> 331
Gln His Asn Gly Pro Ile Pro Ser Leu Thr Pro Pro Ser Gly Ser Leu
      1             5             10             15
Val Ser Gly Ser Cys Ser
      20

```

<210> 332  
 <211> 2507  
 <212> DNA  
 <213> Homo sapien

```

      <400> 332
tggtgccgct gcagccggca gagatgggtg agctcatggt cccgctggtg ctccctccttc      60
tgcccttctc tctgtatatg gctgcgcccc aaatcaggaa aatgctgtcc agtgggggtgt      120
gtacatcaac tgttcagctt cctgggaaag tagttgtggt cacaggagct aatacaggta      180
tcgggaagga gacagccaaa gagctggctc agagaggagc tcgagtatat ttagcttgcc      240
gggatgtgga aaagggggaa ttggtggcca aagagatcca gaccacgaca gggaaccagc      300
aggtgttggt gcggaactg gacctgtctg atactaagtc tattcgagct tttgctaagg      360
gcttcttagc tgaggaaaag cacctccacg ttttgatcaa caatgcagga gtgatgatgt      420
gtccgtactc gaagacagca gatggctttg agatgcacat aggagtcaac cacttgggtc      480
acttctctct aacctatctg ctgctagaga aactaaagga atcagcccca tcaaggatag      540
taaagtgtgc ttccctcgca catcacctgg gaaggatcca ctccataac ctgcaggggcg      600
agaaattcta caatgcaggc ctggcctact gtcacagcaa gctagccaac atcctcttca      660
cccaggaact ggcccgga gctaaaaggct ctggcggttac gacgtattct gtacaccctg      720
gcacagtcca atctgaactg gttcggcact catctttcat gagatggatg tgggtggcttt      780
tctccttttt catcaagact cctcagcagg gagcccagac cagcctgcac tgtgccttaa      840
cagaaggtct tgagattcta agtgggaatc atttcagtga ctgtcatgtg gcatgggtct      900
ctgcccagc ctgtaatgag actatagcaa ggcggctgtg ggacgtcagt tgtgacctgc      960
tgggcctccc aatagactaa caggcagtg cagttggacc caagagaaga ctgcagcaga      1020
ctacacagta cttcttgtca aaatgattct ccttcaaggt tttcaaaacc tttagcacia      1080
agagagcaaa accttcagc cttgcctgct tgggtgtocag ttaaaactca gtgtactgcc      1140
agattcgtct aaatgtctgt catgtocaga tttactttgc ttctgttact gccagagtta      1200
ctagagatat cataatagga taagaagacc ctcatatgac ctgcacagct cattttcctt      1260
ctgaaagaaa ctactaccta ggagaatcta agctatagca gggatgattt atgcaaattt      1320

```

gaactagctt	ctttgttcac	aattcagttc	ctcccaacca	accagtcttc	acttcaagag	1380
ggccacactg	caacctcagc	ttaacatgaa	taacaaagac	tggctcagga	gcagggcttg	1440
cccaggcatg	gtggatcacc	ggaggtcagt	agttcaagac	cagcctggcc	aacatggtga	1500
aacccacact	ctactaaaaa	ttgtgtatat	ctttgtgtgt	cttcctgttt	atgtgtgcca	1560
agggagtatt	ttcacaaagt	tcaaaacagc	cacaataatc	agagatggag	caaaccagtg	1620
ccatccagtc	tttatgcaaa	tgaaatgctg	caaagggaag	cagattctgt	atatgttggt	1680
aactaccac	caagagcaca	tgggtagcag	ggaagaagta	aaaaaagaga	aggagaatac	1740
tggaagataa	tgcacaaaat	gaagggacta	gttaaggatt	aactagccct	ttaaggatta	1800
actagttaag	gattaatagc	aaaagayatt	aaatatgcta	acatagctat	ggaggaattg	1860
agggcaagca	cccaggactg	atgaggtcct	aacaaaaacc	agtgtggcaa	aaaaaaaaaa	1920
aaaaaaaaaa	aaaaatccta	aaaacaaaac	aacaaaaaaa	acaattcttc	attcagaaaa	1980
attatcttag	ggactgatat	tggttaattat	ggtcaattta	ataatatatt	ggggcatttc	2040
cttacattgt	cttgacaaga	ttaaaatgtc	tgtgccaaaa	ttttgtattt	tatttgagga	2100
cttcttatca	aaagtaatgc	tgccaaagga	agtctaagga	attagtagtg	ttcccatcac	2160
ttgtttggag	tgtgctattc	taaaagattt	tgatttcctg	gaatgacaat	tatatattta	2220
ctttggtggg	ggaaagagtt	ataggaccac	agtcttcact	tctgatactt	gtaaattaat	2280
cttttattgc	acttgttttg	accattaagc	tatatgttta	gaaatggtca	ttttacggaa	2340
aaattagaaa	aattctgata	atagtgcaga	ataaatgaat	taatgtttta	cttaatttat	2400
attgaaactg	caatgacaaa	taaaaattct	ttttgattat	tttttgtttt	catttaccag	2460
aataaaaacg	taagaattaa	aagtttgatt	acaaaaaaa	aaaaaaa		2507

&lt;210&gt; 333

&lt;211&gt; 3030

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 333

gcaggcgact	tgcgagctgg	gagcgattta	aaacgctttg	gattcccccg	gcctgggtgg	60
ggagagcgag	ctgggtgccc	cctagattcc	ccgccccgcg	acctcatgag	ccgacctcgc	120
gctccatgga	gcccggcaat	tatgccacct	tgatggagc	caaggatata	gaaggcttgc	180
tgggagcggg	agggggcg	aatctggtcg	cccactcccc	tctgaccagc	caccagcg	240
cgctacgct	gatgcctgct	gtcaactatg	cccccttgg	tctgccagc	tcggcgagc	300
cgccaaagca	atgccaccca	tgccctggg	tgccccagg	gacgtcccca	gtcccgctgc	360
cttatggtta	ctttggaggc	gggtactact	cctgccaggt	gtcccgagc	tcgctgaac	420
cctgtgccca	ggcagccacc	ctggccgcgt	acccccgga	gactccacg	gccggggaag	480
agtaccccag	ycgcccact	gagtttgct	tctatccgg	atatccgga	acctaccagc	540
ctatggccag	ttacctggac	gtgtctgtgg	tgcaactct	gggtgctcct	ggagaaccgc	600
gacatgactc	cctgttgct	gtggacagtt	accagtcttg	ggctctcgct	ggtggctgga	660
acagccagat	gtgttgccag	ggagaacaga	accaccagg	tcccttttg	aaggcagcat	720
ttgcagactc	cagcgggcag	caccctcctg	acgcctgcgc	ctttcgtcgc	ggccgcaaga	780
aacgcattcc	gtacagcaag	ggcagttgc	gggagctgga	gcgggagtat	gcggctaaca	840
agttcatcac	caaggacaag	aggcgcaaga	tctcggcag	caccagcctc	tcggagcgcc	900
agattaccat	ctggtttcag	aaccgcccgg	tcaaagagaa	gaaggttctc	gccaaggtga	960
agaacagcgc	taccctttaa	gagatctcct	tgctgggtg	ggaggagcga	aagtgggggt	1020
gtcctgggga	gaccaggaac	ctgccaagcc	caggctggg	ccaaggactc	tgctgagagg	1080
cccctagaga	caacaccctt	cccaggccac	tggtgctgg	actgttcctc	aggagcggcc	1140
tgggtaccca	gtatgtgcag	ggagacggaa	cccatgtga	cagccactc	caccaggggt	1200
cccaaagaac	ctggcccagt	cataatcatt	catcctgaca	gtggcaataa	tcacgataac	1260
cagtactagc	tgccatgac	gttagcctca	tattttctat	ctagagctct	gtagagcact	1320
ttagaacccg	ctttcatgaa	ttgagctaata	tatgaataaa	tttgaaggc	gatccctttg	1380
cagggaagct	ttctctcaga	ccccttcca	ttacacctct	cacctggta	acagaggaa	1440
gactgaggag	aggggaacgg	gcagattcgt	tgtgtggctg	tgatgtccgt	ttagcatttt	1500
tctcagctga	cagctgggta	ggtggacaat	tgtagaggct	gtctcttctc	ccctccttgt	1560
ccacccata	gggtgtaccc	actggtcttg	gaagcaccga	tccttaatac	gatgattttt	1620
ctgtcgtgtg	aaaatgaagc	cagcaggctg	ccctagtca	gtccttctct	ccagagaaaa	1680
agagatttga	gaaagtgcct	gggtaattca	ccattaattt	cctcccccaa	actctctgag	1740
tcttccctta	atatttctgg	tggttctgac	caaagcaggt	catggtttgt	tgagcatttg	1800
ggatcccagt	gaagtagatg	ttttagacct	tgcatactta	gcccttccca	ggcacaacg	1860

gagtggcaga	gtggtgccaa	ccctgttttc	ccagtccacg	tagacagatt	cacagtgcgg	1920
aattctggaa	gctggagaca	gacgggctct	ttgcagagcc	gggactctga	gagggacatg	1980
agggcctctg	cctctgtgtt	cattctctga	tgtcctgtac	ctgggctcag	tgcccgggtg	2040
gactcatctc	ctggccgcgc	agcaaagcca	gcgggttcgt	gctggtcctt	cctgcacctt	2100
aggctggggg	tggggggcct	gccggcgcat	tctccacgat	tgagcgca	ggcctgaagt	2160
ctggacaacc	cgcagaaccg	aagctccgag	cagcgggtcg	gtggcgagta	gtggggtcgg	2220
tggcgagcag	ttggtgtgtg	gccgcggccg	ccactacctc	gaggacattt	ccctcccggg	2280
gccagctctc	ctagaaaccc	cgcggcgccg	gccgcagcca	agtgtttatg	gccgcgggtc	2340
gggtgggatc	ctagccctgt	ctcctctcct	gggaaggagt	gaggggtgga	cgtgacttag	2400
acacctacaa	atctattttac	caaagaggag	cccgggactg	agggaaaagg	ccaaagagtg	2460
tgagtgcatt	cggactgggg	gttcagggga	agaggacgag	gaggaggaag	atgaggtcga	2520
tttctgtatt	taaaaaatcg	tccaagcccc	gtggtccagc	ttaaggctct	cggttacatg	2580
cgcgcctcag	agcaggtcac	tttctgcctt	ccacgtcctc	cttcaaggaa	gccccatgtg	2640
ggtagctttc	aatatcgcat	gttcttactc	ctctgcctct	ataagctcaa	accacccaac	2700
gatcgggcaa	gtaaaccccc	tccctcgccg	acttcggaac	tggcgagagt	tcagcgcaga	2760
tgggcctgtg	gggagggggc	aagatagatg	agggggagcg	gcatggtgcg	gggtgacccc	2820
ttggagagag	gaaaaaggcc	acaagagggg	ctgccaccgc	cactaacgga	gatggccctg	2880
gtagagacct	ttgggggtct	ggaacctctg	gactccccat	gctctaactc	ccacactctg	2940
ctatcagaaa	cttaaaacttg	aggattttct	ctgtttttca	ctcgcaataa	aytcagagca	3000
aacaaaaaaa	aaaaaaaaaa	aaaactcgag				3030

&lt;210&gt; 334

&lt;211&gt; 2417

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 334

ggcggccgct	ctagagctag	tgggatcccc	cgggctgcac	gaattcggca	cgagtgaagt	60
ggagttttac	ctgtattgtt	ttaatttcaa	caagcctgag	gactagccac	aaatgtaccc	120
agttttacaaa	tgaggaaaca	ggtgcaaaaa	ggttggttacc	tgtcaaagg	cgtatgtggc	180
agagccaaga	tttgagccca	gttatgtctg	atgaacttag	cctatgtctt	ttaaacttct	240
gaatgctgac	cattgaggat	atctaaactt	agatcaattg	cattttccct	ccaagactat	300
ttacttatca	atacaataat	accaccttta	ccaatctatt	gttttgatac	gagactcaaa	360
tatgccagat	atatgtaaaa	gcaacctaca	agctctctaa	tcagtctcac	ctaaaagatt	420
ccgggatctt	aataggctca	aagaaacttc	ttctagaaat	ataaaagaga	aaattggatt	480
atgcaaaaaa	tcattattaa	tttttttcat	ccatccttta	attcagcaaa	catttatctg	540
ttgttgactt	tatgcagtat	ggccttttaa	ggattggggg	acagggtgaag	aacgggtgac	600
cagaatgcat	cctcctacta	atgaggtcag	tacacatttg	catttttaaa	tgccctgtcc	660
agctgggcat	ggtggatcat	gcctgtaatc	tcaacattgg	aaggccaagg	caggaggatt	720
gcttcagccc	aggagtcaa	gaccagcctg	ggcaacatag	aaagaccca	tctctcaatc	780
aatcaatcaa	tgccctgtct	ttgaaaataa	aactctttaa	gaaaggttta	atgggcaggg	840
tgtggtagct	catgcctata	atacagcact	ttgggaggct	gaggcaggag	gatcacttta	900
gccagaagt	tcaagaccag	cctgggcaac	aagtgcaccc	tcacttcaat	tttttaataa	960
aatgaataca	tacataagga	aagataaaaa	gaaaagttta	atgaaagaat	acagtataaa	1020
acaaatctct	tggacctaaa	agtatttttg	ttcaagccaa	atattgtgaa	tcacctctct	1080
gtgttgagga	tacagaatat	ctaagcccag	gaaactgagc	agaaagttca	tgtactaact	1140
aatcaaccgg	aggcaaggca	aaaatgagac	taactaatca	atccgaggca	aggggcaaat	1200
tagacggaac	ctgactctgg	tctatttaagc	gacaactttc	cctctgttgt	atttttcttt	1260
tattcaatgt	aaaaggataa	aaactctcta	aaactaaaaa	caatgtttgt	caggagttac	1320
aaaccatgac	caactaatta	tggggaatca	taaaatatga	ctgtatgaga	tcttgatggt	1380
ttacaaagt	taccactgtt	taatcacttt	aaacattaat	gaacttaaaa	atgaatttac	1440
ggagattgga	atgtttcttt	cctgttgtat	tagttggctc	aggctgccat	aacaaaatac	1500
cacagactgg	gaggcttaag	taacagaaat	tcatttctca	cagttctggg	ggctggaagt	1560
ccacgatcaa	ggtgcaggaa	aggcaggctt	cattctgagg	cccctctctt	ggctcacatg	1620
tggccaccct	cccactgcgt	gctcacatga	cctctttgtg	ctcctggaaa	gaggggtgtg	1680
gggacagagg	gaaagagaag	gagagggaac	tctctggtgt	ctcgtctttc	aaggacccta	1740
acctgggcca	ctttggccca	ggcactgtgg	ggtggggggt	tgtggctgct	ctgctctgag	1800
tggccaagat	aaagcaacag	aaaaatgtcc	aaagctgtgc	agcaaaagca	agccaccgaa	1860



cagggatctg	ctcatcagt	tggggacctc	caagtcggcc	accctggagg	caagccccc	1920
cagagcccat	gcaaggtggc	agcagcagaa	gaaggggaatt	gtccctgtcc	ttggcacatt	1980
cctcaccgac	ctgggtgatgc	tggacactgc	gatgaatggt	aatgtggatg	agaatatgat	2040
ggactcccag	aaaaggagac	ccagctgctc	agggtggctgc	aaatcattac	agccttcac	2100
ctggggagga	actggggggc	tggttctggg	tcagagagca	gccagtgag	ggtgagagct	2160
acagcctgtc	ctgccagctg	gatccccagt	cccggtcaac	cagtaatcaa	ggctgagcag	2220
atcaggcttc	ccggagctgg	tcttggaag	ccagccctgg	ggtgagttgg	ctcctgctgt	2280
ggtactgaga	caatattgtc	ataaattcaa	tgcgccttg	tatccctttt	tcttttttat	2340
ctgtctacat	ctataatcac	tatgcatact	agtctttgtt	agtgtttcta	ttcmaactaa	2400
tagagatatg	ttatact					2417

&lt;210&gt; 335

&lt;211&gt; 2984

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 335

atccctcctt	ccccactctc	ctttccagaa	ggcacttgagg	gtcttatctg	ttggactctg	60
aaaacacttc	aggcgccctt	ccaaggcttc	cccaaacc	taagcagccg	cagaagcgct	120
cccagctgc	cttctccac	actcaggtga	tcagttgga	gaggaagttc	agccatcaga	180
agtacctgtc	ggccccctgaa	cgggcccacc	tggccaagaa	cctcaagctc	acggagaccc	240
aagtgaagat	atggttccag	aacagacgct	ataagactaa	gcgaaagcag	ctctcctcgg	300
agctgggaga	cttgagagaag	cactcctctt	tgcggccct	gaaagaggag	gccttctccc	360
gggcctccct	ggtctccgtg	tataacagct	atccttacta	cccatacctg	tactgcgtgg	420
gcagctggag	cccagctttt	tggtaatgcc	agctcaggtg	acaaccatta	tgatcaaaaa	480
ctgccttccc	cagggtgtct	ctatgaaaag	cacaaggggc	caaggtcagg	gagcaagagg	540
tgtgcacacc	aaagctattg	gagatttgcg	tggaaatctc	asattcttca	ctggtgagac	600
aatgaaacaa	cagagacagt	gaaagtttta	atacctaagt	cattccccca	gtgcatactg	660
taggtcatth	tttttgcctc	tggctacctg	tttgaagggg	agagagggaa	aatcaagtgg	720
tattttccag	cactttgtat	gattttggat	gagctgtaca	cccaaggatt	ctgttctgca	780
actccatcct	cctgtgtcac	tgaatatcaa	ctctgaaaga	gcaaacctaa	caggagaaag	840
gacaaccagg	atgaggatgt	caccaactga	attaaactta	agtccagaag	cctcctgttg	900
gccttggaat	atggccaagg	ctctctctgt	ccctgtaaaa	gagaggggca	aatagagagt	960
ctccaagaga	acgcctcat	gctcagcaca	tatttgcata	ggagggggag	atgggtggga	1020
ggagatgaaa	atatcagctt	ttcttattcc	tttttattcc	ttttaaaatg	gtatgccaac	1080
ttaagtattt	acagggtggc	ccaaatagaa	caagatgcac	tcgctgtgat	tttaagacaa	1140
gctgtataaa	cagaactcca	ctgcaagagg	gggggcccgg	ccaggagaat	ctcgccttgt	1200
ccaagacagg	ggcctaagga	gggtctccac	actgctgcta	ggggctgttg	cattttttta	1260
ttagttagaaa	gtggaaggc	ctcttctcaa	cttttttccc	ttgggctgga	gaatttagaa	1320
tcagaagttt	cctggaagtt	tcaggctatc	atataactg	tatcctgaaa	ggcaacataa	1380
ttcttccttc	cctcctttta	aaattttgtg	ttcctttttg	cagcaattac	tcactaaagg	1440
gcttcatttt	agtcagatt	tttagtctgg	ctgcacctaa	cttatgcctc	gcttatttag	1500
cccagatct	ggtctttttt	tttttttttt	tttttccgtc	tccccaaagc	tttatctgtc	1560
ttgacttttt	aaaaaagttt	gggggcagat	tctgaattgg	ctaaaagaca	tgcatthttta	1620
aaactagcaa	ctcttatttc	tttcttttaa	aaatacatag	cattaaatcc	caaactctat	1680
ttaaagacct	gacagcttga	gaaggtcact	actgcattta	taggaccttc	tgggtggtct	1740
gctgttacgt	ttgaagtctg	acaatccttg	agaatctttg	catgcagagg	aggtaagagg	1800
tattggattt	tcacagagga	agaacacagc	gcagaatgaa	gggccaggct	tactgagctg	1860
tcagtgagg	ggctcatggg	tgggacatgg	aaaagaaggc	agcctaggcc	ctggggagcc	1920
cagtcactg	agcaagcaag	ggactgagtg	agccttttgc	aggaaaaggc	taagaaaaag	1980
gaaaaccatt	ctaaaacaca	acaagaaact	gtccaaatgc	tttggaact	gtgtttattg	2040
cctataatgg	gtccccaaaa	tgggtaacct	agacttcaga	gagaatgagc	agagagcaaa	2100
ggagaaatct	ggctgtcctt	ccattttcat	tctgttatct	cagggtgagct	ggtagagggg	2160
agacattaga	aaaaaatgaa	acaacaaaac	aattactaat	gaggtacgct	gaggcctggg	2220
agtctcttga	ctccactact	taattccggt	tagtgagaaa	cctttcaatt	ttcttttatt	2280
agaagggcca	gcttactgtt	ggtggcaaaa	ttgccaacat	aagttaatag	aaagttggcc	2340
aatttcaccc	cattttctgt	ggtttgggct	ccacattgca	atgttcaatg	ccacgtgctg	2400
ctgacaccga	ccggagtact	agccagcaca	aaaggcaggg	tagcctgaat	tgctttctgc	2460

```

tctttacatt tcttttaaaa taagcattta gtgctcagtc cctactgagt actctttctc 2520
tcccctcctc tgaatttaat tctttcaact tgcaatttgc aaggattaca catttcactg 2580
tgaatgtatat tgtgttgcaa aaaaaaaaaa aagtgtcttt gtttaaaatt acttggtttg 2640
tgaatccatc ttgctttttc ccatttgaa ctagtcatc acccatctct gaactggtag 2700
aaaaacatct gaagagctag tctatcagca tctgacaggt gaattggatg gttctcagaa 2760
ccatttcacc cagacagcct gtttctatcc tgtttaataa attagtttgg gttctctaca 2820
tgcataacaa accctgctcc aatctgtcac ataaaagtct gtgacttgaa gtttagtcag 2880
caccgccacc aaactttatt tttctatgtg ttttttgcaa catatgagtg ttttgaaaat 2940
aaagtaccca tgtctttatt agaaaaaaaa aaaaaaaaaa aaaa 2984

```

&lt;210&gt; 336

&lt;211&gt; 147

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 336

```

Pro Ser Phe Pro Thr Leu Leu Ser Arg Arg His Leu Gly Ser Tyr Leu
1          5          10          15
Leu Asp Ser Glu Asn Thr Ser Gly Ala Leu Pro Arg Leu Pro Gln Thr
20          25          30
Pro Lys Gln Pro Gln Lys Arg Ser Arg Ala Ala Phe Ser His Thr Gln
35          40          45
Val Ile Glu Leu Glu Arg Lys Phe Ser His Gln Lys Tyr Leu Ser Ala
50          55          60
Pro Glu Arg Ala His Leu Ala Lys Asn Leu Lys Leu Thr Glu Thr Gln
65          70          75          80
Val Lys Ile Trp Phe Gln Asn Arg Arg Tyr Lys Thr Lys Arg Lys Gln
85          90          95
Leu Ser Ser Glu Leu Gly Asp Leu Glu Lys His Ser Ser Leu Pro Ala
100          105          110
Leu Lys Glu Glu Ala Phe Ser Arg Ala Ser Leu Val Ser Val Tyr Asn
115          120          125
Ser Tyr Pro Tyr Tyr Pro Tyr Leu Tyr Cys Val Gly Ser Trp Ser Pro
130          135          140
Ala Phe Trp
145

```

&lt;210&gt; 337

&lt;211&gt; 9

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 337

```

Ala Leu Thr Gly Phe Thr Phe Ser Ala
1          5

```

&lt;210&gt; 338

&lt;211&gt; 9

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 338

```

Leu Leu Ala Asn Asp Leu Met Leu Ile
1          5

```

&lt;210&gt; 339

&lt;211&gt; 318

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 339

```

Met Val Glu Leu Met Phe Pro Leu Leu Leu Leu Leu Leu Pro Phe Leu
 1      5      10      15
Leu Tyr Met Ala Ala Pro Gln Ile Arg Lys Met Leu Ser Ser Gly Val
      20      25      30
Cys Thr Ser Thr Val Gln Leu Pro Gly Lys Val Val Val Thr Gly
      35      40      45
Ala Asn Thr Gly Ile Gly Lys Glu Thr Ala Lys Glu Leu Ala Gln Arg
 50      55      60
Gly Ala Arg Val Tyr Leu Ala Cys Arg Asp Val Glu Lys Gly Glu Leu
65      70      75      80
Val Ala Lys Glu Ile Gln Thr Thr Thr Gly Asn Gln Gln Val Leu Val
      85      90      95
Arg Lys Leu Asp Leu Ser Asp Thr Lys Ser Ile Arg Ala Phe Ala Lys
      100      105      110
Gly Phe Leu Ala Glu Glu Lys His Leu His Val Leu Ile Asn Asn Ala
      115      120      125
Gly Val Met Met Cys Pro Tyr Ser Lys Thr Ala Asp Gly Phe Glu Met
      130      135      140
His Ile Gly Val Asn His Leu Gly His Phe Leu Leu Thr His Leu Leu
145      150      155      160
Leu Glu Lys Leu Lys Glu Ser Ala Pro Ser Arg Ile Val Asn Val Ser
      165      170      175
Ser Leu Ala His His Leu Gly Arg Ile His Phe His Asn Leu Gln Gly
      180      185      190
Glu Lys Phe Tyr Asn Ala Gly Leu Ala Tyr Cys His Ser Lys Leu Ala
      195      200      205
Asn Ile Leu Phe Thr Gln Glu Leu Ala Arg Arg Leu Lys Gly Ser Gly
      210      215      220
Val Thr Thr Tyr Ser Val His Pro Gly Thr Val Gln Ser Glu Leu Val
225      230      235      240
Arg His Ser Ser Phe Met Arg Trp Met Trp Trp Leu Phe Ser Phe Phe
      245      250      255
Ile Lys Thr Pro Gln Gln Gly Ala Gln Thr Ser Leu His Cys Ala Leu
      260      265      270
Thr Glu Gly Leu Glu Ile Leu Ser Gly Asn His Phe Ser Asp Cys His
      275      280      285
Val Ala Trp Val Ser Ala Gln Ala Arg Asn Glu Thr Ile Ala Arg Arg
      290      295      300
Leu Trp Asp Val Ser Cys Asp Leu Leu Gly Leu Pro Ile Asp
305      310      315

```

&lt;210&gt; 340

&lt;211&gt; 483

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 340

```

gccgaggtct gccttcacac ggaggacacg agactgcttc ctcaagggt cctgcctgcc      60
tggacactgg tgggaggcgc tgtttagttg gctgttttca gaggggtctt tcggaggggac      120
ctcctgctgc aggctggagt gtctttattc ctggcgggag accgcacatt cactgctga      180
ggttggtggg gcggtttatc aggcagtgat aacataaga tgcatttcc ttgactcgg      240
ccttcaattt tctctttggc tgacgacgga gtccgtggtg tcccgatgta actgaccct      300
gctccaaacg tgacatcact gatgctcttc tcgggggtgc tgatggcccg cttggtcacg      360
tgctcaatct cgccattcga ctcttgctcc aaactgtatg aagacacctg actgcacgtt      420

```

ttttctgggc ttccagaatt taaagtgaag ggcagcactc ctaagctccg actccgatgc 480  
ctg 483

<210> 341  
<211> 344  
<212> DNA  
<213> Homo sapien

<400> 341  
ctgctgctga gtcacagatt tcattataaa tagcctccct aaggaaaata cactgaatgc 60  
tatttttact aaccattcta tttttataga aatagctgag agtttctaaa ccaactctct 120  
gctgccttac aagtattaaa tattttactt ctttccataa agagtagctc aaaatatgca 180  
attaatttaa taatttctga tgatggtttt atctgcagta atatgtatat catctattag 240  
aatttactta atgaaaaact gaagagaaca aaatttgtaa ccactagcac ttaagtactc 300  
ctgattotta acattgtctt taatgaccac aagacaacca acag 344

<210> 342  
<211> 592  
<212> DNA  
<213> Homo sapien

<400> 342  
acagcaaaaa agaaactgag aagcccaaty tgctttcttg ttaacatcca cttatccaac 60  
caatgtggaa acttcttata cttgggtcca ttatgaagtt ggacaattgc tgctatcaca 120  
cctggcaggt aaaccaatgc caagagagtg atggaaacca ttggcaagac tttgttgatg 180  
accaggattg gaattttata aaaatattgt tgatgggaag ttgctaaagg gtgaattact 240  
tccctcagaa gagtgtaaag aaaagtcaga gatgctataa tagcagctat ttttaattggc 300  
aagtgccact gtggaaagag ttcctgtgtg tgctgaagtt ctgaagggca gtcaaattca 360  
tcagcatggg ctgtttgggtg caaatgcaaa agcacaggtc tttttagcat gctggtctct 420  
cccgtgtcct tatgcaata atcgtcttct tctaaatttc tcctaggctt cattttccaa 480  
agttcttctt ggtttgtgat gtctttcttg ctttccatta attctataaa atagtatggc 540  
ttcagccacc cactcttcgc cttagcttga ccgtgagttc cggctgccgc tg 592

<210> 343  
<211> 382  
<212> DNA  
<213> Homo sapien

<400> 343  
ttcttgacct cctcctcctt caagctcaaa caccacctcc cttattcagg accggcactt 60  
cttaatgttt gtggttttct ctccagcctc tcttaggagg ggtaatggtg gaggttggcat 120  
cttgtaactc tcctttctcc tttcttcccc tttctctgcc cgcttttccc atcctgctgt 180  
agacttcttg attgtcagtc tgtgtcacat ccagtgattg ttttggtttc tgttcccttt 240  
ctgactgccc aaggggctca gaacccagc aatcccttcc tttcactacc ttcttttttg 300  
ggggtagttg gaagggactg aaattgtggg gggaaggtag gaggcacatc aataaagagg 360  
aaaccaccaa gctgaaaaaa aa 382

<210> 344  
<211> 536  
<212> DNA  
<213> Homo sapien

<400> 344  
ctgggcctga agctgtaggg taaatcagag gcaggcttct gaggtaggag agtcctgaga 60  
caataggcca cataaacttg gctggatgga acctcacaat aagggtgtca cctcttgttt 120  
gttttagggg atgccaagga taaggccagc tcagttatat gaagagaagc agaacaaca 180  
agtotttcag agaaatggat gcaatcagag tgggatcccg gtcacatcaa ggtcacactc 240  
caccttcattg tgctgaatg gttgccaggt cagaaaaatc caccctttac gaggcgaggc 300

```

tcgaccctat atcccccgcc cgcgtccctt totccataaa attcttctta gtagctatta 360
ccttcttatt atttgatcta gaaattgcc tctttttacc cctaccatga gccctacaaa 420
caactaacct gccactaata gttatgtcat cctctttatt aatcatcatc ctagccctaa 480
gtctggccta tgagtgacta caaaaaggat tagactgagc cgaataacaa aaaaaa 536

```

```

<210> 345
<211> 251
<212> DNA
<213> Homo sapien

```

```

<400> 345
accttttgag gtctctctca ccacctccac agccaccgtc accgtgggat gtgctggatg 60
tgaatgaagc ccccatcttt gtgcctctcg aaaagagagt ggaagtgtcc gaggactttg 120
gcgtgggcca ggaaatcaca tctacactg cccaggagcc agacacattt atggaacaga 180
aaataacata tcggatttgg agagacactg ccaactggct ggagattaat ccggacactg 240
gtgccatttc c 251

```

```

<210> 346
<211> 282
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(282)
<223> n = A,T,C or G

```

```

<400> 346
cgcgtctctg acactgtgat catgacaggg gttcaaacag aaagtgcctg ggccctcctt 60
ctaagtcttg ttaccaaaaa aaggaaaaag aaaagatctt ctcaagtaca aattctggga 120
aggagacta tacctggctc ttgccctaag tgagaggtct tccctccgc accaaaaaat 180
agaaaggctt tctatttcac tggcccaggt agggggaagg agagtaactt tgagtctgtg 240
ggtctcattt cccaaggtgc cttcaatgct catnaaaacc aa 282

```

```

<210> 347
<211> 201
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(201)
<223> n = A,T,C or G

```

```

<400> 347
acacacataa tattataaaa tgccatctaa ttggaaggag ctttctatca ttgcaagtca 60
taaatataac ttttaaaana ntactancag cttttaccta ngctcctaaa tgcttgtaaa 120
tctgagactg actggaccca cccagaccca gggcaaagat acatgttacc atatcatctt 180
tataaagaat ttttttttgt c 201

```

```

<210> 348
<211> 251
<212> DNA
<213> Homo sapien

```

```

<400> 348
ctgttaatca caacatttgt gcatcacttg tgccaagtga gaaaatgttc taaaatcaca 60
agagagaaca gtgccagaat gaaactgacc ctaagtccca ggtgcccctg ggcaggcaga 120

```

113

```

aggagacact cccagcatgg aggagggttt atcttttcat cctaggtcag gtctacaatg      180
ggggaagggt ttattataga actccaaca gccacctca ctcctgccac ccaccgatg      240
gccctgcctc c                                     251

```

```

<210> 349
<211> 251
<212> DNA
<213> Homo sapien

```

```

<400> 349
taaaaaatcaa gccatttaat tgtatctttg aaggtaaaca atatatggga gctggatcac      60
aaccctgag gatgccagag ctatgggtcc agaacatggt gtggtattat caacagagtt      120
cagaagggtc tgaactctac gtgttaccag agaacataat gcaattcatg cattccactt      180
agcaattttg taaaataacca gaaacagacc ccaagagtct ttcaagatga ggaaaattca      240
actcctggtt t                                     251

```

```

<210> 350
<211> 908
<212> DNA
<213> Homo sapien

```

```

<400> 350
ctggacactt tgcgagggct tttgctggct gctgctgctg cccgtcatgc tactcatcgt      60
agcccgcocg gtgaagctcg ctgctttccc tacctcctta agtgactgcc aaacgcccac      120
cggctggaat tgctctgggt atgatgacag agaaaatgat ctcttcctct gtgacaccaa      180
cacctgtaaa tttgatgggg aatgtttaag aattggagac actgtgactt gcgtctgtca      240
gttcaagtgc aacaatgact atgtgcctgt gtgtggctcc aatggggaga gctaccagaa      300
tgagtgttac ctgcgacagg ctgcatgcaa acagcagagt gagatacttg tgggtgcaga      360
aggatcatgt gccacagtcc atgaaggctc tggagaaact agtcaaaagg agacatccac      420
ctgtgatatt tgccagtttg gtgcagaatg tgacgaagat gccgaggatg tctggtgtgt      480
gtgtaatatt gactgttctc aaaccaactt caatcccctc tgcgttcttg atgggaaatc      540
ttatgataat gcatgccaaa tcaaagaagc atcgtgtcag aaacaggaga aaattgaagt      600
catgtctttg ggtcgatgtc aagataaacac aactacaact actaagtctg aagatgggca      660
ttatgcaaga acagattatg cagagaatgc taacaaatta gaagaaagtg ccagagaaca      720
ccacatacct tgtccggaac attacaatgg cttctgcatg catgggaagt gtgagcattc      780
tatcaatatg caggagccat cttgcagggt tgatgctggt tatactggac aacactgtga      840
aaaaaaggac tacagtgttc tatacgttgt tcccggctcc gtacgatttc agtatgtctt      900
aatcgacgag                                     908

```

```

<210> 351
<211> 472
<212> DNA
<213> Homo sapien

```

```

<400> 351
ccagttatatt gcaagtggta agagcctatt taccataaat aatactaaga accaactcaa      60
gtcaaaccctt aatgccattg ttattgtgaa ttaggattaa gtagtaattt tcaaaattca      120
cattaacttg attttaaaat cagwtttgyg agtcatttac cacaagctaa atgtgtacac      180
tatgataaaa acaaccattg tattcctggt tttctaaaca gtcctaattt ctaacactgt      240
atatatcctt cgacatcaat gaactttggt ttcttttact ccagtaataa agtaggcaca      300
gatctgtcca caacaaactt gccctctcat gccttgccct tcaccatgct ctgctccagg      360
tcagccccct tttggcctgt ttgttttgtc aaaaacctaa tctgcttctt gcttttcttg      420
gtaatatata tttagggaag atgttgcttt gccacacac gaagcaaagt aa              472

```

```

<210> 352
<211> 251
<212> DNA
<213> Homo sapien

```

&lt;400&gt; 352

ctcaaaagcta atctctcggg aatcaaacca gaaaaggcca aggatcttag gcatggtgga	60
tgtggataag gccagggtcaa tggctgcaag catgcagaga aagagggtaca tcggagcgtg	120
caggctgcgt tccgtcctta cgatgaagac cagcatgcag tttccaaaca ttgccactac	180
atacatggaa aggaggggga agccaaccca gaaatgggct ttctctaatac ctgggatacc	240
aataagcaca a	251

&lt;210&gt; 353

&lt;211&gt; 436

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 353

tttttttttt tttttttttt ttttttacia caatgcagtc atttatttat tgagtatgtg	60
cacattatgg tattattact atactgatta tatttatcat gtgacttcta attaaaaat	120
gtatccaaaa gcaaaacagc agatatacaa aattaaagag acagaagata gacattaaca	180
gataaggcaa cttatacatt gacaatccaa atccaataca tttaaacatt tgggaaatga	240
gggggacaaa tggaagccar atcaaatttg tgtaaaacta ttcagtatgt ttcccttgct	300
tcattgtctga raaggctctc ccttcaatgg ggatgacaaa ctccaaatgc cacacaaatg	360
ttaacagaat actagattca cactggaacg ggggtaaaga agaaattatt ttctataaaa	420
gggctcctaa tgtagt	436

&lt;210&gt; 354

&lt;211&gt; 854

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 354

ccttttctag ttcaccagtt ttctgcaagg atgctgggta gggagtgtct gcaggaggag	60
caagtctgaa accaaatcta ggaaacatag gaaacgagcc aggcacaggg ctgggtgggc	120
atcagggacc accctttggg ttgatatttt gcttaatctg catcttttga gtaagatcat	180
ctggcagtag aagctgttct ccagggtacat ttctctagct catgtacaaa aacatcctga	240
aggactttgt cagggtgcctt gctaaaagcc agatgcgttc ggcacttcct tggctcgagg	300
ttaattgcac acctacaggc actgggctca tgctttcaag tattttgtcc tcactttagg	360
gtgagtgaat gatccccatt ataggagcac ttgggagaga tcatataaaa gctgactcct	420
gagtacatgc agtaatgggg tagatgtgtg tgggtgtgtc tcattcctgc aagggtgctt	480
gttagggagt gtttccagga ggaacaagtc tgaaccaat catgaaataa atggtaggtg	540
tgaactggaa aactaattca aaagagagat cgtgatatca gtgtggttga tacaccttg	600
caatatggaa ggctctaatt tgcccatatt tgaataata attcagcttt ttgtaataca	660
aaataacaaa ggattgagaa tcatggtgtc taatgtataa aagaccagag aaacataaat	720
atatcaactg cataaatgta aaatgcatgt gaccaagaa ggcccaaag tggcagacaa	780
cattgtaccc attttccctt ccaaaatgtg agcggcgggc ctgctgcttt caaggctgtc	840
acacgggatg tcag	854

&lt;210&gt; 355

&lt;211&gt; 676

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 355

gaaattaagt atgagctaaa ttccctgtta aaacctctag gggtagacaga tctcttcaac	60
cagggtcaaag ctgatctttc tggaatgtca ccaaccaagg gcctatatatt atcaaaagcc	120
atccacaagt catacctgga tgtcagcgaa gagggcacgg aggcagcagc agccactggg	180
gacagcatcg ctgtaaaaag cctaccaatg agagctcagt tcaaggcgaa ccacccttc	240
ctgttcttta taaggcacac tcataccaac acgatcctat tctgtggcaa gcttgccctc	300
ccctaatacag atgggggttga gtaaggctca gagttgcaga tgagggtgcag agacaatcct	360
gtgactttcc cacggccaaa aagctgttca cacctcacgc acctctgtgc ctgagtttgc	420

115

tcattctgcaa aataggtcta ggatttcttc caaccatttc atgagttgtg aagctaaggc	480
tttgtaatac atggaaaaag gtagacttat gcagaaagcc tttctggctt tcttatctgt	540
ggtgtctcat ttgagtgtg tccagtgaca tgatcaagtc aatgagtaaa attttaaggg	600
attagatttt cttgacttgt atgtatctgt gagatcttga ataagtgacc tgacatctct	660
gcttaaagaa aaccag	676

<210> 356  
 <211> 574  
 <212> DNA  
 <213> Homo sapien

<400> 356	
tttttttttt tttttcagga aaacattctc ttactttatt tgcattctcag caaaggttct	60
catgtggcac ctgactggca tcaaaccaaa gtctgtaggc caacaaagat gggccactca	120
caagcttccc attttagat ctgagtgctt atgagtatct gacacctgtt cctctcttca	180
gtctcttagg gaggcttaaa tctgtctcag gtgtgctaag agtgccagcc caaggkgtc	240
aaaagtccac aaaactgcag tctttgtctg gatagtaagc caagcagtgc ctggacagca	300
gagttctttt cttgggcaac agataaccag acaggactct aatcgtgtct ttattcaaca	360
ttcttctgtc tctgcctaga ctggaataaa aagccaatct ctctcgtggc acaggggaag	420
agatacaagc tctgtttacat gtgatagatc taacaaaggc atctaccgaa gtctggtctg	480
gatagacggc acagggagct cttaggtcag cgtgtctggt tggaggacat tcctgagtc	540
agctttgcag cctttgtgca acagtacttt ccca	574

<210> 357  
 <211> 393  
 <212> DNA  
 <213> Homo sapien

<400> 357	
tttttttttt tttttttttt tttttttttt tacagaatat aratgcttta tctctgkact	60
taatatggkg kcttgttcac tatacttaaa aatgcaccac tcataaatat ttaattcagc	120
aagccacaac caaracttga ttttatcaac aaaaaccctt aaatataaac ggsaaaaaag	180
atagatataa ttattccagt ttttttaaaa cttaaaarat attccattgc cgaattaara	240
araarataag tgttatatgg aaagaagggc attcaagcac actaaaraaa cctgaggkaa	300
gcataatctg tacaaaatta aactgtcctt tttggcattt taacaaattt gcaacgktct	360
tttttttctt tttctgtttt tttttttttt tac	393

<210> 358  
 <211> 630  
 <212> DNA  
 <213> Homo sapien

<400> 358	
acagggtaaa caggaggatc cttgctctca cggagcttac attctagcag gaggacaata	60
ttaatgttta taggaaaatg atgagtttat gacaaaggaa gtagatagtg tttacaaga	120
gcatagagta gggaagctaa tccagcacag ggaggtcaca gagacatccc taagggaagt	180
gagtttaaac tgagagaagc aagtgtctaa actgaaggat gtgttgaaga agaagggaga	240
gtagaacaat ttgggcagag ggaaccttat agaccctaag gtgggaagggt tcaaagaact	300
gaaagagagc tagaacagct ggagccgttc tccggtgtaa agaggagtca aagagataag	360
attaaagatg tgaagattaa gatcttggtg gcattcaggg attggcactt ctacaagaaa	420
tcactgaagg gactaatgtg acattacttt tcaacttcagg atggccattc taactccagg	480
gggtagactg gactaggtaa gactggaggc aggtagacct cttctaaggc ctgcgatagt	540
gaaagacaaa aataagtggg gaaattcagg ggatagttaa aatcagtagg acttaatgag	600
caagccagag gttcctccac aacaaccagt	630

<210> 359  
 <211> 620  
 <212> DNA



<213> Homo sapien

<400> 359

acagcattcc	aaaatataca	tctagagact	aarrgtaaat	gctctatagt	gaagaagtaa	60
taattaaata	atgctactaa	tatagaaaat	ttataatcag	aaaaataaat	attcagggag	120
ctcaccagaa	gaataaagt	ctctgccagt	tattaaagga	ttactgctgg	tgaattaaat	180
atggcattcc	ccaagggaaa	tagagagatt	cttctggatt	atgttcaata	tttatttcac	240
aggattaact	gttttaggaa	cagatataaa	gcttcgccac	ggaagagatg	gacaaagcac	300
aaagacaaca	tgataacctta	ggaagcaaca	ctacccttc	aggcataaaa	tttgagagaa	360
tgcaacatta	tgcttcatga	ataatatgta	gaaagaaggt	ctgatgaaaa	tgacatcctt	420
aatgtaagat	aactttataa	gaattctggg	tcaaataaaa	ttctttgaag	aaaacatcca	480
aatgtcattg	acttatcaaa	tactatcttg	gcataatacc	tatgaaggca	aaactaaaca	540
aacaaaaagc	tcacacccaa	caaaaccatc	aacttatttt	gtattctata	acatacgaga	600
ctgtaaagat	gtgacagtgt					620

<210> 360

<211> 431

<212> DNA

<213> Homo sapien

<400> 360

aaaaaaaaaa	agccagaaca	acatgtgata	gataatatga	ttggctgcac	acttcagac	60
tgatgaatga	tgaacgtgat	ggactattgt	atggagcaca	tcttcagcaa	gagggggaaa	120
tactcatcat	ttttggccag	cagttgtttg	atcaccaaac	atcatgccag	aatactcagc	180
aaaccttctt	agctcttgag	aagtcaaagt	ccgggggaat	ttattcctgg	caattttaat	240
tggaactcctt	atgtgagagc	agcggctacc	cagctggggt	ggtggagcga	acccgtcact	300
agtggacatg	cagtggcaga	gctcctggta	accacctaga	ggaatacaca	ggcacatgtg	360
tgatgccaaag	cgtgacacct	gtagcactca	aatttgtctt	gtttttgtct	ttcgggtgtg	420
agattcttag	t					431

<210> 361

<211> 351

<212> DNA

<213> Homo sapien

<400> 361

acactgattt	ccgatcaaaa	gaatcatcat	ctttaccttg	acttttcagg	gaattactga	60
actttcttct	cagaagatag	ggcacagcca	ttgccttggc	ctcacttgaa	gggtctgcat	120
ttgggtcctc	tggtctcttg	ccaagtttcc	cagccactcg	aggagaaaat	atcgggaggt	180
ttgacttcc	ccggggcttt	cccaggggct	tcaccgtgag	ccctgcggcc	ctcagggctg	240
caatcctgga	ttcaatgtct	gaaacctcgc	tctctgcctg	ctggacttct	gaggccgtca	300
ctgccactct	gtcctccagc	tctgacagct	cctcatctgt	ggtcctgttg	t	351

<210> 362

<211> 463

<212> DNA

<213> Homo sapien

<400> 362

acttcatcag	gccataatgg	gtgcctcccg	tgagaatcca	agcacctttg	gactgcgcga	60
tgtagatgag	ccggctgaag	atcttgcgca	tgcgcggtt	cagggcgaag	ttcttggcgc	120
ccccggtcac	agaaatgacc	aggttgggtg	ttttcaggtg	ccagtgtctg	gtcagcagct	180
cgtaaaggat	ttccgcgtcc	gtgtcgcagg	acagacgtat	atacttccct	ttcttcccca	240
gtgtctcaaa	ctgaatatcc	ccaaaggcgt	cggtaggaaa	ttccttgggtg	tgtttcttgt	300
agttccat	ctcacttttg	ttgatctggg	tgcttccat	gtgctggctc	tgggcatagc	360
cacacttgca	cacattctcc	ctgataagca	cgatgggtgtg	gacaggaagg	aaggatttca	420
ttgagcctgc	ttatggaaac	tggtattgtt	agcttaata	gac		463

117

<210> 363  
 <211> 653  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(653)  
 <223> n = A,T,C or G

<400> 363  
 acccccgaagt ncctgntctgg catactgnga acgaccaacg acacacccaa gctcggcctc 60  
 ctcttgngga ttctgggtga catcttcatg aatggcaacc gtgccagwga ggctgtcctc 120  
 tgggaggcac tacgcaagat gggactgcgt cctgggggtga gacatcctct ccttgagat 180  
 ctaacgaaac ttctcaccta tgagttgtaa agcagaaata cctgnactac agacgagtgc 240  
 ccaacagcaa ccccccgaa gtatgagttc ctctrgggcc tccgttccta ccatgagasc 300  
 tagcaagatg naagtgttga gantcattgc agaggttcag aaaagagacc cntcgtgact 360  
 ggtctgcaca gttcatggag gctgcagatg aggccttgga tgctctggat gctgctgcag 420  
 ctgaggccga agccgggct gaagcaagaa cccgcatggg aattggagat gaggctgtgt 480  
 ntgggccctg gagctgggat gacattgagt ttgagctgct gacctgggat gaggaaggag 540  
 attttgagaga tcntgggtcc agaattccat ttaccttctg ggccagatac caccagaatg 600  
 cccgctccag attccctcag acctttgccg gtcccattat tggctcstggg ggt 653

<210> 364  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<400> 364  
 actagaggaa agacgttaaa ccactctact accacttgtg gaactctcaa agggtaaatg 60  
 acaaagccaa tgaatgactc taaaaacaat atttacattt aatggtttgt agacaataaa 120  
 aaaacaaggt ggatagatct agaattgtaa cattttaaga aaaccatagc atttgacaga 180  
 tgagaaagct caattataga tgcaaagtta taactaaact actatagtag taaagaaata 240  
 catttcacac ccttcataata aattcactat cttggcttga ggactccat aaaatgtatc 300  
 acgtgcatag taaatcttta tatttgctat ggcgttgac tagaggactt ggactgcaac 360  
 aagtggatgc gcggaaaatg aaatcttctt caatagccca g 401

<210> 365  
 <211> 356  
 <212> DNA  
 <213> Homo sapien

<400> 365  
 ccagtgtcat atttgggctt aaaatttcaa gaagggcact tcaaatggct ttgcatttgc 60  
 atgtttcagt gctagagcgt aggaatagac cctggcgctc actgtgagat gttcttcagc 120  
 taccagagca tcaagtctct gcagcaggto attcttgggt aaagaaatga cttccacaaa 180  
 ctctccatcc cctggctttg gcttcggcct tgctgttttcg gcatcatctc cgttaatggg 240  
 gactgtcacg atgtgtatag tacagtttga caagcctggg tccatacaga ccgctggaga 300  
 acattcggca atgtcccctt ttaggccagt ttcttcttcg agctcccga gagcag 356

<210> 366  
 <211> 1851  
 <212> DNA  
 <213> Homo sapien

<400> 366  
 tcatcaccat tgccagcagc ggcaccgtta gtcaggtttt ctgggaatcc cacatgagta 60  
 cttccgtggt cttcattctt cttcaatagc cataaatctt ctagctctgg ctggctgttt 120

tcacttcctt	taagcctttg	tgactcttcc	tctgatgtca	gctttaagtc	ttgttctgga	180
ttgctgtttt	cagaagagat	ttttaacatc	tgtttttctt	tgtagtcaga	aagtaactgg	240
caaattacat	gatgatgact	agaaacagca	tactctctgg	ccgtctttcc	agatcttgag	300
aagatacatc	aacattttgc	tcaagtagag	ggctgactat	acttgctgat	ccacaacata	360
cagcaagtat	gagagcagtt	cttccatata	tatccagcgc	atttaaattc	gcttttttct	420
tgattaaaaa	tttaccact	tgctgttttt	gctcatgtat	accaagtagc	agtgggtgga	480
ggccatgctt	gttttttgat	tcgatatcag	caccgtataa	gagcagtgtc	ttggccatta	540
atttatcttc	attgtagaca	gcatagtgta	gagtggatt	tccatactca	tctggaatat	600
ttggatcagt	gccatgttcc	agcaacatta	acgcacattc	atcttcctgg	cattgtacgg	660
cctttgtcag	agctgtcctc	tttttgttgt	caaggacatt	aagttgacat	cgtctgtcca	720
gcacgagttt	tactacttct	gaattcccat	tggcagaggc	cagatgtaga	gcagtcctct	780
tttgcttgtc	cctcttggtc	acatccgtgt	ccctgagcat	gacgatgaga	tcctttctgg	840
ggactttacc	ccaccaggca	gctctgtgga	gcttgctccag	atcttctcca	tggacgtggg	900
acctgggagc	catgaaggcg	ctgtcatcgt	agtctcccca	agcgaccacg	ttgtctttgc	960
cgctcccctg	cagcagggga	agcagtggca	gcaccacttg	cacctcttgc	tcccaagcgt	1020
cttcacagag	gagtcgttgt	ggtctccaga	agtgccacag	ttgctcttgc	cgctcccct	1080
gtccatccag	ggaggaagaa	atgcaggaaa	tgaaagatgc	atgcacgatg	gtatactcct	1140
cagccatcaa	acttctggac	agcaggtcac	ttccagcaag	gtggagaaag	ctgtccaccc	1200
acagaggatg	agatccagaa	accacaatat	ccattcacia	acaaacactt	ttcagccaga	1260
caagggtact	gaaatcatgt	catctgcggc	aacatgggtg	aacctaccca	atcacacatc	1320
aagagatgaa	gacactgcag	tatatctgca	caacgtaata	ctcttcatcc	ataacaaaat	1380
aatataat	tcctctggag	ccatatggat	gaactatgaa	ggaagaactc	cccgaagaag	1440
ccagtgcgag	agaagccaca	ctgaagctct	gtcctcagcc	atcagcgcca	cggacaggag	1500
tgtgtttctt	cccagtgat	gcagcctcaa	gttatcccga	agctgccgca	gcacacgggtg	1560
gctcctgaga	aacaccccag	ctcttccggg	ctaacacagg	caagtcaata	aatgtgataa	1620
tcacataaac	agaattaaaa	gcaaagtcac	ataagcatct	caacagacac	agaaaaggca	1680
tttgacaaaa	tccagcatcc	ttgtatttat	tgttgcagtt	ctcagaggaa	atgcttctaa	1740
cttttcccca	tttagtatta	tgttggctgt	gggcttggtc	taggtgggtt	ttattacttt	1800
aaggatgtc	ccttctatgc	ctgttttgct	gagggtttta	attctcgtgc	c	1851

<210> 367  
 <211> 668  
 <212> DNA  
 <213> Homo sapien

<400> 367						
cttgagcttc	caaataygga	agactggccc	ttacacasgt	caatgttaaa	atgaatgcat	60
ttcagtattt	tgaagataaa	attrgtagat	ctataccttg	ttttttgatt	cgatatcagc	120
accrtataag	agcagtgtct	tggccattaa	tttatctttc	attttagaca	gcrtagtgya	180
gagtgggtatt	tccatactca	tctggaatat	ttggatcagt	gccatgttcc	agcaacatta	240
acgcacattc	atcttctctg	cattgtacgg	cctgtcagta	ttagacccaa	aaacaaatta	300
catatcttag	gaattcaaaa	taacattcca	cagctttcac	caactagtta	tatttaaagg	360
agaaaaactca	tttttatgcc	atgtattgaa	atcaaaaccca	cctcatgctg	atatagttgg	420
ctactgcata	cctttatcag	agctgtcctc	tttttgttgt	caaggacatt	aagttgacat	480
cgtctgtcca	gcaggagttt	tactacttct	gaattcccat	tggcagaggc	cagatgtaga	540
gcagtcctat	gagagtgaga	agacttttta	ggaaattgta	gtgcactagc	tacagccata	600
gcaatgattc	atgtaactgc	aaacactgaa	tagcctgcta	ttactctgcc	ttcaaaaaaa	660
aaaaaaaa						668

<210> 368  
 <211> 1512  
 <212> DNA  
 <213> Homo sapien

<400> 368						
gggtcgccca	ggggsgcgt	gggctttcct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggtctggc	trgaatcccc	tgctgggggt	ggcaggtttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaccc	ggagttacct	gctagttggg	gaaactgggt	ggtagacgcg	180

atctgttggc	tactactggc	ttctcctggc	tgttaaaagc	agatggtggt	tgaggttgat	240
tccatgccgg	ctgcttcttc	tgtgaagaag	ccatttgggc	tcaggagcaa	gatgggcaag	300
tggtgctgcc	gttgcttccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgccgc	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagt	600
gccttcatgg	agcccaggta	ccacgtccgt	ggagaagatc	tggacaagct	ccacagagct	660
gcctggtggg	gtaaagtccc	cagaaaggat	ctcatcgtca	tgctcaggga	caactgacgtg	720
aacaagaagg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcggt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tatayggtgc	tgatatcgaa	1020
tcaaaaaaca	aggtatagat	ctactaattt	tatcttcaaa	atactgaaat	gcattcattt	1080
taacattgac	gtgtgtaagg	gccagtcttc	cgtatttggg	agctcaagca	taacttgaat	1140
gaaaatattt	tgaaatgacc	taattatctm	agactttatt	ttaaataattg	ttattttcaa	1200
agaagcatta	gagggtacag	tttttttttt	ttaaatgcac	ttctggtaaa	tacttttggt	1260
gaaaacactg	aatttgtaaa	aggttaatact	tactattttt	caatttttcc	ctcctaggat	1320
ttttttcccc	taatgaatgt	aagatggcaa	aatttgcctt	gaaatagggt	ttacatgaaa	1380
actccaagaa	aagttaaaaa	tgtttcagtg	aatagagatc	ctgctccttt	ggcaagttcc	1440
taaaaaacag	taatagatac	gaggtgatgc	gcctgtcagt	ggcaagggtt	aagatatttc	1500
tgatctcgtg	cc					1512

&lt;210&gt; 369

&lt;211&gt; 1853

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 369

gggtcgccca	ggggsgcgt	gggttttct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggtctggc	trgaatcccc	tgctgggggt	ggcagggttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagtgggt	gaaactgggt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tgttaaaagc	agatggtggt	tgaggttgat	240
tccatgccgg	ctgcttcttc	tgtgaagaag	ccatttgggc	tcaggagcaa	gatgggcaag	300
tggtgctgcc	gttgcttccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgccgc	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagy	600
gccttcatgg	akcccaggta	ccacgtccrt	ggagaagatc	tggacaagct	ccacagagct	660
gcctggtggg	gtaaagtccc	cagaaaggat	ctcatcgtca	tgctcaggga	cackgaygtg	720
aacaagargg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcggt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tatayggtgc	tgatatcgaa	1020
tcaaaaaaca	agcatggcct	cacaccactg	ytacttggtr	tacatgagca	aaaacagcaa	1080
gtsgtgaaat	ttttaatyaa	gaaaaaagcg	aattttaaatt	gcrctggata	gatatggaag	1140
ractgctctc	atacttgctg	tatgttgggt	atcagcaagt	atagtacagg	ytctacttga	1200
gcaaaatrtr	gatgtatctt	ctcaagatct	ggaaagacgg	ccagagagta	tgctgtttct	1260
agtcatcatc	atgtaatttg	ccagttactt	tctgactaca	aagaaaaaca	gatgttaaaa	1320
atctcttctg	aaaacagcaa	tccagaacaa	gacttaaagc	tgacatcaga	ggaagagtca	1380
caaaggctta	aaggaagtga	aaacagccag	ccagaggcat	ggaaactttt	aaatttaaac	1440
ttttggttta	atgttttttt	tttttgcctt	aataatatta	gatagtccca	aatgaaatwa	1500
cctatgagac	taggctttga	gaatcaatag	attctttttt	taagaatctt	ttggctagga	1560
gcggtgtctc	acgcctgtaa	ttccagcacc	ttgagaggct	gaggtgggca	gatcacgaga	1620
tcaggagatc	gagaccatcc	tggctaacac	ggtgaaaccc	catctctact	aaaaatacaa	1680

120

aaacttagct	gggtgtggtg	gcgggtgcct	gtagtcccag	ctactcagga	rgctgaggca	1740
ggagaatggc	atgaacccgg	gaggtggagg	ttgcagttag	ccgagatccg	ccactacact	1800
ccagcctggg	tgacagagca	agactctgtc	tcaaaaaaaaa	aaaaaaaaaaa	aaa	1853

<210> 370  
 <211> 2184  
 <212> DNA  
 <213> Homo sapien

<400> 370

ggcacgagaa	ttaaaaccct	cagcaaaaaca	ggcatagaag	ggacatacct	ttaaagtaata	60
aaaaccacct	atgacaagcc	cacagccaac	ataataactaa	atggggaaaa	gttagaagca	120
tttctctga	gaactgcaac	aataaataca	aggatgctgg	attttgtcaa	atgccttttc	180
tgtgtctgtt	gagatgctta	tgtgactttg	cttttaattc	tgtttatgtg	attatcacat	240
ttattgactt	gcctgtgtta	gaccggaaga	gctgggggtg	ttctcaggag	ccaccgtgtg	300
ctgcgcgagc	ttcgggataa	cttgaggctg	catcactggg	gaagaaacac	aytcctgtcc	360
gtggcgctga	tggtcgagga	cagagcttca	gtgtggcttc	tctgcgactg	gcttcttcgg	420
ggagtctctc	cttcatagtt	catccatatg	gctccagagg	aaaattatat	tattttgtta	480
tgatgaaga	gtattacgtt	gtgcagatat	actgcagtgt	cttcactctc	tgatgtgtga	540
ttgggtaggt	tccaccatgt	tgccgcagat	gacatgattt	cagtacctgt	gtctggctga	600
aaagtgtttg	tttgtgaatg	gatattgtgg	tttctggatc	tcatcctctg	tgggtggaca	660
gctttctcca	ccttgctgga	agtgacctgc	tgtccagaag	tttgatggct	gaggagtata	720
ccatcgtgca	tgcatctttc	atttcctgca	tttcttctc	cctggatgga	cagggggagc	780
ggcaagagca	acgtgggcac	ttctggagac	cacaacgact	cctctgtgaa	gacgcttggg	840
agcaagaggt	gcaagtgggt	ctgccactgc	ttcccctgct	gcaggggagc	ggcaagagca	900
acgtgggtcgc	ttggggagac	tacgatgaca	gcgccttcac	ggatcccagg	taccacgtcc	960
atggagaaga	tctggacaag	ctccacagag	ctgcctgggt	gggtaaagtc	cccagaaagg	1020
atctcatcgt	catgctcagg	gacacggatg	tgaacaagag	ggacaagcaa	aagaggactg	1080
ctctacatct	ggcctctgcc	aatgggaatt	cagaagtagt	aaaactcgtg	ctggacagac	1140
gatgtcaact	taatgtcctt	gacaacaaaa	agaggacagc	tctgacaaaag	gccgtacaat	1200
gccaggaaga	tgaatgtgcg	ttaatgttgc	tggaacatgg	cactgatcca	aatattccag	1260
atgagtatgg	aaataccact	ctacactatg	ctgtctacaa	tgaagataaa	ttaatggcca	1320
aagcactgct	cttatacggg	gctgatatcg	aatcaaaaaa	caagcatggc	ctcacaccac	1380
tgctacttgg	tatacatgag	caaaaacagc	aaagtggtgaa	atttttaatc	aagaaaaaag	1440
cgaattttaa	tgcgctggat	agatatggaa	gaactgctct	catacttgct	gtatgttgtg	1500
gatcagcaag	tatagtcagc	cctctacttg	agcaaaatgt	tgatgtatct	tctcaagatc	1560
tggaaagacg	gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	1620
ttctgactac	aaagaaaaac	agatgttaaa	aatctcttct	gaaaacagca	atccagaaca	1680
agacttaaag	ctgacatcag	aggaagagtc	acaaaggcct	aaaggaagtg	aaaacagcca	1740
gccagaggca	tggaaacttt	taaattttaa	cttttggttt	aatgtttttt	ttttttgcct	1800
taataatatt	agatagtcct	aaatgaaatw	acctatgaga	ctaggctttg	agaatcaata	1860
gattcttttt	ttaagaatct	tttggctagg	agcgggtgtc	cacgcctgta	attccagcac	1920
cttgagaggc	tgaggtgggc	agatcacgag	atcaggagat	cgagaccatc	ctggctaaca	1980
cgggtgaaacc	ccatctctac	taaaaataca	aaaacttagc	tgggtgtggt	ggcgggtgcc	2040
tgtagtccca	gctactcagg	argctgaggc	aggagaatgg	catgaaccgc	ggaggtggag	2100
gttgcagtga	gccgagatcc	gccactacac	tccagcctgg	gtgacagagc	aagactctgt	2160
ctcaaaaaaa	aaaaaaaaaa	aaaa				2184

<210> 371  
 <211> 1855  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(1855)  
 <223> n = A,T,C or G

&lt;400&gt; 371

tgcacgcac	ggccagtgtc	tgtgccacgt	acactgacgc	cccctgagat	gtgcacgccg	60
cacgcgcac	ttgcacgcgc	ggcagcggct	tggctggctt	gtaacggctt	gcacgcgcac	120
gcccgcgcgc	cataaccgtc	agactggcct	gtaacggctt	gcaggcgac	gccgcacgcg	180
cgtaacggct	tggctgccct	gtaacggctt	gcacgtgcat	gctgcacgcg	cgtaacggc	240
ttggctggca	tgtagccgct	tggcttggt	ttgcattt	tgctkggctk	ggcgttgkty	300
tcttgattg	acgcttcctc	cttgatkgac	cgcttcctcc	ttgatkgac	gtttcytyty	360
tgcggttct	ttgctggact	tgacctttt	tctgctgggt	ttggcattcc	tttgggtg	420
gctgggtgt	ttctccgggg	gggktkgccc	ttcctgggt	ggcgtgggk	cgccccagg	480
gggcgtgggc	tttcccggg	tgggtgtggg	tttctggg	gtgggtggg	ctgtgctggg	540
atccccctgc	tgggttggc	agggattgac	tttttcttc	aaacagattg	gaaacccgga	600
gtaacntgct	agttggtgaa	actggttgg	agacgcgatc	tgctggtact	actgtttctc	660
ctggctgtta	aaagcagatg	gtggctgagg	ttgattcaat	gccggctgct	tcttctgtga	720
agaagccatt	tggctcagg	agcaagatgg	gcaagtgtg	cgccactgct	tcccctgctg	780
cagggggagc	ggcaagagca	acgtgggcac	ttctggagac	cacaacgact	cctctgtgaa	840
gacgcttggg	agcaagaggt	gcaagtgtg	ctgcccactg	cttcccctgc	tgcaagggag	900
cggcaagagc	aacgtgkcg	cttggggaga	ctacgatgac	agcgccttca	tgga kcccag	960
gtaccagctc	crtggagaag	atctggacaa	gctccacaga	gctgcctggt	ggggtaaagt	1020
ccccagaaag	gatctcatcg	tcatgctcag	ggacactgay	gtgaacaaga	rggacaagca	1080
aaagaggact	gctctacatc	tggcctctgc	caatgggaat	tcagaagtag	taaaactcgt	1140
gctggacaga	cgatgtcaac	ttaatgtcct	tgacaacaaa	aagaggacag	ctctgacaaa	1200
ggccgtacaa	tgccaggaag	atgaatgtgc	gttaatgttg	ctggaacatg	gcactgatcc	1260
aaatattcca	gatgagtatg	gaaataccac	tctacactat	gctgtctaca	atgaagataa	1320
attaatggcc	aaagcactgc	tcttatacgg	tgctgatatc	gaatcaaaaa	acaaggtata	1380
gatctactaa	ttttatcttc	aaaatactga	aatgcattca	ttttaacatt	gacgtgtgta	1440
agggccaagtc	ttccgtatct	ggaagctcaa	gcataacttg	aatgaaaata	ttttgaaatg	1500
acctaattat	ctaagacttt	attttaaata	ttgttatttt	caaagaagca	ttagagggta	1560
cagttttttt	tttttaaatg	cacttctggt	aaatactttt	gttgaaaaa	ctgaatttgt	1620
aaaagtaaat	acttactatt	tttcaatttt	tccctcctag	gatttttttc	ccctaattgaa	1680
tgtaagatgg	caaaatttgc	cctgaaatag	gttttacatg	aaaactccaa	gaaaagttaa	1740
acatgtttca	gtgaatagag	atcctgctcc	tttggaaggt	tcctaaaaaa	cagtaataga	1800
tacgaggtga	tgcgctgtgc	agtggcaagg	tttaagatat	ttctgatctc	gtgcc	1855

&lt;210&gt; 372

&lt;211&gt; 1059

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 372

gcaacgtggg	cacttctgga	gaccacaacg	actcctctgt	gaagacgctt	gggagcaaga	60
ggtgcaagt	gtgctgcca	ctgcttcccc	tgctgcagg	gagcggcaag	agcaacgtgg	120
gcgcttgrg	agactmcgat	gacagygcct	tcatggagcc	caggtaccac	gtccgtggag	180
aagatctgga	caagctccac	agagctgccc	tgggtgggta	aagtccccag	aaaggatctc	240
atcgatcatg	tcagggacac	tgaygtgaac	aagarggaca	agcaaaagag	gactgctcta	300
catctggcct	ctgccaatgg	gaattcagaa	gtagtaaaac	tcstgctgga	cagacgatgt	360
caacttaatg	tccttgacaa	caaaaagagg	acagctctga	yaaaggccgt	acaatgccag	420
gaagatgaat	gtgcgttaat	gttgcgtgaa	catggcactg	atccaaatat	tccagatgag	480
tatggaaata	ccactctrca	ctaygctrct	tayaatgaag	ataaattaat	ggccaaagca	540
ctgctcttat	ayggtgctga	tatcgaatca	aaaaacaagg	tatagatcta	ctaattttat	600
cttcaaaaata	ctgaatgca	ttcattttaa	cattgacgtg	tgtaagggcc	agtcttccgt	660
atttggaagc	tcaagcataa	cttgaatgaa	aataatttga	aatgacctaa	ttatctaaga	720
ctttatttta	aatattgtta	ttttcaaaga	agcatttagag	ggtacagttt	ttttttttta	780
aatgcacttc	tggtaaatac	ttttgttgaa	aacactgaat	ttgtaaaagg	taatacttac	840
tatttttcaa	ttttccctc	ctagattttt	tttcccctaa	tgaatgtaag	atggcaaaat	900
ttgccctgaa	ataggtttta	catgaaaact	ccaagaaaag	ttaaacatgt	ttcagtgaat	960
agagatcctg	ctcctttggc	aagttcctaa	aaaacagtaa	tagatacgag	gtgatgcgcc	1020
tgtcagtggc	aaggtttaag	atattttctga	tctcgtgcc			1059

<210> 373  
 <211> 1155  
 <212> DNA  
 <213> Homo sapien

<400> 373  
 atggtggttg aggttgattc catgccggct gcctcttctg tgaagaagcc atttgggtctc 60  
 aggagcaaga tgggcaagtg gtgctgccgt tgcttcccct gctgcaggga gaggcgcaag 120  
 agcaacgtgg gcacttctgg agaccacgac gactctgcta tgaagacact caggagcaag 180  
 atgggcaagt ggtgccgcca ctgcttcccc tgctgcaggg ggagtggcaa gagcaacgtg 240  
 ggcgcttctg gagaccacga cgactctgct atgaagacac tcaggaacaa gatgggcaag 300  
 tgggtgctgcc actgcttccc ctgctgcagg gggagcgcca agagcaaggt gggcgcttgg 360  
 ggagactacg atgacagtgc cttcatggag cccaggtacc acgtccgtgg agaagatctg 420  
 gacaagctcc acagagctgc ctggtggggt aaagtcccca gaaaggatct catcgtcatg 480  
 ctcagggaca ctgacgtgaa caagaaggac aagcaaaaga ggactgctct acatctggcc 540  
 tctgccaatg ggaattcaga agtagtaaaa ctctgctgg acagacgatg tcaacttaat 600  
 gtccttgaca acaaaaagag gacagctctg ataaaggccg tacaatgcca ggaagatgaa 660  
 tgtgcgttaa tggtgctgga acatggcact gatccaaata ttccagatga gtatggaaat 720  
 accactctgc actacgctat ctataatgaa gataaattaa tggccaaagc actgctctta 780  
 tatggtgctg atatcgaatc aaaaaacaag catggcctca caccactgtt acttgggtgta 840  
 catgagcaaa aacagcaagt cgtgaaatit ttaatcaaga aaaaagcgaa tttaaatgca 900  
 ctggatagat atggaaggac tgctctcata cttgctgtat gttgtggatc agcaagtata 960  
 gtcagccttc tacttgagca aaatattgat gtatcttctc aagatctatc tggacagacg 1020  
 gccagagagt atgctgtttc tagtcatcat catgtaatit gccagttact ttctgactac 1080  
 aaagaaaaac agatgctaaa aatctcttct gaaaacagca atccagaaaa tgtctcaaga 1140  
 accagaaata aataa 1155

<210> 374  
 <211> 2000  
 <212> DNA  
 <213> Homo sapien

<400> 374  
 atggtggttg aggttgattc catgccggct gcctcttctg tgaagaagcc atttgggtctc 60  
 aggagcaaga tgggcaagtg gtgctgccgt tgcttcccct gctgcaggga gaggcgcaag 120  
 agcaacgtgg gcacttctgg agaccacgac gactctgcta tgaagacact caggagcaag 180  
 atgggcaagt ggtgccgcca ctgcttcccc tgctgcaggg ggagtggcaa gagcaacgtg 240  
 ggcgcttctg gagaccacga cgactctgct atgaagacac tcaggaacaa gatgggcaag 300  
 tgggtgctgcc actgcttccc ctgctgcagg gggagcgcca agagcaaggt gggcgcttgg 360  
 ggagactacg atgacagtgc cttcatggag cccaggtacc acgtccgtgg agaagatctg 420  
 gacaagctcc acagagctgc ctggtggggt aaagtcccca gaaaggatct catcgtcatg 480  
 ctcagggaca ctgacgtgaa caagaaggac aagcaaaaga ggactgctct acatctggcc 540  
 tctgccaatg ggaattcaga agtagtaaaa ctctgctgg acagacgatg tcaacttaat 600  
 gtccttgaca acaaaaagag gacagctctg ataaaggccg tacaatgcca ggaagatgaa 660  
 tgtgcgttaa tggtgctgga acatggcact gatccaaata ttccagatga gtatggaaat 720  
 accactctgc actacgctat ctataatgaa gataaattaa tggccaaagc actgctctta 780  
 tatggtgctg atatcgaatc aaaaaacaag catggcctca caccactgtt acttgggtgta 840  
 catgagcaaa aacagcaagt cgtgaaatit ttaatcaaga aaaaagcgaa tttaaatgca 900  
 ctggatagat atggaaggac tgctctcata cttgctgtat gttgtggatc agcaagtata 960  
 gtcagccttc tacttgagca aaatattgat gtatcttctc aagatctatc tggacagacg 1020  
 gccagagagt atgctgtttc tagtcatcat catgtaatit gccagttact ttctgactac 1080  
 aaagaaaaac agatgctaaa aatctcttct gaaaacagca atccagaaca agacttaaaag 1140  
 ctgacatcag aggaagagtc acaaagggtc aaaggcagtg aaaatagcca gccagagaaa 1200  
 atgtctcaag aaccagaaat aaataaggat ggtgatagag aggttgaaga agaaatgaag 1260  
 aagcatgaaa gtaataatgt gggattacta gaaaacctga ctaatggtgt cactgctggc 1320  
 aatgggtgata atggattaat tcctcaaaag aagagcagaa cacctgaaaa tcagcaattt 1380  
 cctgacaacg aaagtgaaga gtatcacaga atttgcgaaat tagtttctga ctacaaagaa 1440  
 aaacagatgc caaaatactc ttctgaaaac agcaaccag aacaagactt aaagctgaca 1500

tcagaggaag	agtcacaaag	gcttgagggc	agtgaataatg	gccagccaga	gctagaaaat	1560
tttatggcta	tcgaagaaat	gaagaagcac	ggaagtactc	atgtcggatt	cccagaaaac	1620
ctgactaatg	gtgccactgc	tggcaatggg	gatgatggat	taattcctcc	aaggaagagc	1680
agaacacctg	aaagccagca	atttcctgac	actgagaatg	aagagtatca	cagtgcgaa	1740
caaatgata	ctcagaagca	attttgtgaa	gaacagaaca	ctggaatatt	acacgatgag	1800
attctgattc	atgaagaaaa	gcagatagaa	gtggttgaaa	aaatgaattc	tgagctttct	1860
cttagttgta	agaaagaaaa	agacatcttg	catgaaaata	gtacgttgcg	ggaagaaatt	1920
gccatgctaa	gactggagct	agacacaatg	aaacatcaga	gccagctaaa	aaaaaaaaaa	1980
aaaaaaaaaa	aaaaaaaaaa					2000

&lt;210&gt; 375

&lt;211&gt; 2040

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 375

atggtggttg	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atgtgtctc	60
aggagcaaga	tgggcaagtg	gtgctgccgt	tgcttcccct	gctgcaggga	gagcggcaag	120
agcaacgttg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcaggg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaaggt	ggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccaggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctggtggggg	aaagtcccca	gaaaggatct	catcgtcatg	480
ctcagggaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgttaa	tggtgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctotta	780
tatggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttgggtgta	840
catgagcaaa	aacagcaagt	cgtgaaatth	ttaatcaaga	aaaaagcgaa	tttaaatgca	900
ctggatagat	atggaaggac	tgctctcata	cttgcgtgat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatatgtat	gtatcttctc	aagatctatc	tgacacagcg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaatth	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaca	agacttaaaag	1140
ctgacatcag	aggaagagtc	acaaagggtc	aaaggcagtg	aaaatagcca	gccagagaaa	1200
atgtctcaag	aaccagaaat	aaataaggat	ggtgatagag	aggttgaaga	agaaatgaag	1260
aagcatgaaa	gtaataatgt	gggattacta	gaaaacctga	ctaattggtg	cactgctggc	1320
aatggtgata	atggattaat	tcctcaaagg	aagagcagaa	cacctgaaaa	tcagcaatth	1380
cctgacaacg	aaagtgaaga	gtatcacaga	atttgcgaat	tagtttctga	ctacaaagaa	1440
aaacagatgc	caaaatactc	ttctgaaaac	agcaacccag	aacaagactt	aaagctgaca	1500
tcagaggaag	agtcacaaag	gcttgagggc	agtgaataatg	gccagccaga	gaaaagatct	1560
caagaaccag	aaataaataa	ggatgggtgat	agagagctag	aaaattttat	ggctatcgaa	1620
gaaatgaaga	agcacggaag	tactcatgtc	ggattcccag	aaaacctgac	taatgggtgcc	1680
actgctggca	atggtgatga	tggattaatt	cctccaagga	agagcagaac	acctgaaagc	1740
cagcaatthc	ctgacactga	gaatgaagag	tatcacagtg	acgaacaaaa	tgatactcag	1800
aagcaattht	gtgaagaaca	gaacactgga	atattacacg	atgagattct	gattcatgaa	1860
gaaaagcaga	tagaagtggg	tgaaaaaatg	aattctgagc	tttctcttag	ttgtaagaaa	1920
gaaaaagaca	tcttgcatag	aaatagtacg	ttgcgggaag	aaattgccat	gctaagactg	1980
gagctagaca	caatgaaaca	tcagagccag	ctaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	2040

&lt;210&gt; 376

&lt;211&gt; 329

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 376

Met Asp Ile Val Val Ser Gly Ser His Pro Leu Trp Val Asp Ser Phe



124

```

1           5           10           15
Leu His Leu Ala Gly Ser Asp Leu Leu Ser Arg Ser Leu Met Ala Glu
      20           25           30
Glu Tyr Thr Ile Val His Ala Ser Phe Ile Ser Cys Ile Ser Ser Ser
      35           40           45
Leu Asp Gly Gln Gly Glu Arg Gln Glu Gln Arg Gly His Phe Trp Arg
      50           55           60
Pro Gln Arg Leu Leu Cys Glu Asp Ala Trp Glu Gln Glu Val Gln Val
      65           70           75
Val Leu Pro Leu Leu Pro Leu Leu Gln Gly Ser Gly Lys Ser Asn Val
      85           90           95
Val Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe Met Asp Pro Arg Tyr
      100          105          110
His Val His Gly Glu Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp
      115          120          125
Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp
      130          135          140
Val Asn Lys Arg Asp Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser
      145          150          155
Ala Asn Gly Asn Ser Glu Val Val Lys Leu Val Leu Asp Arg Arg Cys
      165          170          175
Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr Ala Leu Thr Lys Ala
      180          185          190
Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly
      195          200          205
Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr
      210          215          220
Ala Val Tyr Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr
      225          230          235
Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu
      245          250          255
Leu Gly Ile His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys
      260          265          270
Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu
      275          280          285
Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile Val Ser Pro Leu Leu
      290          295          300
Glu Gln Asn Val Asp Val Ser Ser Gln Asp Leu Glu Arg Arg Pro Glu
      305          310          315
Ser Met Leu Phe Leu Val Ile Ile Met
      325

```

```

<210> 377
<211> 148
<212> PRT
<213> Homo sapien

```

```

<220>
<221> VARIANT
<222> (1)...(148)
<223> Xaa = Any Amino Acid

```

```

<400> 377
Met Thr Xaa Pro Ser Trp Ser Pro Gly Thr Thr Ser Val Glu Lys Ile
1           5           10           15
Trp Thr Ser Ser Thr Glu Leu Pro Trp Trp Gly Lys Val Pro Arg Lys
      20           25           30
Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Xaa Asp Lys

```

125

35 40 45  
 Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu  
 50 55 60  
 Val Val Lys Leu Xaa Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp  
 65 70 75 80  
 Asn Lys Lys Arg Thr Ala Leu Xaa Lys Ala Val Gln Cys Gln Glu Asp  
 85 90 95  
 Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro  
 100 105 110  
 Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Xaa Tyr Asn Glu Asp  
 115 120 125  
 Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser  
 130 135 140  
 Lys Asn Lys Val  
 145

<210> 378  
 <211> 1719  
 <212> PRT  
 <213> Homo sapien

<400> 378  
 Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys  
 1 5 10 15  
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe  
 20 25 30  
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp  
 35 40 45  
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp  
 50 55 60  
 Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val  
 65 70 75 80  
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn  
 85 90 95  
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser  
 100 105 110  
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe  
 115 120 125  
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His  
 130 135 140  
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met  
 145 150 155 160  
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala  
 165 170 175  
 Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu  
 180 185 190  
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr  
 195 200 205  
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met  
 210 215 220  
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn  
 225 230 235 240  
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys  
 245 250 255  
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly  
 260 265 270  
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val  
 275 280 285

Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr  
 290 295 300  
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile  
 305 310 315 320  
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu  
 325 330 335  
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val  
 340 345 350  
 Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile  
 355 360 365  
 Ser Ser Glu Asn Ser Asn Pro Glu Asn Val Ser Arg Thr Arg Asn Lys  
 370 375 380  
 Pro Arg Thr His Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser  
 385 390 395 400  
 Ser Val Lys Lys Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys  
 405 410 415  
 Cys Arg Cys Phe Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly  
 420 425 430  
 Thr Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys  
 435 440 445  
 Met Gly Lys Trp Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly  
 450 455 460  
 Lys Ser Asn Val Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys  
 465 470 475 480  
 Thr Leu Arg Asn Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys  
 485 490 495  
 Cys Arg Gly Ser Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp  
 500 505 510  
 Asp Ser Ala Phe Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu  
 515 520 525  
 Asp Lys Leu His Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp  
 530 535 540  
 Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln  
 545 550 555 560  
 Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val  
 565 570 575  
 Val Lys Leu Leu Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn  
 580 585 590  
 Lys Lys Arg Thr Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu  
 595 600 605  
 Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp  
 610 615 620  
 Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys  
 625 630 635 640  
 Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys  
 645 650 655  
 Asn Lys His Gly Leu Thr Pro Leu Leu Gly Val His Glu Gln Lys  
 660 665 670  
 Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala  
 675 680 685  
 Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly  
 690 695 700  
 Ser Ala Ser Ile Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser  
 705 710 715 720  
 Ser Gln Asp Leu Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser  
 725 730 735  
 His His His Val Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln  
 740 745 750

Met Leu Lys Ile Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys  
 755 760 765  
 Leu Thr Ser Glu Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser  
 770 775 780  
 Gln Pro Glu Lys Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp  
 785 790 795 800  
 Arg Glu Val Glu Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly  
 805 810 815  
 Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn  
 820 825 830  
 Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe  
 835 840 845  
 Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser  
 850 855 860  
 Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn  
 865 870 875 880  
 Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Ser Gln Arg Leu  
 885 890 895  
 Glu Gly Ser Glu Asn Gly Gln Pro Glu Leu Glu Asn Phe Met Ala Ile  
 900 905 910  
 Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe Pro Glu Asn  
 915 920 925  
 Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro  
 930 935 940  
 Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu  
 945 950 955 960  
 Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe  
 965 970 975  
 Cys Glu Glu Gln Asn Thr Gly Ile Leu His Asp Glu Ile Leu Ile His  
 980 985 990  
 Glu Glu Lys Gln Ile Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser  
 995 1000 1005  
 Leu Ser Cys Lys Lys Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu  
 1010 1015 1020  
 Arg Glu Glu Ile Ala Met Leu Arg Leu Glu Leu Asp Thr Met Lys His  
 1025 1030 1035 1040  
 Gln Ser Gln Leu Pro Arg Thr His Met Val Val Glu Val Asp Ser Met  
 1045 1050 1055  
 Pro Ala Ala Ser Ser Val Lys Lys Pro Phe Gly Leu Arg Ser Lys Met  
 1060 1065 1070  
 Gly Lys Trp Cys Cys Arg Cys Phe Pro Cys Cys Arg Glu Ser Gly Lys  
 1075 1080 1085  
 Ser Asn Val Gly Thr Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr  
 1090 1095 1100  
 Leu Arg Ser Lys Met Gly Lys Trp Cys Arg His Cys Phe Pro Cys Cys  
 1105 1110 1115 1120  
 Arg Gly Ser Gly Lys Ser Asn Val Gly Ala Ser Gly Asp His Asp Asp  
 1125 1130 1135  
 Ser Ala Met Lys Thr Leu Arg Asn Lys Met Gly Lys Trp Cys Cys His  
 1140 1145 1150  
 Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Lys Val Gly Ala Trp  
 1155 1160 1165  
 Gly Asp Tyr Asp Asp Ser Ala Phe Met Glu Pro Arg Tyr His Val Arg  
 1170 1175 1180  
 Gly Glu Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp Gly Lys Val  
 1185 1190 1195 1200  
 Pro Arg Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys  
 1205 1210 1215

Lys Asp Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly  
 1220 1225 1230  
 Asn Ser Glu Val Val Lys Leu Leu Leu Asp Arg Arg Cys Gln Leu Asn  
 1235 1240 1245  
 Val Leu Asp Asn Lys Lys Arg Thr Ala Leu Ile Lys Ala Val Gln Cys  
 1250 1255 1260  
 Gln Glu Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro  
 1265 1270 1275 1280  
 Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Ile Tyr  
 1285 1290 1295  
 Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp  
 1300 1305 1310  
 Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu Leu Gly Val  
 1315 1320 1325  
 His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala  
 1330 1335 1340  
 Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala  
 1345 1350 1355 1360  
 Val Cys Cys Gly Ser Ala Ser Ile Val Ser Leu Leu Leu Glu Gln Asn  
 1365 1370 1375  
 Ile Asp Val Ser Ser Gln Asp Leu Ser Gly Gln Thr Ala Arg Glu Tyr  
 1380 1385 1390  
 Ala Val Ser Ser His His His Val Ile Cys Gln Leu Leu Ser Asp Tyr  
 1395 1400 1405  
 Lys Glu Lys Gln Met Leu Lys Ile Ser Ser Glu Asn Ser Asn Pro Glu  
 1410 1415 1420  
 Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Phe Lys Gly  
 1425 1430 1435 1440  
 Ser Glu Asn Ser Gln Pro Glu Lys Met Ser Gln Glu Pro Glu Ile Asn  
 1445 1450 1455  
 Lys Asp Gly Asp Arg Glu Val Glu Glu Glu Met Lys Lys His Glu Ser  
 1460 1465 1470  
 Asn Asn Val Gly Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly  
 1475 1480 1485  
 Asn Gly Asp Asn Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu  
 1490 1495 1500  
 Asn Gln Gln Phe Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys  
 1505 1510 1515 1520  
 Glu Leu Val Ser Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser  
 1525 1530 1535  
 Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu  
 1540 1545 1550  
 Ser Gln Arg Leu Glu Gly Ser Glu Asn Gly Gln Pro Glu Lys Arg Ser  
 1555 1560 1565  
 Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Leu Glu Asn Phe  
 1570 1575 1580  
 Met Ala Ile Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe  
 1585 1590 1595 1600  
 Pro Glu Asn Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly  
 1605 1610 1615  
 Leu Ile Pro Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro  
 1620 1625 1630  
 Asp Thr Glu Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln  
 1635 1640 1645  
 Lys Gln Phe Cys Glu Glu Gln Asn Thr Gly Ile Leu His Asp Glu Ile  
 1650 1655 1660  
 Leu Ile His Glu Glu Lys Gln Ile Glu Val Val Glu Lys Met Asn Ser  
 1665 1670 1675 1680

129

Glu Leu Ser Leu Ser Cys Lys Lys Glu Lys Asp Ile Leu His Glu Asn  
 1685 1690 1695  
 Ser Thr Leu Arg Glu Glu Ile Ala Met Leu Arg Leu Glu Leu Asp Thr  
 1700 1705 1710  
 Met Lys His Gln Ser Gln Leu  
 1715

<210> 379  
 <211> 656  
 <212> PRT  
 <213> Homo sapien

<400> 379  
 Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys  
 1 5 10 15  
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe  
 20 25 30  
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp  
 35 40 45  
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp  
 50 55 60  
 Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val  
 65 70 75 80  
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn  
 85 90 95  
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser  
 100 105 110  
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe  
 115 120 125  
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His  
 130 135 140  
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met  
 145 150 155 160  
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala  
 165 170 175  
 Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu  
 180 185 190  
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr  
 195 200 205  
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met  
 210 215 220  
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn  
 225 230 235 240  
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys  
 245 250 255  
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly  
 260 265 270  
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val  
 275 280 285  
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr  
 290 295 300  
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile  
 305 310 315 320  
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu  
 325 330 335  
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His Val  
 340 345 350  
 Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile

```

          355          360          365
Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu
  370          375          380
Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser Gln Pro Glu Lys
385          390          395          400
Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Val Glu
          405          410          415
Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly Leu Leu Glu Asn
          420          425          430
Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn Gly Leu Ile Pro
          435          440          445
Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe Pro Asp Asn Glu
          450          455          460
Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser Asp Tyr Lys Glu
465          470          475          480
Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp
          485          490          495
Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu Glu Gly Ser Glu
          500          505          510
Asn Gly Gln Pro Glu Leu Glu Asn Phe Met Ala Ile Glu Glu Met Lys
          515          520          525
Lys His Gly Ser Thr His Val Gly Phe Pro Glu Asn Leu Thr Asn Gly
          530          535          540
Ala Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro Pro Arg Lys Ser
545          550          555          560
Arg Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu Asn Glu Glu Tyr
          565          570          575
His Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe Cys Glu Glu Gln
          580          585          590
Asn Thr Gly Ile Leu His Asp Glu Ile Leu Ile His Glu Glu Lys Gln
          595          600          605
Ile Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser Leu Ser Cys Lys
          610          615          620
Lys Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu Arg Glu Glu Ile
625          630          635          640
Ala Met Leu Arg Leu Glu Leu Asp Thr Met Lys His Gln Ser Gln Leu
          645          650          655

```

```

<210> 380
<211> 671
<212> PRT
<213> Homo sapien

```

```

<400> 380
Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
  1          5          10          15
Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
          20          25          30
Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
          35          40          45
His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
          50          55          60
Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
65          70          75          80
Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
          85          90          95
Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
          100          105          110

```

Gly	Lys	Ser	Lys	Val	Gly	Ala	Trp	Gly	Asp	Tyr	Asp	Asp	Ser	Ala	Phe
	115						120					125			
Met	Glu	Pro	Arg	Tyr	His	Val	Arg	Gly	Glu	Asp	Leu	Asp	Lys	Leu	His
	130					135					140				
Arg	Ala	Ala	Trp	Trp	Gly	Lys	Val	Pro	Arg	Lys	Asp	Leu	Ile	Val	Met
145					150					155				160	
Leu	Arg	Asp	Thr	Asp	Val	Asn	Lys	Lys	Asp	Lys	Gln	Lys	Arg	Thr	Ala
			165						170					175	
Leu	His	Leu	Ala	Ser	Ala	Asn	Gly	Asn	Ser	Glu	Val	Val	Lys	Leu	Leu
		180						185					190		
Leu	Asp	Arg	Arg	Cys	Gln	Leu	Asn	Val	Leu	Asp	Asn	Lys	Lys	Arg	Thr
	195						200					205			
Ala	Leu	Ile	Lys	Ala	Val	Gln	Cys	Gln	Glu	Asp	Glu	Cys	Ala	Leu	Met
	210					215					220				
Leu	Leu	Glu	His	Gly	Thr	Asp	Pro	Asn	Ile	Pro	Asp	Glu	Tyr	Gly	Asn
225					230					235				240	
Thr	Thr	Leu	His	Tyr	Ala	Ile	Tyr	Asn	Glu	Asp	Lys	Leu	Met	Ala	Lys
			245						250					255	
Ala	Leu	Leu	Leu	Tyr	Gly	Ala	Asp	Ile	Glu	Ser	Lys	Asn	Lys	His	Gly
			260					265					270		
Leu	Thr	Pro	Leu	Leu	Leu	Gly	Val	His	Glu	Gln	Lys	Gln	Gln	Val	Val
	275						280					285			
Lys	Phe	Leu	Ile	Lys	Lys	Lys	Ala	Asn	Leu	Asn	Ala	Leu	Asp	Arg	Tyr
	290					295					300				
Gly	Arg	Thr	Ala	Leu	Ile	Leu	Ala	Val	Cys	Cys	Gly	Ser	Ala	Ser	Ile
305					310				315					320	
Val	Ser	Leu	Leu	Leu	Glu	Gln	Asn	Ile	Asp	Val	Ser	Ser	Gln	Asp	Leu
			325						330					335	
Ser	Gly	Gln	Thr	Ala	Arg	Glu	Tyr	Ala	Val	Ser	Ser	His	His	His	Val
			340					345					350		
Ile	Cys	Gln	Leu	Leu	Ser	Asp	Tyr	Lys	Glu	Lys	Gln	Met	Leu	Lys	Ile
	355						360					365			
Ser	Ser	Glu	Asn	Ser	Asn	Pro	Glu	Gln	Asp	Leu	Lys	Leu	Thr	Ser	Glu
	370				375						380				
Glu	Glu	Ser	Gln	Arg	Phe	Lys	Gly	Ser	Glu	Asn	Ser	Gln	Pro	Glu	Lys
385					390					395				400	
Met	Ser	Gln	Glu	Pro	Glu	Ile	Asn	Lys	Asp	Gly	Asp	Arg	Glu	Val	Glu
			405						410					415	
Glu	Glu	Met	Lys	Lys	His	Glu	Ser	Asn	Asn	Val	Gly	Leu	Leu	Glu	Asn
		420						425					430		
Leu	Thr	Asn	Gly	Val	Thr	Ala	Gly	Asn	Gly	Asp	Asn	Gly	Leu	Ile	Pro
	435						440					445			
Gln	Arg	Lys	Ser	Arg	Thr	Pro	Glu	Asn	Gln	Gln	Phe	Pro	Asp	Asn	Glu
	450					455					460				
Ser	Glu	Glu	Tyr	His	Arg	Ile	Cys	Glu	Leu	Val	Ser	Asp	Tyr	Lys	Glu
465					470				475					480	
Lys	Gln	Met	Pro	Lys	Tyr	Ser	Ser	Glu	Asn	Ser	Asn	Pro	Glu	Gln	Asp
			485						490					495	
Leu	Lys	Leu	Thr	Ser	Glu	Glu	Glu	Ser	Gln	Arg	Leu	Glu	Gly	Ser	Glu
		500						505					510		
Asn	Gly	Gln	Pro	Glu	Lys	Arg	Ser	Gln	Glu	Pro	Glu	Ile	Asn	Lys	Asp
	515						520					525			
Gly	Asp	Arg	Glu	Leu	Glu	Asn	Phe	Met	Ala	Ile	Glu	Glu	Met	Lys	Lys
	530					535					540				
His	Gly	Ser	Thr	His	Val	Gly	Phe	Pro	Glu	Asn	Leu	Thr	Asn	Gly	Ala
545					550					555				560	
Thr	Ala	Gly	Asn	Gly	Asp	Asp	Gly	Leu	Ile	Pro	Pro	Arg	Lys	Ser	Arg
			565						570					575	



```
<210> 381
<211> 251
<212> DNA
<213> Homo sapien
```

<400> 381							
ggagaagcgt	ctgctggggc	aggaaggggt	ttccctgcc	tctcacctgt	ccctcaccaa		60
ggtaacatgc	ttcccctaag	ggtatcccaa	cccaggggcc	tcaccatgac	ctctgagggg		120
ccaatatccc	aggagaagca	ttggggagtt	gggggcaggt	gaaggaccca	ggactcacac		180
atcctggggc	tccaaggcag	aggagagggg	cctcaagaag	gtcaggagga	aaatccgtaa		240
caacgaqtca	g						251

```
<210> 382
<211> 3279
<212> DNA
<213> Homo sapiens
```

<400>	382						
cttcctgcag	cccccatgct	ggtgaggggc	acgggcagga	acagtggacc	caacatggaa	60	
atgctggagg	gtgtcaggaa	gtgatcgggc	tctggggcag	ggaggagggg	tggggagtgt	120	
cactgggagg	ggacatcctg	cagaaggtag	gagtgagcaa	acacccgctg	caggggaggg	180	
gagagccctg	cggcaccttg	gggagcagag	ggagcagcac	ctgcccaggc	ctgggaggag	240	
ggggcctggag	ggcgtgagga	ggagcgaggg	ggctgcatgg	ctggagttag	ggatcagggg	300	
cagggcgcgga	gatggcctca	cacaggggaag	agagggcccc	tctgtcaggg	cctcacctgg	360	
gccacaggag	gacactgctt	ttcctctgag	gagtcaggag	ctgtggatgg	tgctggacag	420	
aagaaggaca	gggcctggct	cagggtgtcca	gaggctgtcg	ctggcttccc	tttgggatca	480	
gactgcaggg	agggagggcg	gcagggttgt	ggggggagtg	acgatgagga	tgacctgggg	540	
gtggctccag	gccttgcccc	tgcctggggc	ctcaccagc	ctccctcaca	gtctcctggc	600	
cctcagtctc	tccctccacc	tccatcctcc	atctggcdtc	agtgggtcat	tctgatcact	660	
gaactgacca	taccagccc	tggcccaggc	cctccatggc	tcccaatgc	cctggagagg	720	
ggacatctag	tcagagagta	gtcctgaaga	ggtgcctctc	gcgatgtgcc	tgtggggcca	780	
gcatacctgca	gatggctccg	gcctcatcc	tgtgtacctg	tctgcaggga	tgctcctcct	840	
ggaccttgcc	ccttgtgcag	gagctggacc	ctgaagtcct	ctcccatag	gccaagactg	900	
gagccttggt	ccctctgttg	gactccctgc	ccatattctt	gtgggagtg	gttctggaga	960	
catttctgtc	tgttcctgag	agctgggaat	tgtctctcagt	catctgcctg	cgcggttctg	1020	
agagatggag	ttgcctaggc	agttattggg	gccaattctt	ctcactgtgt	ctctcctcct	1080	
ttacccttag	ggtgattctg	ggggctccat	tgtctgtaat	gggtgtgctc	aaggatatcac	1140	
atcatggggc	cctgagccat	gtgccctgcc	tgaaaagcct	cctgtgtaca	ccaaggtggt	1200	
gcattaccgg	aagtggatca	aggacaccat	cgcagccaa	ccctgagtgc	ccctgtccca	1260	
cccctacctc	tagtaaattt	aagtccacct	cacgttctgg	catcacttgg	cctttctgga	1320	
tgctggacac	ctgaagcttg	gaactcacct	ggccgaagct	cgagcctcct	gagtcctact	1380	
gacctgtgct	ttctggtgtg	gagtcacagg	ctgctaggaa	aaggaatggg	cagacacagg	1440	
tgtatgccaa	tgtttctgaa	atgggtataa	tttcgtcctc	tccttcggaa	cactggctgt	1500	
ctctgaagac	ttctcgtcca	gtttcagtga	ggacacacac	aagaacgtgg	gtgacctagt	1560	
tgtttgtggg	gtgcagaqat	ggagaggtgtg	ggccccacc	tggaaagatg	gacagtqaca	1620	

```

caaggtggac actctctaca gatcactgag gataagctgg agccacaatg catgaggcac 1680
acacacagca aggttgacgc tgtaaacata gcccacgctg tcctgggggc actgggaagc 1740
ctagataagg ccgtgagcag aaagaagggg aggatcctcc tatgttggtg aaggaggac 1800
tagggggaga aactgaaagc tgattaatta caggaggttt gttcaggctc cccaaaccac 1860
cgtcagattt gatgatttcc tagcaggact tacagaaata aagagctatc atgctgtggt 1920
ttattatggt ttgttacatt gataggatac atactgaaat cagcaaaca aacagatgta 1980
tagattagag tgtggagaaa acagaggaaa acttgcagtt acgaagactg gcaacttggc 2040
tttactaagt tttcagactg gcagggaagtc aaacctatta ggctgaggac cttgtggagt 2100
gtagctgac cagctgatag aggaactagc cagggtggggg cctttccctt tggatggggg 2160
gcataatccga cagttattct ctccaagtgg agacttacgg acagcatata attctccctg 2220
caaggatgta tgataatag tacaagtaaa ttccaactga ggaagctcac ctgataccta 2280
gtgtccaggg tttttactgg ggggtctgtag gacgagtatg gagtacttga ataattgacc 2340
tgaagtctc agacctgagg ttccctagag ttcaaacaga tacagcatgg tccagagtcc 2400
cagatgtaca aaaacaggga ttcatcaca atcccatctt tagcatgaag ggtctggcat 2460
ggcccaaggc cccaagtata tcaaggcact tgggcagaac atgccaagga atcaaagtgc 2520
atctcccagg agttattcaa ggggtgagccc tttacttggg atgtacaggc tttgagcagt 2580
gcagggtctg tgagtcaacc ttttattgta caggggatga gggaaaggga gaggatgagg 2640
aagccccctt ggggatttgg tttggtcttg tgatcagggt gtctatgggg ctatccctac 2700
aaagaagaat ccagaaatag gggcacattg aggaatgata ctgagcccaa agagcattca 2760
atcattgttt tatttgcctt cttttcacac cattggtgag ggagggatta ccaccctggg 2820
gttatgaaga tggttgaaca cccacacat agcaccggag atatgagatc aacagtttct 2880
tagccataga gattcacagc ccagagcagg aggacgctgc acaccatgca ggatgacatg 2940
ggggatgctc tgggatttgg tgtgaagaag caaggactgt tagaggcagg ctttatagta 3000
acaagacggg ggggcaaaact ctgatttccg tgggggaatg tcatggtctt gctttactaa 3060
gttttgagac tggcaggtag tgaaactcat taggctgaga accttgtgga atgcagctga 3120
cccagctgat agaggaagta gccagggtgg agcctttccc agtgggtgtg ggacatatct 3180
ggcaagattt tgtggcactc ctgggtacag atactggggc agcaaataaa actgaatctt 3240
gttttcagac cttaaaaaaa aaaaaaaaaa aaaagtttt 3279

```

&lt;210&gt; 383

&lt;211&gt; 154

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 383

```

Met Ala Gly Val Arg Asp Gln Gly Gln Gly Ala Arg Trp Pro His Thr
      5                      10                      15

Gly Lys Arg Gly Pro Leu Leu Gln Gly Leu Thr Trp Ala Thr Gly Gly
      20                      25                      30

His Cys Phe Ser Ser Glu Glu Ser Gly Ala Val Asp Gly Ala Gly Gln
      35                      40                      45

Lys Lys Asp Arg Ala Trp Leu Arg Cys Pro Glu Ala Val Ala Gly Phe
      50                      55                      60

Pro Leu Gly Ser Asp Cys Arg Glu Gly Gly Arg Gln Gly Cys Gly Gly
      65                      70                      75                      80

Ser Asp Asp Glu Asp Asp Leu Gly Val Ala Pro Gly Leu Ala Pro Ala
      85                      90                      95

Trp Ala Leu Thr Gln Pro Pro Ser Gln Ser Pro Gly Pro Gln Ser Leu
      100                     105                     110

Pro Ser Thr Pro Ser Ser Ile Trp Pro Gln Trp Val Ile Leu Ile Thr
      115                     120                     125

```

Glu Leu Thr Ile Pro Ser Pro Ala His Gly Pro Pro Trp Leu Pro Asn  
 130 135 140

Ala Leu Glu Arg Gly His Leu Val Arg Glu  
 145 150

<210> 384  
 <211> 557  
 <212> DNA  
 <213> Homo sapiens

<400> 384  
 ggatcctcta gagcgccgc ctactactac taaattcgcg gccgcgtcga cgaagaagag 60  
 aaagatgtgt ttgttttgg actctctgtg gtcccttcca atgctgtggg ttccaacca 120  
 ggggaagggt cccttttgca ttgccaagtg ccataaccat gagcactact ctaccatggg 180  
 tctgcctcct ggccaagcag gctggtttgc aagaatgaaa tgaatgattc tacagctagg 240  
 acttaacctt gaaatggaaa gtcttgcaat cccatttgca ggatccgtct gtgcacatgc 300  
 ctctgtagag agcagcattc ccagggacct tggaaacagt tggcactgta aggtgcttgc 360  
 tccccagac acatcctaaa aggtgttgta atggtgaaaa cgtcttcctt ctttattgcc 420  
 ccttcttatt tatgtgaaca actgtttgtc tttttttgta tcttttttaa actgtaaagt 480  
 tcaattgtga aaatgaatat catgcaaata aattatgcga ttttttttcc aaagtaaaaa 540  
 aaaaaaaaa aaaaaaa 557

<210> 385  
 <211> 337  
 <212> DNA  
 <213> Homo sapiens

<400> 385  
 ttcccagggt atgtgcgagg gaagacacat ttactatcct tgatggggct gattccttta 60  
 gtttctctag cagcagatgg gttaggagga agtgacccaa gtggttgact cctatgtgca 120  
 tctcaaagcc atctgctgtc ttcgagtagc gacacatcat cactcctgca ttgttgatca 180  
 aaacgtggag gtgcttttcc tcagctaaga agcccttagc aaaagctcga atagacttag 240  
 tatcagacag gtccagtttc cgcaccaaca cctgctggtt ccctgtcgtg gtctggatct 300  
 ctttgccac caattcccc tttccacat cccggca 337

<210> 386  
 <211> 300  
 <212> DNA  
 <213> Homo sapiens

<400> 386  
 gggcccgtca ccggcccagg cccgcctcgc cgagtccctc tccccgggtg cctgcccgcga 60  
 gccgcctcgc ccagagggtt gggcgcgagg ctgcctctac cggctggcgg ctgtaactca 120  
 gcgaccttgg ccgaaggct ctagcaagga cccaccgacc ccagccgcgg cggcggcggc 180  
 gcggactttg ccggtgtgtt gggcgggagc ggactgcgtg tccgcggacg ggcagcgaag 240  
 atgttagcct tcgctgccag gaccgtggac cgatcccagg gctgtggtgt aacctcagcc 300

<210> 387  
 <211> 537  
 <212> DNA  
 <213> Homo sapiens

<400> 387  
 gggccgagtc gggcaccaag ggactctttg caggcttcct tcctcggatc atcaaggctg 60  
 cccctcctg tgcatcatg atcagcacct atgagttcgg caaaagcttc ttccagaggc 120

tgaaccagga cgggcttctg ggcggctgaa aggggcaagg aggcaaggac cccgtctctc 180  
ccacggatgg ggagagggca ggaggagacc cagccaagtg ccttttcctc agcactgagg 240  
gagggggctt gtttcccttc cctcccggcg acaagctcca gggcagggct gtccctctgg 300  
gcgggccagc acttcctcag acacaacttc ttcctgctgc tccagtcgtg gggatcatca 360  
cttaccacc ccccaagttc aagaccaaat cttccagctg ccccttctgt gtttccctgt 420  
gtttgctgta gctgggcatg tctccaggaa ccaagaagcc ctgagcctgg tgtagtctcc 480  
ctgacccttg ttaattcctt aagtctaaag atgatgaact tcaaaaaaaaa aaaaaaa 537

<210> 388

<211> 520

<212> DNA

<213> Homo sapiens

<400> 388

aggataatth tttaaaccaat caaatgaaaa aaacaaacaa acaaaaaagg aaatgtcatg 60  
tgaggttaaa ccagtttgca ttcccctaata gtggaaaaag taagaggact actcagcact 120  
gtttgaagat tgcctcttct acagcttctg agaatttgtt tatttcactt gcccaagtga 180  
ggaccccttc cccaacatgc cccagcccac ccctaagcat ggtcccttgt caccaggcaa 240  
ccaggaaact gctacttgtg gacctcacca gagaccagga gggtttggtt agctcacagg 300  
acttcccca cccagaaga ttagcatccc atactagact cataactcaac tcaactaggc 360  
tcatactcaa ttgatggta ttagacaatt ccatttcttt ctggttatta taaacagaaa 420  
atctttcctc ttctcattac cagtaaaggc tcttggtatc tttctgttg aatgatttct 480  
atgaacttgt cttattttaa tgggtgggtt ttttctggt 520

<210> 389

<211> 365

<212> DNA

<213> Homo sapiens

<400> 389

cgttgcccca gtttgacaga aggaaaggcg gagcttattc aaagtctaga gggagtggag 60  
gagttaaggc tggatttcag atctgcctgg ttccagccgc agtgtgccct ctgctcccc 120  
aacgactttc caaataatct caccagcgcc ttccagctca ggcgtcctag aagcgtcttg 180  
aagcctatgg ccagctgtct ttgtgtccc tctcacccgc ctgtcctcac agctgagact 240  
cccaggaaac cttcagacta ccttcctctg ccttcagcaa ggggcgttgc ccacattctc 300  
tgagggtcag tggaagaacc tagactccca ttgctagagg tagaaagggg aagggtgctg 360  
gggag 365

<210> 390

<211> 221

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(221)

<223> n = A,T,C or G

<400> 390

tgcctctcca tcctggcccc gacttctctg tcaggaaagt ggggatggac cccatctgca 60  
tacacggntt ctcatgggtg tggaacatct ctgcttgagg ttccaggaag gcctctggct 120  
gctctangag tctgancnga ntcgttgccc cantntgaca naaggaaagg cggagcttat 180  
tcaaagtcta gagggagtgg aggagttaag gctggatttc a 221

<210> 391

<211> 325

<212> DNA

<213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(325)  
 <223> n = A,T,C or G

<400> 391  
 tggagcaggt cccgaggcct ccctagagcc tggggccgac tctgtgncga tgcangcttt 60  
 ctctcgcgcc cagcctggag ctgctcctgg catctaccaa caatcagncg aggcgagcag 120  
 tagccagggc actgctgcca acagccagtc cnnataccat catgtnaccc ggtgngctct 180  
 naanttngat ntccanagcc ctacccatcn tagttctgct ctcccaccgg ntaccagccc 240  
 cactgcccag gaatcctaca gccagtaccc tgtcccgcag tctctaccta ccagtacgat 300  
 gagacctccg gctactacta tgacc 325

<210> 392  
 <211> 277  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(277)  
 <223> n = A,T,C or G

<400> 392  
 atattgttta actccttcct ttatatottt taacattttc atggngaaag gttcacatct 60  
 agtctcactt nggcnagn gn ctcctacttg agtctcttcc ccggcctggn ccagtngnaa 120  
 antaccanga accgncatgn cttaanaacn ncctggtttn tgggttnntc aatgactgca 180  
 tgcagtgcac caccctgtcc actacgtgat gctgtaggat taaagtctca cagtgggcgg 240  
 ctgaggatac agcgccgcgt cctgtgttgc tggggaa 277

<210> 393  
 <211> 566  
 <212> DNA  
 <213> Homo sapiens

<400> 393  
 actagtccag tgtggtggaa ttcgcgggccg cgtcgacgga caggtcagct gtctggctca 60  
 gtgatctaca ttctgaagtt gtctgaaaat gtcttcatga ttaaattcag cctaaacggt 120  
 ttgccgggaa cactgcagag acaatgctgt gagtttccaa ccttagccca tctgcgggca 180  
 gagaaggtct agtttgtcca tcagcattat catgatatca ggactgggta cttgggtaag 240  
 gaggggtcta ggagatctgt cccttttaga gacaccttac ttataatgaa gtatttggga 300  
 ggggtggtttt caaaagtaga aatgtcctgt attccgatga tcatcctgta aacattttat 360  
 catttattaa tcatccctgc ctgtgtctat tattatattc atatctctac gctggaaact 420  
 ttctgctca atgtttactg tgcctttgtt tttgctagtt tgtgttgttg aaaaaaaaaa 480  
 cattctctgc ctgagtttta atttttgtcc aaagttattt taatctatac aattaaaagc 540  
 ttttgcctat caaaaaaaaa aaaaaa 566

<210> 394  
 <211> 384  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(384)  
 <223> n = A,T,C or G

&lt;400&gt; 394

```

gaacatacat gtcccggcac ctgagctgca gtctgacatc atcgccatca cgggcctcgc 60
tgcaaatng gaccgggcca aggctggact gctggagcgt gtgaaggagc tacaggccna 120
gcaggaggac cgggctttaa ggagttttaa gctgagtgtc actgtagacc ccaaatacca 180
tcccaagatt atcgggagaa agggggcagt aattacccaa atccggttgg agcatgacgt 240
gaacatccag tttcctgata aggacgatgg gaaccagccc caggaccaa ttaccatcac 300
agggtacgaa aagaacacag aagctgccag ggatgctata ctgagaattg tgggtgaact 360
tgagcagatg gtttctgagg acgt 384

```

&lt;210&gt; 395

&lt;211&gt; 399

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 395

```

ggcaaaactg tgtgacctca ataagacctc gcagatccaa ggtcaagtat cagaagtgc 60
tctgaccttg gactccaaga cctacatcaa cagcctggct atattagatg atgagccagt 120
tatcagaggt ttcattcattg cggaaattgt ggagtctaag gaaatcatgg cctctgaagt 180
attcagctct ttcagtagcc ctgagttctc tatagagttg cctaacacag gcagaattgg 240
ccagctactt gtctgcaatt gtatcttcaa gaataccctg gccatccctt tgactgacgt 300
caagttctct ttggaaagcc tgggcatctc ctactacag acctctgacc atgggacggg 360
gcagcctggt gagaccatcc aatcccaaat aaaatgcac 399

```

&lt;210&gt; 396

&lt;211&gt; 403

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(403)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 396

```

tggagttntc agtgcaaaca agccataaag cttcagtagc aaattactgt ctcacagaaa 60
gacattttca acttctgctc cagctgctga taaaacaaat catgtgttta gcttgactcc 120
agacaaggac aaactgttcc ttcataactc tctagagaaa aaaaggagtt gttagtagat 180
actaaaaaaa gtggatgaat aatctggata tttttcctaa aaagattcct tgaaacacat 240
taggaaaatg gagggcctta tgatcagaat gctagaatta gtccattgtg ctgaagcagg 300
gttttagggg gggagtgagg gataaaagaa ggaaaaaag aagagtgaga aaacctattt 360
atcaaagcag gtgctatcac tcaatgttag gccctgctct ttt 403

```

&lt;210&gt; 397

&lt;211&gt; 100

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(100)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 397

```

actagtnacg tgtggtggaa ttcgcgggccg cgtcgaccta naanccatct ctatagcaaa 60
tccatccccg ctctggttg gtnacagaat gactgacaaa 100

```

&lt;210&gt; 398

&lt;211&gt; 278

138

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(278)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 398

```
gcgccgcgt cgacagcagt tccgccagcg ctgccccctg ggtggggatg tgctgcacgc 60
ccacctggac atctggaagt cagcggcctg gatgaaagag cggacttcac ctggggcgat 120
tcactactgt gcctcgacca gtgaggagag ctggaccgac agcgagggtg actcatcatg 180
ctccgggcag cccatccacc tgtggcagtt cctcaaggag ttgctactca agccccacag 240
ctatggccgc ttcattangt ggctcaacaa ggagaagg 278
```

&lt;210&gt; 399

&lt;211&gt; 298

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(298)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 399

```
acggagggtg aggaagcgnc cctgggatcg anaggatggg tcctgncatt gaccncctcn 60
ggggtgccng catggagcgc atgggcgcgg gcctgggcca cggcatggat cgcgtgggct 120
ccgagatcga gcgcatgggc ctggtcatgg accgcatggg ctccgtggag cgcgtgggct 180
ccggcattga gcgcatgggc ccgctgggcc tcgaccacat ggcctccanc attgancgca 240
tgggccagac catggagcgc attggctctg gcgtggagcn catgggtgcc ggcatggg 298
```

&lt;210&gt; 400

&lt;211&gt; 548

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 400

```
acatcaacta cttcctcatt ttaaggatat gcagttccct tcatcccctt ttctgcctt 60
gtacatgtac atgtatgaaa tttccttctc ttaccgaact ctctccacac atcacaaggt 120
caaagaacca cagccttaga agggtaaagag ggcaccctat gaaatgaaat ggtgatttct 180
tgagtctctt ttttccacgt ttaaggggcc atggcaggac ttagagttgc gagttaagac 240
tgcagagggc tagagaatta tttcatacag gctttgaggc caccatgtc acttatcccg 300
tataccctct caccatcccc ttgtctactc tgatgcccc aagatgcaac tgggcagcta 360
gttggcccca taattctggg cctttgttgt ttgttttaat tacttgggca tcccaggaag 420
ctttccagtg atctcctacc atgggcccc ctctgaggat caagcccctc ccaggccctg 480
tcccagccc ctctgcccc agcccacccg cttgccttgg tgctcagccc tcccattggg 540
agcaggtt
```

&lt;210&gt; 401

&lt;211&gt; 355

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(355)

&lt;223&gt; n = A,T,C or G

<400> 401  
actgtttcca tgttatgttt ctacacattg ctacctcagt gtccttgga acttagcttt 60  
tgatgtctcc aagtagtcca ctttcattta actctttgaa actgtatcat ctttgccaag 120  
taagagtggg ggcctatttc agctgctttg acaaaatgac tggctcctga cttaacgttc 180  
tataaatgaa tgtgctgaag caaagtgcc atggtggcgg cgaagaagan aaagatgtgt 240  
tttgttttgg actctctgtg gtcccttcca atgctgnngg tttccaacca ggggaagggt 300  
cccttttgca ttgccaagtg ccataaccat gagcactact ctaccatggn tctgc 355

<210> 402  
<211> 407  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(407)  
<223> n = A,T,C or G

<400> 402  
atggggcaag ctggataaag aaccaagacc cactggagta tgctgtcttc aagaaaccca 60  
tctcacatgc ggtggcatac ataggctcaa aataaaggaa tggagaaaaa tatttcaagc 120  
aaatggaaaa cagaaaaaag caggtgttgc actcctactt tctgacaaaa cagactatgc 180  
gaataaagat aaaaaagaga aggacattac aaagtggtgc ctgacctttg ataaatctca 240  
ttgcttgata ccaacctggg ctgttttaat tgcccaaacc aaaaggataa tttgctgagg 300  
ttgtggagct tctcccctgc agagagtccc tgatctccca aaatttggtt gagatgtaag 360  
gntgatittg ctgacaactc cttttctgaa gttttactca tttccaa 407

<210> 403  
<211> 303  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(303)  
<223> n = A,T,C or G

<400> 403  
cagtatttat agccnaactg aaaagctagt agcaggcaag tctcaaatcc aggcacccaa 60  
tcctaagcaa gagccatggc atggtgaaaa tgcaaaagga gagtctggcc aatctacaaa 120  
tagagaacaa gacctactca gtcatgaaca aaaaggcaga caccaacatg gatctcatgg 180  
gggattggat attgtaatta tagagcagga agatgacagt gatcgtcatt tggcacaaca 240  
tcttaacaac gaccgaaacc cattattttac ataaacctcc attcggtaac catgttgaaa 300  
gga 303

<210> 404  
<211> 225  
<212> DNA  
<213> Homo sapiens

<400> 404  
aagtgtgaact tttaaaaatt tagtggattt tgaaaattct tagaggaaag taaaggaaaa 60  
attgttaatg cactcattta cttttacatg gtgaaagtgc tctcttgatc ctacaaacag 120  
acattttcca ctggtgtttc catagtgtgt aagtgtatca gatgtgttgg gcatgtgaat 180  
ctccaagtgc ctgtgtaata aataaagtat cttttatttc ttcatt 225

<210> 405



<211> 334  
<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc\_feature  
<222> (1)...(334)  
<223> n = A,T,C or G

<400> 405  
gagctgttat actgtgagtt ctactaggaa atcatcaaat ctgaggggtg tctggaggac 60  
ttcaatacac ctccccccat agtgaatcag cttccagggg gtccagtccc tctccttact 120  
tcattccccat cccatgccaa aggaagaccc tccctccttg gctcacagcc ttctctaggc 180  
ttcccagtgct ctccaggaca gagtgggtta tgttttcagc tccatccttg ctgtgagtgt 240  
ctggtgcggg tgtgcctcca gcttctgctc agtgcttcat ggacagtgtc cagcccatgt 300  
cactctccac tctctcannng tggatcccac ccct 334

<210> 406  
<211> 216  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(216)  
<223> n = A,T,C or G

<400> 406  
ttcatacct aatgagggag ttganatnac atnnaaccag gaaatgcatg gatctcaang 60  
gaaacaaaca cccaataaac tcggagtggc agactgacaa ctgtgagaca tgcacttgct 120  
acnaaacaca aattnnatgt tgcacccttg tttctacacc tgtgggttat gacaaagaca 180  
actgccaaag aatnttcaag aaggaggact gccant 216

<210> 407  
<211> 413  
<212> DNA  
<213> Homo sapiens

<400> 407  
gctgacttgc tagtatcatc tgcattcatt gaagcacaag aacttcatgc cttgactcat 60  
gtaaatgcaa taggattaaa aaataaattt gatatcacat ggaaacagac aaaaaatatt 120  
gtacaacatt gcacccagtg tcagattcta cacctggcca ctgaggaagc aagagttaat 180  
cccagaggtc tatgtcctaa tgtgttatgg caaatggatg tcatgcacgt accttcattt 240  
ggaaaattgt catttgtcca tgtgacagtt gatacttatt cacatttcat atgggcaacc 300  
tgccagacag gagaaagtct tcccatgtta aaagacattt attatcttgt tttcctgtca 360  
tgggagttcc agaaaaagtt aaaacagaca atgggccagg ttctgtagta aag 413

<210> 408  
<211> 183  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(183)  
<223> n = A,T,C or G

<400> 408

```

ggagctngcc ctcaattcct ccatntctat gttancatat ttaatgtctt ttgnnattaa 60
tnccttaacta gttaatcctt aaagggctan ntaatcctta actagtcctt ccattgtgag 120
cattatcctt ccagtattcn ccttctnttt tatttactcc ttcttggtta cccatgtact 180
ntt 183

```

&lt;210&gt; 409

&lt;211&gt; 250

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(250)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 409

```

cccacgcatg ataagctctt tatttctgta agtcctgcta ggaaatcatc aaatctgacg 60
gtgggtttggg ggacctgaac aaacctcctg taattaatca gctttcagtt tctcccccta 120
gtccctcctt caacaacata ggaggatcct ccccttcttt ctgctcacgg ccttatctag 180
gcttcccagt gccccaggga cagcgtgggc tatgtttaca gcgcttcctt gctggggggg 240
ggccntatgc 250

```

&lt;210&gt; 410

&lt;211&gt; 306

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(306)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 410

```

ggctggtttg caagaatgaa atgaatgatt ctacagctag gacttaacct tgaaatggaa 60
agtcttgcaa tcccatttgc aggatccgtc tgtgcacatg cctctgtaga gagcagcatt 120
cccagggacc ttggaacacag ttggcactgt aaggtgcttg ctccccaaga cacatcctaa 180
aaggtgttgt aatggtgaaa accgcttcct tctttattgc cccttcttat ttatgtgaac 240
nactggttgg ctttttttgn atctttttta aactggaaag ttcaattgng aaaatgaata 300
tcntgc 306

```

&lt;210&gt; 411

&lt;211&gt; 261

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(261)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 411

```

agagatattn cttaggtnaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaagtgc tgaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaaggaaa gatgtgaata ggctgatggg caaaaaacca atttaccat cagttccagc 240
cttctctcaa ggngaggcaa a 261

```

&lt;210&gt; 412

<211> 241  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(241)  
<223> n = A,T,C or G

<400> 412  
gttcaatggt acctgacatt tctacaacac ccactcacc gatgtattcg ttgccagtg 60  
ggaacatacc agcctgaatt tggaaaaaat aattgtgttt cttgccagg aaatactacg 120  
actgactttg atggctccac aaacataacc cagtgtaaaa acagaagatg tggaggggag 180  
ctgggagatt tcaactgggtta cattgaattc ccaaactacc cangcaatta cccagccaac 240  
a 241

<210> 413  
<211> 231  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(231)  
<223> n = A,T,C or G

<400> 413  
aactcttaca atccaagtga ctcatctgtg tgcttgaatc cttccactg tctcatctcc 60  
ctcatccaag tttctagtag cttctctttg ttgtgaagga taatcaaact gaacaacaaa 120  
aagtttactc tcctcatttg gaacctaaaa actctcttct tcctgggtct gagggctcca 180  
agaatccttg aatcanttct cagatcattg gggacaccan atcaggaacc t 231

<210> 414  
<211> 234  
<212> DNA  
<213> Homo sapiens

<400> 414  
actgtccatg aagcactgag cagaagctgg aggcacaacg caccagacac tcacagcaag 60  
gatggagctg aaaacataac ccactctgtc ctggaggcac tgggaagcct agagaaggct 120  
gtgagccaag gagggagggt cttccttttg catgggatgg ggatgaagta aggagagggg 180  
ctggaccccc tggaagctga ttcactatgg ggggaggtgt attgaagtcc tcca 234

<210> 415  
<211> 217  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(217)  
<223> n = A,T,C or G

<400> 415  
gcataggatt aagactgagt atcttttcta cattctttta acttttctaag gggcacttct 60  
caaacacag accaggtagc aaatctccac tgctctaagg ntctcaccac cacttttctca 120  
cacctagcaa tagtagaatt cagtctact tctgaggcca gaagaatggt tcagaaaaat 180  
antggattat aaaaaataac aattaagaaa aataatc 217

<210> 416  
 <211> 213  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(213)  
 <223> n = A,T,C or G

<400> 416  
 atgcataatnt aaagganact gcctcgcttt tagaagacat ctggngctgct ctctgcatga 60  
 ggcacagcag taaagctctt tgattcccag aatcaagaac tctccccttc agactattac 120  
 cgaatgcaag gtggttaatt gaaggccact aattgatgct caaatagaag gatattgact 180  
 atattggaac agatggagtc tctactacaa aag 213

<210> 417  
 <211> 303  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(303)  
 <223> n = A,T,C or G

<400> 417  
 nagtcttcag gcccatcagg gaagttcaca ctggagagaa gtcatacata tgtactgtat 60  
 gtgggaaagg ctttactctg agttcaaadc ttcaagccca tcagagagtc cacactggag 120  
 agaagccata caaatgcaat gagtgtggga agagcttcag gagggattcc cattatcaag 180  
 ttcatctagt ggtccacaca ggagagaaac cctataaatg tgagatatgt gggaagggct 240  
 tcantcaaag ttcgtatctt caaatccatc ngaaggncca cagtatanan aaacctttta 300  
 agt 303

<210> 418  
 <211> 328  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(328)  
 <223> n = A,T,C or G

<400> 418  
 tttttggcgg tgggtggggca gggacgggac angagtctca ctctgttgcc caggctggag 60  
 tgcacaggca tgatctcggc tcaactacaac ccctgcctcc catgtccaag cgattcttgt 120  
 gcctcagcct tccctgtagc tagaattaca ggcacatgcc accacacca gctagttttt 180  
 gtatttttag tagagacagg gtttcaccat gttggccagg ctgggtctcaa actcctnacc 240  
 tcagnggtca ggctgggtctc aaactcctga cctcaagtga tctgcccacc tcagcctccc 300  
 aaagtgtan gattacagge cgtgagcc 328

<210> 419  
 <211> 389  
 <212> DNA  
 <213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(389)  
<223> n = A,T,C or G

<400> 419  
cctcctcaag acggcctgtg gtccgcctcc cggcaaccaa gaagcctgca gtgccatatg 60  
acccttgagc catggactgg agcctgaaag gcagcgtaca ccctgctcct gatcttgctg 120  
cttgtttcct ctctgtggct ccatcatag cacagtgtt gcactgaggc ttgtgcaggc 180  
cgagcaaggc caagctggct caaagagcaa ccagtcaact ctgccacggg gtgccaggca 240  
ccggttctcc agccaccaac ctcactcgct ccgcgaaatg gcacatcagt tcttctaccc 300  
taaaggtagg accaaagggc atctgctttt ctgaagtctt ctgctctatc agccatcacg 360  
tggcagccac tcnggctgtg tcgacgcgg 389

<210> 420  
<211> 408  
<212> DNA  
<213> Homo sapiens

<400> 420  
gttcctccta actcctgcc aaacagctc tcctcaacat gagagctgca cccctcctcc 60  
tggccagggc agcaagcctt agccttggct tcttgtttct gcttttttcc tggctagacc 120  
gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180  
gtcccattga cacttttccc actgacccca taaaggaatc ctcatggcca caaggatttg 240  
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300  
gatatagaaa attcttgaat gagtccata aacatgaaca ggtttatatt cgaagcacag 360  
acgttgaccg gactttgatg aagtgcctatg acaaacctgg caagcccg 408

<210> 421  
<211> 352  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(352)  
<223> n = A,T,C or G

<400> 421  
gctcaaaaat ctttttactg atnngcatgg ctacacaatc attgactatt acggaggcca 60  
gaggagaatg aggcctggcc tgggagccct gtgcctacta naagcacatt agattatcca 120  
ttcactgaca gaacaggctt tttttgggtc cttcttctcc accacnata acttgcatgc 180  
ctccttcttg aagattcttt ggcagttgtc tttgtcataa cccacagggt tagaaacaag 240  
ggtgcaacat gaaatttctg tttcgtagca agtgcatgtc tcacaagttg gcangtctgc 300  
cactccgagt ttattgggtg tttgtttcct ttgagatcca tgcatttcct gg 352

<210> 422  
<211> 337  
<212> DNA  
<213> Homo sapiens

<400> 422  
atgccaccat gctggcaatg cagcgggagg tcgaaggcct gcatatccag cccaagctgg 60  
cgatgatcga cggcaaccgt tgcccgaagt tgccgatgcc agccgaagcg gtggtcaagg 120  
gcgatagcaa ggtgccggcg atcgcgggcg cgtcaatcct ggccaaggct agccgtgatc 180  
gtgaaatggc agctgtcgaa ttgatctacc cgggttatgg catcgggcgg cataagggct 240  
atccgacacc ggtgcacctg gaagccttgc agcggctggg gccgacgccg attcaccgac 300  
gcttcttccg ccggtacggc tggcctatga aaattat 337

<210> 423  
 <211> 310  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(310)  
 <223> n = A,T,C or G

<400> 423  
 gctcaaaaat ctttttactg atatggcatg gctacacaat cattgactat tagaggccag 60  
 aggagaatga ggctggcctt gggagccctg tgcctactan aagcncatta gattatccat 120  
 tcactgacag aacagggtctt ttttgggtcc ttcttctcca ccacgatata cttgcagtcc 180  
 tccttcttga agattctttg gcagttgtct ttgtcataac ccacagggtgt anaaacaagg 240  
 gtgcaacatg aaatttctgt ttcgtagcaa gtgcatgtct cacagttgtc aagtctgccc 300  
 tccgagttta 310

<210> 424  
 <211> 370  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(370)  
 <223> n = A,T,C or G

<400> 424  
 gctcaaaaat ctttttactg atagggcatg ctacacaatc attgactatt agaggccaga 60  
 ggagaatgag gcctggcctg ggagccctgt gcctactaga agcacattag attatccatt 120  
 cactgacaga acagggtctt tttgggtcct tcttctccac cacgatatac ttgcagtcct 180  
 ccttcttgaa gattcttttg cagttgtcct tgtcataacc cacagggtgta gaaacatcct 240  
 ggttgaatct cctggaactc cctcattagg tatgaaatag catgatgcat tgcataaagt 300  
 cacgaagggtg gcaaagatca caacgctgcc cagganaaca ttcattgtga taagcaggac 360  
 tccgtcgacg 370

<210> 425  
 <211> 216  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(216)  
 <223> n = A,T,C or G

<400> 425  
 aattgctatn ttttattttg ccactcaaaa taattaccaa aaaaaaaaaa tnttaaatga 60  
 taacaacnca acatcaaggn aaananaaca ggaatggntg actntgcata aatnggccga 120  
 anattatcca ttatnttaag ggttgacttc aggntacagc acacagacaa acatgcccag 180  
 gaggnntnca ggaccgctcg atgtntntng aggagg 216

<210> 426  
 <211> 596  
 <212> DNA  
 <213> Homo sapiens

<400> 426  
 cttccagtga ggataaccct gttgccccgg gccgaggttc tccattaggc tctgattgat 60  
 tggcagtcag tgatggaagg gtgttctgat cattccgact gcccgaaggg tcgctggcca 120  
 gctctctgtt ttgctgagtt ggcagtagga cctaatttgt taattaagag tagatggtga 180  
 gctgtccttg tattttgatt aacctaatgg ccttcccagc acgactcgga ttcagctgga 240  
 gacatcacgg caacttttaa tgaaatgatt tgaagggccca ttaagaggca cttcccgtta 300  
 ttaggcagtt catctgcact gataacttct tggcagctga gctggtcgga gctgtggccc 360  
 aaacgcacac ttggcttttg gttttgagat acaactctta atcttttagt catgcttgag 420  
 ggtggatggc cttttcagct ttaacccaat ttgcaactgcc ttggaagtgt agccaggaga 480  
 atacactcat atactcgtgg gcttagaggc cacagcagat gtcattgggc tactgcctga 540  
 gtcccgcgtg tcccatccca ggaccttcca tcggcgagta cctgggagcc cgtgct 596

<210> 427  
 <211> 107  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(107)  
 <223> n = A,T,C or G

<400> 427  
 gaagaattca agttaggttt attcaaaggg cttacngaga atcctanacc caggnccccag 60  
 cccgggagca gccttanaga gctcctgttt gactgcccgg ctcagng 107

<210> 428  
 <211> 38  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(38)  
 <223> n = A,T,C or G

<400> 428  
 gaacttcna anaangactt tattcactat ttacatt 38

<210> 429  
 <211> 544  
 <212> DNA  
 <213> Homo sapiens

<400> 429  
 ctttgctgga cggataaaaa gtggacgcaa gcatgacctc ctgatgaggg cgctgcattt 60  
 attgaagagc ggctgcagcc ctgcggttca gattaaaatc cgagaattgt atagacgccg 120  
 atatccacga actcttgaag gactttctga tttatccaca atcaaatcat cggttttcag 180  
 tttggatggt ggctcatcac ctgtagaacc tgacttggcc gtggctggaa tccactcgtt 240  
 gccttcact tcagttacac ctcactcacc atcctctcct gttggttctg tgctgcttca 300  
 agatactaag cccacatttg agatgcagca gccatctccc ccaattcctc ctgtccatcc 360  
 tgatgtgcag ttaaaaaatc tgccctttta tgatgtcctt gatgttctca tcaagcccac 420  
 gagttagttt caaagcagta ttcagcgatt tcaagagaag ttttttattt ttgctttgac 480  
 acctcaacaa gttagagaga tatgcatatc cagggatttt ttgccagggt gtaggagaga 540  
 ttat 544

<210> 430

<211> 507  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(507)  
<223> n = A,T,C or G

<400> 430  
cttatcncaa tggggctccc aaacttggct gtgcagtgga aactccgggg gaatthttgaa 60  
gaacactgac acccatcttc caccocgaca ctctgattta attgggctgc agtgagaaca 120  
gagcatcaat ttaaaaagct gcccagaatg ttntcctggg cagcgttggt atctttgccn 180  
ccttcgtgac tttatgcaat gcatcatgct atttcatacc taatgaggga gttccaggag 240  
attcaaccag gatgtttcta cncctgtggg ttatgacaaa gacaactgcc aaagaatntt 300  
caagaaggag gactgcaagt atatcgtggt ggagaagaag gacccaaaaa agacctgttc 360  
tgtcagtga tggataatct aatgtgcttc tagtaggcac agggctccca ggccaggcct 420  
cattctcctc tggcctctaa tagtcaatga ttgtgtagcc atgcctatca gtaaaaagat 480  
ttttgagcaa aaaaaaaaaa aaaaaaa 507

<210> 431  
<211> 392  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(392)  
<223> n = A,T,C or G

<400> 431  
gaaaattcag aatggataaa aacaaatgaa gtacaaaata tttcagattt acatagcgat 60  
aaacaagaaa gcacttatca ggaggactta caaatggaag tacactctan aaccatcatc 120  
tatcatggct aaatgtgaga ttagcacagc tgtattatth gtacattgca aacacctaga 180  
aagagatggg aaacaaaatc ccaggagttt tgtgtgtgga gtcctgggtt ttccaacaga 240  
catcattcca gcattctgag attagggnga ttggggatca ttctggagtt ggaatgttca 300  
acaaaagtga tgttgttagg taaaatgtac aacttctgga tctatgcaga cattgaaggt 360  
gcaatgagtc tggcttttac tctgctgttt ct 392

<210> 432  
<211> 387  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(387)  
<223> n = A,T,C or G

<400> 432  
ggtatcanta cataatcaaa tatagctgta gtacatgttt tcattggngt agattaccac 60  
aaatgcaagg caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg 120  
ngtagtccaa gctctcgga gtccagccac tngaaacat gctcccttta gattaacctc 180  
gtggacnctn ttgttgnatt gtctgaactg tagngcctg tatthttgctt ctgtctgnga 240  
attctgttgc ttctggggca tttccttgng atgcagagga ccaccacaca gatgacagca 300  
atctgaattg ntccaatcac agctgcgatt aagacatact gaaatcgtac aggaccggga 360  
acaacgtata gaacactgga gtccttt 387



<210> 433  
<211> 281  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(281)  
<223> n = A,T,C or G

<400> 433  
ttcaactagc anagaanact gcttcagggg gtgtaaaatg aaagggttcc acgcagttat 60  
ctgattaaag aacactaaga gagggacaag gctagaagcc gcaggatgtc tacactatag 120  
caggcnctat ttgggttggc tggaggagct gtggaaaaca tggagagatt ggcgctggag 180  
atcgccgtgg ctattcctcn ttgntattac accagngagg ntctctgtnt gcccaactggt 240  
tnnaaaaccg ntatacaata atgataaat aggacacaca t 281

<210> 434  
<211> 484  
<212> DNA  
<213> Homo sapiens

<400> 434  
ttttaaaata agcatttagt gctcagtcct tactgagtac tctttctctc cctcctcttg 60  
aatttaattc tttcaacttg caatttgcaa ggattacaca tttcaactgt atgtatattg 120  
tggtgcaaaa aaaaaaaagt gtctttgttt aaaattactt gggttggtga tccatcttgc 180  
tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa acatctgaag 240  
agctagtcta tcagcatctg acaggtgaat tggatgggtc tcagaacat ttcaccaga 300  
cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca taacaaaccc 360  
tgctccaatc tgtcacataa aagtctgtga cttgaagttt agtcagcacc cccaccaaac 420  
tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataaag taccatgtc 480  
ttta 484

<210> 435  
<211> 424  
<212> DNA  
<213> Homo sapiens

<400> 435  
gcgcccgtca gagcaggtca ctttctgcct tccacgtcct ccttcaagga agccccatgt 60  
gggtagcttt caatatcgca gggtcttact cctctgcctc tataagctca aaccaccaa 120  
cgatcgggca agtaaaccct ctccctcgcc gacttcggaa ctggcgagag ttcagcgag 180  
atgggcctgt ggggaggggg caagatagat gagggggagc ggcatggtgc ggggtgacct 240  
cttgagagag ggaaaaaggc cacaagaggg gctgccaccg ccactaacgg agatggccct 300  
ggtagagacc tttgggggtc tggaacctct ggactcccca tgctctaact cccacactct 360  
gctatcagaa acttaaacct gaggattttc tctgtttttc actcgcaata aattcagagc 420  
aaac 424

<210> 436  
<211> 667  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(667)  
<223> n = A,T,C or G

&lt;400&gt; 436

```

accttgggaa nactctcaca atataaaggg tcgtagactt tactccaaat tccaaaaagg 60
tcctggccat gtaatcctga aagttttccc aaggtagcta taaaatcctt ataaggggtgc 120
agcctcttct ggaattcctc tgatttcaaa gtctcactct caagttcttg aaaacgaggg 180
cagttcctga aaggcaggta tagcaactga tcttcagaaa gaggaactgt gtgcaccggg 240
atgggctgcc agagtaggat aggattccag atgctgacac cttctggggg aaacaggggt 300
gccaggtttg tcatagcact catcaaagtc cggccaacgt ctgtgcttcg aatataaacc 360
tgttcattgt tataggactc attcaagaat tttctatatc tctttcttat atactctcca 420
agttcataat gctgctccat gccagctgg gtgagttggc caaatccttg tggccatgag 480
gattccttta tggggtcagt gggaaagggt tcaatgggac ttcggtctcc atgccgaaac 540
accaaaagtc caaacttcaa ctcttggct agtacacttc ggtctagcca gaaaaaagc 600
agaacaaga agccaaggct aaggcttgct gcctgccag gaggaggggt gcagctctca 660
tgttgag                                           667

```

&lt;210&gt; 437

&lt;211&gt; 693

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 437

```

ctacgtctca accctcattt ttaggtaagg aatcttaagt ccaaagatat taagtgactc 60
acacagccag gtaaggaaag ctggattggc aactaggac tctaccatac cgggttttgt 120
taaagctcag gttaggaggc tgataagctt ggaaggaaact tcagacagct ttttcagatc 180
ataaaagata attcttagcc catgttcttc tcagagcagc acctgaaatg acagcacagc 240
aggtaactct ctattttcac ccctcttgct tctactctct ggcagtcaga cctgtgggag 300
gccatgggag aaagcagctc tctggatggt tgtacagatc atggactatt ctctgtggac 360
catttctcca ggttacccta ggtgtcacta ttggggggac agccagcatc tttagctttc 420
atgtgagttt ctgtctgtct tcagtagagg aaacttttgc tcttcacact tcacatctga 480
acacctaaact gctgttgctc ctgaggtggt gaaagacaga tatagagctt acagtattta 540
tcctattttc aggcactgag ggctgtggg tacctgtgg tgccaaaaca gatcctgttt 600
taaggacatg ttgcttcaga gatgtctgta actatctggg ggctctgttg gctctttacc 660
ctgcatcatg tgctctcttg gctgaaaatg acc                                           693

```

&lt;210&gt; 438

&lt;211&gt; 360

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 438

```

ctgcttatca caatgaatgt tctcctgggc agcgttgtga tctttgccac cttcgtgact 60
ttatgcaatg catcatgcta tttcatacct aatgagggag ttccaggaga ttcaaccagg 120
atgtttctac acctgtgggt tatgacaaag acaactgcc aagaatcttc aagaaggagg 180
actgcaagta tatctggtgg agaagaagga ccaaaaaaag acctgttctg tcagtgaatg 240
gataatctaa tgtgcttcta gtaggcacag ggctcccagg ccaggcctca ttctcctctg 300
gcctctaata gtcaataatt gtgtagccat gcctatcagt aaaaagattt ttgagcaaac 360

```

&lt;210&gt; 439

&lt;211&gt; 431

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(431)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 439

```

gttctnnta actcctgcc aaaaacagctc tctcaacat gagagctgca cccctcctcc 60

```

```

tggccagggc agcaagcctt agccttggct tcttgtttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgacttttgg gtttcggcat ggagaccgaa 180
gtcccattga cacctttccc actgacccca taaaggaatc ctcatggcca caaggatttg 240
gccaaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attccttgaat gagtccata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggccgcg 420
aatttagtag t 431

```

&lt;210&gt; 440

&lt;211&gt; 523

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 440

```

agagataaag cttaggtcaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaagtgc tgaaatggaa cagatttcaa aaaaaaacc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttaccat cagttccagc 240
cttctctcaa ggagaggcaa agaaaggaga tacagtggag acatctggaa agttttctcc 300
actggaaaac tgctactatc tgtttttata tttctgttaa aatatatgag gctacagaac 360
taaaaattaa aacctctttg tgtcccttgg tcctggaaca tttatgttcc ttttaaagaa 420
acaaaaatca aactttacag aaagatttga tgtatgtaac acatatagca gctcttgaag 480
tatatatatc atagcaaata agtcacttga tgagaacaag cta 523

```

&lt;210&gt; 441

&lt;211&gt; 430

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 441

```

gttcctccta actcctgcc aagacagctc tcctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggct tcttgtttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgacttttgg gtttcggcat ggagaccgaa 180
gtcccattga cacctttccc actgacccca taaaggaatc ctcatggcca caaggatttg 240
gccaaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attccttgaat gagtccata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggccgcg 420
aatttagtag 430

```

&lt;210&gt; 442

&lt;211&gt; 362

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 442

```

ctaaggaatt agtagtggtc ccatcacttg tttggagtgt gctatttctaa aagattttga 60
tttcttgtaa tgacaattat attttaactt tgggtgggga aagagttata ggaccacagt 120
cttcacttct gatacttgta aattaactct ttattgcact tgttttgacc attaatgctat 180
atgttttaga atgggtcattt tacggaaaaa ttagaaaaat tctgataata gtgcagaata 240
aatgaattaa tgttttactt aatttatatt gaactgtcaa tgacaaataa aaattccttt 300
tgattatatt ttgttttcat ttaccagaat aaaaactaag aattaaaagt ttgattacag 360
tc 362

```

&lt;210&gt; 443

&lt;211&gt; 624

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(624)  
 <223> n = A,T,C or G

<400> 443  
 tttttttttt gcaacacaat atacatcaca gtgaaatgtg taatccttgc aaattgcaag 60  
 ttgaaagaat taaattcaga ggaggggaga gaaagagtag tcagtaggga ctgagcacta 120  
 aatgcttatt ttaaaagaaa tgtaaagagc agaaaagcaat tcaggctacc ctgccttttg 180  
 tgctggctag tactccggtc ggtgtcagca gcacgtggca ttgaacattg caatgtggag 240  
 cccaaaccac agaaaatggg gtgaaattgg ccaactttct attaacttgg cttcctgttt 300  
 tataaaatat tgtgaataat atcacctact tcaaagggca gttatgaggc ttaaatgaac 360  
 taacgcctac aaaacactta aacatagata acatagggtg aagtactatg tatctggtag 420  
 atggttaaaca tccttattat taaagtcaac gctaaaatga atgtgtgtgc atatgctaata 480  
 agtacagaga gagggcactt aaaccaacta agggcctgga ggggaagggtt cctggaaaga 540  
 ngatgcttgt gctgggtcca aatcttgggc tactatgacc ttggccaaat tatttaaact 600  
 ttgtccctat ctgctaaaca gatc 624

<210> 444  
 <211> 425  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(425)  
 <223> n = A,T,C or G

<400> 444  
 gcacatcatt nntcttgcatt tctttgagaa taagaagatc agtaaatagt tcagaagtgg 60  
 gaagctttgt ccaggcctgt gtgtgaaccc aatgttttgc ttagaaatag aacaagtaag 120  
 ttcatgtcta tagcataaca caaaatttgc ataagtgggtg gtccagcaaat ccttgaatgc 180  
 tgcttaattgt gagaggttgg taaaatcctt tgtgcaacac tctaactccc tgaatgtttt 240  
 gctgtgctgg gacctgtgca tgccagacaa ggccaagctg gctgaaagag caaccagcca 300  
 cctctgcaat ctgccacctc ctgctggcag gatttggttt tgcatcctgt gaagagccaa 360  
 ggaggcacca gggcataagt gagtagactt atggtcgacg cggccgcgaa tttagtagta 420  
 gtaga 425

<210> 445  
 <211> 414  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(414)  
 <223> n = A,T,C or G

<400> 445  
 catgtttatg nttttggatt actttgggca cctagtgttt ctaaatcgtc tatcattctt 60  
 ttctgttttt caaaagcaga gatggccaga gtctcaacaa actgtatctt caagtctttg 120  
 tgaaattctt tgcatgtggc agattatttg atgtagtctt ctttaactag catataaatc 180  
 tgggtgtgtt cagataaatg aacagcaaaa tgtggtggaa ttaccatttg gaacattgtg 240  
 aatgaaaaat tgtgtctcta gattatgtaa caaataacta ttctctaacc attgatcttt 300  
 ggatttttat aatcctactc acaaatgact aggtcttctc tcttgtatgt tgaagcagtg 360  
 tgggtgctgg attgataaaa aaaaaaaaag tcgacgcggc cgcgaattta gtag 414

<210> 446

<211> 631  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(631)  
 <223> n = A,T,C or G

<400> 446  
 acaaattaga anaaagtgcc agagaacacc acataccttg tccggaacat tacaatggct 60  
 tctgcatgca tgggaagtgt gagcattcta tcaatatgca ggagccatct tgcagggtgtg 120  
 atgctgggta tactggacaa cactgtgaaa aaaaggacta cagtgttcta tacgttggtc 180  
 ccggtcctgt acgatttcag tatgtcttaa tgcagctgt gattggaaca attcagattg 240  
 ctgtcatctg tgtggtggtc ctctgcatca caagggccaa actttaggta atagcattgg 300  
 actgagattt gtaaaccttc caaccttcca ggaaatgccc cagaagcaac agaattcaca 360  
 gacagaagca aaatacaggg cactacagtt cagacaatac aacaagagcg tccacgaggt 420  
 taatctaaag ggagcatggt tcacagtggt tggactaccg agagcttggg ctacacaata 480  
 cagtattata gacaaaagaa taagacaaga gatctacaca tgttgccctg catttggtgtg 540  
 aatctacacc aatgaaaaca tgtactacag ctatatattga ttatgtatgg atatatattga 600  
 aatagtatac attgtcttga tgttttttct g 631

<210> 447  
 <211> 585  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(585)  
 <223> n = A,T,C or G

<400> 447  
 ccttgggaaa antntcacia tataaagggt cgtagacttt actccaaatt ccaaaaaggt 60  
 cctggccatg taatcctgaa agttttccca aggtagctat aaaatcctta taagggtgca 120  
 gcctcttctg gaattcctct gatttcaaag tctcactctc aagtctctga aaacgagggc 180  
 agttcctgaa aggaggtat agcaactgat ctccagaaaag aggaactgtg tgcaccggga 240  
 tgggctgccg gagtaggata ggattccaga tgctgacacc ttctggggga aacagggctg 300  
 ccagggttct catagcactc atcaaagtcc ggtcaacgctc tgtgcttcga atataaacct 360  
 gttcatgttt ataggactca ttcaagaatt ttctatatct ctttcttata tactctccaa 420  
 gttcataatg ctgctccatg cccagctggg tgagttggcc aaatccttgt ggccatgagg 480  
 attcctttat ggggtcagtg ggaaagggtg caatgggact tcggtctcca tgccgaaaca 540  
 ccaaagtcac aaacttcaac tccttggcta gtacacttcg gtcta 585

<210> 448  
 <211> 93  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(93)  
 <223> n = A,T,C or G

<400> 448  
 tgctcgtggg tcattctgan nnccgaactg acctgcccag ccctgccgan gggccnccat 60  
 ggctccctag tgccctggag agganggggc tag 93

<210> 449  
 <211> 706  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(706)  
 <223> n = A,T,C or G

<400> 449  
 ccaagtcat gctntgtgct ggacgctgga cagggggcaa aagcnnttgc tcgtgggtca 60  
 ttctgancac cgaactgacc atgccagccc tgccgatggc cctccatggc tccctagtgc 120  
 cctggagagg aggtgtctag tcagagagta gtcctggaag gtggcctctg ngaggagcca 180  
 cggggacagc atcctgcaga tggtcgggag cgtccattc gccattcagg ctgcgcaact 240  
 gttgggaagg gcgatcggtg cgggcctctt cgctattacg ccagctggcg aaagggggat 300  
 gtgctgcaag gcgattaagt tgggtaacgc caggggttttc ccagtncga cgttgtaaaa 360  
 cgacggccag tgaattgaat ttaggtgacn ctatagaaga gctatgacgt cgcatgcacg 420  
 cgtacgtaag cttggatcct ctagagcggc cgcctactac tactaaattc gcggccgcgt 480  
 cgacgtggga tccncaactga gagagtggag agtgacatgt gctggacnct gtccatgaag 540  
 cactgagcag aagctggagg cacaacgcnc cagacactca cagctactca ggaggctgag 600  
 aacaggttga acctgggagg tggaggttgc aatgagctga gatcaggccn ctgcncacca 660  
 gcatggatga cagagtgaaa ctccatctta aaaaaaaaaa aaaaaa 706

<210> 450  
 <211> 493  
 <212> DNA  
 <213> Homo sapiens

<400> 450  
 gagacggagt gtcactctgt tgcccaggct ggagtgcagc aagacactgt ctaagaaaaa 60  
 acagttttta aaggtaaaac aacataaaaa gaaatatcct atagtggaaa taagagagtc 120  
 aaatgaggct gagaacttta caaagggatc ttacagacat gtcgccaata tcaactgcatg 180  
 agcctaagta taagaacaac ctttggggag aaaccatcat ttgacagtga ggtacaattc 240  
 caagtcagggt agtgaaatgg gtggaattaa actcaaatta atcctgccag ctgaaacgca 300  
 agagacactg tcagagagtt aaaaagttag ttctatccat gaggtgattc cacagtcttc 360  
 tcaagtcaac acatctgtga actcacagac caagttctta aaccactgtt caaactctgc 420  
 tacacatcag aatcacctgg agagctttac aaactcccat tgccgagggt cgacgcggcc 480  
 gcgaatttag tag 493

<210> 451  
 <211> 501  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(501)  
 <223> n = A,T,C or G

<400> 451  
 gggcgcgctcc cattcgccat tcaggctgag caactgttgg gaagggcgat cgggtgcgggc 60  
 ctcttcgcta ttacgccagc tggcgaaagg gggatgtgct gcaaggcgat taagttgggt 120  
 aacgccaggg ttttcccagt cncgacgttg taaaacgacg gccagtgaat tgaatttagg 180  
 tgacnctata gaagagctat gacgtcgcat gcacgcgtac gtaagcttgg atcctctaga 240  
 gcggccgcct actactacta aattcgcggc cgcgtcgacg tgggaccnc actgagagag 300  
 tggagagtga catgtgctgg acnctgtcca tgaagcactg agcagaagct ggaggcaca 360  
 cgcncacagc actcacagct actcaggagg ctgagaacag gttgaacctg ggaggtggag 420

gttgcaatga gctgagatca ggcnctgcn ccccagcatg gatgacagag tgaaactcca 480  
tcttaaaaaa aaaaaaaaaa a 501

<210> 452  
<211> 51  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(51)  
<223> n = A,T,C or G

<400> 452  
agacggtttc accnttacia cnccttttag gatgggnntt ggggagcaag c 51

<210> 453  
<211> 317  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(317)  
<223> n = A,T,C or G

<400> 453  
tacatcttgc tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa 60  
acatctgaag agctagtcta tcagcatctg gcaagtgaat tggatgggtc tcagaacctat 120  
ttcaccana cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca 180  
taacaaaccc tgctccaatc tgtcacataa aagtctgtga cttgaagttt antcagcacc 240  
ccaccacaaac tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataagg 300  
taccatgtc tttatta 317

<210> 454  
<211> 231  
<212> DNA  
<213> Homo sapiens

<400> 454  
ttcgaggtag aatcaactct cagagtgtag tttccttcta tagatgagtc agcattaata 60  
taagccacgc cagctcttg aaggagtctt gaattctcct ctgctcactc agtagaacca 120  
agaagaccaa attcttctgc atcccagctt gcaaacaaaa ttgttcttct aggtctccac 180  
ccttcctttt tcagtgttcc aaagctcctc acaatttcat gaacaacagc t 231

<210> 455  
<211> 231  
<212> DNA  
<213> Homo sapiens

<400> 455  
taccaaagag ggcataataa tcagtctcac agtaggggtc accatcctcc aagtgaaaaa 60  
cattgttccg aatgggcttt ccacaggcta cacacacaaa acaggaaaca tgccaagttt 120  
gtttcaacgc attgatgact tctccaagga tcttcctttg gcatcgacca cattcagggg 180  
caaagaattt ctcatagcac agctcacaat acagggtcc tttctcctct a 231

<210> 456  
<211> 231

<212> DNA

<213> Homo sapiens

<400> 456

```
ttggcaggta cccttacaaa gaagacacca taccttatgc gttattaggt ggaataatca 60
ttccattcag tattatcggt attattcttg gagaaaccct gtctgtttac tgtaaccctt 120
tgcaactcaa ttccctttatc aggaataact acatagccac tatttacaaa gccattggaa 180
cctttttatt tgggtgcagct gctagtcagt ccctgactga cattgccaag t 231
```

<210> 457

<211> 231

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(231)

<223> n = A,T,C or G

<400> 457

```
cgagggtaccc aggggtctga aaatctctnn ttantagtc gatagcaaaa ttgttcatca 60
gcattcctta atatgatctt gctataatta gatttttctc cattagagtt catcacagttt 120
tatttgattt tattagcaat ctctttcaga agacccttga gatcattaag ctttgtatcc 180
agttgtctaa atcgatgcct catttcctct gaggtgtcgc tggcctttgt g 231
```

<210> 458

<211> 231

<212> DNA

<213> Homo sapiens

<400> 458

```
agggtctggtt ccccccactt ccactcccct ctactctctc taggactggg ctggggccaag 60
agaagagggg tgggttagga agccgttgag acctgaagcc ccaccctcta ccttccttca 120
acaccctaac cttgggtaac agcatttgga attatcattt gggatgagta gaatttccaa 180
ggctctgggt taggcatttt gggggggccag accccaggag aagaagattc t 231
```

<210> 459

<211> 231

<212> DNA

<213> Homo sapiens

<400> 459

```
ggtaccgagg ctgcgtgaca cagagaaacc ccaacgcgag gaaaggaatg gccagccaca 60
ccttcgcgaa acctgtggtg gcccaccagt cctaacggga caggacagag agacagagca 120
gccctgcact gttttccctc caccacagcc atcctgtccc tcattggctc tgtgctttcc 180
actatacaca gtcaccgtcc caatgagaaa caagaaggag caccctccac a 231
```

<210> 460

<211> 231

<212> DNA

<213> Homo sapiens

<400> 460

```
gcaggtataa catgctgcaa caacagatgt gactaggaac ggccggtgac atggggaggg 60
cctatcaccc tattcttggt ggctgcttct tcacagtgat catgaagcct agcagcaaat 120
cccacctccc cacacgcaca cggccagcct ggagcccaca gaagggtcct cctgcagcca 180
gtggagcttg gtccagcctc cagtccaccc ctaccaggct taaggataga a 231
```



<210> 461  
<211> 231  
<212> DNA  
<213> Homo sapiens

<400> 461  
cgagggtttga gaagctctaa tgtgcagggg agccgagaag caggcggcct agggaggggtc 60  
gcgtgtgctc cagaagagtg tgtgcatgcc agaggggaaa caggcgcctg tgtgtcctgg 120  
gtgggggttca gtgaggagtg ggaaattggt tcagcagaac caagccgttg ggtgaataag 180  
agggggattc catggcactg atagagccct atagtctcag agctgggaat t 231

<210> 462  
<211> 231  
<212> DNA  
<213> Homo sapiens

<400> 462  
aggtaccctc attgtagcca tgggaaaatt gatgttcagt ggggatcagt gaattaaatg 60  
gggtcatgca agtataaaaa ttaaaaaaaa aagacttcat gcccaatctc atatgatgtg 120  
gaagaactgt tagagagacc aacagggtag tgggttagag atttccagag tcttacattt 180  
tctagaggag gtatttaatt tcttctcact catccagtgt tgtatttagg a 231

<210> 463  
<211> 231  
<212> DNA  
<213> Homo sapiens

<400> 463  
tactccagcc tgggtgacaga gcgagaccct atcacgcgcc cccacccccc caaaaaaaaa 60  
actgagtaga cagggtgtcct ctctggcatgg taagtcttaa gtcccctccc agatctgtga 120  
catttgacag gtgtcttttc ctctggacct cgggtgtccc atctgagtga gaaaaggcag 180  
tggggagggt gatcttccag tcgaagcggg atagaagccc gtgtgaaaag c 231

<210> 464  
<211> 231  
<212> DNA  
<213> Homo sapiens

<400> 464  
gtactctaag attttatcta agttgccttt tctgggtggg aaagtttaac cttagtgact 60  
aaggacatca catatgaaga atgtttaagt tggagggtgg aacgtgaatt gcaaacaggg 120  
cctgtctcag tgactgtgtg cctgtagtcc cagctactcg ggagtctgtg tgaggccagg 180  
ggtgccagcg caccagctag atgctctgta acttctaggg cccattttcc c 231

<210> 465  
<211> 231  
<212> DNA  
<213> Homo sapiens

<400> 465  
catgttggtg tagctgtggt aatgctggct gcatctcaga cagggttaac ttcagctcct 60  
gtggcaaat agcaacaaat tctgacatca tatttatggt ttctgtatct ttgttgatga 120  
aggatggcac aatttttctg tgtgttcata atatactcag attagtctcag ctccatcaga 180  
taaactggag acatgcagga cattagggta gtgttgtagc tctggtaatg a 231

<210> 466  
<211> 231  
<212> DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 466

```

caggtaacctc tttccattgg ataactgtgct agcaagcatg ctctccgggg tttttttaat 60
ggccttcgaa cagaacttgc cacataacca ggtataatag tttctaacat ttgccagga 120
cctgtgcaat caaatattgt ggagaattcc ctactggag aagtcacaaa gactataggc 180
aataatggag accagtccca caagatgaca accagtcgtt gtgtgcggct g          231

```

&lt;210&gt; 467

&lt;211&gt; 311

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 467

```

gtacaccctg gcacagtcca atctgaactg gttcggcact catctttcat gagatggatg 60
tggtggcttt tctccttttt catcaagact cctcagcagg gagcccagac cagcctgcac 120
tgtgccttaa cagaaggctc tgagattcta agtgggaatc atttcagtga ctgtcatgtg 180
gcatgggtct ctgcccgaag tcgtaatgag actatagcaa ggcggctgtg ggacgtcagt 240
tgtgacctgc tgggcctccc aatagactaa caggcagtcg cagttggacc caagagaaga 300
ctgcagcaga c          311

```

&lt;210&gt; 468

&lt;211&gt; 3112

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 468

```

cattgtgttg ggagaaaaac agagggggaga tttgtgtggc tgcagccgag ggagaccagg 60
aagatctgca tgggtgggaag gacctgatga tacagagttt gataggagac aattaaaggc 120
tggaaggcac tggatgcctg atgatgaagt ggactttcaa actggggcac tactgaaacg 180
atgggatggc cagagacaca ggagatgagt tggagcaagc tcaataacaa agtggttcaa 240
cgaggacttg gaattgcatg gagctggagc tgaagttag cccaattgtt tactagttag 300
tggaatgttg atgattggat gatcatttct catctctgag cctcaggttc cccatccata 360
aaatgggata cacagtatga tctataaagt gggatatagt atgatctact tcaactgggtt 420
atltgaagga tgaattgaga taatttattt caggtgccta gaacaatgcc cagattagta 480
catttggttg aactgagaaa tggcataaca ccaaatttaa tatatgtcag atgttactat 540
gattatcatt caatctcata gttttgtcat ggcccaattt atcctcactt gtgcctcaac 600
aaattgaact gttaacaaag gaatctctgg tctctgggtaa tggctgagca ccaactgagca 660
tttccatttc agttggcttc ttgggtttgc tagctgcac actagtcac ttaaataaat 720
gaagttttta catttctcca gtgatttttt tatctcacct ttgaagatac tatgttatgt 780
gattaaataa agaacttgag aagaacagg ttcatataac ataaatcaa tgtagacgca 840
aattttctgg atgggcaata cttatgttca caggaaatgc tttaaaatat gcagaagata 900
attaaatggc aatggacaaa gtgaaaaact tagacttttt tttttttttt ggaagtatct 960
ggatgttctt tagtcaacta aaggagaact gaaaaatagc agtgagttcc acataatcca 1020
acctgtgaga ttaaggctct ttgtggggaa ggacaaagat ctgtaaattt acagtttcct 1080
tccaaagcca acgtcgaatt ttgaaacata tcaaagctct tcttcaagac aaataatcta 1140
tagtacatct ttcttatggg atgcacttat gaaaaatggt ggctgtcaac atctagtcac 1200
tttagctctc aaaatggttc attttaagag aaagttttag aatctcatat ttattcctgt 1260
ggaaggacag cattgtggct tggactttat aagggtcttta ttcaactaaa taggtgagaa 1320
ataagaaagg ctgctgactt taccatctga ggccacacat ctgctgaaat ggagataatt 1380
aacatcacta gaaacagcaa gatgacaata taatgtctaa gtagtgacat gtttttgcac 1440
atltccagcc cttttaaata tccacacaca cagggaagcac aaaagggaagc acagagatcc 1500
ctggggagaaa tggccggccg ccatcttggg tcatcgatga gcctcgccct gtgcctggtc 1560
ccgcttgtga gggaaggaca ttagaaaaatg aattgatgtg ttccttaaag gatgggcagg 1620
aaaacagatc ctgttgtgga tatltatttg aacgggatta cagatttgaa atgaagtcac 1680
aaagtgagca ttaccaatga gaggaaaaca gacgagaaaa tcttgatggc ttcacaagac 1740
atgcaacaaa caaatggaa tactgtgatg acatgaggca gccaaagctgg ggaggagata 1800
accacggggc agaggggtcag gattctggcc ctgctgccta aactgtgcgt tcataaccaa 1860

```

atcatttcat	atttctaacc	ctcaaaacaa	agctgttgta	atatctgata	tctacggttc	1920
cttctgggco	caacattctc	cataatocca	gccacactca	tttttaatat	ttagttoccca	1980
gatctgtact	gtgacotttc	tacactgtag	aataacatta	ctcattttgt	tcaaaagacc	2040
ttcgtgttgc	tgccataat	gtagctgact	gtttttccta	aggagtgttc	tggcccaggg	2100
gatctgtgaa	caggctggga	agcatctcaa	gatctttcca	gggttatact	tactagcaca	2160
cagcatgata	attacggagt	gaattatcta	atcaacatca	tcctcagtg	ctttgcccat	2220
actgaaattc	atttccact	tttgtgcccc	ttctcaagac	ctcaaaatgt	cattccatta	2280
atatcacagg	attaactttt	ttttttaacc	tggagaatt	caatgttaca	tgcagctatg	2340
ggaattta	tacatat	gttttccagt	gcaaagatga	ctaagtcctt	tatccctccc	2400
ctttgtttga	ttttttttcc	agtataaagt	taaaatgctt	agccttgta	tgaggctgta	2460
tacagccaca	gcctctcccc	atccctccag	ccttatctgt	catcaccatc	aacccctccc	2520
atgcacctaa	acaaaatcta	acttgtaatt	ccttgaacat	gtcaggcata	cattattcct	2580
tctgcctgag	aagctcttcc	ttgtctctta	aatctagaat	gatgtaaagt	tttgaataag	2640
ttgactatct	tacttcatgc	aaagaaggga	cacatatgag	attcatcatc	acatgagaca	2700
gcaataacta	aaagtgtaat	ttgattataa	gagtttagat	aaatatatga	aatgcaagag	2760
ccacagaggg	aatgtttatg	gggcacgttt	gtaagcctgg	gatgtgaagc	aaaggcaggg	2820
aacctcatag	tatcttatat	aatatacttc	atttctctat	ctctatcaca	atatccaaca	2880
agcttttcac	agaattcatg	cagtgcacaa	ccccaaaggt	aacctttatc	catttcatgg	2940
tgagtgcgct	ttagaatttt	ggcaaatcat	actggtcact	tatctcaact	ttgagatgtg	3000
tttgtccttg	tagttaattg	aaagaaatag	ggcactcttg	tgagccactt	taggggtcac	3060
tcctggcaat	aaagaattta	caaagagcaa	aaaaaaaaaa	aaaaaaaaaa	aa	3112

&lt;210&gt; 469

&lt;211&gt; 2229

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 469

agctctttgt	aaattcttta	ttgccaggag	tgaaccctaa	agtggtcac	aagagtgc	60
tatttctttc	aattaactac	aaggacaaac	acatctcaaa	gttgagataa	gtgaccagta	120
tgatttgcca	aaattctaaa	gcgcactcac	catgaaatgg	ataaagggtta	cctttgggga	180
tttgcaactgc	atgaattctg	tgaaaagctt	gttggatatt	gtgatagaga	tagagaaatg	240
aagtataatta	tataagatac	tatgagggtc	cctgcctttg	cttcacatcc	caggcttaca	300
aacgtgcccc	ataaacattc	cctctgtggc	tcttgcattt	catatattta	tctaaactct	360
tataatcaaa	tacactttta	gtatttgctg	tctcatgtga	tgatgaatct	catatgtgtc	420
ccttcttttg	atgaagtaag	atagtcacat	tattcaaaac	tttcatcatc	tctagattta	480
agagacaagg	aagagcttct	caggcagaag	gaataatgta	tgcttgacat	gttcaaggaa	540
ttacaagtta	gattttgttt	aggtgcatgg	gaggggttga	tggtgatgac	agataaggct	600
ggagggatgg	ggagaggctg	tggctgtata	cagcctcagt	acaaggctaa	gcattttaac	660
tttatacttg	aaaaaaaatc	aaacaaagg	gagggataaa	ggacttagtc	atcttttgac	720
tggaaaacaa	aatatgtaat	taaattccca	tagctgcatg	taacattgaa	ttcttccagg	780
ttaaaaaaa	agttaatcct	gtgatattaa	tggaaatgaca	ttttgagggtc	ttgagaatgg	840
gcacaaaagt	gggaaatgaa	tttcagtatg	ggcaaagaca	ctgaggatga	tggtgattag	900
ataattcact	ccgtaatgat	catgctgtgt	gctagtaagt	ataaccctgg	aaagatcttg	960
agatgcttcc	cagcctgttc	acagatcccc	tgggccagaa	cactccttag	gaaaaacagt	1020
cagctacata	ttaggcagca	acacgaagg	tctttgaaca	aaatgagtaa	tggtatttcta	1080
cagtgtagaa	aggtcacagt	acagatctgg	gaactaaata	ttaaaaatga	gtgtggctgg	1140
atatatggag	aatgttgggc	ccagaaggaa	ccgtagagat	cagatattac	aacagctttg	1200
ttttgagggt	tagaaatag	aaatgatttg	gttatgaacg	cacagtttag	gcagcagggc	1260
cagaatcctg	accctctgcc	ccgtgggttat	ctcctcccca	gcttggctgc	ctcatgtcat	1320
cacagtattc	cattttgttt	gttgcattgt	ttgtgaagcc	atcaagattt	tctcgtctgt	1380
tttctctca	ttggtaatgc	tacttttgtg	acttcatttc	aaatctgtaa	tcccgttcaa	1440
ataaatatcc	acaacaggat	ctgttttcc	gcccatcctt	taaggaacac	atcaattcat	1500
tttctaattg	ccttccctca	caagcgggac	caggcacagg	gcgaggctca	tcgatgaccc	1560
aagatggcgg	ccgggcattt	ctcccaggga	tctctgtgct	tctttttgtg	cttctgtgtg	1620
gtgtggatat	ttaaaggggc	tggaaatgtg	caaaaacatg	tcactactta	gacattatat	1680
tgatcatctg	ctgtttctag	tgatgttaat	tatctccatt	tcagcagatg	tggtggcctca	1740
gatggtaaa	tcagcagcct	ttcttatttc	tcacctggaa	atacatacga	ccatttgagg	1800

```

agacaaatgg caaggtgtca gcataccctg aacttgagtt gagagctaca cacaatatta 1860
ttggtttccg agcatcacia acaccctctc tgtttcttca ctgggcacag aattttaata 1920
cttatattcag tgggctgttg gcaggaacaa atgaagcaat ctacataaag tctactagtgc 1980
agtgcctgac acacaccatt ctcttgaggt cccctctaga gatcccacag gtcatatgac 2040
ttcttgggga gcagtggctc acacctgtaa tcccagcact ttgggaggct gaggcagggtg 2100
ggtcacctga ggtcaggagt tcaagaccag cctggccaat atggtgaaac cccatctcta 2160
ctaaaaatac aaaaattagc tgggcgtgct ggtgcatgcc tgtaatocca gccccaacac 2220
aatggaatt                                     2229

```

&lt;210&gt; 470

&lt;211&gt; 2426

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 470

```

gtaaattctt tattgccagg agtgaaccct aaagtggctc acaagagtgc cctattttctt 60
tcaattaact acaaggacaa acacatctca aagttgagat aagtgaccag tatgatttgc 120
caaaattcta aagcgcactc accatgaaat ggataaaggt tacctttggg gatttgcact 180
gcatgaattc tgtgaaaagc ttgttgata ttgtgataga gatagagaaa tgaagtatat 240
tatataagat actatgaggt tccctgcctt tgcttcacat cccaggctta caaacgtgcc 300
ccataaacat tccctctgtg gctcttgcac ttcatatatt tatctaaact cttataatca 360
aattacactt ttagtatttg ctgtctcatg tgatgatgaa tctcatatgt gtcccttctt 420
tgcatgaagt aagatagtca acttattcaa aactttacat cattctagat ttaagagaca 480
aggaagagct tctcaggcag aaggaataat gtatgcctga catgttcaag gaattacaag 540
ttagattttg tttagggtgca tgggaggggt tgatgggtgat gacagataag gctggaggga 600
tggggagagg ctgtggctgt atacagcctc agtacaaggc taagcatttt aactttatac 660
tggaaaaaaaa atcaaacaaa ggggagggat aaaggactta gtcatctttg cactggaaaa 720
caaaatatgt aattaaattc ccatagctgc atgtaacatt gaattcttcc aggttaaaaa 780
aaaaagttaa tccctgtgata ttaatggaat gacattttga ggtcttgaga atgggcacaa 840
aagtgggaaa tgaatttcag tatgggcaaa gacactgagg atgatgttga ttagataatt 900
cactccgtaa tgatcatgct gtgtgctagt aagtataacc ctggaaagat cttgagatgc 960
ttcccagcct gttcacagat cccctgggcc agaacactcc ttaggaaaaa cagtcagcta 1020
catatttagc agcaacacga agggctctttg aacaaaatga gtaatgttat tctacagtgt 1080
agaaaggcca cgtacagat ctgggaacta aatattaaaa atgagtgtgg ctggatata 1140
ggagaatgtt gggcccgaaa ggaaccgtag agatcagata ttacaacagc ttgtttttga 1200
gggttagaaa tatgaaatga tttggttatg aacgcacagt ttaggcagca gggccagaat 1260
cctgaccctc tgccccgtgg ttatctcctc cccagcttgg ctgcctcatg tcatcacagt 1320
attccatttt gtttgttgca tgtcttgtga agccatcaag attttctcgt ctgttttctt 1380
ctcatttgta atgctcactt tgtgacttca tttcaaactc gtaatcccg tcaaataaat 1440
atccacaaca ggaatctgtt tccctgccat cctttaagga acacatcaat tcattttcta 1500
atgtccttcc ctcaacagc ggaccaggca cagggcgagg ctcatcgatg acccaagatg 1560
gcggccgggc atttctccca gggatctctg tgcttccctt tgtgcttccg gtgtgtgtgg 1620
atatttaaag gggctggaaa tgtgcaaaaa catgtcacta cttagacatt atattgtcat 1680
cttgctgttt ctagtgatgt taattatctc catttcagca gatgtgtggc ctgagatggg 1740
aaagtcagca gcctttctta tttctcacct ggaatacat acgaccattt gaggagacaa 1800
atggcaagggt gtcagcatac cctgaacttg agttgagagc tacacacaat attattgggt 1860
tccgagcatc acaaacaccc tctctgtttc ttcactgggc acagaatttt aatacttatt 1920
tcagtgggct gttggcagga acaaatgaag caatctacat aaagtcacta gtgcagtgcc 1980
tgacacacac cattctcttg aggtcccctc tagagatccc acaggtcata tgacttcttg 2040
gggagcagtg gctcacacct gtaatccag cactttggga ggctgaggca ggtgggtcac 2100
ctgaggtcag gagttcaaga ccagcctggc caatatggtg aaaccccatc tctactaaaa 2160
atacaaaaat tagctgggag tgctgggtgca tgctgtaat cccagctact tgggaggctg 2220
aggcaggaga attgctggaa catgggaggc ggaggttgca gtgagctgta attgtgccat 2280
tgactcga cctgggcgac agagtggaac tctgtttcca aaaaacaaac aaacaaaaaa 2340
ggcatagtca gatacaacgt ggtgggatg tgtaaataga agcaggatat aaagggcag 2400
gggtgacggg tttgccaac acaatg                                     2426

```

&lt;210&gt; 471

<211> 812  
<212> DNA  
<213> Homo sapiens

<400> 471  
gaacaaaatg agtaatgtta ttctacagtg tagaaaggtc acagtacaga tctgggaact 60  
aaatattaaa aatgagtgtg gctggatata tggagaatgt tgggccaga aggaaccgta 120  
gagatcagat attacaacag ctttgttttg agggtagaa atatgaaatg atttggttat 180  
gaacgcacag tttaggcagc agggccagaa tcctgaccct ctgcccctg gttatctcct 240  
ccccagcttg gctgcctcat gtcacacag tattccattt tgtttgttg atgtcttggt 300  
aagccatcaa gattttctcg tctgttttcc tctcattggt aatgctcact ttgtgacttc 360  
atttcaaatc tgtaatcccg ttcaaataaa tatccacaac aggatctgtt ttctgcccc 420  
tcctttaagg aacacatcaa ttcattttct aatgtccttc ctcacaagc gggaccaggc 480  
acagggcgag gctcctcgat gacccaagat ggcggccggg catttctcc agggatctct 540  
gtgcttcctt ttgtgcttcc tgtgtgtgtg gatattttaa ggggctggaa atgtgcaaaa 600  
acatgtcact acttagacat tataattgtca tcttgctgtt tctagtgtg ttaattatct 660  
ccatttcagc agatgtgtgg cctcagatgg taaagtcagc agcctttctt atttctcacc 720  
tctgtatcat caggtccttc ccaccatgca gatcttctg gtctccctcg gctgcagcca 780  
cacaaatctc ccctctgttt ttctgatgcc ag 812

<210> 472  
<211> 515  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(515)  
<223> n = A,T,C or G

<400> 472  
acggagactt attttctgat attgtctgca tatgtatgtt tttaaagagtc tggaaatagt 60  
cttatgactt tcctatcatg cttattaata aataatacag cccagagaag atgaaaatgg 120  
gttccagaat tattggctct tgcaagcccg tgaatctcag caagaggaa caccaactga 180  
caatcaggat attgaacctg gacaagagag agaaggaaca cctccgatcg aagaacgtaa 240  
agtagaagg gattgccagg aaatggatct ggaaggaact cggagtgagc gtggagatgg 300  
ctctgatgta aaagagaaga ctccacctaa tcctaagcat gctaagacta aagaagcagg 360  
agatgggcag ccataagtta aaaagaagac aagctgaagc tacacacatg gctgatgtca 420  
cattgaaaat gtgactgaaa atttgaaaat tctctcaata aagtttgagt tttctctgaa 480  
gaaaaaaaa naaaaaaaaa aaaaaaaaaa aaaaa 515

<210> 473  
<211> 5829  
<212> DNA  
<213> Homo sapiens

<400> 473  
cgcatgccgg ggaagcccaa gctggctcga agagccacca gccacctgtg caagggtggg 60  
cctggaccag ttggaccagc caccaagctc acctactcaa ggaagcagg atggccagg 120  
tgcaacagcc tgagtggctg ccacctgata gctgatggag cagaggcctg aggaaaatca 180  
gatggcacat ttagctcttt aatggatctt aagttaattt ttctataaag cacatggcac 240  
cagtccatgc ctccagagctc gtatggcact gcggaccaca gcaggccgag ttcccaggat 300  
tgccatccag gggggccttc tgtagccctg gccagacctt gcagagggtg ctgggtgctc 360  
tttgagcgag ctccggcctcc ctggcatgca caggccccag gtactgacac gctgctctga 420  
gtgagcttgt cctgccttgg ctgccaccta actgctgatg gagcagcggc cttaggaaaa 480  
gcaaatggcg ctgtagccca actttagggt agaagaagat gtacctgtc cgcccgctag 540  
ttgggtgactg gtgcacctgc tcctggcgta cccttgca gaagtggtgtg tgcctcttgg 600  
ccagcttggc cttgcctggc atgcacaagc ctccagtcaa caactgtcct acaaatggag 660

acacagagag	gaaacaagca	gcgggctcag	gagcaggggtg	tgtgctgcct	ttggggctcc	720
agtccatgcc	tcgggtcgta	tgggtactgca	ggcttccttg	ttgccaagag	gcggaccaca	780
ggccttcctg	aggaggactt	tacgttcaag	tgcagaaagc	agccaaaatt	accatccatg	840
agactaagcc	ttctgtggcc	ctggcgagac	ttaaaatttg	tgccaaggca	ggacaagctc	900
actcggagca	gcgtgtcagt	agctggggcc	tatgcatgcc	gggcagggcc	gggctggctg	960
aaggagcaac	cagccacctc	tgcaagggtg	cgcctagtgc	aggcggagca	tccaccacct	1020
cacccgctcg	aggaagtggg	gatggccagg	ttcccacagc	ctgagtgtct	gccaccttat	1080
tgctgatgga	gcagaggcct	taagaaaagc	agatggcact	gtggccctac	ctttaggggtg	1140
gaagaagtga	tgtacatgtc	cggacgctaa	ttggtgactg	gtacaccggc	tctgtctaca	1200
cctttgcaga	ggtggctggg	tgctctttga	gccagcttgt	ccttgcccgg	catgcacaag	1260
tttcagtgc	acaactttgc	cacaaatgga	gccatataga	ggaaacaaga	agcaggttca	1320
ggagaagggg	gtaccctgcc	tttggggctc	cagtccatgc	ctcagggtgc	acatggcact	1380
gcgggcttct	tggttgccag	gaggcggacc	acaggccatc	ttggggagga	ctttgtgttc	1440
aagtgcagaa	agcagccagg	attgccatcc	agggggacct	tctatagccc	tggccaaacc	1500
ttgcaggggt	gtctggttgc	tctttgagcc	ggcttggcct	ccctggcatg	cacgggcccc	1560
aggtgctggc	acgctgctcc	gagtgtgctt	gtcctgcctt	ggctgccacc	tctgcggggg	1620
tgcgtcctga	gggggtggac	cggccaccaa	ccttaccag	tcaagggaag	ggatggccat	1680
gttcccacag	cctgagtggc	tgccacctga	tggctgatgg	agcaaaggcc	ttaggaaaag	1740
cagatggccc	ttggccctac	ctttttgtta	gaagaactga	tgttccatgt	cctgcagcga	1800
gtgaggttgg	tggctgtgcc	cccagctcct	ggcgcgccct	cgcagaggtg	actggttgot	1860
ctttggggccc	tcttggcctt	gccagcatg	cacaagcctc	agtgtacta	ctgtgctaca	1920
aatggagcca	tataggggaa	acgagcagcc	atctcaggag	caagggtgat	gctgcctttg	1980
ggggctccag	tccttgcctc	aagggtctta	tgtcactgtg	ggcttccttg	ttgtcaagag	2040
gcagaccata	ggcgcgtctg	agagggactt	tatgttcaag	tgcagaaagc	agccaggatt	2100
gccaccctcg	cgactctgcc	ttctgtggcc	ctggccaaac	ttagaatttg	gccgtagaca	2160
ggacaggctc	acttgagta	gcgtgtccgt	agctggggtc	tgtgcatgcc	gggcaaggcc	2220
gggttggtc	ggggagcaac	cagccacctc	tgcgggggtg	cgcttgagc	aggtggagca	2280
gccaccagct	caccactcc	aggaagccgg	ggtagccagg	ttccaaggc	ctgagtgggt	2340
gccacctaat	ggctgaagaa	acagaggcct	tgggaaaacc	agatggcact	gtggccctac	2400
ctttatggta	gaagagctga	tttagcctga	ctggcagcgt	gtgggggttg	tggctggctc	2460
gocctgtgct	ggcgcctccg	tgcaaggatg	gctggttgcc	ctttgagcca	gcttgcctt	2520
gcccggcatg	cgaagcctc	agtgaacaa	ctgtgctgca	aatggggcca	tatagaggaa	2580
aggagcagct	ggctctggag	catggtgtgc	actcccttg	ggccttcagt	ccatgtctca	2640
tgggtcgtat	gacactgcgg	gcttgttggg	tgccaagagg	cagaccacag	gtcatcttga	2700
ggaggacttt	atgttccagt	ccagaaagca	gccagtggta	ccaccaggg	gacttgtgct	2760
tctgtgcccc	ggccagacgt	agaatttgac	aaagtcagga	cggctcagt	cagagcggcg	2820
tgtcggctccc	cggggcctgt	gcattgccgg	cagggccggg	ctggcttggg	gagcaagcag	2880
ccacctctgt	taagggtgtg	cctggagcag	gtggagcagc	caccaacctc	acgcactgaa	2940
agaagcaggg	atggccagggt	tccaacatcc	tcatgtggctg	ccacctgatg	gctgatggag	3000
cagagccctg	aggaaaagca	gatggcactg	ctttgtagt	ctgttctttg	tctctcttga	3060
tctttttcag	ttaatgtctg	ttttatcaga	gactaggatt	gcaaaccctg	ctcttttttg	3120
ctttccattt	gcttggtaaa	tattcctcca	tccctttatt	ttaagcctat	gtgtgtcttt	3180
gcacatgaga	tgggtctcct	gaatacagga	caacaatggg	tctttactct	ttatccaact	3240
tgcagctctg	tgtcttttaa	ctggggcatt	tagcccat	acatttaagt	ttagtattgt	3300
tacatgtgaa	atztatcctg	tcatgatgtt	gctagctttt	tatttttccc	attagtttgc	3360
agtttcttta	tagtgtcaat	ggtctttaca	attcgatatg	ttttttagtg	ggctggtagt	3420
ggtttttctt	ttctacgttt	agtgtctcct	tcaggagctc	ttgtaacaca	agaatgtgga	3480
tttatttctt	gtaaggtaaa	tatgtggatt	tatttcttgg	gactgtattc	tatggccttt	3540
accccaagaa	tcattacttt	ttaaaatgca	attcaaatta	gcataaaaca	tttacagcct	3600
atggaaaggc	ttgtggcatt	agaatcctta	tttataggat	tatttttgtg	ttttttgaga	3660
tatggtcttt	gtcatcgagg	cagaagtgcc	gtggtttgat	cataattcac	cacagccctg	3720
aaactcttgag	tccaagccat	ccttttgcct	taatctccca	accagttgga	tctgcaggca	3780
taaggcatca	tgcgtggcta	attttttcac	gttttttttt	tttttttgtc	gagattatgg	3840
tgtcatgtg	tgtctgggc	tgatctcaaa	tgtttgacct	caagggatct	ttctgccacg	3900
gctcctaaaa	gtgctaggat	tatatgcatt	atacaccatg	cctattgtag	agtattacat	3960
tattttcaaa	gtcttattgt	aagagccatt	tattgccttt	ggcctaaata	actcaatata	4020
atatctctga	aacttttttt	tgacaaat	tggggcgtga	tgatgagaga	aggggggttg	4080
aaactttcta	ataagagtta	acttagagcc	atttaagaaa	ggaaaaaaca	caaattatca	4140

```

gaaaaacaac agtaagatca agtgcaaaag ttctgtggca aagatgatga gagtaagaa 4200
tatatgtttg tgactcatgg tggcttttac tttgttcttg aatttctgag tacgggttaa 4260
catttaaaga atctacatta tagataacat tttattgcaa gtaaatgtat ttcaaaattt 4320
gttattgggt ttgtatgaga ttattctcag cctacttcat tatcaagcta tattatttta 4380
ttaatgtagt tcatgatctt tacagcaaag ctgaaagctg tatcttcaaa atatgtctat 4440
ttgactaaaa agttattcaa caggagttaa tatctataaa aaaaatacaa caggaatata 4500
aaaaacttga ggataaaaag atgttggaaa aagtaaatatt aaatcttaaa aaacatatgg 4560
aaactacaca atggtgaaga cacattgggt aagtacaaaa atataaattg gatctagaag 4620
aaaggccaat gcaggcaata gaaaaattag tagaaatccc tttaaagggt agtttgtaaa 4680
atcaggtaag tttatttata atttgctttc atttatttca ctgcaaatata tattttggat 4740
atgtatatat attgtgcttc ctctgcctgt cttacagcaa tttgccttgc agagtcttag 4800
gaaaaagggt gcatgtgttt ttactttcaa aatattttaa tttccatcat tataacaaaa 4860
tcaatttttc agagtaatga ttctcactgt ggagtcattt gattattaag acccggtggc 4920
ataagattac atcctctgac tataaaaatc ctggaagaaa acctaggaaa tattcgtctg 4980
gacattgcac ttggcaatga atttatgggt aacctgat ccacttccag tcaactatcca 5040
tgagttttta tttccagata catgaaatca tatgagttga aactttcttt tgattgagca 5100
gtttggaaac cgtctttttg tagaatctgc aagtggatat ttggaaccct ttgaggccta 5160
tgctgaaaaa agaaatatct tcaactacat atgaccacca gcagcagctg gggaaaccag 5220
caccctgtgg aattccatac ggtgcataga atacatcctc ccttcagtgc gcttgggtca 5280
acttaggtca tgggccacct ggctgatagc agtttccaca gaaatgcttc aagatgaaag 5340
tggatgaccg ggccaccctc caccactgcc ctgtaagacc atgggacaca caggccacca 5400
gttcttttca tgtggtcatc cctgttaga tgggagaaaa tacacctgcc tcatttttgt 5460
accttctgtg tgaacattcc acggcagact gtcgctaaat gtggatgaag aattgaatga 5520
atgaatgaat atgagagaaa atgaataaat ggttcagatc ctgggctgga aggctgtgta 5580
tgaggatggt gggtagagga gggctgtttt ttcttgcttt taaatcacta attgtcactt 5640
tggggcagga gcacaggctt tgaatgcaga ccgactggac ttaattctg gctttactag 5700
ttgtgattgt gtgaccttgt gaaagttact taaacctctt gtgcctgttt ctttatctgt 5760
aaaatggaga taataagatg tcaaaggact gtggaagaa ttaaatgctt taacaaaaaa 5820
aaaaaaaaa 5829

```

&lt;210&gt; 474

&lt;211&gt; 1594

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 474

```

atttatggat cattaatgcc tcttttagtag ttttagagaaa acgtcaaaaag aaatggcccc 60
agaataagct tcttgatttg taaaattcta tgtcattggc tcaaatttgt atagtatctc 120
aaaatataaa tatatagaca tctcagataa tatatttgaa atagcaaat cctgtagaa 180
aataatagta cttaactaga tgagaataac aggtcgccat tatttgaatt gtctcctatt 240
cgtttttcat ttgttggtgt actcatgttt tacttatgag ggatatatat aacttccact 300
gttttcagaa ttattgtatg cagtcagtat gagaatgcaa tttaagtttc cttgatgctt 360
tttcacactt ctattactag aaataagaat acagtaatat tggcaaagaa aattgaccag 420
ttcaataaaaa ttttttagta aatctgattg aaaataaaca ttgcttatgg ctttcttaca 480
tcaatattgt tatgtcctag acaccttatc tgaaattacg gcttcaaaat tctaattatg 540
tgcaaatgtg taaaatatca atactttatg ttcaagctgg ggcctcttca ggcgtcctgg 600
gctgagagag aaagatgcta gctccgcaag ccggagaggg aacaccgcca cattgttaca 660
cggacacacc gccacgtgga cacatgacca gactcacatg tacagacaca cggagacatt 720
accacatgga gacaccgtca cacagtca cggacacact ggcatagtca catggacgga 780
cacacagaca tatggagaaa tcacatggac acaccaccac actatcacag ggacacagac 840
acacggagac atcaccacat ggacacactg tcacactacc acagggacac gagacatcac 900
actgtcacat ggacacacca tcacacacat gaacacaccg acacactgcc atatggacac 960
tggcacacac actgccacac tgtcacatgg acacacctcc acaccatcac accaccacac 1020
acactgcctt tggacacaag gacacacaga cactgtcaca cagatacaca aaacactgtc 1080
acacggagac atcaccatgc agatacacca ccactctggt gccgtctgaa ttaccctgct 1140
ggggggacag cagtggcata ctcatgccta agtgactggc tttcacccca gtagtgattg 1200
ccctccatca acactgccc ccccagggtt gggtaccccc agcccatctt taaaaaacag 1260
ggcaagggtga actaatggag tgggtggagg agttggaaga aatcccagcg tcagtcaccg 1320

```

```

ggatagaatt cccaaggaac cctctttttg gaggatggtt tccattttctg gaggcgatct 1380
gccgacaggg tgaatgcctt cttgcttgct ttctggggaa tcagagagag tccgttttctg 1440
ggtgggaaga gtgtggctgt gtactttgaa ctccgtgtaa ttctctgact catgtccaca 1500
aaaccaacag ttttgtgaat gtgtctggag gcaaggggag ggccactcag gatctatgtt 1560
gaagggaaga ggcctggggc tggagtattc gctt 1594

```

&lt;210&gt; 475

&lt;211&gt; 2414

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; unsure

&lt;222&gt; (33)

&lt;223&gt; n=A, T, C or G

&lt;400&gt; 475

```

cccaacacaa tggctttata agaatgcttc acntgtgaaa aacaaatata aaagtcttct 60
tgtagattat ttttaaggac aaatctttat tccatgttta atttatttag ctttccctgt 120
agctaataat tcatgctgaa cacattttta atgctgtaaa tgtagataat gtaattttatg 180
tatcattaat gcctctttag tagtttagag aaaacgtcaa aagaaatggc cccagaataa 240
gcttcttgat ttgtaaaatt ctatgtcatt ggctcaaatt tgtatagtat ctcaaaatat 300
aaatatatag acatctcaga taatatatgt gaaatagcaa attcctgtta gaaaaataa 360
gtacttaact agatgagaat aacaggctgc cattatttga attgtctcct attcgttttt 420
catttggtgt gttactcatg ttttacttat ggggggatat atataacttc cgctgttttc 480
agaagtattg tatgcagtca gtatgagaat gcaatttaag tttccttgat gctttttcac 540
acttctatta ctgaaataa gaatacagta atattggcaa agaaaattga ccagttcaat 600
aaaatTTTTT agtaaactg attgaaaata aacattgctt atggctttct tacatcaata 660
ttgttatgtc ctgacacct tatctgaaat tacggcttca aaattctaata tatgtgcaaa 720
tgtgtaaaat atcaataact tatgttcaag ctggggcctc ttcaggcgct ctgggctgag 780
agagaaagat gctagctcgg caagccgggg agggaacacc gccacattgt tacatggaca 840
caccgccacg tggacacatg accagactca catgtacaga cacacggaga cattaccaca 900
tggagacacc gtacacagc cacacgagca cactggcata gtcacatgga cggacacaca 960
gacatatgga gaaatcacac tgacacacca ccacactatc acagggacac agacacacgg 1020
agacatcacc acatggacac actgtcacac taccacaggg acacgagaca tcacactgtc 1080
acatggacac accatcacac acatgaacac accgacacac tgccatatgg aactgccac 1140
acacactgcc aactgtcac atggacacac ctccatacca tcacaccacc acacacactg 1200
ccatgtggac acaaggacac acagacactg tcacacagat acacaaaaca ctgtcacacg 1260
gagacatcac catgcagata caccaccaca tggacatagc accagacact ctgccacaca 1320
gatacaccac cacacagaaa tgcggacaca ctgccacaca gacaccacca catcgttgcc 1380
acactttcat gtgtcagctg gcggtgtggg cccacgact ctgggctcta atcgagaaat 1440
tacttgagca tatagtgaag gcaaaatTTT tttttatTTT ctgggtaacc aagcgcgact 1500
ctgtctcaaa aaaagaaaaa aaaagcaata tactgtgtaa tcgttgacag cataattcac 1560
tattatgtag atcggagagc agaggattct gaatgcatga acatatcatt aacatttcaa 1620
tacattactc ataattactg atgaactaaa gagaaccaa gaaattatgg tgatagttat 1680
attgacotgg agaaatgtag acacaaaaga accgtaagat gagaaatgtg ttaacacagt 1740
ctataagggc atgcaagaat aaaaataggg gagaaaacag gagagtTTTT caagagcttt 1800
ctggctatct aagtcaactt gtatcggtta atttttaaaa ggtttattta catgcaataa 1860
actgcacata cttcaattgt acatttttgt aattcttggc atttgtagct ctataaaacc 1920
agcaacatat taaaatagca aacatatcca ttacctttac caccaaagtt ttcttgtgtt 1980
ttttctactc actttttcct gcctatcccc ccatctcttc cacaggtaac cactgatcca 2040
cttccagtca ctatccatga gtttttattt ccaaatacat gaaatcatat gaatttctgg 2100
tttttctgtg tggagcccaa ggagcaaggg cagaatgagg aacatgatgt ttcttwccga 2160
cagttactca tgacgtctcc atccaggact gaggggggca tccttctcca tctaggactg 2220
ggggcatcct tctccatcca gtattggggg tcactccttc ccatccagta ttgggggtca 2280
tctctcccca tccaggacct gaggggtgtc cttttctcgc ctctcttggg tggcagctct 2340
tcccttcatg ttttagtra cttaccatta aatcactgtg ccgttttttc ctaaaaataa 2400
aaaaaaaaaa aaaa 2414

```



<210> 476  
<211> 3434  
<212> DNA  
<213> Homo sapiens

<400> 476

```
ctgtgctgca aatgggggcca tatagaggaa aggagcagct ggctctggag catgggtgtgc 60
actccctttg ggcccttcagt ccatgtctca tgggtcgat gacactgcgg gcttgttggg 120
tgccaagagg cagaccacag gtcattctga ggaggacttt atgttccagt ccagaaagca 180
gccagtggta ccaccagggg gacttgtgct tctgtggccc aggccagacg tagaatttga 240
caaagtcagg acggtctcag tcagagcagc atgtcgggcc ccggggcctg tgcattgcgg 300
gcagggccag gctggcttaa ggagcaagca gccacctctg ttaggggtgt gcctggagca 360
ggtggagcag ccaccaacct cacgcactga aagaagcagg gatggccagg ttccaacatc 420
ctgagtggct gccacctgat ggctgatgga gcagaggcct gaggaaaagc agatggcact 480
gctttgtagt gctgttcttt gtctctcttg atctttttca gttaatgtct gttttatcag 540
agactaggat tgcacaacct gctctttttt gctttccatt tgcttggtaa atattcctcc 600
atccctttat ttttaagccta tgtgtgtctt tgcacatgag atgggtctcc tgaatacagg 660
acaacaatgg gtctttaact tttatccaac ttgccagtct gtgtctttta actggggcat 720
ttagcccat taccatttaag tttagtattt gttacatgtg aaatttatcc tgtcatgatg 780
ttgctagctt tttatttttc ccattagttt gcagtttctt tatagtgtca atggtcttta 840
caattcgata tgtttttgta gtggctggta ctggtttttc ctttctacgt ttagtgtctc 900
cttcaggagc tcttgtaaca caagaatgtg gatttatttc ttgtaaggta aatatgtgga 960
tttattctgg gactgtattc tatggccttt accccaagaa tcattacttt taaaatgca 1020
attcaaatta gcataaaaca tttacagcct atggaaaggc ttgtggcatt agaattcctta 1080
tttataggat tattttgtgt ttttttgaga tatggtcttt gtcatcgagg cagaagtgcc 1140
gtggtttgat cataattcac cacagccctg aactcttgag tccaagccat ccttttgctt 1200
taatctccca accagttgga tctacaagca taaggcatca tgcgtggcta attttttcac 1260
gttttttttt tttttgtcga gattatggta tcaactgtgtt gctctggctg atctcaaag 1320
tttgacctca agggatcttt ctgccacagc ctctaaagt gctaggatta tatgcatgat 1380
acaccatgcc tattgtagag tattacatta ttttcaaagt cttattgtaa gagccattta 1440
ttgctatttg cctaaataac tcaatataat atctctgaaa cttttttttg acaaattttg 1500
gggcgtgatg atgagagaag ggggtttgaa actttctaag aagagttaac ttagagccat 1560
ttaagaaagg aaaaaacaca aattatcaga aaaacaacag taagatcaag tgcaaaagtt 1620
ctgtggcaaa gatgatgaga gtaaagaata tatgtttgtg actcatgggt gcttttactt 1680
tgttcttgaa tttctgagta cgggttaaca tttaaagaat ctacattata gataacattt 1740
tattgcaagt aaatgtattt caaaatttgt tattggtttt gtatgagatt attctcagcc 1800
tacttcatta tcaagctata ttattttatt aatgtagttc gatgatctta cagcaaagct 1860
gaaagctgta tcttcaaaat atgtctattt gactaaaaag ttattcaaca ggagttatta 1920
tctataaaaa aataaacacag gaatataaaa aacttgagga taaaagatg ttggaaaaag 1980
taatattaaa tcttaaaaaa catatggaaa ctacacaatg gtgaagacac attgggtgaag 2040
tacaaaaata taaattggat ctagaagaaa gggcaatgca ggcaatagaa aaattagtag 2100
aaatcccttt aaaggttagt ttgtaaaatc aggttaagtt atttataatt tgctttcatt 2160
tatttcaactg caaattatat tttggatatg tatatatatt gtgcttcctc tgctgtctt 2220
acagcaattt gccttgacga gttctaggaa aaagggtggca tgtgttttta ctttcaaaat 2280
atttaaattt ccattcattat aacaaaatca atttttcaga gtaatgattc tcaactgtga 2340
gtcattttgat tattaagacc cgttggcata agattacatc ctctgactat aaaaatcctg 2400
gaagaaaacc taggaatat tctgtctggac attgcaactg gcaatgaatt tatgggcgct 2460
ttggaatcct gcagatataa taatgataat taaacaaaac actcagagaa actgccaacc 2520
ctaggatgaa gtatattgtt actgtgcttt gggattaaaa taagtaacta cagtttatag 2580
aacttttata ctgatacaca gacactaaaa agggaaaggg tttagatgag aagctctgct 2640
atgcaatcaa gaatctcagc cactcatttc tgtaggggct gcaggagctc cctgtaaaga 2700
gaggttatgg agtctgtagc ttcaggtaag atacttaaaa cccttcagag tttctccatt 2760
ttttcccata gtttcccaa aaaggttatg acactttata agaattgttc acttgtgaaa 2820
aacaatatc aaagtcttct ttttaaggac aaatctttat tccatgttta 2880
atttatttag ctttccctgt agctaataat tcatgctgaa cacattttta atgctgtaaa 2940
tgtagataat gtaatttatg tatcattaat gcctctttag tagtttagag aaaacgtcaa 3000
aagaaatggc ccagaaataa gcttcttgat ttgtaaaatt ctatgtcatt ggctcaaatt 3060
```

```
<210> 477
<211> 140
<212> PRT
<213> Homo sapiens
```

```
<400> 477  
Met Asp Gly His Thr Asp Ile Trp Arg Asn His Met Asp Thr Pro Pro  
                    5                               10                        15  
  
His Tyr His Arg Asp Thr Asp Thr Arg Arg His His His Met Asp Thr  
                20                                25                      30  
  
Leu Ser His Tyr His Arg Asp Thr Arg His His Thr Val Thr Trp Thr  
          35                            40                          45  
  
His His His Thr His Glu His Thr Asp Thr Leu Pro Tyr Gly His Trp  
      50                             55                           60  
  
His Thr His Cys His Thr Val Thr Trp Thr His Leu His Thr Ile Thr  
   65                              70                         75              80  
  
Pro Pro His Thr Leu Pro Val Asp Thr Arg Thr His Arg His Cys His  
               85                                90                       95  
  
Thr Asp Thr Gln Asn Thr Val Thr Arg Arg His His His Ala Asp Thr  
                 100                            105                     110  
  
Pro Pro Leu Trp Cys Arg Leu Asn Tyr Pro Ala Gly Gly Thr Ala Val  
    115                            120                  125  
  
Ala Tyr Ser Cys Leu Ser Asp Trp Leu Ser Pro Gln  
     130                            135                   140
```

```
<210> 478
<211> 143
<212> PRT
<213> Homo sapiens
```

```

<400> 478
Met Tyr Arg  His  Thr  Glu  Thr  Leu  Pro  His  Gly  Asp  Thr  Val  Thr  Gln
                    5                      10                      15

Ser  His  Gly  His  Thr  Gly  Ile  Val  Thr  Trp  Thr  Asp  Thr  Gln  Thr  Tyr
                    20                      25                      30

Gly  Glu  Ile  Thr  Trp  Thr  His  His  His  Thr  Ile  Thr  Gly  Thr  Gln  Thr
                    35                      40                      45

His  Gly  Asp  Ile  Thr  Thr  Trp  Thr  His  Cys  His  Thr  Thr  Thr  Gly  Thr

```

166

50                      55                      60  
 Arg Asp Ile Thr Leu Ser His Gly His Thr Ile Thr His Met Asn Thr  
 65                      70                      75                      80  
 Pro Thr His Cys His Met Asp Thr Gly Thr His Thr Ala Thr Leu Ser  
 85                      90                      95  
 His Gly His Thr Ser Thr Pro Ser His His His Thr His Cys Leu Trp  
 100                      105                      110  
 Thr Gln Gly His Thr Asp Thr Val Thr Gln Ile His Lys Thr Leu Ser  
 115                      120                      125  
 His Gly Asp Ile Thr Met Gln Ile His His His Ser Gly Ala Val  
 130                      135                      140  
  
 <210> 479  
 <211> 222  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 479  
 Met Tyr Arg His Thr Glu Thr Leu Pro His Gly Asp Thr Val Thr Gln  
 5                      10                      15  
 Ser His Glu His Thr Gly Ile Val Thr Trp Thr Asp Thr Gln Thr Tyr  
 20                      25                      30  
 Gly Glu Ile Thr Leu Thr His His His Thr Ile Thr Gly Thr Gln Thr  
 35                      40                      45  
 His Gly Asp Ile Thr Thr Trp Thr His Cys His Thr Thr Thr Gly Thr  
 50                      55                      60  
 Arg Asp Ile Thr Leu Ser His Gly His Thr Ile Thr His Met Asn Thr  
 65                      70                      75                      80  
 Pro Thr His Cys His Met Asp Thr Ala Thr His Thr Ala Thr Leu Ser  
 85                      90                      95  
 His Gly His Thr Ser Ile Pro Ser His His His Thr His Cys His Val  
 100                      105                      110  
 Asp Thr Arg Thr His Arg His Cys His Thr Asp Thr Gln Asn Thr Val  
 115                      120                      125  
 Thr Arg Arg His His His Ala Asp Thr Pro Pro His Gly His Ser Thr  
 130                      135                      140  
 Arg His Ser Ala Thr Gln Ile His His His Thr Glu Met Arg Thr His  
 145                      150                      155                      160  
 Cys His Thr Asp Thr Thr Thr Ser Leu Pro His Phe His Val Ser Ala  
 165                      170                      175  
 Gly Gly Val Gly Pro Thr Thr Leu Gly Ser Asn Arg Glu Ile Thr Trp

167

180                      185                      190  
 Thr Tyr Ser Glu Gly Lys Ile Phe Phe Tyr Phe Leu Gly Asn Gln Ala  
           195                      200                      205  
 Arg Leu Cys Leu Lys Lys Arg Lys Lys Lys Gln Tyr Thr Val  
           210                      215                      220  
  
 <210> 480  
 <211> 144  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 480  
 Met Glu Pro Tyr Arg Gly Asn Glu Gln Pro Ser Gln Glu Gln Gly Val  
                                   5                      10                      15  
 Cys Cys Leu Trp Gly Leu Gln Ser Leu Pro Gln Gly Ser Tyr Val Thr  
                                   20                      25                      30  
 Val Gly Phe Leu Val Val Lys Arg Gln Thr Ile Gly Arg Leu Glu Arg  
                                   35                      40                      45  
 Asp Phe Met Phe Lys Cys Arg Lys Gln Pro Gly Leu Pro Pro Ser Gly  
                                   50                      55                      60  
 Leu Cys Leu Leu Trp Pro Trp Pro Asn Leu Glu Phe Gly Arg Arg Gln  
                                   65                      70                      75                      80  
 Asp Arg Leu Thr Trp Ser Ser Val Ser Val Ala Gly Val Cys Ala Cys  
                                   85                      90                      95  
 Arg Ala Arg Pro Gly Trp Leu Gly Glu Gln Pro Ala Thr Ser Ala Gly  
                                   100                      105                      110  
 Val Arg Leu Glu Gln Val Glu Gln Pro Pro Ala His Pro Leu Gln Glu  
                                   115                      120                      125  
 Ala Gly Val Ala Arg Phe Pro Arg Pro Glu Trp Val Pro Pro Asn Gly  
                                   130                      135                      140

<210> 481  
 <211> 167  
 <212> PRT  
 <213> Homo sapiens

<400> 481  
 Met His Gly Pro Gln Val Leu Ala Arg Cys Ser Glu Cys Ala Cys Pro  
                                   5                      10                      15  
 Ala Leu Ala Ala Thr Ser Ala Gly Val Arg Leu Glu Gly Val Asp Arg  
                                   20                      25                      30

```
<210> 482
<211> 143
<212> PRT
<213> Homo sapiens
```

```

<400> 482
Met Glu Pro Tyr Arg Gly Asn Lys Lys Gln Val Gln Glu Lys Gly Val
      5              10              15

Pro Cys Leu Trp Gly Ser Ser Pro Cys Leu Arg Cys His Met Ala Leu
      20              25              30

Arg Ala Ser Trp Leu Pro Gly Gly Gly Pro Gln Ala Ile Leu Gly Arg
      35              40              45

Thr Leu Cys Ser Ser Ala Glu Ser Ser Gln Asp Cys His Pro Gly Gly
      50              55              60

Pro Ser Ile Ala Leu Ala Lys Pro Cys Arg Gly Val Trp Leu Leu Phe
      65              70              75              80

Glu Pro Ala Trp Pro Pro Trp His Ala Arg Ala Pro Gly Ala Gly Thr
      85              90              95

Leu Leu Arg Val Cys Leu Ser Cys Leu Gly Cys His Leu Cys Gly Gly
      100             105             110

Ala Ser Gly Gly Gly Gly Pro Ala Thr Asn Leu Thr Gln Ser Arg Lys
      115             120             125

```

169

Trp Met Ala Met Phe Pro Gln Pro Glu Trp Leu Pro Pro Asp Gly  
 130 135 140

<210> 483  
 <211> 143  
 <212> PRT  
 <213> Homo sapiens

<400> 483  
 Met Glu Thr Gln Arg Gly Asn Lys Gln Arg Ala Gln Glu Gln Gly Val  
 5 10 15  
 Cys Cys Leu Trp Gly Ser Ser Pro Cys Leu Gly Ser Tyr Gly Thr Ala  
 20 25 30  
 Gly Phe Leu Val Ala Lys Arg Arg Thr Thr Gly Leu Leu Glu Glu Asp  
 35 40 45  
 Phe Thr Phe Lys Cys Arg Lys Gln Pro Lys Leu Pro Ser Met Arg Leu  
 50 55 60  
 Ser Leu Leu Trp Pro Trp Arg Asp Leu Lys Phe Val Pro Arg Gln Asp  
 65 70 75 80  
 Lys Leu Thr Arg Ser Ser Val Ser Val Ala Gly Ala Tyr Ala Cys Arg  
 85 90 95  
 Ala Gly Pro Gly Trp Leu Lys Glu Gln Pro Ala Thr Ser Ala Arg Val  
 100 105 110  
 Arg Leu Val Gln Ala Glu His Pro Pro Pro His Pro Leu Glu Glu Val  
 115 120 125  
 Gly Met Ala Arg Phe Pro Gln Pro Glu Cys Leu Pro Pro Tyr Cys  
 130 135 140

<210> 484  
 <211> 30  
 <212> PRT  
 <213> Homo Sapien

<400> 484  
 Thr Ala Ala Ser Asp Asn Phe Gln Leu Ser Gln Gly Gly Gln Gly Phe  
 1 5 10 15  
 Ala Ile Pro Ile Gly Gln Ala Met Ala Ile Ala Gly Gln Ile  
 20 25 30

<210> 485  
 <211> 31  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 485  
 gggaagctta tcacctatgt gccgcctctg c

<210> 486  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 486  
gcgaattctc acgctgagta tttggcc 27

<210> 487  
<211> 36  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 487  
cccgaattct tagctgccca tccgaacgcc ttcata 36

<210> 488  
<211> 33  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 488  
gggaagcttc ttcccggct gcaccagctg tgc 33

<210> 489  
<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 489  
Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg Ala Val Tyr Leu Ala  
1 5 10 15  
Ser Val Ala

<210> 490  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 490  
Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala Gly Ala Thr Cys

```

1          5          10          15
Leu Ser His Ser
20

<210> 491
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 491
Thr Cys Leu Ser His Ser Val Ala Val Val Thr Ala Ser Ala Ala Leu
1          5          10          15
Thr Gly Phe Thr
20

<210> 492
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 492
Ala Leu Thr Gly Phe Thr Phe Ser Ala Leu Gln Ile Leu Pro Tyr Thr
1          5          10          15
Leu Ala Ser Leu
20

<210> 493
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 493
Tyr Thr Leu Ala Ser Leu Tyr His Arg Glu Lys Gln Val Phe Leu Pro
1          5          10          15
Lys Tyr Arg Gly
20

<210> 494
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 494
Leu Pro Lys Tyr Arg Gly Asp Thr Gly Gly Ala Ser Ser Glu Asp Ser
1          5          10          15
Leu Met Ile Ser

```



20

<210> 495  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 495  
Asp Ser Leu Met Thr Ser Phe Leu Pro Gly Pro Lys Pro Gly Ala Pro  
1 5 10 15  
Phe Pro Asn Gly  
20

<210> 496  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 496  
Ala Pro Phe Pro Asn Gly His Val Gly Ala Gly Gly Ser Gly Leu Leu  
1 5 10 15  
Pro Pro Pro Pro Ala  
20

<210> 497  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 497  
Leu Leu Pro Pro Pro Pro Ala Leu Cys Gly Ala Ser Ala Cys Asp Val  
1 5 10 15  
Ser Val Arg Val  
20

<210> 498  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 498  
Asp Val Ser Val Arg Val Val Val Gly Glu Pro Thr Glu Ala Arg Val  
1 5 10 15  
Val Pro Gly Arg  
20

<210> 499  
 <211> 20  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 499  
 Arg Val Val Pro Gly Arg Gly Ile Cys Leu Asp Leu Ala Ile Leu Asp  
 1 5 10 15  
 Ser Ala Phe Leu  
 20

<210> 500  
 <211> 20  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 500  
 Leu Asp Ser Ala Phe Leu Leu Ser Gln Val Ala Pro Ser Leu Phe Met  
 1 5 10 15  
 Gly Ser Ile Val  
 20

<210> 501  
 <211> 20  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 501  
 Phe Met Gly Ser Ile Val Gln Leu Ser Gln Ser Val Thr Ala Tyr Met  
 1 5 10 15  
 Val Ser Ala Ala  
 20

<210> 502  
 <211> 414  
 <212> DNA  
 <213> Homo Sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(414)  
 <223> n=A,T,C or G

<400> 502  
 caccatggag acaggcctgc gctggctttt cctggctcgt gtgctcaaag gtgtccaatg 60  
 tcagtgggtg gaggagtcg ggggtgcct ggtaacgcct gggacacctt tgacantcac 120  
 ctgtagagtt tttggaatng acctcagtag caatgcaatg agctgggtcc gccaggctcc 180  
 agggaagggg ctggaatgga tcggagccat tgataattgt ccacantacg cgacctgggc 240

174

gaaaggccga ttnatnattt ccaaaacctn gaccacggtg gatttgaaaa tgaccagtcc 300  
 gacaaccgag gacacggcca cctatttttg tggcagaatg aatactggta atagtggttg 360  
 gaagaatatt tggggcccag gcaccctggt caccgtntcc tcagggcaac ctaa 414

<210> 503  
 <211> 379  
 <212> DNA  
 <213> Homo Sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(379)  
 <223> n=A,T,C or G

<400> 503  
 atnccgatggt gcttgggtcaa aggtgtccag tgtcagtcgg tggaggagtc cgggggtcgc 60  
 ctggtcacgc ctgggacacc cctgacactc acctgcaccg tntctggatt ngacatcagt 120  
 agctatggag tgagctgggt ccgccaggct ccagggaagg ggctgggnata catcggtatca 180  
 ttagtagtag tgggtacattt tacgcgagct gggcgaaagg ccgattcacc atttcacaaa 240  
 cctngaccac ggtggatttg aaaatcacca gtttgacaac cgaggacacg gccacctatt 300  
 tntgtgccag agggggggttt aattataaag acatttgggg cccaggcacc ctggtcaccg 360  
 tntccttagg gcaacctaa 379

<210> 504  
 <211> 19  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 504  
 Gly Phe Thr Asn Tyr Thr Asp Phe Glu Asp Ser Pro Tyr Phe Lys Glu  
 1 5 10 15  
 Asn Ser Ala

<210> 505  
 <211> 20  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 505  
 Lys Glu Asn Ser Ala Phe Pro Pro Phe Cys Cys Asn Asp Asn Val Thr  
 1 5 10 15  
 Asn Thr Ala Asn  
 20

<210> 506  
 <211> 407  
 <212> DNA  
 <213> Homo Sapien

<400> 506

```

atggagacag gcctgcgctg gcttctcctg gtcgctgcgc tcaaaggtgt ccagtgtcag    60
tcgctggagg agtcggggg tcgcctgggc acgcctggga caccctgac actcacctgc    120
accgtctctg gattctccct cagtagcaat gcaatgatct gggtcggcca ggctccaggg    180
aaggggctgg aatacatcgg atacattagt tatgggtgga ggcatacta cgcgagctgg    240
gtgaaaggcc gattcaccat ctccaaaacc tcgaccacgg tggatctgag aatgaccagt    300
ctgacaaccg aggacacggc cacctatttc tgtgccagaa atagtgattt tagtggtatg    360
ttgtggggcc caggcaccct ggtcaccgtc tcctcagggc aacctaa          407

```

<210> 507  
 <211> 422  
 <212> DNA  
 <213> Homo Sapien

```

<400> 507
atggagacag gcctgcgctg gcttctcctg gtcgctgtgc tcaaaggtgt ccagtgtcag    60
tcggtggagg agtcggggg tcgcctgggc acgcctggga caccctgac actcacctgt    120
acagtctctg gattctccct cagcaactac gacctgaact gggtcggcca ggctccaggg    180
aaggggctgg aatggatcgg gatcattaat tatgttggtg ggacggacta cgcgaactgg    240
gcaaaaggcc ggttcaccat ctccaaaacc tcgaccacgg tggatctcaa gatcgccagt    300
ccgacaaccg aggacacggc cacctatttc tgtgccagag ggtggaagtg cgatgagtct    360
ggtccgtgct tgcgcatctg gggcccaggc accctgggtc cgtctcctt agggcaacct    420
aa                                     422

```

<210> 508  
 <211> 411  
 <212> DNA  
 <213> Homo Sapien

<220>  
 <221> misc feature  
 <222> (1)...(411)  
 <223> n=A,T,C or G

```

<400> 508
atggagacag gcctgcgctg cttctcctgg tcgctgtgct caaaggtgtc cagtgtcagt    60
cgggtggagg gtccgggggt cgcctgggtc cgcctgggac accctgaca ctcacctgca    120
cagtctcttg aatcgacctc agtagctact gcatgagctg ggtccggccag gctccaggga    180
aggggctgga atggatcgga atcattggtg ctctctggtg cacatactac gcgagggtgg    240
cgaaaggccg attcaccatc tccaaaacct cgaccacggt gcatntgaaa atcnccagtc    300
cgacaaccga ggacacggcc acctatttct gtgccagaga tcttcgggat ggtagtagta    360
ctggttatta taaaatctgg ggcccaggca ccctggtcac cgtctccttg g          411

```

<210> 509  
 <211> 15  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

```

<400> 509
Leu Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
 1              5              10             15

```

<210> 510  
 <211> 15  
 <212> PRT  
 <213> Artificial Sequence

&lt;220&gt;

&lt;223&gt; Made in a lab

&lt;400&gt; 510

Pro	Glu	Tyr	Asn	Arg	Pro	Leu	Leu	Ala	Asn	Asp	Leu	Met	Leu	Ile
1				5					10					15

&lt;210&gt; 511

&lt;211&gt; 15

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Made in a lab

&lt;400&gt; 511

Tyr	His	Pro	Ser	Met	Phe	Cys	Ala	Gly	Gly	Gly	Gln	Asp	Gln	Lys
1				5					10					15

&lt;210&gt; 512

&lt;211&gt; 15

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Made in a lab

&lt;400&gt; 512

Asp	Ser	Gly	Gly	Pro	Leu	Ile	Cys	Asn	Gly	Tyr	Leu	Gln	Gly	Leu
1				5					10					15

&lt;210&gt; 513

&lt;211&gt; 15

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Made in a lab

&lt;400&gt; 513

Ala	Pro	Cys	Gly	Gln	Val	Gly	Val	Pro	Asx	Val	Tyr	Thr	Asn	Leu
1				5					10					15

&lt;210&gt; 514

&lt;211&gt; 15

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Made in a lab

&lt;400&gt; 514

Leu	Cys	Lys	Phe	Thr	Glu	Trp	Ile	Glu	Lys	Thr	Val	Gln	Ala	Ser
1				5					10					15

&lt;210&gt; 515

177

<211> 15  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 515  
 Met Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg  
 1 5 10 15

<210> 516  
 <211> 15  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 516  
 Val Ser Glu Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln  
 1 5 10 15

<210> 517  
 <211> 15  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 517  
 Glu Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met  
 1 5 10 15

<210> 518  
 <211> 15  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 518  
 Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg His Tyr Asp Glu Gly  
 1 5 10 15

<210> 519  
 <211> 17  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 519  
 Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg Asn Tyr Asp Glu Gly Cys  
 1 5 10 15

Gly

<210> 520  
<211> 25  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 520  
Val Gly Glu Gly Leu Tyr Gln Gly Val Pro Arg Ala Glu Pro Gly Thr  
1 5 10 15  
Glu Ala Arg Arg His Tyr Asp Glu Gly  
20 25

<210> 521  
<211> 21  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 521  
Ala Pro Phe Pro Asn Gly His Val Gly Ala Gly Gly Ser Gly Leu Leu  
1 5 10 15  
Pro Pro Pro Pro Ala  
20

<210> 522  
<211> 20  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 522  
Leu Leu Val Val Pro Ala Ile Lys Lys Asp Tyr Gly Ser Gln Glu Asp  
1 5 10 15  
Phe Thr Gln Val  
20

<210> 523  
<211> 254  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<220>  
<221> VARIANT  
<222> (1)...(254)  
<223> Xaa = any amino acid

<400> 523

Met	Ala	Thr	Ala	Gly	Asn	Pro	Trp	Gly	Trp	Phe	Leu	Gly	Tyr	Leu	Ile
1				5					10					15	
Leu	Gly	Val	Ala	Gly	Ser	Leu	Val	Ser	Gly	Ser	Cys	Ser	Gln	Ile	Ile
			20					25					30		
Asn	Gly	Glu	Asp	Cys	Ser	Pro	His	Ser	Gln	Pro	Trp	Gln	Ala	Ala	Leu
		35					40					45			
Val	Met	Glu	Asn	Glu	Leu	Phe	Cys	Ser	Gly	Val	Leu	Val	His	Pro	Gln
		50					55				60				
Trp	Val	Leu	Ser	Ala	Thr	His	Cys	Phe	Gln	Asn	Ser	Tyr	Thr	Ile	Gly
65					70					75					80
Leu	Gly	Leu	His	Ser	Leu	Glu	Ala	Asp	Gln	Glu	Pro	Gly	Ser	Gln	Met
				85					90					95	
Val	Glu	Ala	Ser	Leu	Ser	Val	Arg	His	Pro	Glu	Tyr	Asn	Arg	Pro	Leu
			100					105					110		
Leu	Ala	Asn	Asp	Leu	Met	Leu	Ile	Lys	Leu	Asp	Glu	Ser	Val	Ser	Glu
		115					120					125			
Ser	Asp	Thr	Ile	Arg	Ser	Ile	Ser	Ile	Ala	Ser	Gln	Cys	Pro	Thr	Ala
		130				135						140			
Gly	Asn	Ser	Cys	Leu	Val	Ser	Gly	Trp	Gly	Leu	Leu	Ala	Asn	Gly	Arg
145					150					155					160
Met	Pro	Thr	Val	Leu	Gln	Cys	Val	Asn	Val	Ser	Val	Val	Ser	Glu	Glu
				165					170					175	
Val	Cys	Ser	Lys	Leu	Tyr	Asp	Pro	Leu	Tyr	His	Pro	Ser	Met	Phe	Cys
			180					185					190		
Ala	Gly	Gly	Gly	Gln	Xaa	Gln	Xaa	Asp	Ser	Cys	Asn	Gly	Asp	Ser	Gly
			195				200					205			
Gly	Pro	Leu	Ile	Cys	Asn	Gly	Tyr	Leu	Gln	Gly	Leu	Val	Ser	Phe	Gly
		210				215					220				
Lys	Ala	Pro	Cys	Gly	Gln	Val	Gly	Val	Pro	Gly	Val	Tyr	Thr	Asn	Leu
225					230					235					240
Cys	Lys	Phe	Thr	Glu	Trp	Ile	Glu	Lys	Thr	Val	Gln	Ala	Ser		
				245					250						

&lt;210&gt; 524

&lt;211&gt; 765

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 524

atggccacag	caggaaatcc	ctggggctgg	ttcctggggg	acctcatcct	tggtgtcgca	60
ggatcgctcg	tctctggtag	ctgcagccaa	atcataaacg	gcgaggactg	cagcccgcac	120
tcgcagccct	ggcaggcggc	actgggtcatg	gaaaacgaat	tgttctgctc	gggcgtcctg	180
gtgcatccgc	agtgggtgct	gtcagccgca	cactgtttcc	agaactccta	caccatcggy	240
ctgggcctgc	acagtcttga	ggccgaccaa	gagccaggga	gccagatggt	ggaggccagc	300
ctctccgtac	ggcaccacaga	gtacaacaga	cccttgctcg	ctaacgacct	catgctcatc	360
aagttggacg	aatccgtgtc	cgagtctgac	accatccgga	gcatcagcat	tgcttcgcag	420
tgccctaccg	cggggaactc	ttgcctcgtt	tctggctggg	gtctgctggc	gaacggcaga	480
atgcctaccg	tgctgcagtg	cgtgaacgtg	tcgggtggtg	ctgaggaggt	ctgcagtaag	540
ctctatgacc	cgctgtacca	ccccagcatg	ttctgcgccc	gcggagggca	agaccagaag	600
gactcctgca	acgggtgactc	tggggggccc	ctgatctgca	acgggtactt	gcagggcctt	660
gtgtctttcg	gaaaagcccc	gtgtggccaa	gttggcgtgc	caggtgtcta	caccaacctc	720
tgcaaattca	ctgagtggat	agagaaaacc	gtccaggcca	gttaa		765

&lt;210&gt; 525

&lt;211&gt; 254

&lt;212&gt; PRT

&lt;213&gt; Homo sapien



&lt;400&gt; 525

```

Met Ala Thr Ala Gly Asn Pro Trp Gly Trp Phe Leu Gly Tyr Leu Ile
 1           5           10           15
Leu Gly Val Ala Gly Ser Leu Val Ser Gly Ser Cys Ser Gln Ile Ile
          20           25           30
Asn Gly Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu
          35           40           45
Val Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln
 50           55           60
Trp Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly
65           70           75           80
Leu Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met
          85           90           95
Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu
          100          105          110
Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu
          115          120          125
Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala
          130          135          140
Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg
145          150          155          160
Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu
          165          170          175
Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys
          180          185          190
Ala Gly Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly
          195          200          205
Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly
          210          215          220
Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu
225          230          235          240
Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
          245          250

```

&lt;210&gt; 526

&lt;211&gt; 963

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 526

```

atgagttcct gcaacttcac acatgccacc tttgtgctta ttggtatccc aggattagag 60
aaagcccatt tctgggttgg cttccccctc ctttccatgt atgtagtggc aatgtttgga 120
aactgcatcg tgggtcttcat cgtaaggacg gaacgcagcc tgcaagctcc gatgtacctc 180
tttctctgca tgcttgacgc cattgacctg gccttatcca catccaccat gcctaagatc 240
cttgcccttt tctgggttga ttcccagagag attagctttg aggcctgtct taccagatg 300
ttctttattc atgccctctc agccattgaa tccaccatcc tgctggccat ggcctttgac 360
cgttatgtgg ccatctgccca cccactgcgc catgctgcag tgctcaacaa tacagtaaca 420
gccagatttg gcatcgtggc tgtgggtccgc ggatccctct tttttttccc actgcctctg 480
ctgatcaagc ggctggcctt ctgccactcc aatgtcctct cgcactccta ttgtgtccac 540
caggatgtaa tgaagttggc ctatgcagac actttgccca atgtggtata tgggtcttact 600
gccattctgc tgggtcatggg cgtggacgta atgttcatct ccttgtccta ttttctgata 660
atacgaacgg ttctgcaact gccttccaag tcagagcggg ccaaggcctt tggaacctgt 720
gtgtcacaca ttgggtgtgt actgccttc tatgtgccac ttattggcct ctacgttgta 780
caccgctttg gaaacagcct tcatcccatt gtgcgtgttg tcatgggtga catctacctg 840
ctgctgcctc ctgtcatcaa tcccatcctc tatggtgccca aaaccaaaca gatcagaaca 900
cggtgtctgg ctatgttcaa gatcagctgt gacaaggact tgcaggctgt gggaggcaag 960
tga

```

<210> 527  
 <211> 320  
 <212> PRT  
 <213> Homo sapiens

<400> 527

Met Ser Ser Cys Asn Phe Thr His Ala Thr Phe Val Leu Ile Gly Ile  
                     5                    10                    15

Pro Gly Leu Glu Lys Ala His Phe Trp Val Gly Phe Pro Leu Leu Ser  
                     20                    25                    30

Met Tyr Val Val Ala Met Phe Gly Asn Cys Ile Val Val Phe Ile Val  
                     35                    40                    45

Arg Thr Glu Arg Ser Leu His Ala Pro Met Tyr Leu Phe Leu Cys Met  
                     50                    55                    60

Leu Ala Ala Ile Asp Leu Ala Leu Ser Thr Ser Thr Met Pro Lys Ile  
                     65                    70                    75                    80

Leu Ala Leu Phe Trp Phe Asp Ser Arg Glu Ile Ser Phe Glu Ala Cys  
                     85                    90                    95

Leu Thr Gln Met Phe Phe Ile His Ala Leu Ser Ala Ile Glu Ser Thr  
                     100                    105                    110

Ile Leu Leu Ala Met Ala Phe Asp Arg Tyr Val Ala Ile Cys His Pro  
                     115                    120                    125

Leu Arg His Ala Ala Val Leu Asn Asn Thr Val Thr Ala Gln Ile Gly  
                     130                    135                    140

Ile Val Ala Val Val Arg Gly Ser Leu Phe Phe Phe Pro Leu Pro Leu  
                     145                    150                    155                    160

Leu Ile Lys Arg Leu Ala Phe Cys His Ser Asn Val Leu Ser His Ser  
                     165                    170                    175

Tyr Cys Val His Gln Asp Val Met Lys Leu Ala Tyr Ala Asp Thr Leu  
                     180                    185                    190

Pro Asn Val Val Tyr Gly Leu Thr Ala Ile Leu Leu Val Met Gly Val  
                     195                    200                    205

Asp Val Met Phe Ile Ser Leu Ser Tyr Phe Leu Ile Ile Arg Thr Val  
                     210                    215                    220

Leu Gln Leu Pro Ser Lys Ser Glu Arg Ala Lys Ala Phe Gly Thr Cys  
                     225                    230                    235                    240

Val Ser His Ile Gly Val Val Leu Ala Phe Tyr Val Pro Leu Ile Gly  
                     245                    250                    255

Leu Ser Val Val His Arg Phe Gly Asn Ser Leu His Pro Ile Val Arg  
                     260                    265                    270

Val Val Met Gly Asp Ile Tyr Leu Leu Leu Pro Pro Val Ile Asn Pro  
 275 280 285

Ile Ile Tyr Gly Ala Lys Thr Lys Gln Ile Arg Thr Arg Val Leu Ala  
 290 295 300

Met Phe Lys Ile Ser Cys Asp Lys Asp Leu Gln Ala Val Gly Gly Lys  
 305 310 315 320

<210> 528  
 <211> 20  
 <212> DNA  
 <213> Homo Sapien

<400> 528  
 actatggtcc agaggctgtg 20

<210> 529  
 <211> 20  
 <212> DNA  
 <213> Homo Sapien

<400> 529  
 atcacctatg tgccgcctct 20

<210> 530  
 <211> 1852  
 <212> DNA  
 <213> Homo sapiens

<400> 530  
 ggcacgagaa ttaaaaccct cagcaaaaca ggcatagaag ggacatacct taaagtaata 60  
 aaaaccacct atgacaagcc cacagccaac ataatactaa atggggaaaa gttagaagca 120  
 tttcctctga gaactgcaac aataaataca aggatgctgg attttgtcaa atgccttttc 180  
 tgtgtctgtt gagatgctta tgtgactttg cttttaattc tgtttatgtg attatcacat 240  
 ttattgactt gcctgtgtta gaccggaaga gctggggtgt ttctcaggag ccaccgtgtg 300  
 ctgcggcagc ttccgggataa cttgaggctg catcactggg gaagaaacac aytccctgtcc 360  
 gtggcgctga tggctgagga cagagcttca gtgtggcttc tctgcgactg gcttcttcgg 420  
 ggagttcttc cttcatagtt catccatatg gctccagagg aaaattatat tattttgtta 480  
 tggatgaaga gtattacgtt gtgcagatat actgcagtgt cttcatctct tgatgtgtga 540  
 ttgggttaggt tccaccatgt tgccgcagat gacatgattt cagtacctgt gtctggctga 600  
 aaagtgtttg tttgtgaatg gatattgtgg tttctggatc tcatcctctg tgggtggaca 660  
 gctttctcca ccttgctgga agtgacctgc tgtccagaag tttgatggct gaggagtata 720  
 ccacgtgca tgcattttc atttcctgca tttcttctc cctggatgga cagggggagc 780  
 ggcaagagca acgtgggcac ttctggagac cacaacgact cctctgtgaa gacgcttggg 840  
 agcaagaggt gcaagtgggt ctgccactgc ttcccctgct gcagggggag cggcaagagc 900  
 aacgtggctg cttggggaga ctacgatgac agcgcttca tggatcccag gtaccacgtc 960  
 catggagaag atctggacaa gctccacaga gctgcctggt ggggtaaagt cccagaaaag 1020  
 gatctcatcg tcatgctcag ggacacggat gtgaacaaga gggacaagca aaagaggact 1080  
 gctctacatc tggcctctgc caatgggaat tcagaagtag taaaactcgt gctggacaga 1140  
 cgatgtcaac ttaatgtcct tgacaacaaa aagaggacag ctctgacaaa ggccgtataa 1200  
 tgccaggaag atgaatgtgc gttaatgttg ctggaacatg gcactgatcc aaatattcca 1260  
 gatgagtatg gaaataccac tctacactat gctgtctaca atgaagataa attaatggcc 1320  
 aaagcactgc tcttatacgg tgctgatc gaatacaaaa acaagcatgg cctcacacca 1380  
 ctgctacttg gtatacatga gcaaaaacag caagtgtgta aatttttaat caagaaaaaa 1440  
 gcgaatttaa atgcgctgga tagatatgga agaactgctc tcatacttgc tgtatgttgt 1500  
 ggatcagcaa gtatagtcag ccctctactt gagcaaaatg ttgatgtatc ttctcaagat 1560  
 ctggaaagac ggccagagag tatgctgttt ctatgcatca tcatgtaatt tgccagttac 1620

```

tttctgacta caaagaaaaa cagatgttaa aaatctcttc tgaaaacagc aatccagaac 1680
aagacttaaa gctgacatca gaggaagagt cacaaaggct taaaggaagt gaaaacagcc 1740
agccagagct agaagattta tggctattga agaagaatga agaacacgga agtactcatg 1800
tgggattccc agaaaacctg actaacgggt ccgctgctgg caatggtgat ga 1852

```

<210> 531  
 <211> 879  
 <212> DNA  
 <213> Homo sapiens

```

<400> 531
atgcatcttt catttctctgc atttcttctc ccttggatgg acagggggag cggcaagagc 60
aacgtgggga cttctggaga ccacaacgac tcctctgtga agacgcttgg gagcaagagg 120
tgcaagtggg gctgccactg cttccctctg tgcaggggga gcggcaagag caacgtgggc 180
gcttggggag actacgatga cagcgctctc atggatccca ggtaccacgt ccatggagaa 240
gatctggaca agctccacag agctgcctgg tggggtaaag tccccagaaa ggatctcatc 300
gtcatgctca gggacacgga tgtgaacaag agggacaagc aaaagaggac tgctctacat 360
ctggcctctg ccaatgggaa ttcagaagta gtaaaactcg tgctggacag acgatgtcaa 420
cttaatgtcc ttgacaacaa aaagaggaca gctctgacaa aggccgtaca atgccaggaa 480
gatgaatgtg cgtaaatgtt gctggaacat ggcactgatc caaatattcc agatgagtat 540
ggaaatacca ctctacacta tgctgtctac aatgaagata aattaatggc caaagcactg 600
ctcttatacg gtgctgatat cgaatcaaaa aacaagcatg gcctcacacc actgctactt 660
ggtatacatg agcaaaaaaca gcaagtgggt aaatttttaa tcaagaaaaa agcgaattta 720
aatgcgctgg atagatatgg aagaactgct ctcatacttg ctgtatgttg tggatcagca 780
agtatatgca gccctctact tgagcaaaat gttgatgtat cttctcaaga tctggaaaga 840
cggccagaga gtatgctgtt tctagtcac ccatgttaa 879

```

<210> 532  
 <211> 292  
 <212> PRT  
 <213> Homo sapiens

```

<400> 532
Met His Leu Ser Phe Pro Ala Phe Leu Pro Pro Trp Met Asp Arg Gly
          5              10              15

Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp His Asn Asp Ser Ser
          20              25              30

Val Lys Thr Leu Gly Ser Lys Arg Cys Lys Trp Cys Cys His Cys Phe
          35              40              45

Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val Val Ala Trp Gly Asp
          50              55              60

Tyr Asp Asp Ser Ala Phe Met Asp Pro Arg Tyr His Val His Gly Glu
          65              70              75              80

Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp Gly Lys Val Pro Arg
          85              90              95

Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Arg Asp
          100             105             110

Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser
          115             120             125

Glu Val Val Lys Leu Val Leu Asp Arg Arg Cys Gln Leu Asn Val Leu

```

184

130                      135                      140  
 Asp Asn Lys Lys Arg Thr Ala Leu Thr Lys Ala Val Gln Cys Gln Glu  
 145                      150                      155                      160  
 Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile  
                     165                      170                      175  
 Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Val Tyr Asn Glu  
                     180                      185                      190  
 Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu  
                     195                      200                      205  
 Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu Leu Gly Ile His Glu  
                     210                      215                      220  
 Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu  
 225                      230                      235                      240  
 Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala Val Cys  
                     245                      250                      255  
 Cys Gly Ser Ala Ser Ile Val Ser Pro Leu Leu Glu Gln Asn Val Asp  
                     260                      265                      270  
 Val Ser Ser Gln Asp Leu Glu Arg Arg Pro Glu Ser Met Leu Phe Leu  
                     275                      280                      285  
 Val Ile Ile Met  
 290

<210> 533  
 <211> 801  
 <212> DNA  
 <213> Homo sapiens

<400> 533  
 atgtacaagc ttcaagtcaa caactgtgct acaaatggag ccacagagag gaaacaagca 60  
 gcaggctcag gaggaggga tgcgtgcct tcggtctctc aatccatgcc tcagggtctc 120  
 tatgccactg cagattctt ggttgccaag aggccaaacca caggccatct tgagaaggag 180  
 tttatgttcc actgcagaaa gcagccagga tcaccatcca ggggacttgg tcttctgtgg 240  
 ccctggccag acatagaatt tgtgccaagg caggacaagc tcaactcagag cagcgtgtta 300  
 gtacctcaaa tctgtgcgtg ccagacaagg ccaaactggc tcaatgagca accagccacc 360  
 tctgcagggg tgcgtctgga ggaggtggac cagccaccaa ccttaccag tcaaggaagt 420  
 ggatggccat gttccacag cctgagtgge tgccacctga tggtgatata agcaaaggcc 480  
 ttaggaaaag cagatggccc ttggccctac ctttttgta gaagaactga tgttccatgt 540  
 cctgcagcga gtgaggttgg tggctgtgcc cccagctcct ggcacaccct cgcagagggtg 600  
 actgggttgc ctttgagccc tcttagcctt gccagcatg cacaagcctc agtgctacta 660  
 ctgtgctaca aatggagcca tataggggaa acgagcagcc atctcaggag caaggtgtat 720  
 gctgcctttg ggggctccag tccttgccctc aagggtctta tgtcactgtg ggcttcttgg 780  
 ttgccaagag gcagaccata g 801

<210> 534  
 <211> 266  
 <212> PRT  
 <213> Homo sapiens

185

&lt;400&gt; 534

Met Tyr Lys Leu Gln Cys Asn Asn Cys Ala Thr Asn Gly Ala Thr Glu  
                           5                          10                          15

Arg Lys Gln Ala Ala Gly Ser Gly Ala Gly Tyr Ala Leu Pro Ser Ala  
                   20                          25                          30

Leu Gln Ser Met Pro Gln Gly Ser Tyr Ala Thr Ala Arg Phe Leu Val  
           35                          40                          45

Ala Lys Arg Pro Thr Thr Gly His Leu Glu Lys Glu Phe Met Phe His  
       50                          55                          60

Cys Arg Lys Gln Pro Gly Ser Pro Ser Arg Gly Leu Gly Leu Leu Trp  
       65                          70                          75                          80

Pro Trp Pro Asp Ile Glu Phe Val Pro Arg Gln Asp Lys Leu Thr Gln  
                   85                          90                          95

Ser Ser Val Leu Val Pro Gln Ile Cys Ala Cys Gln Thr Arg Pro Asn  
           100                          105                          110

Trp Leu Asn Glu Gln Pro Ala Thr Ser Ala Gly Val Arg Leu Glu Glu  
           115                          120                          125

Val Asp Gln Pro Pro Thr Leu Pro Ser Gln Gly Ser Gly Trp Pro Cys  
       130                          135                          140

Ser His Ser Leu Ser Gly Cys His Leu Met Ala Asp Ile Ala Lys Ala  
   145                          150                          155                          160

Leu Gly Lys Ala Asp Gly Pro Trp Pro Tyr Leu Phe Val Arg Arg Thr  
                   165                          170                          175

Asp Val Pro Cys Pro Ala Ala Ser Glu Val Gly Gly Cys Ala Pro Ser  
           180                          185                          190

Ser Trp His Thr Leu Ala Glu Val Thr Gly Cys Ser Leu Ser Pro Leu  
           195                          200                          205

Ser Leu Ala Gln His Ala Gln Ala Ser Val Leu Leu Leu Cys Tyr Lys  
       210                          215                          220

Trp Ser His Ile Gly Glu Thr Ser Ser His Leu Arg Ser Lys Val Tyr  
   225                          230                          235                          240

Ala Ala Phe Gly Gly Ser Ser Pro Cys Leu Lys Gly Leu Met Ser Leu  
                   245                          250                          255

Trp Ala Ser Trp Leu Pro Arg Gly Arg Pro  
           260                          265

&lt;210&gt; 535

&lt;211&gt; 6082

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 535

cctccactat	tacagcttat	aggaaattac	aatccacttt	acaggcctca	aagggttcatt	60
ctggccgagc	ggacaggcgt	ggcggcgcga	gccccagcat	ccctgcttga	ggtccaggag	120
cggagcccg	ggccactgcc	gcctgatcag	cgcgaccccc	gccccgcgcc	gccccgcgcc	180
gcaagatgct	gcccgtgtac	caggaggtga	agcccaaccc	gctgcaggac	gcgaacctct	240
gctcacgcgt	gttcttctgg	tggctcaatc	ccttgtttaa	aattggccat	aaacggagat	300
tagaggaaga	tgatatgtat	tcagtgcctg	cagaagaccg	ctcacagcac	cttgggagag	360
agttgcaagg	gttctgggat	aaagaagttt	taagagctga	gaatgacgca	cagaagcctt	420
ctttaacaag	agcaatcata	aagtgttact	ggaaatctta	tttagttttg	ggaattttta	480
cgtttaattga	ggaaagtgcc	aaagtaatcc	agcccatatt	tttgggaaaa	attattaatt	540
attttgaaaa	ttatgaaacc	atggattctg	tggctttgaa	cacagcgtac	gcctatgcc	600
cgggtgctgac	tttttgacg	ctcatttttg	ctatactgca	tcacttatat	ttttatcacg	660
ttcagtgtgc	tgggatgagg	ttacgagtag	ccatgtgcca	tatgatttat	cggaaggcac	720
ttcgtcttag	taacatggcc	atggggaaga	caaccacagg	ccagatagtc	aatctgctgt	780
ccaatgatgt	gaacaagttt	gatcaggtga	cagtgttctt	acacttcctg	tgggcaggac	840
cactgcaggc	gatcgagtg	actgccctac	tctggatgga	gataggaata	tcgtgccttg	900
ctgggatggc	agttctaate	attctcctgc	ccttgcaaag	ctgttttggg	aagttgttct	960
catcactgag	gagtaaaact	gcaactttca	cggatgccag	gatcaggacc	atgaatgaag	1020
ttataactgg	tataaggata	ataaaaatgt	acgcctggga	aaagtcattt	tcaaatctta	1080
ttaccaattt	gagaaagaag	gagattttcca	agattctgag	aagttcctgc	ctcaggggga	1140
tgaatttggc	ttcgtttttc	agtgaagca	aaatcatcgt	gtttgtgacc	ttcaccacct	1200
acgtgctcct	cggcagtggt	atcacagcca	gccgcgtgtt	cgtggcagtg	acgctgtatg	1260
gggctgtgcg	gctgacggtt	accctcttct	tccctcagc	cattgagagg	gtgtcagagg	1320
caatcgtcag	catccgaaga	atccagacct	ttttgctact	tgatgagata	tcacagcgca	1380
accgtcagct	gccgtcagat	ggtaaaaaga	tgggtcatgt	gcaggatttt	actgcttttt	1440
gggataaggc	atcacagacc	ccaactctac	aaggcctttc	ctttactgtc	agacctggcg	1500
aattgttagc	tgtggtcggc	cccggtggag	cagggaagtc	atcactgtta	agtgccgtgc	1560
tcggggaatt	ggcccaagtc	cacgggctgg	tcagcgtgca	tggaagaatt	gcctatgtgt	1620
ctcagcagcc	ctgggtgttc	tcgggaactc	tgaggagtaa	tattttattt	gggaagaaat	1680
acgaaaagga	acgatatgaa	aaagtcataa	aggcttgtgc	tctgaaaaag	gatttacagc	1740
tgttggagga	tggatgatctg	actgtgatag	gagatcgggg	aaccacgctg	agtgaggggc	1800
agaaagcacg	ggtaaacctt	gcaagagcag	tgtatcaaga	tgtgacatc	tatctcctgg	1860
acgatcctct	cagtgcagta	gatgcggaag	tatgcagaca	cttgttcgaa	ctgtgtattt	1920
gtcaaatttt	gcatgagaag	atcacaaatt	tagtgactca	tcagttgcag	tacctcaaag	1980
ctgcaagtca	gattctgata	ttgaaagatg	gtaaaatggg	gcagaagggg	acttacactg	2040
agttcctaaa	atctggtata	gattttggct	ccctttttaa	gaaggataat	gaggaaagtg	2100
aaacaacctc	agttccagga	actcccacac	taaggaaatcg	taccttctca	gagtcttcgg	2160
tttgggtctca	acaatcttct	agaccctcct	tgaagatgg	tgtctcggag	agccaagata	2220
cagagaatgt	cccagttaca	ctatcagagg	agaaccgttc	tgaaggaaaa	gttgggtttc	2280
aggcctataa	gaattacttc	agagctgggt	ctcactggat	tgtcttcatt	ttccttattc	2340
tcctaaacac	tgcagctcag	gttgccctatg	tgcttcaaga	ttggtggcct	tcatactggg	2400
caaacaaaca	aagtatgcta	aatgtcactg	taaatggagg	aggaaatgta	accgagaagc	2460
tagatcttaa	ctgggtactta	ggaattttatt	caggtttaac	tgtagctacc	gttctttttg	2520
gcatagcaag	atctctattg	gtattctacg	tccttggtta	ctcttcacaa	actttgcaca	2580
acaaaatggt	tgagtcaatt	ctgaaagctc	cggattattt	ctttgataga	aatccaatag	2640
gaagaatttt	aaatcgtttc	tccaaagaca	ttggacactt	ggatgatttg	ctgccgctga	2700
cgttttttaga	tttcatccag	acattgctac	aagtgggttg	tgtgggtctc	gtggctgtgg	2760
ccgtgatttc	tttgatcgca	atacccttgg	ttcccttgg	aatcattttc	atttttcttc	2820
ggcgatatatt	tttggaaacg	tcaagagatg	tgaagcgctt	ggaatctaca	actcgagtc	2880
cagtgttttc	ccaattgtca	tcttctctcc	aggggctctg	gaccatccgg	gcatacaaa	2940
cagaagagag	gtgtcaggaa	ctgtttgatg	cacaccagga	tttacattca	gaggcttggg	3000
tcttgttttt	gacaacgtcc	cgctgggttcg	ccgtccgtct	ggatgccatc	tgtgccatgt	3060
ttgtcatcat	cgttgccttt	gggtccctga	ttctggcaaa	aactctggat	gccgggcagg	3120
ttggtttggc	actgtcctat	gccctcacgc	tcatggggat	gtttcagtg	tgtgttcgac	3180
aaagtgtcga	agttgagaat	atgatgatct	cagtagaaag	ggtcattgaa	tacacagacc	3240
ttgaaaaaga	agcaccttgg	gaatatcaga	aacgcccacc	accagcctgg	cccatgaag	3300
gagtgataat	ctttgacaat	gtgaacttca	tgtacagtcc	aggtgggcct	ctgggtactga	3360

```

agcatctgac agcactcatt aaatcacaaag aaaaggttgg cattgtggga agaaccggag 3420
ctggaaaaag ttccctcatc tcagcccttt ttagattgtc agaaccggaa ggtaaaattt 3480
ggattgataa gatcttgaca actgaaattg gacttcacga ttttaaggag aaaatgtcaa 3540
tcatacctca ggaacctgtt ttgttcaactg gaacaatgag gaaaaacctg gatcccttta 3600
atgagcacac ggatgaggaa ctgtggaatg ccttacaaga ggtacaactt aaagaaacca 3660
ttgaagatct tcctggtaaa atggatactg aattagcaga atcaggatcc aatttttagtg 3720
ttggacaaag acaactgggtg tgccttgcca gggcaattct caggaaaaat cagatattga 3780
ttattgatga agcgacggca aatgtggatc caagaactga tgagttaata caaaaaaat 3840
ccgggagaaa tttgccact gcaccgtgct aaccattgca cacagattga acaccattat 3900
tgacagcgac aagataatgg ttttagattc aggaagactg aaagaatatg atgagccgta 3960
tgttttgctg caaaataaag agagcctatt ttacaagatg gtgcaacaac tgggcaaggc 4020
agaagccgct gccctcactg aaacagcaaa acaggtatac ttcaaaagaa attatccaca 4080
tattggtcac actgaccaca tggttacaaa cacttccaat ggacagccct cgaccttaac 4140
tattttcgag acagcactgt gaatccaacc aaaatgtcaa gtccgttccg aaggcatttg 4200
ccactagttt ttggactatg taaaccacat tgtacttttt tttacttttg caacaaatat 4260
ttatacatag aagatgctag ttcatittgaa tttttctccc aacttatcca aggatctcca 4320
gctctaacia aatggtttat ttttatttaa atgtcaatag ttgtttttta aaatccaaat 4380
cagaggtgca ggccaccagt taaatgccgt ctatcagggt ttgtgcctta agagactaca 4440
gagtcaaaag tcatitttaa aggagtagga cagagttgtc acaggttttt gttgttgttt 4500
ttattgcccc caaaattaca tgttaatttc catittatctc agggattcta tttacttgaa 4560
gactgtgaag ttgccatttt gtctcattgt tttctttgac ataactagga tccattattt 4620
ccctgaagg ctctttgtta gaaaatagta cagttacaac caataggaac aacaaaaaga 4680
aaaagtttgt gacattgtag tagggagtgt gtacccctta ctcccatca aaaaaaaaaa 4740
tggatacatg gttaaaggat agaagggcaa tattttatca tatgttctaa aagagaagga 4800
agagaaaata ctactttctc aaaatggaag cccttaaagg tgctttgata ctgaaggaca 4860
caaatgtgac cgtccatcct cctttagagt tgcattgact ggacacggt actgttgag 4920
ttttagactc agcattgtga cacttcccaa gaaggccaaa cctctaaccg acattcctga 4980
aatacgtggc attattcttt tttggatttc tcatittatg aaggctaacc ctctgttgac 5040
tgtaagcctt ttggtttggg ctgtattgaa atcctttcta aattgcatga ataggctctg 5100
ctaacgtgat gagacaaact gaaaattatt gcaagcattg actataatta tgcagtacgt 5160
tctcaggatg catccagggg ttcatittca tgagcctgtc caggttagtt tactcctgac 5220
cactaatagc attgtcattt gggctttctg ttgaatgaat caacaaacca caatacttcc 5280
tgggaccttt tgtactttat ttgaactatg agtctttaat ttttctgat gatggtggct 5340
gtaatatgtt gagttcagtt tactaaagg tttactatta tggtttgaag tggagtctca 5400
tgacctctca gaataagggt tcacctccct gaaattgcat atatgtatat agacatgcac 5460
acgtgtgcat ttgtttgtat acatatattt gtccttcgta tagcaagttt tttgctcatc 5520
agcagagagc aacagatgtt ttattgagtg aagccttaaa aagcacacac cacacacagc 5580
taactgccaa aatacattga ccgtagtagc tgttcaactc ctagtactta gaaatacacg 5640
tatggttaat gttcagttcca acaaacacac cacagtaaat gtttattaat agtcatggtt 5700
cgtatttttag gtgactgaaa ttgcaacagt gatcataatg aggtttgtta aaatgatagc 5760
tatattcaaa atgtctatat gtttatttgg acttttgagg tttaaagacag tcatataaac 5820
gtcctgtttc tgttttaatg ttatcataga attttttaat gaaactaaat tcaattgaaa 5880
taaatgatag ttttcatctc caaaaaaaaa aaaaaaaagg gcggccgctc gagtctagag 5940
ggcccgttta aacccgctga tcagcctcga ctgtgccttc tagttgccag ccatctgttg 6000
tttgccctc ccccgctgc tcttgacct tggaagggtc cactccact gtcctttcct 6060
aataaaatga ggaaattgca tc 6082

```

&lt;210&gt; 536

&lt;211&gt; 6140

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(6140)

&lt;223&gt; n=A,T,C or G

&lt;400&gt; 536



cagtggcgca	gtctcagctc	actgcagcct	ccacctcctg	tgttcaagca	gtcctcctgc	60
ctcagccacc	agactagcag	gtctcccccg	cctcttttctt	ggaaggacac	ttgccattgg	120
atntagcacc	cacttggata	atccaggatg	atgtcttcac	tccaacatcc	tcagtttaat	180
tccatgtgca	aatacccttt	tcccaaataa	cattcaattc	tttaccagga	aaggtggctc	240
aatcccttgt	ttaaaattgg	ccataaacgg	agattagagg	aagatgatat	gtattcagtg	300
ctgccagaag	accgctcaca	gcaccttggg	gaggagttgc	aaggggttctg	ggataaagaa	360
gttttaagag	ctgagaatga	cgacacagaag	ccttcttttaa	caagagcaat	cataaagtgt	420
tactggaaat	cttattttagt	tttgggaatt	tttacgttaa	ttgaggaaag	tgccaaagta	480
atccagccca	tattttttggg	aaaaattatt	aattatttttg	aaaattatga	tcccatggat	540
tctgtggcct	tgaacacagc	gtacgcctat	gccacgggtgc	tgactttttg	cacgctcatt	600
ttggctatac	tgcatcactt	atattttttat	cacgttcagt	gtgctgggat	gaggttacga	660
gtagccatgt	gccatctgat	ttatcggaag	gcacttcgtc	ttagtaacat	ggccatgggg	720
aagacaacca	caggccagat	agtcaatctg	ctgtccaatg	atgtgaacaa	gtttgatcag	780
gtgacagtgt	tcttacactt	cctgtgggca	ggaccactgc	aggcgatcgc	agtgactgcc	840
ctactctgga	tgagatagag	aatatcgtgc	cctgtctggga	tggcagttct	aatcattctc	900
ctgcccttgc	aaagctgttt	tggaagttg	ttctcatcac	tgaggagtaa	aactgcaact	960
ttcacggatg	ccaggatcag	gaccatgaat	gaagttataa	ctggtataag	gataataaaa	1020
atgtacgcct	gggaaaagtc	attttcaa	cttattacca	atttgagaaa	gaaggagatt	1080
tccaagattc	tgagaagttc	ctgcctcagg	gggatgaatt	tggtctcgtt	tttcagtgc	1140
agcaaaatca	tcgtgtttgt	gaccttcacc	acctacgtgc	tctcggcag	tgtgatcaca	1200
gccgcccgcg	tgctcgtggc	agtgcgctg	tatggggctg	tgcggtgcac	ggttaccctc	1260
ttcttccctt	cagccattga	gaggggtgtc	gaggcaatcg	tcagcatccg	aagaatccag	1320
acctttttgc	tacttgatga	gatatcacag	cgcaaccgtc	agctgccgtc	agatggtaaa	1380
aagatggtgc	atgtgcagga	ttttactgct	ttttgggata	aggcatcaga	gaccccaact	1440
ctacaaggcc	tttccttttac	tgtcagacct	ggcgaattgt	tagctgtggt	cggtcccgtg	1500
ggagcaggga	agtcactcact	gttaagtgcc	gtgctcgggg	aattggcccc	aagtacagg	1560
ctggtcagcg	tgcatggaag	aattgcctat	gtgtctcagc	agccctgggt	gttctcggga	1620
actctgagga	gtaataatttt	atttgggaag	aaatacgaaa	aggaacgata	tgaaaaagtc	1680
ataaaggctt	gtgctctgaa	aaaggattta	cagctgttgg	aggatggtga	tctgactgtg	1740
ataggagatc	ggggaaccac	gctgagtgtga	gggcagaaa	cacgggtaaa	ccttgcaaga	1800
gcagtgtatc	aagatgctga	catctatctc	ctggacgatc	ctctcagtc	agtagatgcg	1860
gaagtttagc	gacacttggt	cgaactgtgt	atgtgtcaaa	ttttgcatga	gaagatcaca	1920
attttagtga	ctcatcagtt	gcagtacctc	aaagctgcaa	gtcagattct	gatattgaaa	1980
gatggtaaaa	tggtgcagaa	ggggacttac	actgagttcc	taaaatctgg	tatagatttt	2040
ggctcccttt	taaaagagga	taatgaggaa	agtgaacaac	ctccagttcc	aggaactccc	2100
acactaagga	atcgtaacct	ctcagagtct	tcggtttgg	ctcaacaatc	ttctagaccc	2160
tccttgaaag	atggtgtctc	ggagagccaa	gatacagaga	atgtcccagt	tacactatca	2220
gaggagaacc	gttctgaagg	aaaagttgg	tttcaggcct	ataagaatta	cttcagagct	2280
ggtgtcact	ggattgtctt	cattttcctt	attctcctaa	acactgcagc	tcaggttgcc	2340
tatgtgtctc	aagattggtg	gctttcatac	tgggcaaaaca	aacaaagtat	gctaaatgtc	2400
actgtaaatg	gaggaggaaa	tgtaaccgag	aagctagatc	ttaaactgga	cttaggaatt	2460
tattcaggtt	taactgtagc	taccgttctt	tttggcatag	caagatctct	attgggtattc	2520
tacgtccttg	ttaaactctt	acaaactttg	cacaacaaaa	tgtttgagtc	aattctgaaa	2580
gctccggtat	tattctttga	tagaaatcca	ataggaagaa	ttttaaatcg	tttctccaaa	2640
gacattggac	acttggatga	tttgcgtgcc	ctgacgtttt	tagatttcat	ccagacattg	2700
ctacaagtgg	ttggtgtggt	ctctgtggct	gtggccgtga	ttccttggat	cgcaataccc	2760
ttggttcccc	ttggaatcat	tttcattttt	cttcggcgat	attttttgga	aacgtcaaga	2820
gatgtgaagc	gcctggaatc	tacaactcgg	agtcacagtgt	tttccactt	gtcatcttct	2880
ctccaggggc	tctggaccat	ccgggcatac	aaagcagaag	agaggtgtca	ggaactgttt	2940
gtgcacacc	aggatttaca	ttcagaggct	tggttcttgt	ttttgacaac	gtcccgtg	3000
ttcgccgtcc	gtctggatgc	catctgtgcc	atgtttgtca	tcactgttgc	ctttgggtcc	3060
ctgattctgg	caaaaaactct	ggatgccggg	caggttgggt	tggcactgtc	ctatgccctc	3120
acgctcatgg	ggatgtttca	gtggtgtgtt	cgacaaagt	ctgaagttga	gaatatgatg	3180
atctcagtag	aaagggtcat	tgaatacaca	gaccttgaaa	aagaagcacc	ttgggaatat	3240
cagaaacgcc	caccaccagc	ctggccccat	gaaggagtga	taatctttga	caatgtgaac	3300
ttcatgtaca	gtccaggtgg	gcctctggta	ctgaagcatc	tgacagcact	cattaaatca	3360
caagaaaagg	ttggcattgt	gggaagaacc	ggagctggaa	aaagttccct	catctcagcc	3420
cttttttagat	tgtcagaacc	cgaaggtaaa	atttggattg	ataagatctt	gacaactgaa	3480

```

attggacttc acgattttaag gaagaaaatg tcaatcatac ctcaggaacc tgttttgttc 3540
actggaacaa tgaggaaaaa cctggatccc tttaatgagc acacggatga ggaactgtgg 3600
aatgccttac aagaggtaca acttaagaa accattgaag atcttcctgg taaaatggat 3660
actgaattag cagaatcagg atccaatfff agtgttggac aaagacaact ggtgtgcctt 3720
gccagggcaa ttctcaggaa aaatcagata ttgattattg atgaagcgac ggcaaatgtg 3780
gatccaagaa ctgatgagtt aatacaaaaa aaaatccggg agaaatttgc ccaactgcacc 3840
gtgctaacca ttgcacacag attgaacacc attattgaca gcgacaagat aatggtttta 3900
gattcaggaa gactgaaaga atatgatgag ccgtatgttt tgctgcaaaa taaagagagc 3960
ctattttaca agatggtgca acaactgggc aaggcagaag ccgctgccct cactgaaaca 4020
gcaaaacaga gatggggttt caccatgttg gccaggctgg tctcaaactc ctgacctcaa 4080
gtgatccacc tgccttggcc tccaaaactg ctgagattac aggtgtgagc caccacgccc 4140
agcctgagta tacttcaaaa gaaattatcc acatattggt cactgacc acatggttac 4200
aaacacttcc aatggacagc cctcgacctt aactattttc gagacagcac tgtgaatcca 4260
accaaaatgt caagtcggtt ccgaaggcat ttgccactag tttttggact atgtaaaacca 4320
cattgtactt ttttttactt tggcaacaaa tatttataca tacaagatgc tagttcattt 4380
gaatatttct cccaacttat ccaaggatct ccagctctaa caaaatggtt tatttttatt 4440
taaagtcaaa tagtkgkttt ttaaaatcca aatcagaggt gcaggccacc agttaaattgc 4500
cgtctatcag gttttgtgcc ttaagagact acagnagtca gaagctcatt tttaaaggag 4560
taggacagag ttgtcacagg tttttgttgg tgtttktatt gcccccaaaa ttacatgtta 4620
atttccattt atatcagggg attctattta cttgaagact gtgaagttgc cattttgtct 4680
cattgttttc ttgacatam ctaggatcca tattttcccc tgaaggcttc ttgkagaaaa 4740
tagtcagatt acaaccaata ggaactamca aaaaagaaaaa gtttgtgaca ttgtagtagg 4800
gagtgtgtac cccttactcc ccatcaaaaa aaaaaatgga tacatggtta aaggatagaa 4860
gggcaatatt ttatcatatg ttctaaaaga gaaggaagag aaaatactac tttctcaaaa 4920
tggaagccct taaaggtgct ttgatactga aggacacaaa tgtgaccgtc catcctcctt 4980
tagagttgca tgacttggac acggttaactg ttgcagtttt agactcagca ttgtgacact 5040
tccaagaag gccaaacctc taaccgacat tctgaaata cgtggcatta ttcttttttg 5100
gatttctcat tttaggaaggc taaccctctg ttgamtgtam kccttttggg ttgggctgta 5160
ttgaaatcct ttctaaattg catgaatagg ctctgctaac cgtgatgaga caaactgaaa 5220
attattgcaa gcattgacta taattatgca gtacgttctc aggatgcac caggggttca 5280
ttttcatgag cctgtccagg tttagtttact cctgaccact aatagcattg tcatttgggc 5340
tttctgttga atgaatcaac aaaccacaat acttcctggg accttttgta ctttatttga 5400
actatgagtc ttttaattttt cctgatgatg gtggctgtaa tatgttgagt tcagtttact 5460
aaagggtttta ctattatggt ttgaagggag tctcatgacc tctcagaaaa ggtgcacctc 5520
cctgaaattg catatatgta tatagacatg cacacgtgtg catttgtttg tatacatata 5580
tttgtccttc gtatagcaag ttttttgctc atcagcagag agcaacagat gttttattga 5640
gtgaagccctt aaaaagcaca caccacacac agctaactgc caaaatacat tgaccgtagt 5700
agctgttcaa ctccctagtag ttagaaatac acgtatgggt aatgttcagt ccaacaaacc 5760
acacacagta aatgtttatt aatagtcagt gttcgtattt taggtgactg aaattgcaac 5820
agtgatcata atgaggtttg ttaaaatgat agctatatcc aaaatgtcta tatgtttatt 5880
tggaacttttg aggttaaaga cagtcataata aacgtcctgt ttctgtttta atgttatcat 5940
agaatttttt aatgaaacta aattcaattg aaataaatga tagttttcat ctccaaaaaa 6000
aaaaaaaaag ggcggcccg cagagtctag agggcccggt ttaaaccgcg tgatcagcct 6060
cgactgtgcc ttctagttgc cagccatctg ttgtttggcc ctcccccggt ccttccttga 6120
ccctggaagg ggccactccc

```

&lt;210&gt; 537

&lt;211&gt; 1228

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 537

```

Met Leu Pro Val Tyr Gln Glu Val Lys Pro Asn Pro Leu Gln Asp Ala
      5                      10                      15

```

```

Asn Leu Cys Ser Arg Val Phe Phe Trp Trp Leu Asn Pro Leu Phe Lys
      20                      25                      30

```

Ile Gly His Lys Arg Arg Leu Glu Glu Asp Asp Met Tyr Ser Val Leu  
 35 40 45  
 Pro Glu Asp Arg Ser Gln His Leu Gly Glu Glu Leu Gln Gly Phe Trp  
 50 55 60  
 Asp Lys Glu Val Leu Arg Ala Glu Asn Asp Ala Gln Lys Pro Ser Leu  
 65 70 75 80  
 Thr Arg Ala Ile Ile Lys Cys Tyr Trp Lys Ser Tyr Leu Val Leu Gly  
 85 90 95  
 Ile Phe Thr Leu Ile Glu Glu Ser Ala Lys Val Ile Gln Pro Ile Phe  
 100 105 110  
 Leu Gly Lys Ile Ile Asn Tyr Phe Glu Asn Tyr Asp Pro Met Asp Ser  
 115 120 125  
 Val Ala Leu Asn Thr Ala Tyr Ala Tyr Ala Thr Val Leu Thr Phe Cys  
 130 135 140  
 Thr Leu Ile Leu Ala Ile Leu His His Leu Tyr Phe Tyr His Val Gln  
 145 150 155 160  
 Cys Ala Gly Met Arg Leu Arg Val Ala Met Cys His Met Ile Tyr Arg  
 165 170 175  
 Lys Ala Leu Arg Leu Ser Asn Met Ala Met Gly Lys Thr Thr Thr Gly  
 180 185 190  
 Gln Ile Val Asn Leu Leu Ser Asn Asp Val Asn Lys Phe Asp Gln Val  
 195 200 205  
 Thr Val Phe Leu His Phe Leu Trp Ala Gly Pro Leu Gln Ala Ile Ala  
 210 215 220  
 Val Thr Ala Leu Leu Trp Met Glu Ile Gly Ile Ser Cys Leu Ala Gly  
 225 230 235 240  
 Met Ala Val Leu Ile Ile Leu Leu Pro Leu Gln Ser Cys Phe Gly Lys  
 245 250 255  
 Leu Phe Ser Ser Leu Arg Ser Lys Thr Ala Thr Phe Thr Asp Ala Arg  
 260 265 270  
 Ile Arg Thr Met Asn Glu Val Ile Thr Gly Ile Arg Ile Ile Lys Met  
 275 280 285  
 Tyr Ala Trp Glu Lys Ser Phe Ser Asn Leu Ile Thr Asn Leu Arg Lys  
 290 295 300  
 Lys Glu Ile Ser Lys Ile Leu Arg Ser Ser Cys Leu Arg Gly Met Asn  
 305 310 315 320  
 Leu Ala Ser Phe Phe Ser Ala Ser Lys Ile Ile Val Phe Val Thr Phe  
 325 330 335  
 Thr Thr Tyr Val Leu Leu Gly Ser Val Ile Thr Ala Ser Arg Val Phe

340	345	350
Val Ala Val Thr Leu Tyr Gly Ala Val Arg Leu Thr Val Thr Leu Phe		
355	360	365
Phe Pro Ser Ala Ile Glu Arg Val Ser Glu Ala Ile Val Ser Ile Arg		
370	375	380
Arg Ile Gln Thr Phe Leu Leu Leu Asp Glu Ile Ser Gln Arg Asn Arg		
385	390	395
Gln Leu Pro Ser Asp Gly Lys Lys Met Val His Val Gln Asp Phe Thr		
405	410	415
Ala Phe Trp Asp Lys Ala Ser Glu Thr Pro Thr Leu Gln Gly Leu Ser		
420	425	430
Phe Thr Val Arg Pro Gly Glu Leu Leu Ala Val Val Gly Pro Val Gly		
435	440	445
Ala Gly Lys Ser Ser Leu Leu Ser Ala Val Leu Gly Glu Leu Ala Pro		
450	455	460
Ser His Gly Leu Val Ser Val His Gly Arg Ile Ala Tyr Val Ser Gln		
465	470	475
Gln Pro Trp Val Phe Ser Gly Thr Leu Arg Ser Asn Ile Leu Phe Gly		
485	490	495
Lys Lys Tyr Glu Lys Glu Arg Tyr Glu Lys Val Ile Lys Ala Cys Ala		
500	505	510
Leu Lys Lys Asp Leu Gln Leu Leu Glu Asp Gly Asp Leu Thr Val Ile		
515	520	525
Gly Asp Arg Gly Thr Thr Leu Ser Gly Gly Gln Lys Ala Arg Val Asn		
530	535	540
Leu Ala Arg Ala Val Tyr Gln Asp Ala Asp Ile Tyr Leu Leu Asp Asp		
545	550	555
Pro Leu Ser Ala Val Asp Ala Glu Val Ser Arg His Leu Phe Glu Leu		
565	570	575
Cys Ile Cys Gln Ile Leu His Glu Lys Ile Thr Ile Leu Val Thr His		
580	585	590
Gln Leu Gln Tyr Leu Lys Ala Ala Ser Gln Ile Leu Ile Leu Lys Asp		
595	600	605
Gly Lys Met Val Gln Lys Gly Thr Tyr Thr Glu Phe Leu Lys Ser Gly		
610	615	620
Ile Asp Phe Gly Ser Leu Leu Lys Lys Asp Asn Glu Glu Ser Glu Gln		
625	630	635
Pro Pro Val Pro Gly Thr Pro Thr Leu Arg Asn Arg Thr Phe Ser Glu		
645	650	655

Ser Ser Val Trp Ser Gln Gln Ser Ser Arg Pro Ser Leu Lys Asp Gly  
 660 665 670  
 Ala Leu Glu Ser Gln Asp Thr Glu Asn Val Pro Val Thr Leu Ser Glu  
 675 680 685  
 Glu Asn Arg Ser Glu Gly Lys Val Gly Phe Gln Ala Tyr Lys Asn Tyr  
 690 695 700  
 Phe Arg Ala Gly Ala His Trp Ile Val Phe Ile Phe Leu Ile Leu Leu  
 705 710 715 720  
 Asn Thr Ala Ala Gln Val Ala Tyr Val Leu Gln Asp Trp Trp Leu Ser  
 725 730 735  
 Tyr Trp Ala Asn Lys Gln Ser Met Leu Asn Val Thr Val Asn Gly Gly  
 740 745 750  
 Gly Asn Val Thr Glu Lys Leu Asp Leu Asn Trp Tyr Leu Gly Ile Tyr  
 755 760 765  
 Ser Gly Leu Thr Val Ala Thr Val Leu Phe Gly Ile Ala Arg Ser Leu  
 770 775 780  
 Leu Val Phe Tyr Val Leu Val Asn Ser Ser Gln Thr Leu His Asn Lys  
 785 790 795 800  
 Met Phe Glu Ser Ile Leu Lys Ala Pro Val Leu Phe Phe Asp Arg Asn  
 805 810 815  
 Pro Ile Gly Arg Ile Leu Asn Arg Phe Ser Lys Asp Ile Gly His Leu  
 820 825 830  
 Asp Asp Leu Leu Pro Leu Thr Phe Leu Asp Phe Ile Gln Thr Leu Leu  
 835 840 845  
 Gln Val Val Gly Val Val Ser Val Ala Val Ala Val Ile Pro Trp Ile  
 850 855 860  
 Ala Ile Pro Leu Val Pro Leu Gly Ile Ile Phe Ile Phe Leu Arg Arg  
 865 870 875 880  
 Tyr Phe Leu Glu Thr Ser Arg Asp Val Lys Arg Leu Glu Ser Thr Thr  
 885 890 895  
 Arg Ser Pro Val Phe Ser His Leu Ser Ser Ser Leu Gln Gly Leu Trp  
 900 905 910  
 Thr Ile Arg Ala Tyr Lys Ala Glu Glu Arg Cys Gln Glu Leu Phe Asp  
 915 920 925  
 Ala His Gln Asp Leu His Ser Glu Ala Trp Phe Leu Phe Leu Thr Thr  
 930 935 940  
 Ser Arg Trp Phe Ala Val Arg Leu Asp Ala Ile Cys Ala Met Phe Val  
 945 950 955 960

193

```

Ile Ile Val Ala Phe Gly Ser Leu Ile Leu Ala Lys Thr Leu Asp Ala
          965                      970                      975

Gly Gln Val Gly Leu Ala Leu Ser Tyr Ala Leu Thr Leu Met Gly Met
          980                      985                      990

Phe Gln Trp Cys Val Arg Gln Ser Ala Glu Val Glu Asn Met Met Ile
          995                      1000                      1005

Ser Val Glu Arg Val Ile Glu Tyr Thr Asp Leu Glu Lys Glu Ala Pro
          1010                      1015                      1020

Trp Glu Tyr Gln Lys Arg Pro Pro Pro Ala Trp Pro His Glu Gly Val
          1025                      1030                      1035                      1040

Ile Ile Phe Asp Asn Val Asn Phe Met Tyr Ser Pro Gly Gly Pro Leu
          1045                      1050                      1055

Val Leu Lys His Leu Thr Ala Leu Ile Lys Ser Gln Glu Lys Val Gly
          1060                      1065                      1070

Ile Val Gly Arg Thr Gly Ala Gly Lys Ser Ser Leu Ile Ser Ala Leu
          1075                      1080                      1085

Phe Arg Leu Ser Glu Pro Glu Gly Lys Ile Trp Ile Asp Lys Ile Leu
          1090                      1095                      1100

Thr Thr Glu Ile Gly Leu His Asp Leu Arg Lys Lys Met Ser Ile Ile
          1105                      1110                      1115                      1120

Pro Gln Glu Pro Val Leu Phe Thr Gly Thr Met Arg Lys Asn Leu Asp
          1125                      1130                      1135

Pro Phe Asn Glu His Thr Asp Glu Glu Leu Trp Asn Ala Leu Gln Glu
          1140                      1145                      1150

Val Gln Leu Lys Glu Thr Ile Glu Asp Leu Pro Gly Lys Met Asp Thr
          1155                      1160                      1165

Glu Leu Ala Glu Ser Gly Ser Asn Phe Ser Val Gly Gln Arg Gln Leu
          1170                      1175                      1180

Val Cys Leu Ala Arg Ala Ile Leu Arg Lys Asn Gln Ile Leu Ile Ile
          1185                      1190                      1195                      1200

Asp Glu Ala Thr Ala Asn Val Asp Pro Arg Thr Asp Glu Leu Ile Gln
          1205                      1210                      1215

Lys Lys Ser Gly Arg Asn Leu Pro Thr Ala Pro Cys
          1220                      1225

<210> 538
<211> 1261
<212> PRT
<213> Homo sapiens

<400> 538
Met Tyr Ser Val Leu Pro Glu Asp Arg Ser Gln His Leu Gly Glu Glu

```

194

5					10					15					
Leu	Gln	Gly	Phe	Trp	Asp	Lys	Glu	Val	Leu	Arg	Ala	Glu	Asn	Asp	Ala
			20					25					30		
Gln	Lys	Pro	Ser	Leu	Thr	Arg	Ala	Ile	Ile	Lys	Cys	Tyr	Trp	Lys	Ser
		35					40					45			
Tyr	Leu	Val	Leu	Gly	Ile	Phe	Thr	Leu	Ile	Glu	Glu	Ser	Ala	Lys	Val
	50					55					60				
Ile	Gln	Pro	Ile	Phe	Leu	Gly	Lys	Ile	Ile	Asn	Tyr	Phe	Glu	Asn	Tyr
	65					70					75				80
Asp	Pro	Met	Asp	Ser	Val	Ala	Leu	Asn	Thr	Ala	Tyr	Ala	Tyr	Ala	Thr
				85					90					95	
Val	Leu	Thr	Phe	Cys	Thr	Leu	Ile	Leu	Ala	Ile	Leu	His	His	Leu	Tyr
			100					105					110		
Phe	Tyr	His	Val	Gln	Cys	Ala	Gly	Met	Arg	Leu	Arg	Val	Ala	Met	Cys
		115					120					125			
His	Met	Ile	Tyr	Arg	Lys	Ala	Leu	Arg	Leu	Ser	Asn	Met	Ala	Met	Gly
	130					135					140				
Lys	Thr	Thr	Thr	Gly	Gln	Ile	Val	Asn	Leu	Leu	Ser	Asn	Asp	Val	Asn
	145					150					155				160
Lys	Phe	Asp	Gln	Val	Thr	Val	Phe	Leu	His	Phe	Leu	Trp	Ala	Gly	Pro
			165					170						175	
Leu	Gln	Ala	Ile	Ala	Val	Thr	Ala	Leu	Leu	Trp	Met	Glu	Ile	Gly	Ile
			180					185					190		
Ser	Cys	Leu	Ala	Gly	Met	Ala	Val	Leu	Ile	Ile	Leu	Leu	Pro	Leu	Gln
		195					200					205			
Ser	Cys	Phe	Gly	Lys	Leu	Phe	Ser	Ser	Leu	Arg	Ser	Lys	Thr	Ala	Thr
	210					215					220				
Phe	Thr	Asp	Ala	Arg	Ile	Arg	Thr	Met	Asn	Glu	Val	Ile	Thr	Gly	Ile
	225					230					235				240
Arg	Ile	Ile	Lys	Met	Tyr	Ala	Trp	Glu	Lys	Ser	Phe	Ser	Asn	Leu	Ile
			245						250					255	
Thr	Asn	Leu	Arg	Lys	Lys	Glu	Ile	Ser	Lys	Ile	Leu	Arg	Ser	Ser	Cys
		260						265					270		
Leu	Arg	Gly	Met	Asn	Leu	Ala	Ser	Phe	Phe	Ser	Ala	Ser	Lys	Ile	Ile
		275					280					285			
Val	Phe	Val	Thr	Phe	Thr	Thr	Tyr	Val	Leu	Leu	Gly	Ser	Val	Ile	Thr
	290					295					300				
Ala	Ser	Arg	Val	Phe	Val	Ala	Val	Thr	Leu	Tyr	Gly	Ala	Val	Arg	Leu
	305					310					315				320

Thr Val Thr Leu Phe Phe Pro Ser Ala Ile Glu Arg Val Ser Glu Ala  
 325 330 335  
 Ile Val Ser Ile Arg Arg Ile Gln Thr Phe Leu Leu Leu Asp Glu Ile  
 340 345 350  
 Ser Gln Arg Asn Arg Gln Leu Pro Ser Asp Gly Lys Lys Met Val His  
 355 360 365  
 Val Gln Asp Phe Thr Ala Phe Trp Asp Lys Ala Ser Glu Thr Pro Thr  
 370 375 380  
 Leu Gln Gly Leu Ser Phe Thr Val Arg Pro Gly Glu Leu Leu Ala Val  
 385 390 395 400  
 Val Gly Pro Val Gly Ala Gly Lys Ser Ser Leu Leu Ser Ala Val Leu  
 405 410 415  
 Gly Glu Leu Ala Pro Ser His Gly Leu Val Ser Val His Gly Arg Ile  
 420 425 430  
 Ala Tyr Val Ser Gln Gln Pro Trp Val Phe Ser Gly Thr Leu Arg Ser  
 435 440 445  
 Asn Ile Leu Phe Gly Lys Lys Tyr Glu Lys Glu Arg Tyr Glu Lys Val  
 450 455 460  
 Ile Lys Ala Cys Ala Leu Lys Lys Asp Leu Gln Leu Leu Glu Asp Gly  
 465 470 475 480  
 Asp Leu Thr Val Ile Gly Asp Arg Gly Thr Thr Leu Ser Gly Gly Gln  
 485 490 495  
 Lys Ala Arg Val Asn Leu Ala Arg Ala Val Tyr Gln Asp Ala Asp Ile  
 500 505 510  
 Tyr Leu Leu Asp Asp Pro Leu Ser Ala Val Asp Ala Glu Val Ser Arg  
 515 520 525  
 His Leu Phe Glu Leu Cys Ile Cys Gln Ile Leu His Glu Lys Ile Thr  
 530 535 540  
 Ile Leu Val Thr His Gln Leu Gln Tyr Leu Lys Ala Ala Ser Gln Ile  
 545 550 555 560  
 Leu Ile Leu Lys Asp Gly Lys Met Val Gln Lys Gly Thr Tyr Thr Glu  
 565 570 575  
 Phe Leu Lys Ser Gly Ile Asp Phe Gly Ser Leu Leu Lys Lys Asp Asn  
 580 585 590  
 Glu Glu Ser Glu Gln Pro Pro Val Pro Gly Thr Pro Thr Leu Arg Asn  
 595 600 605  
 Arg Thr Phe Ser Glu Ser Ser Val Trp Ser Gln Gln Ser Ser Arg Pro  
 610 615 620



Ser Leu Lys Asp Gly Ala Leu Glu Ser Gln Asp Thr Glu Asn Val Pro  
 625 630 635 640  
 Val Thr Leu Ser Glu Glu Asn Arg Ser Glu Gly Lys Val Gly Phe Gln  
 645 650 655  
 Ala Tyr Lys Asn Tyr Phe Arg Ala Gly Ala His Trp Ile Val Phe Ile  
 660 665 670  
 Phe Leu Ile Leu Leu Asn Thr Ala Ala Gln Val Ala Tyr Val Leu Gln  
 675 680 685  
 Asp Trp Trp Leu Ser Tyr Trp Ala Asn Lys Gln Ser Met Leu Asn Val  
 690 695 700  
 Thr Val Asn Gly Gly Gly Asn Val Thr Glu Lys Leu Asp Leu Asn Trp  
 705 710 715 720  
 Tyr Leu Gly Ile Tyr Ser Gly Leu Thr Val Ala Thr Val Leu Phe Gly  
 725 730 735  
 Ile Ala Arg Ser Leu Leu Val Phe Tyr Val Leu Val Asn Ser Ser Gln  
 740 745 750  
 Thr Leu His Asn Lys Met Phe Glu Ser Ile Leu Lys Ala Pro Val Leu  
 755 760 765  
 Phe Phe Asp Arg Asn Pro Ile Gly Arg Ile Leu Asn Arg Phe Ser Lys  
 770 775 780  
 Asp Ile Gly His Leu Asp Asp Leu Leu Pro Leu Thr Phe Leu Asp Phe  
 785 790 795 800  
 Ile Gln Thr Leu Leu Gln Val Val Gly Val Val Ser Val Ala Val Ala  
 805 810 815  
 Val Ile Pro Trp Ile Ala Ile Pro Leu Val Pro Leu Gly Ile Ile Phe  
 820 825 830  
 Ile Phe Leu Arg Arg Tyr Phe Leu Glu Thr Ser Arg Asp Val Lys Arg  
 835 840 845  
 Leu Glu Ser Thr Thr Arg Ser Pro Val Phe Ser His Leu Ser Ser Ser  
 850 855 860  
 Leu Gln Gly Leu Trp Thr Ile Arg Ala Tyr Lys Ala Glu Glu Arg Cys  
 865 870 875 880  
 Gln Glu Leu Phe Asp Ala His Gln Asp Leu His Ser Glu Ala Trp Phe  
 885 890 895  
 Leu Phe Leu Thr Thr Ser Arg Trp Phe Ala Val Arg Leu Asp Ala Ile  
 900 905 910  
 Cys Ala Met Phe Val Ile Ile Val Ala Phe Gly Ser Leu Ile Leu Ala  
 915 920 925  
 Lys Thr Leu Asp Ala Gly Gln Val Gly Leu Ala Leu Ser Tyr Ala Leu

930	935	940
Thr Leu Met Gly Met Phe Gln Trp Cys Val Arg Gln Ser Ala Glu Val		
945	950	955 960
Glu Asn Met Met Ile Ser Val Glu Arg Val Ile Glu Tyr Thr Asp Leu		
	965	970 975
Glu Lys Glu Ala Pro Trp Glu Tyr Gln Lys Arg Pro Pro Pro Ala Trp		
	980	985 990
Pro His Glu Gly Val Ile Ile Phe Asp Asn Val Asn Phe Met Tyr Ser		
	995	1000 1005
Pro Gly Gly Pro Leu Val Leu Lys His Leu Thr Ala Leu Ile Lys Ser		
	1010	1015 1020
Gln Glu Lys Val Gly Ile Val Gly Arg Thr Gly Ala Gly Lys Ser Ser		
1025	1030	1035 1040
Leu Ile Ser Ala Leu Phe Arg Leu Ser Glu Pro Glu Gly Lys Ile Trp		
	1045	1050 1055
Ile Asp Lys Ile Leu Thr Thr Glu Ile Gly Leu His Asp Leu Arg Lys		
	1060	1065 1070
Lys Met Ser Ile Ile Pro Gln Glu Pro Val Leu Phe Thr Gly Thr Met		
	1075	1080 1085
Arg Lys Asn Leu Asp Pro Phe Asn Glu His Thr Asp Glu Glu Leu Trp		
	1090	1095 1100
Asn Ala Leu Gln Glu Val Gln Leu Lys Glu Thr Ile Glu Asp Leu Pro		
1105	1110	1115 1120
Gly Lys Met Asp Thr Glu Leu Ala Glu Ser Gly Ser Asn Phe Ser Val		
	1125	1130 1135
Gly Gln Arg Gln Leu Val Cys Leu Ala Arg Ala Ile Leu Arg Lys Asn		
	1140	1145 1150
Gln Ile Leu Ile Ile Asp Glu Ala Thr Ala Asn Val Asp Pro Arg Thr		
	1155	1160 1165
Asp Glu Leu Ile Gln Lys Lys Ile Arg Glu Lys Phe Ala His Cys Thr		
	1170	1175 1180
Val Leu Thr Ile Ala His Arg Leu Asn Thr Ile Ile Asp Ser Asp Lys		
1185	1190	1195 1200
Ile Met Val Leu Asp Ser Gly Arg Leu Lys Glu Tyr Asp Glu Pro Tyr		
	1205	1210 1215
Val Leu Leu Gln Asn Lys Glu Ser Leu Phe Tyr Lys Met Val Gln Gln		
	1220	1225 1230
Leu Gly Lys Ala Glu Ala Ala Ala Leu Thr Glu Thr Ala Lys Gln Arg		
	1235	1240 1245

Trp Gly Phe Thr Met Leu Ala Arg Leu Val Ser Asn Ser  
 1250 1255 1260

<210> 539  
 <211> 10  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 539  
 Cys Leu Ser His Ser Val Ala Val Val Thr  
 1 5 10

<210> 540  
 <211> 9  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Made in a lab

<400> 540  
 Ala Val Val Thr Ala Ser Ala Ala Leu  
 1 5

<210> 541  
 <211> 14  
 <212> PRT  
 <213> Homo sapiens

<400> 541  
 Leu Ala Gly Leu Leu Cys Pro Asp Pro Arg Pro Leu Glu Leu  
 5 10

<210> 542  
 <211> 15  
 <212> PRT  
 <213> Homo sapiens

<400> 542  
 Thr Gln Val Val Phe Asp Lys Ser Asp Leu Ala Lys Tyr Ser Ala  
 5 10 15

<210> 543  
 <211> 12  
 <212> PRT  
 <213> Homo sapiens

<400> 543  
 Phe Met Gly Ser Ile Val Gln Leu Ser Gln Ser Val  
 5 10

Met Thr

```
<210> 545
<211> 18
<212> PRT
<213> Homo sapiens
```

Ser Val

```
<210> 546
<211> 29
<212> PRT
<213> Homo sapiens
```

Thr Glu Ala Arg Arg His Tyr Asp Glu Gly Val Arg Met  
20 25

```
<210> 547
<211> 58
<212> PRT
<213> Homo sapiens
```

Ala Phe Arg Asn Leu Gly Ala Leu Leu Pro Arg Leu His Gln Leu Cys  
35 40 45

Cys Arg Met Pro Arg Thr Leu Arg Arg Leu  
50 55

200

<210> 548  
<211> 18  
<212> PRT  
<213> Homo sapiens

<400> 548  
Ile Asp Trp Asp Thr Ser Ala Leu Ala Pro Tyr Leu Gly Thr Gln Glu  
                  5                  10                  15

Glu Cys

<210> 549  
<211> 18  
<212> PRT  
<213> Homo sapiens

<400> 549  
Leu Glu Ala Leu Leu Ser Asp Leu Phe Arg Asp Pro Asp His Cys Arg  
                  5                  10                  15

Gln Ala

<210> 550  
<211> 14  
<212> PRT  
<213> Homo sapiens

<400> 550  
Ser Asp His Trp Arg Gly Arg Tyr Gly Arg Arg Arg Pro Phe  
                  5                  10

<210> 551  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Made in a lab

<400> 551  
Phe Asp Lys Ser Asp Leu Ala Lys Tyr Ser Ala  
                  5                  10

<210> 552  
<211> 2577  
<212> DNA  
<213> Homo sapiens

<400> 552  
agcatatgta acatgacctg tgcttcagtg ttcttttgtg atcaaaaatt ccttactttt 60  
agtttttttat ctatggtaga accaccaga gcaggggtcc tcaactcca ggccacagac 120  
tcataccagt ccacggacta ttatgaacca caccacacag gaggaggtga gcactaggca 180  
agccaaggaa gcttcacctg tacttacagc cacacgcat ggctcatatt acagcctgaa 240

```

ctctgcctcc actcagatca gtgataacat tagaaactca ttggagcacg aaccctgttg 300
tgaactgcct atccgaagga tctaggttgt gtgcttcgta tgagaatcta atgccagatg 360
atctatcatt gtctcacttt gccccagat aagaccatct agttgcagaa aaataagctc 420
agagcttcca ctgattctac attatggata tgtgcccgcg aagcaagcac aaagccctac 480
ttttacacat gcctagtgat gcttcattga caaggcttgg ctctgttgag tccaactaac 540
ctacctgaga ttctgagatt tctcttcaat ggcttctgtg gagctagagt ttgaaaatat 600
cttaaaatct tgagctagag atggaagtag cttggacgat tttcattatc atgtaaactc 660
ggtcactcaa ggggccaacc acagctggga gccactgctc aggggaaggt tcatatggga 720
ctttctactg cccaagggtc tatacaggat ataaagggtg ctcacagtat agatctggta 780
gcaaagaaga agaaacaaac actgatctct ttctgccacc cctctgaccc tttggaactc 840
ctctgaccct ttagaacaag cctacctaat atctgctaga gaaaagacca acaacggcct 900
caaaggatct cttaccatga aggtctcagc taattcttgg ctaagatgtg gggtccacat 960
taggttctga atatgggggg aagggtcaat ttgctcattt tgtgtgtgga taaagtccag 1020
atgcccaggg gccagagcag ggggctgctg ctttgggaac aatggctgag catataacca 1080
taggtatggg aacaaaaaac atcaaagtca ctgtatcaat tgccatgaag actcgaggga 1140
cctgaatcta ccgattcatc ttaaggcagc aggaccagtt tgagtggcaa caatgcagca 1200
gcagaatcaa tggaaacaac agaattgatt caatgtcctt ttttttctcc tccttctgac 1260
ttgataaaag ggaccgtctt ccttggattt agtgaacccc tttggttcct gaaaaattca 1320
aggagtatct aggacatagt cccagaaga cagtacaaga ctttctgata aactggacat 1380
ttcaagrcct aaataactaa tcagaaaaat caaagatgtg atactatttt ttatcccatg 1440
cataggtgct acacttggat caaatgaaca atgttgggat ctytatggat aaaggctcta 1500
aaagtcttga gataaagaat cctgcaccca ctggtaactt taacttgtct tgttttttgt 1560
ctgwtttctg gctgatgcag gggactaact cactgccacg cgaaaactac ctgaactgaa 1620
ctatgacatc tcacctgata tgtaagatgt aactgttata attattttta acctcaattt 1680
agcattaact agcctttttaa tgtaaacact tacacattat gaygactaga aacagcatac 1740
tctctggccg tctgtccaga tagatcttga gaagatacat caatgttttg ctcaagtaga 1800
aggctgacta tacttgcgca tcacaacat acagcaagta tgagagcagt tctaaaatga 1860
tagacacagg aacagtaata aagttattkt aaaagctaata ttgatatact ttaccaattt 1920
aacatcttgc ctgtccgtgc agaatacaac atttacctgc actaaaagac ataagcatct 1980
tcagtgtctc agtggttcac tttgtaaaat accaccaagg ttaaaaggaa gggacaaaaa 2040
aaaaaaaccc tcttatctca gtggggtatt gcatagcaga agctactaat ttgaagtcct 2100
ttgatggaca agaaacaata ttagggccac ttatctgaaa tgaacaaaga tttaagtga 2160
gatttcatca cagcttccct agactgatat gctgtaatat aaaatcagct aggggggtaa 2220
ataaataaga gctctctgca tgctgaaagc aagtaagatt aataataatg gtaagaatag 2280
tagtcacagg agtttcagtt aatgatgcc aataagcatgt gctaggcact gaattaaatg 2340
ccacatatat ctttcttatg cgcagcaaac tttgaaggat atattctcct acttttcata 2400
tatgacaaca tatttgggtg taaataacgt tccaagggtc acacacctag caagtaagaa 2460
agttaggaat taaacccagt attgtgtgaa tctaaagcct aacttttttc tctttatcac 2520
ccacctacgg cttgtcttca ttaaaggaaa agtgtatcca cttaaaaaaa aaaaaaa 2577

```

&lt;210&gt; 553

&lt;211&gt; 58

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 553

```

Ser Ile Cys Asn Met Thr Cys Ala Ser Val Phe Phe Cys Asp Gln Lys
          5                      10                      15

```

```

Phe Leu Thr Phe Ser Phe Leu Ser Met Val Glu Pro Pro Arg Ala Gly
          20                      25                      30

```

```

Val Leu Asn Ser Gln Ala Thr Asp Ser Tyr Gln Ser Thr Asp Tyr Tyr
          35                      40                      45

```

```

Glu Pro His His Thr Gly Gly Gly Glu His
          50                      55

```

202

&lt;210&gt; 554

&lt;211&gt; 59

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 554

Leu Gln Lys Asn Lys Leu Arg Ala Ser Thr Asp Ser Thr Leu Trp Ile  
                           5                          10                          15

Cys Ala Ala Glu Ala Ser Thr Lys Pro Tyr Phe Tyr Thr Cys Leu Val  
                   20                          25                          30

Met Leu His Gly Gln Gly Leu Ala Leu Leu Ser Pro Thr Asn Leu Pro  
           35                          40                          45

Glu Ile Leu Arg Phe Leu Phe Asn Gly Phe Leu  
       50                          55

&lt;210&gt; 555

&lt;211&gt; 71

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 555

Leu Gly Arg Phe Ser Leu Ser Cys Lys Ser Gly His Ser Arg Gly Gln  
                           5                          10                          15

Pro Gln Leu Gly Ala Thr Ala Gln Gly Lys Val His Met Gly Leu Ser  
           20                          25                          30

Thr Ala Gln Gly Ser Ile Gln Asp Ile Lys Val Pro His Ser Ile Asp  
       35                          40                          45

Leu Val Ala Lys Lys Lys Lys Gln Thr Leu Ile Ser Phe Cys His Pro  
       50                          55                          60

Ser Asp Pro Leu Glu Leu Leu  
       65                          70

&lt;210&gt; 556

&lt;211&gt; 81

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 556

Asn His Pro Glu Gln Gly Ser Ser Thr Pro Arg Pro Gln Thr His Thr  
                           5                          10                          15

Ser Pro Arg Thr Ile Met Asn His Thr Thr Gln Glu Glu Val Ser Thr  
       20                          25                          30

Arg Gln Ala Lys Glu Ala Ser Pro Val Leu Thr Ala Thr Arg His Gly  
       35                          40                          45

Ser Tyr Tyr Ser Leu Asn Ser Ala Ser Thr Gln Ile Ser Asp Asn Ile

203

50                      55                      60  
 Arg Asn Ser Leu Glu His Glu Pro Cys Cys Glu Leu Pro Ile Arg Arg  
   65                      70                      75                      80  
 Ile

<210> 557  
 <211> 54  
 <212> PRT  
 <213> Homo sapiens

<400> 557  
 Ser Leu Ser Ala Thr Pro Leu Thr Leu Trp Asn Ser Ser Asp Pro Leu  
                                  5                      10                      15  
 Glu Gln Ala Tyr Leu Ile Ser Ala Arg Glu Lys Thr Asn Asn Gly Leu  
                                  20                      25                      30  
 Lys Gly Ser Leu Thr Met Lys Val Ser Ala Asn Ser Trp Leu Arg Cys  
                                  35                      40                      45  
 Gly Phe His Ile Arg Phe  
                                  50

<210> 558  
 <211> 77  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> VARIANT  
 <222> (1)...(77)  
 <223> Xaa = Any amino acid

<400> 558  
 Asn Asp Arg Asp Arg Asn Ser Asn Lys Val Ile Xaa Lys Ala Asn Leu  
                                  5                      10                      15  
 Ile Tyr Phe Thr Asn Leu Thr Ser Cys Leu Ser Val Gln Asn Gln Thr  
                                  20                      25                      30  
 Phe Thr Cys Thr Lys Arg His Lys His Leu Gln Cys Ser Ser Val His  
                                  35                      40                      45  
 Leu Cys Lys Ile Pro Pro Arg Leu Lys Gly Arg Asp Lys Lys Lys Lys  
                                  50                      55                      60  
 Pro Ser Tyr Leu Ser Gly Val Leu His Ser Arg Ser Tyr  
                                  65                      70                      75

<210> 559  
 <211> 50  
 <212> PRT



<213> Homo sapiens

<400> 559

Thr Leu Pro Pro Leu Arg Ser Val Ile Thr Leu Glu Thr His Trp Ser  
5 10 15

Thr Asn Pro Val Val Asn Cys Leu Ser Glu Gly Ser Arg Leu Cys Ala  
20 25 30

Ser Tyr Glu Asn Leu Met Pro Asp Asp Leu Ser Leu Ser His Phe Ala  
35 40 45

Pro Arg  
50

<210> 560

<211> 56

<212> PRT

<213> Homo sapiens

<400> 560

Ile Gly Ser Leu Lys Gly Pro Thr Thr Ala Gly Ser His Cys Ser Gly  
5 10 15

Glu Gly Ser Tyr Gly Thr Phe Tyr Cys Pro Arg Phe Tyr Thr Gly Tyr  
20 25 30

Lys Gly Ala Ser Gln Tyr Arg Ser Gly Ser Lys Glu Glu Glu Thr Asn  
35 40 45

Thr Asp Leu Phe Leu Pro Pro Leu  
50 55

<210> 561

<211> 57

<212> PRT

<213> Homo sapiens

<220>

<221> VARIANT

<222> (1)...(57)

<223> Xaa = Any amino acid

<400> 561

Val Leu His Leu Asp Gln Met Asn Asn Val Gly Ile Xaa Met Asp Lys  
5 10 15

Gly Leu Lys Ser Pro Glu Ile Lys Asn Pro Ala Pro Thr Gly Thr Ser  
20 25 30

Asn Leu Ser Cys Phe Leu Ser Xaa Phe Trp Leu Met Gln Gly Thr Asn  
35 40 45

Ser Leu Pro Arg Glu Asn Tyr Leu Asn  
50 55

```
<210> 562
<211> 59
<212> PRT
<213> Homo sapiens
```

```
<220>  
<221> VARIANT  
<222> (1)...(59)  
<223> Xaa = Any amino acid
```

```

<400> 562
Asp Leu Tyr Pro Xaa Arg Ser Gln His Cys Ser Phe Asp Pro Ser Val
          5                      10                      15
Ala Pro Met His Gly Ile Lys Asn Ser Ile Thr Ser Leu Ile Phe Leu
          20                      25                      30
Ile Ser Tyr Leu Xaa Leu Glu Met Ser Ser Leu Ser Glu Ser Leu Val
          35                      40                      45
Leu Ser Ser Gly Asp Tyr Val Leu Asp Thr Pro
          50                      55

```

```
<210> 563
<211> 79
<212> PRT
<213> Homo sapiens
```

```
<400> 563
Cys Phe Leu Phe Pro Tyr Leu Trp Leu Tyr Ala Gln Pro Leu Phe Pro
      5                                10                        15

Lys Gln Gln Pro Pro Ala Leu Ala Pro Gly His Pro Asp Phe Ile His
      20                                25                        30

Thr Gln Asn Glu Gln Ile Asp Pro Ser Pro His Ile Gln Asn Leu Met
      35                                40                        45

Trp Asn Pro His Leu Ser Gln Glu Leu Ala Glu Thr Phe Met Val Arg
      50                                55                        60

Asp Pro Leu Arg Pro Leu Leu Val Phe Ser Leu Ala Asp Ile Arg
      65                                70                        75
```

```
<210> 564
<211> 64
<212> PRT
<213> Homo sapiens
```

<400> 564  
Ala Cys Ser Lys Gly Ser Glu Glu Phe Gln Arg Val Arg Gly Val Ala  
5 10 15  
Glu Arg Asp Gln Cys Leu Phe Leu Leu Cys Tyr Gln Ile Tyr Thr  
20 25 30

Val Arg His Leu Tyr Ile Leu Tyr Arg Thr Leu Gly Ser Arg Lys Ser  
           35                          40                          45

His Met Asn Leu Pro Leu Ser Ser Gly Ser Gln Leu Trp Leu Ala Pro  
       50                          55                          60

<210> 565

<211> 57

<212> PRT

<213> Homo sapiens

<220>

<221> VARIANT

<222> (1)...(57)

<223> Xaa = Any amino acid

<400> 565

Leu Tyr Tyr Cys Ser Tyr Leu Cys His Phe Arg Thr Ala Leu Ile Leu  
                           5                          10                          15

Ala Val Cys Cys Gly Ser Ala Ser Ile Val Ser Leu Leu Leu Glu Gln  
                           20                          25                          30

Asn Ile Asp Val Ser Ser Gln Asp Leu Ser Gly Gln Thr Ala Arg Glu  
           35                          40                          45

Tyr Ala Val Ser Ser Xaa His Asn Val  
       50                          55

<210> 566

<211> 55

<212> PRT

<213> Homo sapiens

<400> 566

Ile Leu Leu Glu Phe Phe Arg Asn Gln Arg Gly Ser Leu Asn Pro Arg  
                           5                          10                          15

Lys Thr Val Pro Phe Ile Lys Ser Glu Gly Gly Glu Lys Lys Gly His  
           20                          25                          30

Cys Asn His Ser Val Val Ser Ile Asp Ser Ala Ala Ala Leu Leu Pro  
       35                          40                          45

Leu Lys Leu Val Leu Leu Pro  
       50                          55

<210> 567

<211> 51

<212> PRT

<213> Homo sapiens

<400> 567

Tyr Ser Asp Phe Asp Val Phe Cys Ser His Thr Tyr Gly Tyr Met Leu

207

5 10 15  
 Ser His Cys Ser Gln Ser Ser Ser Pro Leu Leu Trp Pro Leu Gly Ile  
 20 25 30  
 Leu Thr Leu Ser Thr His Lys Met Ser Lys Leu Thr Leu Pro Pro Ile  
 35 40 45  
 Phe Arg Thr  
 50

<210> 568  
 <211> 75  
 <212> PRT  
 <213> Homo sapiens

<400> 568  
 Lys Val Gly Glu Tyr Ile Leu Gln Ser Leu Leu Arg Ile Arg Lys Ile  
 5 10 15  
 Tyr Val Ala Phe Asn Ser Val Pro Ser Thr Cys Leu Leu Ala Ser Leu  
 20 25 30  
 Thr Glu Thr Pro Val Thr Thr Ile Leu Thr Ile Ile Ile Asn Leu Thr  
 35 40 45  
 Cys Phe Gln His Ala Glu Ser Ser Tyr Leu Phe Tyr Pro Leu Ala Asp  
 50 55 60  
 Phe Leu Leu Gln His Ile Ser Leu Gly Lys Leu  
 65 70 75

<210> 569  
 <211> 4809  
 <212> DNA  
 <213> Homo sapiens

<400> 569  
 gcatccagag tgggtggactg gttacaggct atgaacctac actgatgcgg caccaccacc 60  
 cagagtcacac rgggttatgtt ggttcacatt tactcttgct gtggatatgt ctataggttt 120  
 ggacagatgt ccgataatcc tttttacatt ttggcatcct tgggtagctc gtcttgtagg 180  
 aatggacttg cttcaaagtg gaggcaggca gatccttcag acgggtatat ggagccctgt 240  
 tttcagttgc ttttctaatt ctctcttata gtttacctca aaatcttcct gaggtctcgc 300  
 ttctttttaa aatccttgct tactttgcag catcactctg acactcccat tgattcctca 360  
 gcacctactg actacacggg taggagtgc agggtagaat tcatgtttta ttcattcttg 420  
 ggtctgtagc acccagcaaa gtgctcagta aatgocgagt aattgatttg acctctgaac 480  
 aaatacacac tgtactaaga atctacacac cgaaagacaa aaacaagaca aatttgagtg 540  
 ctacagggtgt cacgcttggc atcacacatg tgccctgtgta ttctcttagg tggttaccag 600  
 gagctctgcc actgcatgct cactagtgc gggttcgctc caccacccca gctgggtagc 660  
 cgctgctctc acataagggg tccaattaaa attgccagga ataaattccc ccggactttg 720  
 acttctcaag agctaagaag gtttgctgag tattctggca tgatgttttg tgatcaaaca 780  
 actgctggcc aaaaatgatg agtatctccc cctcttgctg aagatgtgct ccatacaata 840  
 gtccatcaca ttcatcattc atcagtctgg aagtgtgcag aacaacatgt aatagataat 900  
 atgattggct gcacattcc agactgatga atgatgaatg tgatggacta ttgtatggag 960  
 cacatcttca gcaagagggg gaaatactca tcattttatc tattacatgt tgttctggtt 1020

tttttttttt	tccaatgtcc	agcctaaact	ataaagtact	ttgagaacgc	acagtgagcc	1080
ataagcttgc	caataaagag	tcctctgtgg	tatggaactg	gcttatttca	tacacaatct	1140
gcaacaatg	agggcactat	tggaaacata	ctgtgctgca	cagagcattt	acaccgctta	1200
tctttaatct	tccccagcaa	tccttgcttt	gtgcgcattt	atgatccttg	ctctcagaag	1260
tccacatact	tttccccaac	cgtaacaaat	tatttaactc	atctaagtga	tgtatgtccg	1320
cgcagtctga	aaaacagtaat	tgtccttggt	aagaagtga	tttaagagag	ctctaggcca	1380
ctcatcacaa	ctccagccct	gccctccatg	tggtagcagc	tctttggact	ggggctaagt	1440
gcttattctt	gtgcttcatt	cctggtaagc	tcaatttctt	taccttagga	taactttgct	1500
ggaaaagggc	tcagattcag	ccgaccattg	tggcctctgt	ggctgtcaca	gcttgtccct	1560
gacatgctat	gatgttgggt	ccccttctca	tccccttggt	atttcttctg	ctggcccaca	1620
gccagaacaa	ctaggccctt	tactccacca	tccccttggt	ttcttttggt	tcgttggtaa	1680
aaatcaatcc	ttctaccatc	catgcatagc	aatttctaaa	aactgaattt	caagagcagt	1740
acttgaagaa	acaaacatga	tttggctcct	ttagtaaaaca	gaataaattt	taataaatca	1800
actttgaaat	agttgtaaga	gttaagaaaa	agcacaacac	tgagatcatc	agagcagctt	1860
ggcctcaag	gacaggcagc	aggattctac	agggtttgag	ccttcctaag	tgaagctggt	1920
tcctgcaggc	tccttgctcc	aagctcctag	ctaacagccc	cttctcccac	gattggcaac	1980
aaagagcaaa	aataactttg	tacttgatgc	tgagtcagtg	taaaaagcca	taaaaaattc	2040
cctctaaatg	tcaaaatggt	tgccctcctt	gaggcttctc	tcctcctact	gggtctggat	2100
aaattagcac	tgggcttata	ttgagtcaca	gatctgggcc	ctgccacaga	gagcttcctc	2160
ctagtgtgtg	atgctttttc	tccaaactat	tgatacaaaa	tgactggaa	tagaaatcaa	2220
cagaaactgg	tcaaagggtg	ggcatacaca	ttctcatgta	gatgtaaagc	tgtgcttaga	2280
attcctttgt	ggagtctggt	ttggtcttgg	ttttcttggg	gtttgattca	tttttttacg	2340
taaattacaa	aaaccctcca	catttcttca	tggattgtat	tagtccatgt	tctccagaga	2400
agcagaacga	gttgatgtga	tgttttggaa	gagattatga	ggaaccggct	catgtgatga	2460
aggaggttga	gaggtcctgt	gctctgccat	ctgcaagctg	aagacctgga	aagctgaggg	2520
tgtggctcca	gtctgagctc	gaaggcccaa	gaaccagggg	aaccaacggt	gtagattcca	2580
ggttgaaggc	aggagaagat	ggtatgtcca	gctcagcagg	caggcaggaa	gcaaatggg	2640
taaatctctc	cttctctcac	cttttgttcc	attcaggcct	tcaacagatt	ggatgagcgc	2700
ccccccaccc	ccacactagg	gagggccatc	tgctttactg	agtcggctga	gtcaagtggc	2760
agcctcatcc	caaaacactc	tcagacacac	cgcagaaatg	tttcatctgg	gcaccctgtg	2820
gacagtcacg	ctgacacaca	gaactaacca	tgacatggat	tcttcttaaa	gcagtgatag	2880
gagcgaacag	aaacattttc	ataattttca	attattttta	atgaaaacta	tatctgatgg	2940
aattgtttta	acctagtctg	gccacacatt	atttctctgg	accgcccctc	cttcaatccc	3000
ttggacactg	atgactttat	gccagatta	cactggaggc	ctgtgctgat	tttctaacac	3060
atacctgcaa	ctgagctggc	aaaaagaaaa	ctaggcaagt	atgacagata	catgatgcac	3120
aggctaagtg	caaaaggaaag	aaaaacacca	actgcaggga	tgagggactc	acccttttag	3180
aagtttctac	ttgagcagct	agaagactac	aatgccactc	atcaaaacag	tgactcaggg	3240
ggagtatttg	ggataaagga	ggaatctgat	gttgagggtc	aaatttgaag	tgtctttaag	3300
acctacaggt	aacgagacag	ctggacaaac	acatggaact	caggacaaag	gctctaagga	3360
cagcacagca	gctgacatcc	tgtgtgacag	ccttgaaagc	agcaggcccg	ccgctcacat	3420
tttggaaggg	aaaatgggta	caatgttgct	tgccactttg	gggccttctt	gggtcacatg	3480
cattttacat	ttatgcagtt	gatataattta	tgtttctctg	gtcttttata	cattagacac	3540
catgattctc	aatcctttgt	tattttgtat	tacaaaaagc	tgaattatta	tttcaaata	3600
gggcaaatta	gagcctttcca	tatttgccaag	gtgtatcaac	cacactgata	ycaygatctc	3660
tcttttgaat	tagttttcca	gttcacacct	accattttatt	tcatgattgg	tttcagactt	3720
gttcctcctg	gaaacactcc	ctaacaagca	cccttgacag	aatgaagaca	caccacacac	3780
atctacecca	ttactgcatg	tactcaagag	tcagctttta	tatgatctct	cccagtgct	3840
ctataaatgg	ggatctttca	ctcacccctaa	agtgaggaca	aaataactga	aagcatgagc	3900
ccagtgcctg	taggtgtgca	attaacctca	gaccaaggaa	gtgccgaacg	catctggctt	3960
ttagcaaggg	acctgacaaa	gtccttcagg	atgtttttgt	acatgagcta	gagaaatgta	4020
cctggagaac	agcttctact	gccagatgat	cttactcaaa	agatgcagat	taagcaaaat	4080
atcaaaccaa	agggtgggtc	ctgatggccc	accagcccct	gtgcctggct	cgtttcctat	4140
gtttcctaga	tttggtttca	gacttgctcc	tcctgcagac	actccctaac	cagcatcctt	4200
gcagaaaact	ggtgaactag	aaaaggcctg	tgtgggtcac	gtggccaccc	aacaccacag	4260
cagtgtctaa	ggtatgcgtg	ggagcctgca	cagcaggagc	gggtcttctt	ggagaccgc	4320
atgagatgca	aagggcagtg	gacaaggagc	caagggaggt	ggctctagtc	acgctggtat	4380
ggtgccagct	tgaggatgct	gggcaagtcc	cgagccgtct	gccttcttag	taccacagtt	4440
accactgtct	gttacctcgc	gagttcaagt	gcttcacgtg	agacagctac	gagacaggcc	4500

```

cctggaaact ggaaaatgcy aagtaaatgt catgcacaat tgttggtcac attttatctc 4560
aatcactttt accaaatcag gctaaaccct ggggtattcat aacgtcttgg gctgtacaaa 4620
ttgttccttg aaatgactca gagacatttt ctgaattggc ttccatcagc caagcatttc 4680
ttcagaactg gaaaaatgct ttaaatttgg ctttgtcatg attattaaaa cactctgtac 4740
attttttatt attgaaatta acacattgcc tactttttta aaattggaaa aagaaaaaaa 4800
aaaaaaaaa                                     4809

```

&lt;210&gt; 570

&lt;211&gt; 951

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 570

```

aaaattgaat attgagatac cattcttttag tgttaccttt tttaaccaca tgtgtttctg 60
aaaatatttg aatttttattc atcttaaaaa ttggaccggg ccttattttac catctttaat 120
ccatttttagt actatgggtg agtacatgga attgaagtct ggcttaaatc ttcagaaagt 180
tatatatcta tttttattta tttttttgag acagagtctc gctgtgtcac ccaggctgga 240
gtgcggtgcc acaatcttgg ctcactgcaa cctctgagtc ccaggttcaa gcgatactca 300
tgctcgggcc tctgagtag ctgggactac aggcgtgcac caccacatct ggctaattctt 360
tttttgtatt tttagtagag acgggggttc actgtggtct ccatctcctg acctcgtgat 420
ccgcctgcct cccaaagtgc tgggattaca ggcagagacc accgcacaca gctgggactg 480
ggtaatttat aaagaaaaga ggtttaatga ctcacagttc cgcagtgctg gagaggcctc 540
aggaaaactta caatcatggg ggaaggcgaa ggggaagcaa ggcacgtctt acatgggtggc 600
aggagagaac gagtgagggg ggagactgcc acaaaactttt tttttttgag acaagagtct 660
ggccctgttg cccaggctgg agtgcagtgg catgatctca gctcactgca acctctgcct 720
cacaggttca agcaattctc atgcctcagc ctcccgcata gctgggacca caggatgca 780
ccaccacacc tagctaattt ttgtagtttt agtagagatg gggctctact atgttgctca 840
ggctgtgtcta aaactcctgg gctccagcaa tccgcctgcc ttggcctccc aaagtgtctg 900
ggttacaggc ataagccacc acatccagcc tgccacatac ttttaaacta t 951

```

&lt;210&gt; 571

&lt;211&gt; 819

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 571

```

cagcttaaaa atggttttctt gaaatcagtg attagcattc actcaccagt acccctacta 60
aggggtaggc actggtttgt actcctggga atacaggagt acaccagaat ttatttctgc 120
ttattgtctt tgttgcaaat gccgtggctt catctgagga attctagaat tcagaggggtg 180
tagccctcca ctctgctgtc ttgctatctg ctctcattgc atccgtttta cctgcattct 240
gaaagatggt tctcagggtt ttcccttgacg attttcttct tttctgattc tgacaatggt 300
ttaaatcatt gtactgtggt tatcatttct ctgcatttat tttaaccatc ttcccttgtg 360
acttgtccta ttgtctttta atttctgcct gttctttatg gctttcaact tcataaataa 420
catgttttct caaatctctt tgtgaattcc agagagggcc aggcacgggtg gctcacatct 480
gtaatccag cactttgggg aggctgagac gggtgatca cttgagggtc ggagtttgag 540
accagcctgg ccaacatggg gaaatcccg ttcaactaaa atacaaaaat taccaggca 600
tggtggcggg cgctgtaat cccagggtact cgggaggctg agggaggaga atcgcttgaa 660
cctgggaggg tgagggagga gaatcgcttg aacccgggag gcagaggttg cagtgaaccg 720
agatcatggt gctgcactcc agcctgggtc acagagcaag actctgcctc aaaaacaaac 780
aaataaacia acaaacaaac aaaacagaga gattttgtc 819

```

&lt;210&gt; 572

&lt;211&gt; 203

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 572

```

tatagaatac tcaagctatg catcaagctt ggtaccgagc tcggatccac tatttacggc 60

```

210

cgccagtgtg ctggaattcg ccottagctc ggatccacta gtccagtgtg gtggaattcc 120  
 attgtgttgg gccaacaca atggagccac cacatccagc ctgccacata cttttaact 180  
 atcaggtctc atgagaactc atg 203

&lt;210&gt; 573

&lt;211&gt; 132

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 573

Met Val Glu Gly Glu Gly Glu Ala Arg His Val Leu His Gly Gly Arg  
                             5                            10                            15  
 Arg Glu Arg Val Arg Gly Glu Thr Ala Thr Asn Phe Phe Phe Leu Arg  
                             20                            25                            30  
 Gln Glu Ser Gly Pro Val Ala Gln Ala Gly Val Gln Trp His Asp Leu  
                             35                            40                            45  
 Ser Ser Leu Gln Pro Leu Pro His Arg Phe Lys Gln Phe Ser Cys Leu  
                             50                            55                            60  
 Ser Leu Pro His Ser Trp Asp His Arg Tyr Ala Pro Pro His Leu Ala  
                             65                            70                            75                            80  
 Asn Phe Cys Ser Phe Ser Arg Asp Gly Val Ser Leu Cys Cys Ser Gly  
                             85                            90                            95  
 Trp Ser Lys Thr Pro Gly Leu Gln Gln Ser Ala Cys Leu Gly Leu Pro  
                             100                            105                            110  
 Lys Cys Trp Gly Tyr Arg His Lys Pro Pro His Pro Ala Cys His Ile  
                             115                            120                            125  
 Leu Leu Asn Tyr  
                             130

&lt;210&gt; 574

&lt;211&gt; 62

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 574

Met Thr His Ser Ser Ala Trp Leu Glu Arg Pro Gln Glu Thr Tyr Asn  
                             5                            10                            15  
 His Gly Gly Arg Arg Arg Gly Ser Lys Ala Arg Leu Thr Trp Trp Gln  
                             20                            25                            30  
 Glu Arg Thr Ser Glu Gly Gly Asp Cys His Lys Leu Phe Phe Phe Glu  
                             35                            40                            45  
 Thr Arg Val Trp Pro Cys Cys Pro Gly Trp Ser Ala Val Ala  
                             50                            55                            60

&lt;210&gt; 575

211

<211> 76  
 <212> PRT  
 <213> Homo sapiens

<400> 575  
 Met Val Lys Ser Arg Phe Thr Lys Asn Thr Lys Ile Thr Gln Ala Trp  
                           5                          10                          15  
 Trp Arg Ala Pro Val Ile Pro Gly Thr Arg Glu Ala Glu Gly Gly Glu  
                           20                          25                          30  
 Ser Leu Glu Pro Gly Arg Leu Arg Glu Glu Asn Arg Leu Asn Pro Gly  
                           35                          40                          45  
 Gly Arg Gly Cys Ser Glu Pro Arg Ser Cys Cys Cys Thr Pro Ala Trp  
                           50                          55                          60  
 Ser Thr Glu Gln Asp Ser Ala Ser Lys Thr Asn Lys  
                           65                          70                          75

<210> 576  
 <211> 68  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> VARIANT  
 <222> (1)...(68)  
 <223> Xaa = Any Amino Acid

<400> 576  
 Met Leu Gly Lys Ser Arg Ala Val Cys Leu Pro Ser Thr Thr Val Thr  
                           5                          10                          15  
 Thr Val Cys Tyr Leu Ala Ser Ser Ser Ala Ser Arg Glu Thr Ala Thr  
                           20                          25                          30  
 Arg Gln Ala Pro Gly Asn Trp Lys Met Xaa Ser Lys Cys His Ala Gln  
                           35                          40                          45  
 Leu Leu Phe Thr Phe Tyr Leu Asn His Phe Tyr Gln Ile Arg Leu Asn  
                           50                          55                          60  
 Pro Gly Tyr Ser  
 65

<210> 577  
 <211> 57  
 <212> PRT  
 <213> Homo sapiens

<400> 577  
 Met Tyr Leu Glu Asn Ser Phe Tyr Cys Gln Met Ile Leu Leu Lys Arg  
                           5                          10                          15  
 Cys Arg Leu Ser Lys Ile Ser Thr Gln Arg Val Val Pro Asp Gly Pro



212

20 25 30

Pro Ala Pro Val Pro Gly Ser Phe Pro Met Phe Pro Arg Phe Gly Phe  
 35 40 45

Arg Leu Ala Pro Pro Ala Asp Thr Pro  
 50 55

<210> 578  
 <211> 51  
 <212> PRT  
 <213> Homo sapiens

<400> 578  
 Met Gln Leu Ile Tyr Leu Cys Phe Leu Gly Leu Leu Tyr Ile Arg His  
 5 10 15

His Asp Ser Gln Ser Phe Val Ile Leu Tyr Tyr Lys Lys Leu Asn Tyr  
 20 25 30

Tyr Phe Lys Tyr Gly Gln Ile Arg Ala Phe His Ile Ala Lys Val Tyr  
 35 40 45

Gln Pro His  
 50

<210> 579  
 <211> 56  
 <212> PRT  
 <213> Homo sapiens

<400> 579  
 Met His Phe Thr Phe Met Gln Leu Ile Tyr Leu Cys Phe Leu Gly Leu  
 5 10 15

Leu Tyr Ile Arg His His Asp Ser Gln Ser Phe Val Ile Leu Tyr Tyr  
 20 25 30

Lys Lys Leu Asn Tyr Tyr Phe Lys Tyr Gly Gln Ile Arg Ala Phe His  
 35 40 45

Ile Ala Lys Val Tyr Gln Pro His  
 50 55

<210> 580  
 <211> 67  
 <212> PRT  
 <213> Homo sapiens

<400> 580  
 Met Glu Leu Arg Thr Lys Ala Leu Arg Thr Ala Gln Gln Leu Thr Ser  
 5 10 15

Cys Val Thr Ala Leu Lys Ala Ala Gly Pro Pro Leu Thr Phe Trp Lys  
 20 25 30

Gly Lys Trp Val Gln Cys Cys Leu Pro Leu Trp Gly Leu Leu Gly Ser  
                   35                                  40                                  45

His Ala Phe Tyr Ile Tyr Ala Val Asp Ile Phe Met Phe Pro Gly Ser  
           50                                  55                                  60

Phe Ile His  
       65

<210> 581  
 <211> 77  
 <212> PRT  
 <213> Homo sapiens

<400> 581  
 Met Leu Glu Val Lys Phe Glu Val Ser Leu Arg Pro Thr Gly Asn Glu  
                                   5                                  10                                  15

Thr Ala Gly Gln Thr His Gly Thr Gln Asp Lys Gly Ser Lys Asp Ser  
                   20                                  25                                  30

Thr Ala Ala Asp Ile Leu Cys Asp Ser Leu Glu Ser Ser Arg Pro Ala  
           35                                  40                                  45

Ala His Ile Leu Glu Gly Lys Met Gly Thr Met Leu Ser Ala Thr Leu  
           50                                  55                                  60

Gly Pro Ser Trp Val Thr Cys Ile Leu His Leu Cys Ser  
       65                                  70                                  75

<210> 582  
 <211> 51  
 <212> PRT  
 <213> Homo sapiens

<400> 582  
 Met Leu Phe Leu Gln Thr Ile Asp Thr Lys Cys Thr Gly Ile Glu Ile  
                                   5                                  10                                  15

Asn Arg Asn Trp Ser Lys Val Trp His Thr His Ser His Val Asp Val  
                   20                                  25                                  30

Lys Leu Cys Leu Glu Phe Leu Cys Gly Val Trp Phe Gly Leu Gly Phe  
           35                                  40                                  45

Leu Gly Val  
       50

<210> 583  
 <211> 60  
 <212> PRT  
 <213> Homo sapiens

<400> 583

214

Met Ser Thr Ser Asp Gly Phe Ala Pro Pro Pro Gln Leu Gly Ser Arg  
                           5                          10                          15

Cys Ser His Ile Arg Gly Pro Ile Lys Ile Ala Arg Asn Lys Phe Pro  
                           20                          25                          30

Arg Thr Leu Thr Ser Gln Glu Leu Arg Arg Phe Ala Glu Tyr Ser Gly  
                           35                          40                          45

Met Met Phe Gly Asp Gln Thr Thr Ala Gly Gln Lys  
           50                          55                          60

&lt;210&gt; 584

&lt;211&gt; 76

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 584

Met Cys Leu Cys Ile Pro Leu Gly Gly Tyr Gln Glu Leu Cys His Cys  
                           5                          10                          15

Met Ser Thr Ser Asp Gly Phe Ala Pro Pro Pro Gln Leu Gly Ser Arg  
                           20                          25                          30

Cys Ser His Ile Arg Gly Pro Ile Lys Ile Ala Arg Asn Lys Phe Pro  
                           35                          40                          45

Arg Thr Leu Thr Ser Gln Glu Leu Arg Arg Phe Ala Glu Tyr Ser Gly  
                           50                          55                          60

Met Met Phe Gly Asp Gln Thr Thr Ala Gly Gln Lys  
           65                          70                          75

&lt;210&gt; 585

&lt;211&gt; 50

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 585

Met Val Tyr Arg Phe Gly Gln Met Ser Asp Asn Pro Phe Tyr Ile Leu  
                           5                          10                          15

Ala Ser Leu Gly Ser Ser Ser Cys Arg Asn Gly Leu Ala Ser Lys Trp  
                           20                          25                          30

Arg Gln Ala Asp Pro Ser Asp Gly Tyr Met Glu Pro Cys Phe Gln Leu  
                           35                          40                          45

Leu Phe  
       50

&lt;210&gt; 586

&lt;211&gt; 60

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

```
<210> 587
<211> 1408
<212> DNA
<213> Homo sapiens
```

<400>	587						
ctggacactt	tgcgagggct	tttgetggct	gctgetgctg	cccgtcatgc	tactcatcgt	60	
agcccgcccg	gtgaagctcg	ctgctttccc	tacctcctta	agtgactgcc	aaacgcccac	120	
cggtcggaat	tgctctgggt	atgatgacag	agaaaatgat	ctcttcctct	gtgacaccaa	180	
caactgtaaa	tttgatgggg	aatgtttaag	aattggagac	actgtgactt	gcgtctgtca	240	
gttcaagtgc	aacaatgact	atgtgcctgt	gtgtggctcc	aatggggaga	gctaccagaa	300	
tgagtgttac	ctgcgacag	ctgcatgcaa	acagcagagt	gagataactt	tgggtgtcaga	360	
aggatcatgt	gccacagatg	caggatcagg	atctggagat	ggagtccatg	aaggctctgg	420	
agaaactagt	caaaaggaga	catccacctg	tgatatattgc	cagtttggtg	cagaatgtga	480	
cgaagatgcc	gaggatgtct	ggtgtgtgtg	taatattgac	tgttctcaaa	ccaacttcaa	540	
tcccctctgc	gcttctgatg	ggaaatctta	tgataatgca	tgccaaatca	aagaagcatc	600	
gtgtcagaaa	caggagaaaa	ttgaagtcac	gtctttgggt	cgatgtcaag	ataacacaac	660	
tacaactact	aagtctgaag	atgggcatta	tgcaagaaca	gattatgcag	agaatgctaa	720	
caaattagaa	gaaagtgcca	gagaacacca	cataccttgt	ccggaacatt	acaatggctt	780	
ctgcactgat	gggaagtggt	agcattctat	caatattgcg	gagccactct	gcaggtgtga	840	
tgctggttat	actggacaac	actgtgaaaa	aaaggactac	agtgttctat	acgttgttcc	900	
cggctcctgta	cgatttcagt	atgtcttaat	cgcagctgtg	attggaacaa	ttcagattgc	960	
tgtcatctgt	gtggtgggtc	tctgcacac	aaggaaatgc	cccagaagca	acagaattca	1020	
cagacagaag	caaaatacag	ggcactacag	ttcagacaat	acaacaagag	cgtccacgag	1080	
gttaatctaa	agggagcatg	ttcacagtg	gctggactac	cgagagcttg	gactacacaa	1140	
tacagtatta	tagacaaaag	aataagacaa	gagatctaca	catgttgctt	tgcatttgtg	1200	
gtaatctaca	ccaatgaaaa	catgtactac	agctatattt	gattatgtat	ggatatattt	1260	
gaatatagtt	acattgtctt	gatgtttttt	ctgtaatgta	aataaactat	ttatatcaca	1320	
caatawagtt	ttttctttcc	catgtattttg	ttatatataa	taaatactca	gtgatgagaa	1380	
aaaaaaaaaa	aaaaaaaaaa	rwmgaccc				1408	

```
<210> 588
<211> 81
<212> PRT
<213> Homo sapiens
```

<400> 588  
Met Pro Gln Lys Gln Gln Asn Ser Gln Thr Glu Ala Lys Tyr Arg Ala  
5 10 15  
Leu Gln Phe Arg Gln Tyr Asn Lys Ser Val His Glu Val Asn Leu Lys  
20 25 30

216

Gly Ala Cys Phe Thr Val Ala Gly Leu Pro Arg Ala Trp Thr Thr Gln  
           35                    40                    45  
 Tyr Ser Ile Ile Asp Lys Arg Ile Arg Gln Glu Ile Tyr Thr Cys Cys  
           50                    55                    60  
 Leu Ala Phe Val Val Ile Tyr Thr Asn Glu Asn Met Tyr Tyr Ser Tyr  
       65                    70                    75                    80  
 Ile

<210> 589  
 <211> 157  
 <212> PRT  
 <213> Homo sapiens

<400> 589  
 Met Thr Met Cys Leu Cys Val Ala Pro Met Gly Arg Ala Thr Arg Met  
                     5                    10                    15  
 Ser Val Thr Cys Asp Arg Leu His Ala Asn Ser Arg Val Arg Tyr Leu  
                     20                    25                    30  
 Trp Cys Gln Lys Asp His Val Pro Gln Met Gln Asp Gln Asp Leu Glu  
           35                    40                    45  
 Met Glu Ser Met Lys Ala Leu Glu Lys Leu Val Lys Arg Arg His Pro  
       50                    55                    60  
 Pro Val Ile Phe Ala Ser Leu Val Gln Asn Val Thr Lys Met Pro Arg  
       65                    70                    75                    80  
 Met Ser Gly Val Cys Val Ile Leu Thr Val Leu Lys Pro Thr Ser Ile  
                     85                    90                    95  
 Pro Ser Ala Leu Leu Met Gly Asn Leu Met Ile Met His Ala Lys Ser  
           100                    105                    110  
 Lys Lys His Arg Val Arg Asn Arg Arg Lys Leu Lys Ser Cys Leu Trp  
           115                    120                    125  
 Val Asp Val Lys Ile Thr Gln Leu Gln Leu Leu Ser Leu Lys Met Gly  
       130                    135                    140  
 Ile Met Gln Glu Gln Ile Met Gln Arg Met Leu Thr Asn  
       145                    150                    155

<210> 590  
 <211> 347  
 <212> PRT  
 <213> Homo sapiens

<400> 590  
 Met Leu Leu Ile Val Ala Arg Pro Val Lys Leu Ala Ala Phe Pro Thr  
                     5                    10                    15

Ser Leu Ser Asp Cys Gln Thr Pro Thr Gly Trp Asn Cys Ser Gly Tyr  
                   20                                  25                                  30  
 Asp Asp Arg Glu Asn Asp Leu Phe Leu Cys Asp Thr Asn Thr Cys Lys  
                   35                                  40                                  45  
 Phe Asp Gly Glu Cys Leu Arg Ile Gly Asp Thr Val Thr Cys Val Cys  
                   50                                  55                                  60  
 Gln Phe Lys Cys Asn Asn Asp Tyr Val Pro Val Cys Gly Ser Asn Gly  
                   65                                  70                                  75                                  80  
 Glu Ser Tyr Gln Asn Glu Cys Tyr Leu Arg Gln Ala Ala Cys Lys Gln  
                                   85                                  90                                  95  
 Gln Ser Glu Ile Leu Val Val Ser Glu Gly Ser Cys Ala Thr Asp Ala  
                                   100                                  105                                  110  
 Gly Ser Gly Ser Gly Asp Gly Val His Glu Gly Ser Gly Glu Thr Ser  
                   115                                  120                                  125  
 Gln Lys Glu Thr Ser Thr Cys Asp Ile Cys Gln Phe Gly Ala Glu Cys  
                   130                                  135                                  140  
 Asp Glu Asp Ala Glu Asp Val Trp Cys Val Cys Asn Ile Asp Cys Ser  
                   145                                  150                                  155                                  160  
 Gln Thr Asn Phe Asn Pro Leu Cys Ala Ser Asp Gly Lys Ser Tyr Asp  
                                   165                                  170                                  175  
 Asn Ala Cys Gln Ile Lys Glu Ala Ser Cys Gln Lys Gln Glu Lys Ile  
                   180                                  185                                  190  
 Glu Val Met Ser Leu Gly Arg Cys Gln Asp Asn Thr Thr Thr Thr Thr  
                   195                                  200                                  205  
 Lys Ser Glu Asp Gly His Tyr Ala Arg Thr Asp Tyr Ala Glu Asn Ala  
                   210                                  215                                  220  
 Asn Lys Leu Glu Glu Ser Ala Arg Glu His His Ile Pro Cys Pro Glu  
                   225                                  230                                  235                                  240  
 His Tyr Asn Gly Phe Cys Met His Gly Lys Cys Glu His Ser Ile Asn  
                                   245                                  250                                  255  
 Met Gln Glu Pro Ser Cys Arg Cys Asp Ala Gly Tyr Thr Gly Gln His  
                                   260                                  265                                  270  
 Cys Glu Lys Lys Asp Tyr Ser Val Leu Tyr Val Val Pro Gly Pro Val  
                   275                                  280                                  285  
 Arg Phe Gln Tyr Val Leu Ile Ala Ala Val Ile Gly Thr Ile Gln Ile  
                   290                                  295                                  300  
 Ala Val Ile Cys Val Val Val Leu Cys Ile Thr Arg Lys Cys Pro Arg  
                   305                                  310                                  315                                  320

Asp Asn Thr Thr Arg Ala Ser Thr Arg Leu Ile  
340 345

```
<210> 591
<211> 565
<212> DNA
<213> Homo sapien
```

<400>	591						
actaaagcaa	atgaacaagc	tgacttgcta	gtatcatctg	cattcattga	agcacaagaa		60
cttcatgcct	tgactcatgt	aaatgcaata	ggattaaaaa	ataaaattga	tatcacatgg		120
aaacagacaa	aaaatattgt	acaacattgc	acccagtgtc	agattctaca	cctggccact		180
caggaagcaa	gagttaatcc	cagaggtcta	tgtcctaata	tgttatggca	aatggatgtc		240
atgcacgtac	cttcatttgg	aaaattgtca	tttgtcca	tgacagttga	tacttattca		300
catttcatat	gggcaacctg	ccagacagga	gaaagtactt	cccagtgtta	aagacattta		360
ttatcttggt	ttcctgtcat	gggagttcca	gaaaaagtta	aaacagacaa	tgggccagggt		420
tactgtagta	aagcatttca	aaaattctta	aatcagtgga	aaattacaca	tacaatagga		480
attctctata	attccccagg	acaggccata	attgaaggga	ctaatagaac	actcaaagct		540
caatttggtta	aacaaaaaaa	aaaaaa					565

```
<210> 592
<211> 188
<212> PRT
<213> Homo sapien
```

<400>	592																
Thr	Lys	Ala	Asn	Glu	Gln	Ala	Asp	Leu	Leu	Val	Ser	Ser	Ala	Phe	Ile		
1				5					10					15			
Glu	Ala	Gln	Glu	Leu	His	Ala	Leu	Thr	His	Val	Asn	Ala	Ile	Gly	Leu		
			20					25					30				
Lys	Asn	Lys	Phe	Asp	Ile	Thr	Trp	Lys	Gln	Thr	Lys	Asn	Ile	Val	Gln		
		35					40					45					
His	Cys	Thr	Gln	Cys	Gln	Ile	Leu	His	Leu	Ala	Thr	Gln	Glu	Ala	Arg		
	50					55					60						
Val	Asn	Pro	Arg	Gly	Leu	Cys	Pro	Asn	Val	Leu	Trp	Gln	Met	Asp	Val		
65					70					75					80		
Met	His	Val	Pro	Ser	Phe	Gly	Lys	Leu	Ser	Phe	Val	His	Val	Thr	Val		
				85					90						95		
Asp	Thr	Tyr	Ser	His	Phe	Ile	Trp	Ala	Thr	Cys	Gln	Thr	Gly	Glu	Ser		
			100					105					110				
Thr	Ser	His	Val	Lys	Arg	His	Leu	Ser	Cys	Phe	Pro	Val	Met	Gly			
		115					120					125					
Val	Pro	Glu	Lys	Val	Lys	Thr	Asp	Asn	Gly	Pro	Gly	Tyr	Cys	Ser	Lys		
		130				135					140						
Ala	Phe	Gln	Lys	Phe	Leu	Asn	Gln	Trp	Lys	Ile	Thr	His	Thr	Ile	Gly		
145					150					155					160		
Ile	Leu	Tyr	Asn	Ser	Gln	Gly	Gln	Ala	Ile	Ile	Glu	Gly	Thr	Asn	Arg		
				165					170						175		
Thr	Leu	Lys	Ala	Gln	Leu	Val	Lys	Gln	Lys	Lys	Lys						
			180					185									

<210> 593  
<211> 271

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(271)

<223> n = A,T,C or G

<400> 593

actttatgtt	cnagtgcana	aanccnccctg	gattgccacc	ntactctcag	ggctgtgant	60
tgatgcnccca	nagcaacctg	ggcacgcggg	gacagggggg	ccnacaattg	agggagcggg	120
gtccctagct	ggggtctata	catgncnggg	naagggcngc	tgagtnccat	nagcaaagga	180
nctagnatnt	gcgggggtgc	ggcctgggcc	taccctttta	agcatccntn	gatccactcc	240
angaanccng	gggtagncag	gtttnccaac	a			271

<210> 594

<211> 376

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(376)

<223> n = A,T,C or G

<400> 594

cctttggggg	nggggggaac	ctttaccatt	gtncccccttt	atttcatttg	gttnggggttc	60
gcgcccctcn	gggccaaaca	agttatcgtn	nttgaagaga	anattttttt	ggnttngncc	120
cgattaagcg	ncaaattgtg	agcaaaangc	cgtagccactt	gtggcgtagc	tncgtcgggt	180
cgattcgacg	acaaggcgtn	gcgcgntanc	gttagtctcn	aatngaccen	gtggcatgag	240
cccacgangg	nttcgtgtcg	tcacatggnc	tctagacata	acgcncncn	ttttttncag	300
agggggntgc	cgcccttagg	gagggnaggg	tggggacact	agccaancca	nantctnacc	360
ccattgaaga	aaagg					376

<210> 595

<211> 242

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(242)

<223> n = A,T,C or G

<400> 595

agnctgctgn	tcgtncctn	tatgtggctt	catnntgagg	acaanagtng	cactgaggct	60
tgngnatgcc	aggcaaggnc	aagctggctc	aaaaagcatc	caccacctc	tgnaanggg	120
atgccangag	cangtgcacc	agtcccaact	angagnccn	ggcatgntac	atcttcttcc	180
accocnanaa	ntttngncta	caangnccat	ttttcttttt	ctcttaagg	ncnctnggct	240
tc						242

<210> 596

<211> 535

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature



&lt;222&gt; (1)...(535)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 596

accagttgga	tactgctaaa	nagatattta	tgcagcctca	tatgttaagt	cgtatatattt	60
gaaagctttt	taaatTTTTT	ctttaagaag	atttttagatg	cttatcactg	agtaccagag	120
ggatgtaggc	tgatgccctt	atcaacaaag	tcagggactg	tggcacacaa	ggattgacta	180
ctgcagacac	ggccacaatg	ctacctctag	agggcctgaa	tccccctgcc	ctctctgggtg	240
gggagaaggg	ctggcagagc	cattagcatg	ggctccggcc	aatcctggcc	actttgacac	300
tcctgggtgct	gacccagggg	cctggaggaa	gggatgaggt	gggcagtaga	gatgctcagg	360
gcagtggccc	ctttccatcc	acactggaac	tatttcagta	ttttaccacc	aattcagcca	420
ttcccttggtg	cgctggctga	acatcagccc	tgctccaggt	ctcagtttcc	cctttgtaaa	480
gggaaagctc	tggaattcagg	gagtgatgaa	gaggtcatca	tggtcttgag	aattc	535

&lt;210&gt; 597

&lt;211&gt; 257

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(257)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 597

tttcnatacc	caaaantacc	ccatattang	accanacatt	tgtctnggaa	aaattaccat	60
tnntntaant	ttgggccacc	tgagannaaa	tggtgtgaat	ncatgataag	atggancagn	120
attnctctta	agatnngatn	agaccccggt	tttcacggaa	catatccaag	nacccaatag	180
gnaacaagcc	acgggnggag	tcacaaacat	atattcttta	ctctcataat	ccgtnncaca	240
naactnttgn	acttgac					257

&lt;210&gt; 598

&lt;211&gt; 222

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(222)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 598

nntggntacc	gtcnaaactt	nncttggtac	ccgagctcgg	atccactagt	ccagtgtggt	60
ggaatttccat	tgtgtttggc	tataagctgt	aatagtggag	ncgtgctngg	ttcattgcan	120
nagnccctcc	gcanncacnc	ttgnnacaac	ctgtgagnag	gcnataaatt	attcacataa	180
tcatcactgc	atgaantga	ctcaaacgca	tccacntaca	cc		222

&lt;210&gt; 599

&lt;211&gt; 238

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(238)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 599

221

```

gcatgacatc ancgatgtnt ttggnnacct ganattngct. aaaactngng natgccgggn      60
atgnaggttt ggtantgac tatgcaactca catctcatgg ggacgtttca tgtggagtg      120
tcgacaangt tgctgnancn gagaagtgat gatctcagtt gaaaggggtca tgtgaataca      180
cnttacactt gaaaaagaag cacattggga atatcacgaa acgnccacca acatcctg      238

```

&lt;210&gt; 600

&lt;211&gt; 232

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(232)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 600

```

cgaactatth agactaccta ggaaaattat tttagtatca gaagaatatt aggggtgtag      60
tactcatcag agctaaatga gagcgcttta aaaatgttag ttgtcttcc gccatttcta      120
cagaaagctg caatttcagg ttttcaacct aataggtgat atttaanaaa aaaaaaagc      180
aatcgcaaat agccccactg cttttacaaa tcattttttc cccaacacaa tg          232

```

&lt;210&gt; 601

&lt;211&gt; 547

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(547)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 601

```

cattgtgttg gggaaaaaat gatttgtata agcagtgggg ctatttgcca ttgctttttt      60
tttttcttaa atatcaccta ttaggttgaa aacctgaaat tgcagctttc tgtagaaatg      120
gcggaagaca aactaacatt tttaaagcgc tctcatttag ctctgatgag tactacaccc      180
ctnatattct tctgatacta aaataatttt cctagtgtag tctaaacttt tttaaaaaga      240
catgtaatcc gcggagttag taactcaaaa cgagtgcac tnggaagtat cgcagccgtt      300
nctggatnaa attcccagct tgctngcttg cttagccggg gggcggtnaa aaaaacatct      360
gcagcccngg ggnaaaaacc ttgcattgt tcttacgtgt ttacgttatt ttatttccct      420
nnagcaaggc nggganttgg ggactcgaaa tggtagcatt gggctgggga tcgcccttgt      480
tacataaaag ncgtccagaa gagggacggt tacaggcngg ganctccaaa ggtcagtcct      540
tgccatt                                           547

```

&lt;210&gt; 602

&lt;211&gt; 826

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(826)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 602

```

cgggggggnt tacgtctctc tggacgcttt tattgtacca gggcgatccc agcccaactg      60
taccattcga gtccctactc ctgccttgct ctagggaaat aaaataacgt aaacacgtaa      120
gaacaatgcg aaagcgtttt cttccctagg ctgcagattg tcttcttcac cgcccctgct      180
tagctagcta gctagctggg aatttaatcc agaaacggct tgcgatacct cctagatgca      240

```

222

```

ctcgttttga gttacaaact ccgcggaatta catgtctttt taaaaaagtt tagactacac 300
tagggaaaaat tatttttagta tcagaagaat atcaggggggt gtagtactca tcagagctna 360
atgagagcgc tttaaaaatg ttagtttgtc ttccgccatt tctacagaaa gctgcaattt 420
caggttttca ncctaatagg tgatatntaa gaaaaaaaaa acaatcgcan atagcccact 480
gctttttacaa atcatttttc tcttctaggt atagcctgtc aggtggccta atgtattttt 540
gacatctcta ggaattttta tagaccagaa atgggtgccg gagatatgcc tgcactaatc 600
ttaagtgggg atttatgtat ttctcaanca agtgattaaa gcaaaactag gcacgaatga 660
aatcaagatc tttaggccag aaatcatgaa nanttttana attattttan gaatctgtgg 720
cttctcttct taaaatngaa aaaaaaattg tttaaaccca naaggctctga atacccaagc 780
nccctgaacn anagaacaan gccggagcac ccctcccaa atcccc 826

```

&lt;210&gt; 603

&lt;211&gt; 817

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(817)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 603

```

nnangacttt tgtggtntta tacaattntt ttttctattt ctatgaagag aaagccacag 60
agtctctaaa taattctaaa actcatcatg actttcttgc ctaaaagatc ttgatttcaa 120
tcgtgcctag ttttgcttta atcaacttgc tgagaaatac ataaatcccc acttaagatt 180
agtgcaggca tatctctggc acccatttct ggttctatta aaattcctag agatgtcaaa 240
aattacatta ggccacctga caggctatac ctagaagaga aaaaatgatt tgtaaaagca 300
gtggggctat ttgogattgc tttttttttt tcttaaatat caccatttag gttgaaaacc 360
tgaaattgca gctttctgta gaaatggcgg aagacaaact aacattttta aagcgtcttc 420
atthagctct gatgagtact acacccctga tattcttctg atactaaaat aattttccta 480
gtgtagtcta aactttttta aaaagacatg taatccgcgg agtttgtaac tcaaaacgag 540
tgcacttagg aggtatcgca agccgtttct ggattaaatt ccagctagc ttgcttgctt 600
agcagggggc ggnaaanaag acatctgcag cctagggaag aaaacctttc gcattgttct 660
tacgtgttta cgttatttta tttcctanaa caaggcngaa ttgggactcg aatgggttcag 720
ttgggggtgg ggatcccctg gtcataaaa ngtcanaaag anggtacagg cggaacncca 780
agggctcgtc tgcatttana ctcggaattt tgggtgcc 817

```

&lt;210&gt; 604

&lt;211&gt; 694

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(694)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 604

```

cttttcaaat catttttntc cttctaggta tanccgtgtca ggtggcctaa tgtaattttt 60
gacatctcta ngaattttta tagaaccaga aatgggtgcc agagatatgc ctgcactaat 120
cttaagtggg gatttatgta tttctcaagc aagtgattaa agcaaaacta ggcacgattg 180
aaatcaagat cttttaggca anaaagtcat gatgagtttt agaattattt taggactctg 240
tggttttctc ttcatagaaa tagaaaaaaa aattgtataa aaccacaaaa ggtcctgaat 300
agccaaagca acactganca aaaagaacan agcaggggaag caacacacta ccngaattca 360
aattatacta ccagggtgta gtaacccaaa cagcattcta ttggcataaa atagacacca 420
agaccaatgg ancagaataa agaaccccac aaataaatcc atatatntac cgccanctga 480
ttatcaataa cnaacaccaa gaacatatnt taagggacnt nctatttcaat aantagtgtc 540
ggnaaaaact gggaaatcca tatgcagaaa naatgaaact agaccctat ccctcacat 600

```

223

acgcaaannt caacttcgga atgggattac aaaacttaag acattccaac ccaagaaact 660  
atnaaancta ctattaagaa aacagatcnc nccc 694

<210> 605  
<211> 678  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(678)  
<223> n = A,T,C or G

<400> 605  
taaaaatcta gactacacta ggaaattatt ttantatcag aagaatatca ggggtgtagt 60  
actcatcana gctaaatgag agcgctttaa aaatgttagt ttgtcttccg ccatttctac 120  
agaaagctgc aatttcaggt tttcaaccta atagggtgata tttaagaaaa aaaaaaagca 180  
atcgcaaaata gccccactgc ttttacaat catTTTTTct cttctaggta tagcctgtca 240  
gggtggcctaa tgtaattttt gacatctcta ggaattttaa tagaaccaga aatgggtgcc 300  
agagatatgc ctgcactaat cttaagtggg gatTTatgta tttctcaagc aagtgattaa 360  
agcaaaacta ggcacgattg aaatcaanat cttttaggca agaaagtcac gatgagtttt 420  
anaattattt taggactctg tggctttctc ttcatagaaa tagaaaaaaa aaattgtata 480  
aaaaccacaa aaggtcctga atagcccaaa gcaacactga acaaaaangaa caaagcagga 540  
agcaacacac taccggaatt caattatact accaaggtgt antaaccaaa acagcattct 600  
attgggcata aaatagacca aagaccagtg ggaaacagaa taaagaancc caaataaat 660  
cctatatatta cngccnc 678

<210> 606  
<211> 263  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(263)  
<223> n = A,T,C or G

<400> 606  
gtggggctcng cancagccaa ctcagcttcc tttcgggctt tgtagcaga cggatcatcc 60  
tctagtccac tgtgntcaaa ttccattgtg tgggggcccnc tcgcctcggc canagatctg 120  
agtgancana cntgtcccca ctgaggtgcc ccacagcngn ttgtnttcag cangggctna 180  
caactcgacc ggcagcgan ggctggcaga antgngcgcc tnnctcattc ctacgngtn 240  
ngccgcagga aggangacag gcc 263

<210> 607  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Primer

<400> 607  
ccatgtgggt cccggttgtc tt 22

<210> 608  
<211> 22  
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 608

gataggggtg ctcaggggtt gg

22

<210> 609

<211> 40

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 609

gctggacagg gggcaaaagc tggggcagtg aaccatgtgc

40

<210> 610

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 610

ccttggtccag atagcccagt agctgac

27

<210> 611

<211> 46

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 611

gatagagaaa accgtccagg ccagtattgt gggaggctgg gagtgc

46

<210> 612

<211> 40

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 612

gcacatgggt cactgcccc gcttttgccc cctgtccagc

40

<210> 613

<211> 38

<212> DNA

<213> Artificial Sequence

<220>

&lt;223&gt; Primer

&lt;400&gt; 613

gccgctcgag ttagaattcg gggttggcca cgatggtg

38

&lt;210&gt; 614

&lt;211&gt; 53

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Primer

&lt;400&gt; 614

cggcgggcat atgcatcacc atcaccatca catcataaac ggcgaggact gca

53

&lt;210&gt; 615

&lt;211&gt; 46

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Primer

&lt;400&gt; 615

gcactcccag cctcccacaa tactggcctg gacggttttc tctatc

46

&lt;210&gt; 616

&lt;211&gt; 1350

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 616

atgcatcacc	atcaccatca	catcataaac	ggcgaggact	gcagcccga	ctcgagccc	60
tggcaggcgg	cactggatcat	ggaaaacgaa	ttgttctgct	cgggcgtcct	ggtgcatccg	120
cagtgggtgc	tgtcagccgc	acactgtttc	cagaactcct	acaccatcgg	gctgggcctg	180
cacagtcttg	aggccgacca	agagccaggg	agccagatgg	tggaggccag	cctctccgta	240
cggcacccag	agtacaacag	acccttgctc	gctaacgacc	tcatgctcat	caagttggac	300
gaatccgtgt	ccgagtctga	caccatccgg	agcatcagca	ttgcttcgca	gtgccctacc	360
gcggggaaact	cttgccctcg	ttctggctgg	ggtctgctgg	cgaacggcag	aatgcctacc	420
gtgctgcagt	gcgtgaacgt	gtcggtggtg	tctgaggagg	tctgcagtaa	gctctatgac	480
ccgctgtacc	accccagcat	gttctgcgcc	ggcggagggc	aagaccagaa	ggactcctgc	540
aacggtgact	ctggggggcc	cctgatctgc	aacgggtact	tgcagggcct	tgtgtctttc	600
ggaaaagccc	cgtgtggcca	agttggcgtg	ccagggtgtc	acaccaacct	ctgcaaattc	660
actgagtga	tagagaaaac	cgteccaggcc	agtattgtgg	gaggctggga	gtgcgagaag	720
cattcccaac	cctggcagggt	gcttgtggcc	tctcgtggca	gggcagtctg	cggcgggtgtt	780
ctggtgcacc	cccagtgggt	cctcacagct	gccactgca	tcaggaacaa	aagcgtgatc	840
ttgctgggtc	ggcacagcct	gtttcatcct	gaagacacag	gccagggtatt	tcaggctcagc	900
cacagcttcc	cacacccgct	ctacgatatg	agcctcctga	agaatcgatt	cctcaggcca	960
ggtgatgact	ccagccacga	cctcatgctg	ctccgcctgt	cagagcctgc	cgagctcacg	1020
gatgctgtga	aggtcatgga	cctgcccacc	caggagccag	cactggggac	cacctgctac	1080
gcctcaggct	ggggcagcat	tgaaccagag	gagttcctga	cccaaagaa	acttcagtgt	1140
gtggacctcc	atgttatttc	caatgacgtg	tgtgcgcaag	ttcacctca	gaaggtgacc	1200
aagtctcatgc	tgtgtgctgg	acgctggaca	gggggcaaaa	gctggggcag	tgaaccatgt	1260
gccctgccc	aaaggccttc	cctgtacacc	aaggtggtgc	attaccgaa	gtggatcaag	1320
gacaccatcg	tggccaaccc	cgaattctaa				1350

&lt;210&gt; 617

<211> 449  
 <212> PRT  
 <213> Homo sapien

<400> 617

Met	His	His	His	His	His	His	Ile	Ile	Asn	Gly	Glu	Asp	Cys	Ser	Pro
1				5					10					15	
His	Ser	Gln	Pro	Trp	Gln	Ala	Ala	Leu	Val	Met	Glu	Asn	Glu	Leu	Phe
		20						25					30		
Cys	Ser	Gly	Val	Leu	Val	His	Pro	Gln	Trp	Val	Leu	Ser	Ala	Ala	His
		35					40					45			
Cys	Phe	Gln	Asn	Ser	Tyr	Thr	Ile	Gly	Leu	Gly	Leu	His	Ser	Leu	Glu
	50					55					60				
Ala	Asp	Gln	Glu	Pro	Gly	Ser	Gln	Met	Val	Glu	Ala	Ser	Leu	Ser	Val
65					70					75					80
Arg	His	Pro	Glu	Tyr	Asn	Arg	Pro	Leu	Leu	Ala	Asn	Asp	Leu	Met	Leu
				85					90					95	
Ile	Lys	Leu	Asp	Glu	Ser	Val	Ser	Glu	Ser	Asp	Thr	Ile	Arg	Ser	Ile
			100						105					110	
Ser	Ile	Ala	Ser	Gln	Cys	Pro	Thr	Ala	Gly	Asn	Ser	Cys	Leu	Val	Ser
		115					120					125			
Gly	Trp	Gly	Leu	Leu	Ala	Asn	Gly	Arg	Met	Pro	Thr	Val	Leu	Gln	Cys
		130				135						140			
Val	Asn	Val	Ser	Val	Val	Ser	Glu	Glu	Val	Cys	Ser	Lys	Leu	Tyr	Asp
145					150					155					160
Pro	Leu	Tyr	His	Pro	Ser	Met	Phe	Cys	Ala	Gly	Gly	Gly	Gln	Asp	Gln
				165					170					175	
Lys	Asp	Ser	Cys	Asn	Gly	Asp	Ser	Gly	Gly	Pro	Leu	Ile	Cys	Asn	Gly
			180					185					190		
Tyr	Leu	Gln	Gly	Leu	Val	Ser	Phe	Gly	Lys	Ala	Pro	Cys	Gly	Gln	Val
		195					200					205			
Gly	Val	Pro	Gly	Val	Tyr	Thr	Asn	Leu	Cys	Lys	Phe	Thr	Glu	Trp	Ile
		210				215					220				
Glu	Lys	Thr	Val	Gln	Ala	Ser	Ile	Val	Gly	Gly	Trp	Glu	Cys	Glu	Lys
225					230					235					240
His	Ser	Gln	Pro	Trp	Gln	Val	Leu	Val	Ala	Ser	Arg	Gly	Arg	Ala	Val
				245					250					255	
Cys	Gly	Gly	Val	Leu	Val	His	Pro	Gln	Trp	Val	Leu	Thr	Ala	Ala	His
			260					265					270		
Cys	Ile	Arg	Asn	Lys	Ser	Val	Ile	Leu	Leu	Gly	Arg	His	Ser	Leu	Phe
		275					280					285			
His	Pro	Glu	Asp	Thr	Gly	Gln	Val	Phe	Gln	Val	Ser	His	Ser	Phe	Pro
		290				295					300				
His	Pro	Leu	Tyr	Asp	Met	Ser	Leu	Leu	Lys	Asn	Arg	Phe	Leu	Arg	Pro
305					310					315					320
Gly	Asp	Asp	Ser	Ser	His	Asp	Leu	Met	Leu	Leu	Arg	Leu	Ser	Glu	Pro
				325					330					335	
Ala	Glu	Leu	Thr	Asp	Ala	Val	Lys	Val	Met	Asp	Leu	Pro	Thr	Gln	Glu
			340					345						350	
Pro	Ala	Leu	Gly	Thr	Thr	Cys	Tyr	Ala	Ser	Gly	Trp	Gly	Ser	Ile	Glu
		355					360					365			
Pro	Glu	Glu	Phe	Leu	Thr	Pro	Lys	Lys	Leu	Gln	Cys	Val	Asp	Leu	His
		370				375					380				
Val	Ile	Ser	Asn	Asp	Val	Cys	Ala	Gln	Val	His	Pro	Gln	Lys	Val	Thr
385					390					395					400
Lys	Phe	Met	Leu	Cys	Ala	Gly	Arg	Trp	Thr	Gly	Gly	Lys	Ser	Trp	Gly
				405					410					415	
Ser	Glu	Pro	Cys	Ala	Leu	Pro	Glu	Arg	Pro	Ser	Leu	Tyr	Thr	Lys	Val

420 425 430  
 Val His Tyr Arg Lys Trp Ile Lys Asp Thr Ile Val Ala Asn Pro Glu  
 435 440 445  
 Phe

<210> 618  
 <211> 3923  
 <212> DNA  
 <213> Homo sapien

<400> 618  
 acagaagaaa tagcaagtgc cgagaagctg gcatcagaaa aacagagggg agatttgtgt 60  
 ggctgcagcc gagggagacc aggaagatct gcatgggtgg aaggacctga tgatacagag 120  
 gaattacaac acatatactt agtgtttcaa tgaacaccaa gataaataag tgaagagcta 180  
 gtccgctgtg agtctcctca gtgacacagg gctggatcac catcgacggc actttctgag 240  
 tactcagtgc agcaaagaaa gactacagac atctcaatgg caggggtgag aaataagaaa 300  
 ggctgctgac tttaacatct gaggccacac atctgctgaa atggagataa ttaacatcac 360  
 tagaaacagc aagatgacaa tataatgtct aagtagtgac atgtttttgc acatttccag 420  
 ccccttttaa tatccacaca cacaggaagc acaaaaggaa gcacagagat ccctgggaga 480  
 aatgcccgcc cgccatcttg ggtcatcgat gagcctcgcc ctgtgcctgg tcccgcttgt 540  
 gagggaagga cattagaaaa tgaattgatg tgttccttaa aggatgggca ggaaaacaga 600  
 tctgttgtg gatatttatt tgaacgggat tacagatttg aaatgaagtc acaaagttag 660  
 cattaccaat gagaggaaaa cagacgagaa aatcttgatg gcttcacaag acatgcaaca 720  
 aacaaaatgg aatactgtga tgacatgagg cagccaagct ggggaggaga taaccacggg 780  
 gcagagggtc aggattctgg ccctgctgcc taaactgtgc gtccataacc aaatcatttc 840  
 atatttctaa ccttcaaaac aaagctgttg taatatctga tctctacggg tccttctggg 900  
 cccaacattc tccatatatc cagccacact cttttttaat atttagttcc cagatctgta 960  
 ctgtgacctt tctacactgt agaataacat tactcatttt gttcaaagac ccttcgtgtt 1020  
 gctgccta atgtagctga ctgtttttcc taaggagtgt tctggcccag gggatctgtg 1080  
 aacaggctgg gaagcatctc aagatctttc caggggtata cttactagca cacagcatga 1140  
 tcattacgga gtgaattatc taatcaacat catcctcagt gtctttgccc atactgaaat 1200  
 tcatttccca cttttgtgcc cattctcaag acctcaaaat gtcattccat taatatcaca 1260  
 ggattaactt ttttttttaa cctggaagaa ttcaatgtta catgcagcta tgggaattta 1320  
 attacatatt ttgtttttcc gtgcaaagat gactaagtc tttatccctc ccctttgttt 1380  
 gatttttttt ccagtataaa gttaaaatgc tttagccttg actgaggctg tatacagcac 1440  
 agcctctccc catccctcca gccttatctg tcatcaccat caaccctcc cataccacct 1500  
 aaacaaaatc taacttgtaa ttccctgaac atgtcaggac atacattatt ccttctgcct 1560  
 gagaagctct tcttgtctc ttaaacttag aatgatgtaa agttttgaat aagttgacta 1620  
 tcttacttca tgcaaagaag ggacacatat gagattcatc atcacatgag acagcaaata 1680  
 ctaaaagtgt aatttgatta taagagttaa gataaatata tgaaatgcaa gagccacaga 1740  
 gggaatgttt atggggcacg tttgtaagcc tgggatgtga agcaaaggca gggaacctca 1800  
 tagtatctta tataatatac ttcatctctc tatctctatc acaatatcca acaagctttt 1860  
 cacagaattc atgcagtga aatcccaaaa ggtaaccttt atccatttca tgggtgagtgc 1920  
 gctttagaat tttggcaaat catactggtc acttatctca actttgagat gtgtttgtcc 1980  
 ttgtagttaa ttgaaagaaa tagggcactc ttgtgagcca ctttaggggt cactcctggc 2040  
 aataaagaat ttacaaagag ctactcagga ccagttgtta agagctctgt gtgtgtgtgt 2100  
 gtgtgtgtgt gagtgtacat gccaaagtgt gcctctctct cttgacccat tatttcagac 2160  
 ttaaaacaag catgttttca aatggcacta tgagctgcc aatgatgtat accaccatat 2220  
 ctctatttc tccagtaaat gtgataataa tgtcatctgt taacataaaa aaagtttgac 2280  
 ttcacaaaag cagctggaag tggacaacca caatatgcat aaatctaact cctaccatca 2340  
 gctacacact gcttgacata tattgttaga agcacctcgc atttgtgggt tctcttaagc 2400  
 aaaatacttg cattaggtct cagctggggc tgtgcatcag gcggtttgag aaatattcaa 2460  
 ttctcagcag aagccagaat ttgaattccc tcatctttta ggaatcattt accaggtttg 2520  
 gagaggattc agacagctca ggtgctttca ctaatgtctc tgaacttctg tccctctttg 2580  
 tgttcatgga tagtccaata aataatgtta tctttgaact gatgctcata ggagagaata 2640  
 taagaactct gagtgatatc aacattaggg attcaaagaa atattagatt taagctcaca 2700



ctggtcaaaa	ggaaccaaga	tacaaagaac	tctgagctgt	catcgtcccc	atctctgtga	2760
gccacaacca	acagcaggac	ccaacgcatg	tctgagatcc	ttaaatcaag	gaaaccagtg	2820
tcatgagttg	aattctccta	ttatggatgc	tagcttctgg	ccatctctgg	ctctcctctt	2880
gacacatatt	agcttctagc	ctttgcttcc	acgactttta	tcttttctcc	aacacatcgc	2940
ttaccaatcc	tctctctgct	ctgttgcttt	ggacttcccc	acaagaattt	caacgactct	3000
caagtctttt	cttccatccc	caccactaac	ctgaatgcct	agacccttat	ttttattaat	3060
ttccaataga	tgctgcctat	gggctatatt	gcttttagatg	aacattagat	attttaaagct	3120
caagagggttc	aaaatccaac	tcattatctt	ctctttcttt	cacctccctg	ctcctctccc	3180
tatattactg	attgcactga	acagcatggt	ccccaatgta	gccatgcaa	tgagaaaccc	3240
agtggctcct	tgtggtacat	gcatgcaaga	ctgctgaagc	cagaaggatg	actgattacg	3300
cctcatgggt	ggaggggacc	actcctgggc	cttcgtgatt	gtcaggagca	agacctgaga	3360
tgtccctgc	cttcagtgtc	ctctgcatct	cccctttcta	atgaagatcc	atagaatttg	3420
ctacatttga	gaattccaat	taggaactca	catgttttat	ctgccctatc	aattttttta	3480
acttgctgaa	aattaaagttt	tttcaaaatc	tgtccttgta	aattactttt	tcttacagtg	3540
tcttggcata	ctatatcaac	tttgattctt	tgttacaaact	tttcttactc	ttttatcacc	3600
aaagtggctt	ttattctctt	tattattatt	attttctttt	actactatat	tacgttggtta	3660
ttattttggt	ctctatagta	tcaatttatt	tgatttagtt	tcaatttatt	tttattgctg	3720
acttttaaaa	taagtgttcc	gggggggtgg	agaacagggg	aggagagca	ttaggacaaa	3780
tacctaatgc	atgtgggact	taaaacctag	atgatgggtt	gatagtgca	gcaaaccact	3840
atggcacacg	tatacctgtg	taacaaacct	acacattctg	cacatgtatc	ccagaacgta	3900
aagtaaaatt	taaaaaaaag	tga				3923

&lt;210&gt; 619

&lt;211&gt; 3674

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 619

agaaagtttc	cttttttttt	tttaatgggtg	aaaagatata	cacatattta	gaattagcca	60
gctgggctca	gttttagatta	ttccaatttt	gttggaaca	tccagagcat	cgtaatcagg	120
agccagtga	acatattcct	tcttctctcc	atcaggccaa	atcacggtgt	tgaccttgge	180
cacatcaatg	tcttagaact	tcttcacagc	ctgtttgatc	tggtgcttgt	tggtcttaac	240
atccacaatg	aacacaagtg	tgttgttgtc	ttctatcttc	ttcgtggtga	ctcagtgggc	300
agcggaaact	tgatgatagc	gtagtgggtc	agcttgatc	tcctgggagc	gctcttccaa	360
agatatttgg	gctgcctcgg	gagttgcagc	gtcttgggcc	gccggaaggt	gggtgacgta	420
cggatcttct	tttttttgtg	ggctgtggac	acctttcaac	actgtcttct	tggtctttta	480
atccttcgct	ttggtttcgg	ctataggagg	ggcaggagct	tccttcttca	ctttcggcgc	540
catcttgtga	aaagggaaaag	tttcctttct	aataccattt	tcacttctcc	cgaattttgt	600
ggatcgtttc	ttggtatcta	ccccagattt	caggagtgtt	ggctggatct	tagggattgt	660
gaagtcttca	tttccctgtg	gtgagatctg	aggcatgatt	ttaaacagtg	tgagggaagg	720
agatctccag	gcactttta	agaatggaga	agcaggatgg	gatttgagag	gaaatctgat	780
tttgaaaaaa	ggagaactag	agttgagttc	gtaattaa	agcaccttaa	aggtcattca	840
gcatgcccat	ctgcacagtg	ggtgtaatca	ccctacagaa	caaaaaacaaa	aaggcaatgg	900
agaggaagct	gtaaagcact	gtacatgttt	aactcattgt	tatgtaagct	agccgaaggc	960
ttcacagact	tgaattcatc	tcccaagttc	tcttctgtga	ctggaaactc	tgctttaggt	1020
tgtttaaaac	ttgagaaaca	gaatattgct	tccctgcct	gccttcttga	gtacacttgc	1080
ctacacaaa	atgcacatcc	ttgttttgtg	gtgtgtgtcc	atttgctgtg	acattcttgt	1140
gaaagtcaaa	gtttcccagc	tggtgacata	cacaagtttg	tttggtgcaa	cctgtcagat	1200
gcactccctt	gacaggccct	ttgatactct	gggaaagaca	ttggacttac	agtcggaacg	1260
aaaagaaa	aatgtgat	gtatagcgtg	cagtgaagtg	gagttttacc	tgtattgttt	1320
taatttcaac	aagcctgagg	actagccaca	aatgtacc	gtttacaaat	gaggaaacag	1380
gtgcaaaa	gttggttacct	gtcaaaggtc	gtatgtggca	gagccaagat	ttgagccag	1440
ttatgtctga	tgaacttagc	ctatgtctct	ttaaacttctg	aatgctgacc	attgaggata	1500
tctaaactta	gatcaattgc	attttccctc	caagactatt	tacttatcaa	tacaataata	1560
ccacctttac	caatctattg	ttttgatagc	agactcaaat	atgccagata	tatgtaaaa	1620
caacctacaa	gctctcta	catgctcacc	taaaagattc	ccgggatcta	ataggctcaa	1680
agaaacttct	tctagaaata	taaaagagaa	aattggatta	tgcaaaaatt	cattattaat	1740

ttttttcatc	catcctttta	ttcagcaaac	atttatctgt	tgttgacttt	atgcagtatg	1800
gccttttaag	gattggggga	caggtgaaga	acggggtgcc	agaatgcac	ctcctactaa	1860
tgagggtcagt	acacatttgc	attttaaaat	gccctgtcca	gctgggcatg	gtggatcatg	1920
cctgtaatct	caacattgga	aggccaaggc	aggaggattg	cttcagccca	ggagttcaag	1980
accagcctgg	gcaacataga	aagaccccat	ctctcaatca	atcaatcaat	gccctgtctt	2040
tgaaaataaa	actcttttaag	aaaggtttaa	tgggcagggt	gtggtagctc	atgcctataa	2100
tacagcactt	tgggaggctg	aggcaggagg	atcactttag	cccagaagtt	caagaccagc	2160
ctgggcaaca	agtgcacact	catctcaatt	ttttaataaa	atgaatacat	acataaggaa	2220
agataaaaaa	aaaagtttaa	tgaagaata	cagtataaaa	caaactctct	ggacctaaaa	2280
gtatttttgt	tcaagccaaa	tattgtgaat	cacctctctg	tgttgaggat	acagaatata	2340
taagcccagg	aaactgagca	gaaagttcat	gtactaacta	atcaaccgga	ggcaaggcaa	2400
aaatgagact	aactaatcaa	tccgaggcaa	ggggcaaatt	agacggaacc	tgactctggt	2460
ctattaagcg	acaactttcc	ctctgttgta	tttttctttt	attcaatgta	aaaggataaa	2520
aactctctaa	aactaaaaac	aatgtttgtc	aggagttaca	aacctgacc	aactaattat	2580
ggggaatcat	aaaatatgac	tgtatgagat	cttgatgggt	tacaaagtgt	acccactggt	2640
aatcacttta	aacattaatg	aacttaaaaa	tgaattttac	gagattggaa	tgtttctttc	2700
ctgttgatt	agttggctca	ggctgccata	acaaaatacc	acagactggg	aggcttaagt	2760
aacagaaatt	cattttctcac	agttctgggg	gctggaagtc	cacgatcaag	gtgcaggaaa	2820
ggcaggcttc	attctgaggc	ccctctcttg	gctcacatgt	ggccaccctc	ccactgcgtg	2880
ctcacatgac	ctctttgtgc	tcctggaaag	agggtgtggg	ggacagaggg	aaagagaagg	2940
agagggaact	ctctggtgtc	tcgtctttca	aggaccctaa	cctgggccac	tttggcccag	3000
gcaactgtgg	gtgggggggt	gtggctgctc	tgctctgagt	ggccaagata	aagcaacaga	3060
aaaatgtcca	aagctgtgca	gcaaagacaa	gccaccgaac	agggatctgc	tcactcagtgt	3120
ggggacctcc	aagtcggcca	ccctggaggc	aagcccccac	agagcccatg	caaggtggca	3180
gcagcagaag	aagggaattg	tccctgtcct	tggcacattc	ctcaccgacc	tggtgatgct	3240
ggacactgcg	atgaatggta	atgtggatga	gaatatgatg	gactcccaga	aaaggagacc	3300
cagctgctca	ggtggctgca	aatcattaca	gccttcatcc	tggggaggaa	ctgggggcct	3360
ggttctgggt	cagagtcagc	cccagtgagg	gtgagagcta	cagcctgtcc	tgccagctgg	3420
atccccagtc	ccggtcaacc	agtaatcaag	gctgagcaga	tcaggcttcc	cggagctggg	3480
cttgggaagc	cagccctggg	gtgagttggc	tcctgctgtg	gtactgagac	aatattgtca	3540
taaattcaat	gcgcccttgt	atcccttttt	cttttttatc	tgtctacatc	tataatcact	3600
atgcatacta	gtctttgtta	gtgtttctat	tcmacttaat	agagatatgt	tatacttaaa	3660
aaaaaaaaaa	aaaa					3674

&lt;210&gt; 620

&lt;211&gt; 2051

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(2051)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 620

ggaccagggg	ctgaagtga	ccccagcac	agcacagctg	ctctataaaa	acgtggccag	60
actttttttt	ttgaagcaag	tccctgttct	tgttcgtcct	gactagtccc	atcaggggccc	120
tgatcccaa	gactcagcat	ccaaggtccc	ctccaggaat	cctggcagct	cagcatactt	180
tatcctgttt	catctgagag	caaaaatgta	aaattggatg	cacagaaaag	tgactcaaag	240
tgttaaatga	ctagaagaaa	tctaggagca	gcaagaagag	caggacaaac	aggccaggcg	300
gtgtcaggag	cccaggctct	cagctggang	gaacgtcaac	cctgcagtgg	gagcaggggc	360
cctttgcaca	tctatggcac	agatggtaat	gtagacacca	caggtaaagt	gggcttggtg	420
cctaccctcc	ccgggattca	gaaagaaacc	aaacaaggag	ctttgtgtgg	aatgaaacct	480
cctttctctc	cagaagcact	gctgactggt	tgggtggtgc	catttgtggc	agtgaacct	540
tgttttgttt	gaggttgggc	tggtttctcc	tcttggccct	gccctacaga	tcataaaggga	600
gaacagcaag	acgtccccag	caaacatcca	cagatggcct	tggaataaag	tcaccttctc	660
caccctgcag	gaatgccagt	gaacatattg	ctgacatctt	ggagctcagt	acctcatagt	720
gtaacggcgt	cagtagatct	gcctgtgctg	ggacttcctg	tactacccat	tcctgagggg	780

cgatgcttct	gcagggcctg	tgacttggtg	cacaacttca	gacaccatca	tcttgacaga	840
gcaccgcacc	ctcactagcc	aggggtgttg	tgacttcctc	aaggccaagg	ccacattcaa	900
ggcttcggac	ttcattgatg	cgcttggtg	gagcaagggt	gcttctccgg	gatcttaatt	960
caggaggtag	aatggagctt	gagatcaagt	gtctgatcaa	gcctcagtgt	atgggcgctg	1020
ttcatcctct	ggtgctgaag	cagccaagag	acccaagtct	gcctggctgc	ctcttaggat	1080
atgacagcag	agccagtggc	ctctactaga	tcctgtacaa	cctcacaaaa	caccagaca	1140
tcgggagtg	tgccagcctg	tgatgcaaga	gtcctaatac	tgaagacatt	gaatgacctg	1200
tcgttggtg	gtttttacca	aaaaggatca	tgaggatcag	agaggaaaa	tcacttgccc	1260
aaagtccac	agctgaacag	tggtggagtt	caactttgac	cgtgggctgt	ctggccccc	1320
aggtgtatgc	ttgcttctct	cccaagagac	tcctttctta	tcaggctcaa	atgaatgaaa	1380
ggaggatggt	aaagacaacg	ccattattga	cgagatcact	cccaagcgga	ttggagattg	1440
tcccaatatt	tagacctata	gcaaggcctt	gggagaaatg	gtggtgcagc	aggagagcag	1500
gaacctaac	attgccatcc	taaggccctc	cattgtgtgg	agcaacgtgg	caccagcttt	1560
tcctgggttg	ggttgataat	ctaaatggat	gtagccgact	cattattgcg	gtatgtatag	1620
ggatgaagaa	gtaactgtaa	tgtagtggag	gaatagtaag	aaaattctta	gtgctggctt	1680
agcttaattg	atccaaaaac	ataaatgcta	ctttactatc	aattgaagca	tattatttca	1740
tttattcttg	ttataatatg	gaggcaggat	gaaattgttt	ttattctttt	agaatttttt	1800
tttatcagga	aaacagaggt	aaagtgcctat	caattactat	ttaagagttc	tattttgaaa	1860
agtgagaatt	aaggattttt	cttttctttt	taaaaaaaac	ttttttaaaa	attaaaaata	1920
aaagaagcaa	aagtcttagg	aaaatgaagc	aagtgcctc	gccactctat	gtacagtaat	1980
aacaatatct	gtcccagtta	ttatgtacaa	tattataaaa	aatgtcgag	acagtaaaaa	2040
aaaaaaaaa	a					2051

&lt;210&gt; 621

&lt;211&gt; 2841

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(2841)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 621

gcagagcaca	gcatagctgc	tttacccaat	catggccaga	ctgcttctgt	aagcaggccc	60
ctgatcctgt	tccacctcac	tggacaggac	ctcccaactg	gggcctccag	ctaccccac	120
cagcatccct	tggccaatgg	aaatttgaaa	tgctcctggg	acagagctcc	tggagagagg	180
ggcaggccac	cacctttgct	gtttgggtga	ctagccgttc	tggcctgcag	gctttggaga	240
gccaagctg	acaaggggta	gaagaggtgc	ctcagcacag	cacagccacg	ctacgaaaac	300
atggccagac	tcttggttaa	gtcagtgccc	gaacacattt	ctagtacgtg	ggtgaagtct	360
ttcaaccagg	gtctctggct	accttgactg	ctgttctctg	gccgacagag	gtctcaggcc	420
tccttgatgc	agagctccc	gggggaggac	cagattgtca	tctttgctgt	ttgggtgacc	480
cagccatttc	agccttaggg	cttcagagtg	tctgaggtag	ccaggggctg	aagtgaacco	540
ccagcacagc	acagctgctg	tataaaaaac	tggccagact	ttttctttaa	gcaagtccct	600
gttcttattc	ctcctgacta	ggtaagactt	ctcaacttgc	ctccagccac	atcttatttg	660
tgtgttcaga	ttggcaacag	gtttgtacct	cagtgggtaca	gagctcccag	aggaaggggg	720
aggctatcat	cttcocctgga	aaatacgagt	caattagggg	cttgagggga	ccccagcat	780
tccacagcag	cccttcagaa	aagtggccag	actctgtact	tgatgggcag	atcctccttg	840
cctgtgtctc	tagccagccc	accactggag	ctatcaagcc	agtagcaact	cagcagttcc	900
ttggacagag	cttcacagg	caaatgaaat	cctttctgcc	actgcctttg	cagtgaactg	960
ccttgctat	cctcagaaga	tatatcacgg	gagcaaaagac	cctaagtgcc	atatcaacac	1020
ctccaataag	ctgcagttga	cccaaagaac	aagccaatcc	atctcccaca	ggttccacac	1080
acactccact	actcatcacc	agacagggaa	ccctggcttg	ggccccacag	acagaccctc	1140
catcctgggc	cgattacact	gagtgattgc	taactcacat	gtctctggga	tggagcacc	1200
aggagacaag	caaagtgggt	gagcagcaag	tcaggtgatg	tggagcccag	agggcagggg	1260
gagctatctc	tctgggctcc	acttgccctt	gtgagacact	ttgtcccagc	actccttagt	1320
ctgcttgctc	ctcccagggc	cccagcctgg	ccacacctgc	ttacagggca	ctctcagatg	1380
cccataccat	agtttctgtg	ctagtggacc	gtaccatata	agtggagagc	tgacagcaag	1440

tgccccntac	ggccacgcac	cagcctgcac	attacctctc	catactgcag	ccctttatat	1500
ggaaacttcc	tacatcactt	tgctgtgtgt	gtttacacag	gtggattttg	ctttacttgc	1560
actgacagca	cacaggagg	cagcacacac	cccaacccac	atcaactgcc	attaaagaaa	1620
agaaatttca	gcccataatt	tcatgtccag	caaaattagg	catcataagt	gaaggagaaa	1680
taagatcctt	ttcagacaag	caaagtctga	gggaattcaa	tatcaccaga	tctaccttac	1740
aagagctcct	gaaggaagca	ctaaatatgg	aaagaaaaaa	ccatcaccag	ccactacaaa	1800
aatgcagtg	agaacgcagt	gaattacgca	gtccagtgat	gctaaaaacc	aaccacatac	1860
gttaagtctg	caaaataacc	agctgacagc	atgacgacag	gataaatcca	cacataccat	1920
tactaacctt	aaatgaaaat	gggctaaatg	ctcccatgga	aagacatggg	gcaagctgga	1980
taaagaacca	agccccactg	gagtatgctg	tcttcaagaa	acccatctca	catgcggtgg	2040
catacatagg	ctcaaaaataa	aggaatggag	aaaaatattt	caagcaaata	gaaaacagaa	2100
aaaagcaggt	gttgcaactcc	tactttctga	caaaaacagac	tatgcgaata	aagataaaaa	2160
agagaaggac	attacaaagg	tggtcctgac	ctttgatata	tctcattgct	tgataccaac	2220
ctgggctggt	ttaattgccc	aaanccaata	ggataatttg	ctgaggttgt	ggagcttctc	2280
ccctgcagag	agtcocctgat	ctcccaaaat	ttggttgaga	tgtaaggttg	attttgctgt	2340
acaactcctt	ttctgaagtt	ttactcattt	ccaaaaagga	aggcaagttt	tcctgcttcc	2400
atgacgatgg	agagcaggca	tctcctttcc	tgagtttcag	cttgcttctg	acagggaagg	2460
tgagtgtaa	ttttttccag	cttctaagat	ggcagagaac	gatcaccagc	ctgagcctta	2520
tttccaggta	agtagctgaa	ttagagtttt	gtcttaaaat	ttttccttaa	tgattaaaat	2580
gtaagattac	ccaccagctg	cttttaattt	ctcccttagc	attagaacac	tcagtaatca	2640
tatgaattgt	gcatttggtt	gttttgctta	actctttctg	tttggttatg	tttggggttt	2700
tattgttggt	gtttcacttt	tctcccatct	cttctgact	tggtcaaata	caaaggaatg	2760
ttcgaaattg	tggggagcaa	ggcatctgaa	atggctaaaa	ctcctgtggc	tgcaaaaaat	2820
agaaataaaa	aaaaaaaaaa	a				2841

&lt;210&gt; 622

&lt;211&gt; 3228

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(3228)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 622

tccgccccat	tgacgcaa	ggcggtag	gtgtacggtg	ggaggtctat	ataagcagag	60
ctctcnggct	aactagagaa	cccactgctt	actggcttat	cgaaattaat	acgactcact	120
atagggagac	ccaagctggc	tagcgtttta	acttaagctt	ggtaccgagc	tcggatccac	180
tagtccagt	tggtggaatt	ccattgtggt	gggcaggaaa	caagcaaagt	ggtggagcag	240
caagtccagt	gatgtggagc	ccagaggtca	gggatggctg	tctctctagg	gtccacttgc	300
ccttgtgaga	cactttatcc	cagcacttta	ggaatactga	ggtcatacca	gccacatctt	360
atatgcaaga	ttgcccagca	gagatcaggt	ccgagagttc	cctttttaaa	aaaaggagac	420
ttgcttaata	aaagaagtct	agccacgttt	gtgtagagcg	gctgtgctgt	gctggggggt	480
cacttttgag	agagttctcc	tctgagacct	gatctctgga	ggctgggcaa	tcttgcaactt	540
gagatggggc	tggtctgata	tcagcactcc	ttagtctgct	cgctctctcc	atggccccag	600
cctggccaca	cctgcttacg	gggcactcct	agatgccac	accataactt	ccatgctagt	660
ggactgtacc	atatcagtgg	agagctgcag	caaggtggcc	cctagagcca	cgaccagacc	720
tgacacattgc	ctctccatac	ggcagccctt	tatttgga	cttcctaaat	cactttgctg	780
tggtgtgtta	tcaggggtgtg	ttttgcttta	cttgccctga	gagcacacgg	gagtgacgca	840
cacaccccaa	cccacatcaa	ctgccattaa	agaaaagaaa	tttcagccca	gaatttcatg	900
tccagcaaaa	ttaagcatca	taagtgaagg	agaaaataaga	tccttttcag	acaagcaagt	960
gctgagggaa	tttggtatca	ccagatctac	cttacgagag	ctcctgaagg	aagcactaaa	1020
tatggaaaaga	aaagatcatc	acctgctact	acaaaaacac	actgaagtac	acagtccaat	1080
gatgctaaaa	agcaagcaca	tatgtaagtc	tgcaaaataa	ccagctgaca	gcatgacgac	1140
aggataaaat	ccacacatac	cattactaac	cttaaatgta	aatgggctaa	atgctcccat	1200
tgaaagacac	ggggcaagct	gggtaaagaa	ccaagaccca	ctggagtatg	ccgtcttcaa	1260
gcaacccatc	tcacgtgcag	tgccatacat	aggctcaaaa	taaaggaatg	gagaaaaata	1320

tttcaagcaa	atggaaaaca	gaaaaaaggt	gttgactcc	cagtttctga	caaaacagac	1380
tctaccaata	aagataaaaa	aagagaagga	cattacaaag	gtggtcctga	cctttgataa	1440
atctcattat	tgcttgatac	caacctgggc	tatttgtatt	gcccacacga	ataggataat	1500
ttgctgaggt	tgtggagcct	ctccccttca	cagagtcctt	gatctccgaa	aatttggttg	1560
agatgtaagg	ttgatTTTTG	tgtacaactc	cttttttgaa	gttttactca	tttccaacaa	1620
ggaaggcaag	ttttcctgct	tccattgaca	aaggagagca	ggcacctcct	ttcctgagtt	1680
tcagcttgct	tctgacaggg	aaggagcttt	gagatttgaa	tactggcctg	ctgggttttg	1740
gacgtgcatt	gggcctgtgg	tcccatttgt	gttatttttc	tgggaaattt	cttccctttg	1800
gagtgagaaa	gcttacccaa	tgctgttacc	atcatcgta	cttaaaagaa	ctccatttta	1860
agttcaggga	ctccttgga	gaagagaccg	tagccttgta	tcagatcata	aaggagaaga	1920
gcaagaggtc	cccgcaaac	atccacagat	ggccttgga	ataagtcacc	ttgctcacc	1980
tgcaggaatg	ccagtgaact	tattgctgac	atccttgagc	tcagtaccct	catagtgtaa	2040
cggcgtcagc	agatctgcct	gtgctgggac	ttcctgtact	acccattcct	gaggggagat	2100
gcttctgcag	ggcctgtgac	ttggtgcaca	acttcagaca	ccatcatctt	gcagcagcac	2160
cgcacctca	ctagccaggg	tgtgatgac	ttcctcaagg	ccaaggccac	attcaaggct	2220
tcggacttca	ttgatgcgct	tgtgctgagc	aagggtgctt	ctccgggac	ttaattcagg	2280
aggtagaatg	gagcttgaga	tcaagtgtct	gatcaagcct	cagtgtatgg	gcgctgttca	2340
tcntctggtg	ctgaagcagc	caagagaccc	aagctgcct	ggctgcntct	taggatatga	2400
cagcagagcc	agtggcctct	actagatcct	gtacaacctc	acaaaacacc	cagacatcgg	2460
gagtgctgcc	agcctgtgat	gcaagagtcc	taatcctgaa	gacattgaat	gacctgtcat	2520
tctgctgttt	ttacaaaaaa	ggatcatgag	gatcagagag	gaaaagtcac	ttgcccacaa	2580
tcacacagct	gaacagtgg	ggagtcaac	tttgaccgtg	ggctgtctga	ccccaagggtg	2640
tatgcttgct	tctctcccaa	gagacaactt	tcttatcagg	ctcaaataaa	tgaaggagg	2700
atgttaaagg	taggatctct	gaagcctgtg	ccagtggaa	cgcagctcat	ggctggcacc	2760
tgtgttctca	ttcttacctc	attaagagta	aagtttattg	agtttattga	atttaagtat	2820
ctttagttag	atcatatatt	attagtaaga	actgggacca	aacagatttt	ctgactctaa	2880
aagagagatt	ttcacagaaa	cagatatata	cctgtaagta	tacagacacg	catcacaca	2940
tttctttact	gtctataaaa	attagtcctt	attagaatgt	gggatgtata	aatgtaagag	3000
aattttcatg	ttaaaattga	cagatacatt	tttaaatgt	cctaaaataa	atttaattat	3060
ttttntttta	gaattttcca	ttattaatgt	tatttttatg	agaaactata	taactttatt	3120
gataatacat	acaataaccc	tttgtttttc	aaattgaaaa	tacagtgtat	tttgcaata	3180
actaagtcct	aattttgtat	taaaaatttta	aattttcaaa	aaaaaaaa		3228

&lt;210&gt; 623

&lt;211&gt; 4894

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 623

ctgcacgcgc	tggtccggg	tgacagccgc	gcgcctcggc	caggatctga	gtgatgagac	60
gtgtccccac	tgaggtgccc	cacagcagca	ggtgttgagc	atgggctgag	aagctggacc	120
ggcaccacaa	ggctggcaga	aatgggcgcc	tggctgattc	ctaggcagtt	ggcggcagca	180
aggaggagag	gccgcagctt	ctggagcaga	gccagacga	agcagttctg	gagtgctga	240
acggccccct	gagccctacc	cgctggccc	actatggtcc	agaggctgtg	ggtgagccgc	300
ctgctgcggc	accggaagc	ccagctcttg	ctggtcaacc	tgctaacctt	tgccctggag	360
gtgtgttttg	ccgcaggcat	cacctatgtg	ccgcctctgc	tgctggaagt	gggggtagag	420
gagaagttca	tgaccatggt	gctgggtgag	tactacatc	ctccttcctt	cctgttccag	480
atacatgcc	cctggcatgt	gggacaggag	tacctctgcc	ctgggagctg	cttgaggga	540
gaggtggtct	gctgggaagg	cattgctggg	caggagggtg	accctgggct	gagggggcac	600
accaagagaa	agaagagaat	accaaggaca	taccacagtc	acctctggat	ccctggtcct	660
gcacagagcc	tggctcatag	gagacactgg	agaaatgctc	ctaacccttg	gctagccctt	720
ttataattta	tagcgattat	ctcatttaat	gcttacaacc	accatttgag	gtgatccatt	780
ttacagagaa	ggaagcagag	gcttttaaga	ggttaggtaa	gtcttagcca	aagccaaata	840
gcagctgaac	agtagagctg	ggactccatc	aaggtctccc	agccggagct	tgctcctacc	900
cctaggacaa	ggggtggact	cctgactctg	cagataaatt	ctacaaaagc	cacagaaggc	960
aagtagtaac	cattgtgtga	caacccctca	ccccaggaa	gaggggcccc	tgtgaggatt	1020
gcaggctctg	gagtcacact	gcttgttgaa	acgctgcctc	ttaccctccc	taggtctgcg	1080

```

cctttgaata agtatcactt cttagtgtgt ccatgcctca gtttgtccat ctgaaaatgg 1140
gggcatctgt aatgcctgtg ttatgaggag taaattacag catccctgtg aagacgtagc 1200
acagtgtcga gtacggaatg ttatttccat ccttctcacg gagcttggtt ccccttcccc 1260
ttgcccttta cttgtcccag ccattgactc atactacttc ccttcttgca ggcattgggtc 1320
cagtgtctgg cctggtctgt gtcccgtccc taggctcagc cagtgaccac tggcgtggac 1380
gctatggccg ccgcccggcc ttcatctggg cactgtcctt gggcatcctg ctgagcctct 1440
ttctcatccc aagggccggc tggctagcag ggctgtgtgt cccgcatccc aggcccctgg 1500
agctggcact gctcatcctg ggcgtggggc tgctggactt ctgtggccag gtgtgcttca 1560
ctccactgga ggccctgtct tctgacctct tccgggaccc ggaccactgt cgccaggcct 1620
actctgtcta tgccttcatg atcagtcttg ggggtgcctt gggctacctc ctgacctgcca 1680
ttgactggga caccagtgc cttggccccc acctgggcac ccaggaggag tgcctctttg 1740
gcctgtccac cctcatcttc ctacactgcg tagcagccac actgctgggtg gctgaggagg 1800
cagcgtctgg ccccaccgag ccagcagaag ggctgtcggc cccctccttg tgcctccact 1860
gctgtccatg ccgggcccgc ttggctttcc ggaacctggg cgccctgctt ccccggtctg 1920
accagctgtg ctgccgcatg ccccgacccc tgcgcccgtt cttcgtggct gagctgtgca 1980
gctggatggc actcatgacc ttacgctgtt ttacacgga tttcgtgggc gaggggctgt 2040
accagggcgt gccagagct gagccgggca ccgagggccc gagacactat gatgaaggta 2100
aggccttggc agccagcaga ggctgggtgt ggagccgccc accagagacg aactcggggg 2160
ctgtgtctgg gctggtgcct tccatcctg gccccgactt ctctgtcagg aaagtgggga 2220
tggaccccat ctgcatacac ggcttctcat ggggtgtgaa catctctgct tgcggtttca 2280
ggaaggcctc tggctgtctt aggagtctga tcagagtctg tgccccagtt tgacagaagg 2340
aaaggcggag cttattcaaa gtctagaggg agtgaggagg ttaaggctgg atttcagatc 2400
tgccctggttc cagccgcagt gtgccctctg ctccccaac gactttccaa ataatctcac 2460
cagcgccttc cagctcaggc gtccatagaag cgtcttgaag cctatggcca gctgtctttg 2520
tgttccctct caccgcctg tccctcacagc tgagactccc aggaaacctt cagactacct 2580
tcctctgcct tcagcaaggg gcgttgccca cattctctga gggtcagtgg aagaacctag 2640
actccattg ctagaggtag aaagggaag ggtgctgggg agcagggtct gtccacagca 2700
ggctctctgc agcaggtacc tgtggttccg ccttctcatc tccctgagac tgctccgacc 2760
cttccctccc aggtctctgc tgatggcccc tctccctctg caggcgttct gatgggcagc 2820
ctggggctgt tctgcagtg cgccatctcc ctggtcttct ctctggtcat ggaccggctg 2880
gtgcagcgat tcggcactcg agcagtctat ttggccagtg tggcagcttt ccctgtggct 2940
gccggtgccat catgcctgtc ccacagtgtg gccgtggtga cagcttcagc cgccctcacc 3000
gggttcacct tctcagccct gcagatcctg cctacacac tgccctccct ctaccaccgg 3060
gagaagcagg tgttcctgcc caaataccga ggggacactg gaggtgctag cagtgaggac 3120
agcctgatga ccagcttcc gccaggccct aagcctggag ctcccttccc taatggacac 3180
gtgggtgytg gaggcagtgg cctgctccca cctccaccg cgctctgcgg ggccctctgc 3240
tgtgatgtct ccgtacgtgt ggtggtgggt gagccaccg aggccagggt ggttccgggc 3300
cggggcatct gcctggacct cgccatcctg gatagtgcct tctgctgtc ccaggtggcc 3360
ccatccctgt ttatgggctc cattgtccag ctacagccagt ctgtcactgc ctatatggtg 3420
tctgcccgag gcctgggtct ggtcgccatt tactttgcta cacaggtagt atttgacaag 3480
agcgacttgg ccaaatactc agcgtagaaa acttccagca cattgggggtg gagggcctgc 3540
ctcactgggt cccagctccc tgctcctggt agcccatgg ggctgccggg ctggccgccca 3600
gtttctgttg ctgcccagg aatgtggctc tctgtgcca cctgtgctg ctgaggtgct 3660
tagctgcaca gctgggggct gggcggtccc tctcctctct cccagctctc tagggctgcc 3720
tgactggagg ccttccaagg gggtttcagt ctggacttat acagggaggc cagaagggct 3780
ccatgcactg gaatgcgggg actctgcagg tggattaccc aggtcagggt ttaacagcta 3840
gcctcctagt tgagacacac ctagagaagg gtttttggga gctgaataaa ctcagtcacc 3900
tggtttccca tctctaagcc ccttaacctg cagcttcggt taatgtagct cttgcatggg 3960
agtttcttag atgaaacact ccaccatggg atttgaacat atgaaagtta tttgtagggg 4020
aagagtcttg aggggcaaca cacaagaacc aggtccctc agcccacagc actgtctttt 4080
tgctgatcca cccccctt accttttacc aggatgtggc ctgttggtcc ttctgttgc 4140
atcacagaga cacaggcatt taaatattta acttatttat ttaacaaagt agaagggaat 4200
ccattgctag cttttctgtg ttggtgtcta atatttgggt aggggtgggg atccccaaca 4260
atcaggctcc ctgagatagc tggtcattgg gctgatcatt gccagaatct tcttctcctg 4320
gggtctggcc ccccaaatg cctaaccag gaccttgaa attctactca tcccaaatga 4380
taattccaaa tgctgttacc caagggttag gtgttgaaag aaggtagagg gtggggcttc 4440
aggtctcaac ggcttcccta accacccctc ttctcttggc ccagcctggt tccccccact 4500
tccactcccc tctactctct ctaggactgg gctgatgaag gcaactgccc aaatttcccc 4560

```

tacccccaac	tttcccctac	ccccaacttt	ccccaccagc	tccacaaccc	tgtttgagc	4620
tactgcagga	ccagaagcac	aaagtgcggt	ttcccaagcc	tttgtccatc	tcagcccca	4680
gagtatatct	gtgcttggg	aatctcacac	agaaactcag	gagcaccccc	tgcttgagct	4740
aagggaggtc	ttatctctca	gggggggttt	aagtgcggtt	tgcaataatg	tcgtcttatt	4800
tatttagcgg	ggtgaatatt	ttatactgta	agtgcagcaat	cagagtataa	tgtttatggt	4860
gacaaaatta	aaggctttct	tatatgttta	aaaa			4894

&lt;210&gt; 624

&lt;211&gt; 2904

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 624

gtctatgcct	tcatgatcag	tcttgggggc	tgccctgggct	acctcctgcc	tgccattgac	60
tgggacacca	gtgccctggc	cccctacctg	ggcaccacag	aggagtgcct	ctttggcctg	120
ctcaccctca	tcttctctac	ctgcgtagca	gccacactgc	tggtggctga	ggaggcagcg	180
ctgggcccc	ccgagccagc	agaagggtcg	tcggccccct	ccttgctgcc	ccactgctgt	240
ccatgccggg	cccgttggc	tttcgggaac	ctgggcggcc	tgcttccccg	gctgcaccag	300
ctgtgctgcc	gcatgccccg	cacctgcgc	cggctcttcg	tggttgagct	gtgcagctgg	360
atggcactca	tgaccttcac	gctgttttac	acggatttcg	tgggcgaggg	gctgtaccag	420
ggcgtgccca	gagctgagcc	gggcaccgag	gcccgagac	actatgatga	aggaaggcct	480
ctggctgtct	taggagtctg	atcagagtcg	ttgccccagt	ttgacagaag	gaaaggcgga	540
gcttattcaa	agtctagagg	gagtggagga	gttaaggctg	gatttcagat	ctgcctgggt	600
ccagccgcag	tgtgccctct	gtcccccaa	cgactttcca	aataatctca	ccagcgcctt	660
ccagctcagg	ogtccctagaa	gcgtcttgaa	gcctatggcc	agctgtcttt	gtgttccctc	720
tcacccgcct	gtcctcacag	ctgagactcc	caggaaacct	tcagactacc	ttcctctgcc	780
ttcagcaaag	ggcgttgccc	acattctctg	agggcggttcg	gatgggcagc	ctggggctgt	840
tcttgcaatg	cgccatctcc	ctggtcttct	ctctggctcat	ggaccggctg	gtgcagcgat	900
tcggcactcg	agcagtctat	ttggccagtg	ttggcagcttt	ccctgtggct	gccggtgcc	960
catgcctgtc	ccacagtgtg	gcggtggtga	cagcttcagc	cgccctcacc	gggttcacct	1020
tctcagccct	gcagatccctg	ccctacacac	tgccctccct	ctaccaccgg	gagaagcagg	1080
tgttcctgcc	caaataccga	ggggacactg	gaggtgctag	cagtgaggac	agcctgatga	1140
ccagcttcct	gccaggccct	aagcctggag	ctcccttccc	taatggacac	gtgggtgctg	1200
gaggcagtg	cctgctccca	cctccaccgg	cgctctgcgg	ggcctctgcc	tgtgatgtct	1260
ccgtacgtgt	ggtggtgggt	gagccaccgg	aggccagggt	ggttccgggc	cggggcatct	1320
gcctggacct	cgccatccctg	gatagtgcct	tctgtgtgtc	ccagggtggc	ccatccctgt	1380
ttatgggtct	cattgtccag	ctcagccagt	ctgtcactgc	ctatatggtg	tctgcccgag	1440
gcctgggtct	ggtcgccatt	tactttgcta	cacaggtagt	atgtgacaag	agcgacttgg	1500
ccaaatactc	agcgtagaaa	acttccagca	cattgggggtg	gagggcctgc	ctcactgggt	1560
cccagctccc	cgctcctgtt	agccccatgg	ggctgccggg	ctggcccgcca	gtttctgttg	1620
ctgccaaagt	aatgtggctc	tctgctgcc	ccctgtgctg	ctgaggtgctg	tagctgcaca	1680
gctgggggct	ggggcgctcc	tctcctctct	ccccagtctc	tagggctgcc	tgactggagg	1740
ccttccaagg	gggtttcagt	ctggacttat	acaggggaggc	cagaagggtc	ccatgcaactg	1800
gaatgcgggg	actctgcagg	tggtattacc	aggctcaggg	ttaacagcta	gcctcctagt	1860
tgagacacac	ctagagaagg	gtttttggga	gctgaataaa	ctcagtcacc	tggtttccca	1920
tctctaagcc	ccttaacctg	cagcttcggt	taatgtagct	cttgcatggg	agtttctagg	1980
atgaaacact	cctccatggg	atgtgaacat	atgaaagtta	tttgtagggg	aagagtcctg	2040
aggggcaaca	cacaagaacc	aggtcccttc	agcccacagc	actgtctttt	tgctgatcca	2100
ccccctctt	accttttatc	aggatgtggc	ctgttggtcc	ttctgttgcc	atcacagaga	2160
cacaggcatt	taaatattta	acttatttat	ttaacaaaag	agaagggaat	ccattgctag	2220
cttttctgtg	ttggtgtcta	atatttgggt	aggggtgggg	atcccaaca	atcaggctcc	2280
ctgagatagc	tggtcattgg	gctgatcatt	gccagaatct	tcttctcctg	gggtctggcc	2340
ccccaaaatg	cctaaccag	gaccttgaa	attctactca	tcccaaatga	taattccaaa	2400
tgctgttacc	caaggttagg	gtgttggaag	aaggtagagg	gtggggcttc	aggtctcaac	2460
ggcttcccta	accacccctc	ttctcttggc	ccagcctggt	tccccccact	tccactcccc	2520
tctactctct	ctaggactgg	gctgatgaag	gcactgccca	aaatttcccc	tacccccaac	2580
tttcccctac	ccccaacttt	ccccaccagc	tccacaaccc	tgtttgagc	tactgcagga	2640

```

ccagaagcac aaagtgcggt ttcccaagcc tttgtccatc tcagccccc gagtatatct 2700
gtgcttgggg aatctcacac agaaactcag gagcaccccc tgcctgagct aaggaggtgc 2760
ttatctctca ggggggggtt aaagtccggt tgcaataatg tcgtcttatt tatttagcgg 2820
ggtgaatatt ttatactgta agtgagcaat cagagtataa tgtttatggt gacaaaatta 2880
aagcgtttct tatatgttta aaaa 2904

```

&lt;210&gt; 625

&lt;211&gt; 4034

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 625

```

aaccagcctg cacgcgctgg ctccgggtga cagccgcgcg cctcggccag gatctgagtg 60
atgagacgtg tccccactga ggtgccccac agcagcaggt gttgagcatg ggctgagaag 120
ctggaccggc accaaagggc tggcagaaat gggcgccctg ctgattccta ggcagttggc 180
ggcagcaagg aggagaggcc gcagcttctg gagcagagcc gagacgaagc agttctggag 240
tgctgaacg gccccctgag ccctaccgcg ctggcccaact atggtccaga ggctgtgggt 300
gagcgcctg ctgcggcacc ggaaagccca gctcttgctg gtcaacctgc taacctttgg 360
cctggaggtg tgtttggccg caggcatcac ctatgtgccc cctctgctgc tggaaagtggg 420
ggtagaggag aagttcattg ccatggtgct gggcattggt ccagtgtggt gcctggtctg 480
tgtcccgctc ctaggctcag ccagtaccca ctggcgtgga cgctatggcc gccgccggcc 540
cttcatctgg gcaactgtct tgggcatcct gctgagcctc tttctcatcc caaggccggg 600
ctggctagca gggctgctgt gcccgatcc caggccctg gagctggcac tgctcatcct 660
gggcgtgggg ctgctggact tctgtggcca ggtgtgcttc actccactgg aggccctgct 720
ctctgacctc ttccgggacc cggaccactg tcgccaggcc tactctgtct atgccttcat 780
gatcagctct gggggctgccc tgggctacct cctgcctgcc attgactggg acaccagtgc 840
cctggccccc tacctgggca ccaggagga gtgctctttt ggctgtctca ccctcatctt 900
cctcacctgc gtagcagcca cactgctggt ggctgaggag gcagcgctgg gcccaccga 960
gccagcagaa gggctgtcgg cccctcctt gtcgccccac tgctgtccat gccgggccc 1020
cttggctttc cggaaacctg gcgcctgct tccccggctg caccagctgt gctgccgat 1080
gccccgcacc ctgcgcggcg tcttctgtgg tgagctgtgc agctggatgg cactcatgac 1140
cttcacgctg ttttacacgg atttctgtgg cgaggggctg taccagggcg tgcccagagc 1200
tgagccgggc accgagggcc ggagacacta tgatgaaggt aaggccttgg cagccagcag 1260
aggctggtgt ggggagccgc caccagagac gacctcggg gctgtgtctg ggctggtgcc 1320
tctccatcct ggccccgact tctctgtcag gaaagtgggg atggaccoca tctgcataca 1380
cggcttctca tgggtgtgga acatctctgc ttgcggtttc aggaaggcct ctggctgctc 1440
taggagtctg atcagagtcg ttgccccagt ttgacagaag gaaaggcgga gcttattcaa 1500
agtctagagg gagtggagga gttaaggctg gatttcagat ctgcctggtt ccagccgcag 1560
tgtgccctct gctcccccaa cgactttcca aataatctca ccagcgctt ccagctcagg 1620
cgtcctagaa gcgtcttgaa gcctatggcc agctgtcttt gtgttccctc tcaccgcct 1680
gtcctcacag ctgagactcc caggaaacct tcagactacc ttccctctgcc ttcagcaagg 1740
ggcgttgccc acattctctg agggctcagt gaagaacct aactccatt gctagaggta 1800
gaaaggggaa ggggtgctgg gagcagggtt ggtccacagc aggtctctg cagcaggtag 1860
ctgtggttcc gccttctcat ctccctgaga ctgctccgac ccttccctcc caggctctgt 1920
ctgatggccc ctctccctct gcaggcgctt ggatgggcag cctggggctg ttctgtcagt 1980
gcgccatctc cctggtcttc tctctggtca tggaccggct ggtgcagcga ttccggcactc 2040
gagcagctca tttggccagt gtggcagctt tcctgtggc tgccgggtgcc acatgcctgt 2100
cccacagtgt ggccgtggtg acagcttcag ccgcctcac cgggttcacc ttctcagccc 2160
tgcatatcct gccctacaca ctggcctccc tctaccaccg ggagaagcag gtgttcctgc 2220
ccaaataccg aggggacact ggaggtgcta gcagtgagga cagcctgatg accagcttcc 2280
tgccaggccc taagcctgga gctcccttcc ctaatggaca cgtgggtgct ggaggcagt 2340
gcctgtctcc acctccacc gcgctctgcg gggcctctgc ctgtgatgtc tccgtacgtg 2400
tggtggtggg tgagcccacc gaggccaggg tggttccggg ccggggcacc tgctggacc 2460
tcgccatcct ggatagtgcc ttctgtctgt cccagggtgg cccatccctg tttatgggct 2520
ccattgtcca gctcagccag tctgtcactg cctatatggt gtctgccgca ggctgggtc 2580
tggtcgccat ttactttgct acacaggtag tatttgacaa gagcgacttg gccaaatact 2640
cagcgtagaa aacttccagc acattggggt ggagggcctg cctcactggg tcccagctcc 2700

```



```

ccgctcctgt tagcccatg gggctgccg gctggccgc agtttctgtt gctgccaaag 2760
taatgtggct ctctgctgcc accctgtgct gctgaggtgc gtagctgcac agctgggggc 2820
tggggcgctc ctctcctctc tccccagtct ctgaggtgc ctgactggag gccttccaag 2880
gggggtttcag tctggactta tacagggagg ccagaagggc tccatgcact ggaatgcggg 2940
gactctgcag gtggattacc caggctcagg gttaacagct agcctcctag ttgagacaca 3000
cctagagaag ggtttttggg agctgaataa actcagtcac ctggtttccc atctctaagc 3060
cccttaacct gcagcttcgt ttaatgtagc tcttgcatgg gagtttctag gatgaaacac 3120
tcctccatgg gatttgaaca tatgaaagtt attttagagg gaagagtcct gaggggcaac 3180
acacaagaac caggctccct cagcccacag cactgtcttt ttgctgatcc accccctct 3240
taccttttat caggatgtgc ctgttggtcc ttctgttgcc atcacagaga cacaggcatt 3300
taaataattta acttatttat ttaacaaagt agaagggaat ccattgctag cttttctgtg 3360
ttggtgtcta atatttgggt aggggtgggg atccccaaca atcagggtccc ctgagatagc 3420
tgggtcattgg gctgatcatt gccagaatct tcttctcctg gggctctggcc ccccaaatg 3480
cctaaccagg gaccttgga attctactca tcccaaatga taattccaaa tgctgttacc 3540
caagggttagg gtgttgaagg aaggtagagg gtggggcttc aggtctcaac ggcttccta 3600
accacccctc ttctcttggc ccagcctggt tcccccaact tccactccc tctactctct 3660
ctaggactgg gctgatgaag gcactgcccc aaatttcccc taccccaac tttccctac 3720
ccccaacttt ccccaaccgc tccacaacc tggttgagc tactgcagga ccagaagcac 3780
aaagtgcggt ttcccaagcc tttgtccatc tcagccccc gagtatact gtgcttgggg 3840
aatctcacac agaaactcag gagcaccccc tgcttagct aaggagggtc ttatctctca 3900
gggggggttt aagtgccgtt tgcaataatg tctgtctatt tatttagcgg ggtgaatatt 3960
ttatactgta agtgagcaat cagagtataa tgtttatggt gacaaaatta aaggctttct 4020
tatatgttta aaaa 4034

```

&lt;210&gt; 626

&lt;211&gt; 6976

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 626

```

gaagctggac cggcaccaaa gggctggcag aaatgggcgc ctggctgatt cctaggcagt 60
tggcggcagc aaggaggaga ggccgcagct tctggagcag agccgagacg aagcagttct 120
ggagtgcctg aacggccccc tgagccctac ccgcttgccc cactatggtc cagaggctgt 180
gggtgagccg cctgctgcgg caccggaaa gccaagctctt gctggtcaac ctgctaacct 240
ttggcctgga ggtgtgtttg gccgcaggca tcacctatgt gccgcctctg ctgctggaag 300
tgggggtaga ggagaagttc atgaccatgg tgctgggtga gtactacat cctccttcc 360
tcctgttcca gatacatgcc acctggcatg tgggacagga gtacctctgc cctgggagct 420
gcttgaggag agaggtggtc tgctgggaag gcattgctgg gcaggagggt gaccctgggc 480
tgagggggca caccaagaga ctggctcata ggagacactg gagaaatgct cctaaccttt 600
ggctagccct ttataaatt atagcgatta tctcatttaa tgcttacaac caccatttga 660
ggtgatccat ttacagaga aggaagcaga ggcttttaag aggttaggta agtcttagcc 720
aaagccaat agcagctgaa cagtagagct gggactccat caagggtctc cagccggagc 780
ttgctcctac ccctaggaca aggggtggac tcctgactct gcagataaat tctacaaaag 840
ccacagaagg caagtagtaa ccattgtgtg acaaccctc acccccagga agaggggccc 900
ctgtgaggat tgcaggctct ggagtcacac tgcttggtga aacgctgcct cttaccctcc 960
ctaggctctgc gcctttgaat aagtatcact tmttagttgc tccatgcctc agtttgtcca 1020
tctgaaaaatg ggggcatctg taatgcctgt gttatgagga gtaaattaca gcatccctgt 1080
gaagacgtag cacagtgtcg agtacggaat gttatttcca tccttctcac ggagcttggt 1140
tcccttccc cttgcccttt acttgcccc gccattgact catactactt cccttcttgc 1200
aggcattggt ccagtgtctg gcctggtctg tgtcccgctc ctaggctcag ccagtacca 1260
ctggcgtgga cgctatggcc gccgccggcc ctctcatctg gcaactgtct tgggcatcct 1320
gctgagcctc tttctcatcc caagggccgg ctggctagca gggctgctgt gcccgatcc 1380
caggccccct gagctggcac tgetcatcct gggcgtgggg ctgctggact tctgtggcca 1440
ggtgtgcttc actccactgg aggcctgtct ctctgacctc ttccgggacc cggaccactg 1500
tcgccaggcc tactctgtct atgccttcat gatcagctct gggggctgcc tgggctacct 1560
cctgcctgcc attgactggg acaccagtgc cctggcccc tacctgggca cccaggagga 1620

```

gtgcctcttt ggccctgtca cctcatctt cctcacctgc gtagcagcca cactgctggt 1680  
 ggctgaggag gcagcgctgg gccccaccga gccagcagaa gggctgtcgg cccctctctt 1740  
 gtccccccac tgctgtccat gccggggccg cttggctttc cggaacctgg gcgccctgct 1800  
 tccccggctg caccagctgt gctgcccat gccccgcacc ctgcgccggc tcttcgtggc 1860  
 tgagctgtgc agctggatgg cactcatgac cttcacgctg ttttacacgg atttcgtggg 1920  
 cgaggggctg taccagggcg tgcccagagc tgagccgggc accgaggccc ggagacacta 1980  
 tgatgaaggt aaggccttgg cagccagcag aggtctgtgt gggagccgcc caccagagac 2040  
 gacactcggg gctgtgtctg ggctgggtgc tctccatcct ggccccgact tctctgtcag 2100  
 gaaagtgggg atggacccca tctgcataca cggcttctca tgggtgtgga acatctctgc 2160  
 ttgcggtttc aggaaggcct ctggctgtct taggagtctg atcagagtctg ttgccccagt 2220  
 ttgacagaag gaaaggcgga cttatttcaa gacttagagg gagtggagga gttaaggctg 2280  
 gatttcagat ctgcctgggt ccagccgcag tgtgccctct gctcccccaa cgactttcca 2340  
 aataatctca ccagcgctt ccagctcagg cgtcctagaa gcgtcttgaa gcctatggcc 2400  
 agctgtcttt gtgttccctc tcaccgcct gtcctcacag ctgagactcc caggaaacct 2460  
 tcagactacc ttcctctgcc ttcagcaagg ggcgttgccc acattctctg agggtcagtg 2520  
 gaagaacct aactcccatt gctagaggta gaaaggggaa ggggtgctggg gagcagggtc 2580  
 ggtccacagc aggtctcgtg cagcaggtao ctgtggttcc gccttctcat ctccctgaga 2640  
 ctgctccgac ccttccctcc caggctctgt ctgatggccc ctctccctct gcaggcgttc 2700  
 ggatgggctg cctgggctg ttctgcagt gcgccatctc cctggtcttc tctctgttca 2760  
 tggaccggct ggtgcagcga ttcggcactc gacagctcta tttggccagt gtggcagctt 2820  
 tccctgtggc tgccgggtgc acatgcctgt cccacagtgt ggcctgtgtg acagcttcag 2880  
 ccgccctcac cgggttcacc ttctcagccc tgcagatcct gccctacaca ctggcctccc 2940  
 tctaccaccg ggagaagcag gtactcattg gccagtgggt ggagtcaggg tgggaggggt 3000  
 ggtctgggtt ttggggaggc caactagctc agaacctggt atctggcaag caactttgga 3060  
 gaatgcttct ttgaatcaga gaagaagctt atcctagccc cagggccaga ggcttgggtc 3120  
 gcagaacagt gtagattaga ttctgggaat gacttctctg ggtcaggact gtgtagcact 3180  
 tgaatggatg attgcaggaa atgcaaaata cgatagtggg aatcccgaag ggtcaggcca 3240  
 gcaggagccc taggcttcta ggctggttgt tctatggaga ggcaggcgcc tgaatcagat 3300  
 gacccctggg ccattcagcc tcagcagacg ggagtgggaa tggctccagc ttagcaacac 3360  
 ctttcttcag ggagcagcaa cctgacttag cctgtatcct actctggtct ctgagatggg 3420  
 gcaggctcct tctaccccc tttctttctg gcttattttt ctttctgtc taattccctt 3480  
 ttcttttctt gcatccctcc tttgcctcct tccctttctc cttcccttc cccttccct 3540  
 gtggcagata tctgagcttg acacctgacc cactcacttg ggcactgtgt aagttgtggg 3600  
 gacctccttc ttggttggcc ctacactaac cagccctcc agggggccct ttccttggga 3660  
 agccaccta cccaggtagt gtggtcatcc ttgtccctc cactgacctc actgagctac 3720  
 aaacctgggt gctggactct gccttgagg gcatgaagtt ggggtgtccc aagggaagg 3780  
 gagatgcagg actgctctca tagagctctc agactgtagg gaagacctgc ccctgctct 3840  
 cgtagcactt gaggagagga gtaggtaagt tctgtagctga gaggctggtt aactgagtag 3900  
 gtagctgcag gggtagaggg tatggagggg aggggctaag gttttggtt ggggagcctg 3960  
 gtccctgaga cccctgttag cccactgata accttcttca gccttcactc ttctgtgtgc 4020  
 ctgggctggg ggcagggggc tggcatcagc ggcaggccct gagtatgtgc tgtcgtgcca 4080  
 gggaacgttc tggggctagc catcttctcc agatggagga gcatgtctgt cctcggaacca 4140  
 ctccagactc caacctcagc ggacattcct ggggtggcag gcagggagga gaagtcctgg 4200  
 gaggccctt cctaacagca gctgatggca gacttggcac tgcacgctgt ctgctgttc 4260  
 ctttggccac ttgttgagct gcatgggtgag ccgtgggctt ccctgggtgtc aggtttgagc 4320  
 tctgccaatg cccccacct gcaaatgcag ccaactcaac tcttctggca tggggacaat 4380  
 gttggataag acctggcctt gtccttaaag aggaggtctt gggccatcaa gggcaggggt 4440  
 tggggggatg gtggctgacc agtcaactct atctaagtca gacagcagga aggaagttag 4500  
 aagccttcaa cattagcaca gctggggctg ggggaggtgg gaagagggac attcctcctg 4560  
 cttggggctt actggattct ccctgcccc aggtggggga caaggagct catggcaggg 4620  
 cagctaccct agtggcctg gggacccag agaggcagag cttctctgca ccgggcaatg 4680  
 aggatttcca gatgtcggag tggagggcag gcaggaagga aggttaggag agcctgcgtg 4740  
 gggtttgggc catcaggggc cctgccttgg cttttgttcc tctgttctgt gcatctctta 4800  
 ccaccgtctt cattccccct gtgtcttttc cttacottgg agctctgttc tctctgatct 4860  
 gtgatattga gtttgtctgc ctcttacctg ttctaagagg cttagaggaga cctagacttc 4920  
 tgggttcaca tttgtccccg cctaccccc ttacccttct cccactcctg aggaaggggtc 4980  
 ctggttagac ttggaccaag tagggtctcc atcttctctc ctgctcctga ttctcatgaa 5040  
 gtcccattgc cctgggatg gaggcaaggg tctgttctca cagctggggt ggtgccagtg 5100

```

ctgggtacac acctgtcctc ttcccccttt cttcacccct ctgccttagg tgttcctgcc 5160
caaataccga ggggacactg gaggtgctag cagtgaggac agcctgatga ccagcttcct 5220
gccaggccct aagcctggag ctcccttccc taatggacac gtgggtgctg gaggcagtgg 5280
cctgtctcca cctccaccg cgctctgcgg ggctctgcc tgtgatgtct ccgtacgtgt 5340
ggtggtgggt gagccaccg aggccagggt ggttccgggc cggggcatct gcctggacct 5400
cgccatcctg gatagtgcct tcctgctgtc ccagggtggc ccatccctgt ttatgggtct 5460
cattgtccag ctcagccagt ctgtcactgc ctatatggtg tctgccgcag gcctgggtct 5520
ggtcgccatt tactttgcta cacaggtagt atttgacaag agcgaacttg ccaaatactc 5580
agcgtagaaa acttccagca cattgggggt gagggcctgc ctcaactggg cccagctccc 5640
cgctcctggt agcccatgg ggctgccggg ctggccgcca gtttctgttg ctgccaaagt 5700
aatgtggctc tctgtgccca cctgtgctg ctgaggtgag tagctgcaca gctgggggct 5760
ggggcgctcc tctcctctct cccagctctc tagggctgcc tgactggagg ccttccaagg 5820
gggtttcagt ctggacttat acaggagggc cagaagggtc ccatgcactg gaatgcgggg 5880
actctgcagg tggattaccc aggtcagggt ttaacagcta gcctcctagt tgagacacac 5940
ctagagaagg gtttttgga gctgaataaa ctcagtcaac tggtttccca tctctaagcc 6000
ccttaacctg cagcttcggt taatgtagct cttgcatggg agtttctagg atgaaacct 6060
cctccatggg atttgaacat atgaaagtta ttttagggg aagagtcctg aggggcaaca 6120
cacaagaacc aggtcccctc agcccacagc actgtctttt tgctgatcca cccctctct 6180
accttttatc aggatgtggc ctgttggtcc tctgttgcc atcacagaga cacaggcatt 6240
taaataattt acttatttat ttaacaaagt agaagggaat ccattgctag cttttctgtg 6300
ttggtgtcta atatttgggt aggggtgggg atccccaaca atcaggtoct ctgagatagc 6360
tggtcattgg gctgatcatt gccagaatct tcttctctg gggctctggc ccccaaatg 6420
cctaaccagg gaccttgga attctactca tcccaaatga taattccaaa tgctgttacc 6480
caaggttagg gtgttgaagg aaggtagagg gtggggcttc aggtctcaac ggcttcctc 6540
accaccctc ttctcttggc ccagcctggt tccccccact tccactcccc tctactctct 6600
ctaggactgg gctgatgaag gcactgcccc aaatttcccc taccocccaaac tttccctac 6660
ccccaacttt cccaccagc tccacaaccc tgtttggagc tactgcagga ccagaagcac 6720
aaagtgcggt ttcccaagcc tttgtccatc tcagccccc gagtatatct gtgcttgggg 6780
aatctcacac agaaactcag gacaccccc tgctgagct aaggagggtc ttatctctca 6840
gggggggttt aagtgcggt tgcaataatg tcgtcttatt tatttagcgg ggtgaatatt 6900
ttatactgta agtgagcaat cagagtataa tgtttatggt gacaaaatta aaggctttct 6960
tatatgttta aaaaaa 6976

```

&lt;210&gt; 627

&lt;211&gt; 123

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 627

```

Met Gly Ser Leu Gly Leu Phe Leu Gln Cys Ala Ile Ser Leu Val Phe
      5                      10                      15

```

```

Ser Leu Val Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg Ala Val
      20                      25                      30

```

```

Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala Gly Ala Thr Cys
      35                      40                      45

```

```

Leu Ser His Ser Val Ala Val Val Thr Ala Ser Ala Ala Leu Thr Gly
      50                      55                      60

```

```

Phe Thr Phe Ser Ala Leu Gln Ile Leu Pro Tyr Thr Leu Ala Ser Leu
      65                      70                      75                      80

```

```

Tyr His Arg Glu Lys Gln Val Leu Ile Gly Gln Trp Val Glu Ser Gly
      85                      90                      95

```

239

Trp Glu Gly Trp Ser Gly Phe Leu Gly Gly Gln Leu Ala Gln Asn Leu  
 100 105 110

Val Ser Gly Lys Gln Leu Trp Arg Met Leu Leu  
 115 120

&lt;210&gt; 628

&lt;211&gt; 150

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 628

Met Val Gln Arg Leu Trp Val Ser Arg Leu Leu Arg His Arg Lys Ala  
 5 10 15

Gln Leu Leu Leu Val Asn Leu Leu Thr Phe Gly Leu Glu Val Cys Leu  
 20 25 30

Ala Ala Gly Ile Thr Tyr Val Pro Pro Leu Leu Leu Glu Val Gly Val  
 35 40 45

Glu Glu Lys Phe Met Thr Met Val Leu Gly Glu Ser Leu His Pro Pro  
 50 55 60

Ser Phe Leu Phe Gln Ile His Ala Thr Trp His Val Gly Gln Glu Tyr  
 65 70 75 80

Leu Cys Pro Gly Ser Cys Leu Glu Gly Glu Val Val Cys Trp Glu Gly  
 85 90 95

Ile Ala Gly Gln Glu Gly Asp Pro Gly Leu Arg Gly His Thr Lys Arg  
 100 105 110

Lys Lys Arg Ile Pro Arg Thr Tyr Pro Ser His Leu Trp Ile Pro Gly  
 115 120 125

Pro Ala Gln Ser Leu Ala His Arg Arg His Trp Arg Asn Ala Pro Asn  
 130 135 140

Leu Trp Leu Ala Leu Leu  
 145 150

&lt;210&gt; 629

&lt;211&gt; 371

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 629

Met Leu Phe Pro Ser Phe Ser Arg Ser Leu Val Pro Leu Pro Leu Ala  
 5 10 15

Leu Tyr Leu Ser Gln Pro Leu Thr His Thr Thr Ser Leu Leu Ala Gly  
 20 25 30

Ile Gly Pro Val Leu Gly Leu Val Cys Val Pro Leu Leu Gly Ser Ala  
 35 40 45

240

Ser Asp His Trp Arg Gly Arg Tyr Gly Arg Arg Arg Pro Phe Ile Trp  
 50 55 60  
 Ala Leu Ser Leu Gly Ile Leu Leu Ser Leu Phe Leu Ile Pro Arg Ala  
 65 70 75 80  
 Gly Trp Leu Ala Gly Leu Leu Cys Pro Asp Pro Arg Pro Leu Glu Leu  
 85 90 95  
 Ala Leu Leu Ile Leu Gly Val Gly Leu Leu Asp Phe Cys Gly Gln Val  
 100 105 110  
 Cys Phe Thr Pro Leu Glu Ala Leu Leu Ser Asp Leu Phe Arg Asp Pro  
 115 120 125  
 Asp His Cys Arg Gln Ala Tyr Ser Val Tyr Ala Phe Met Ile Ser Leu  
 130 135 140  
 Gly Gly Cys Leu Gly Tyr Leu Leu Pro Ala Ile Asp Trp Asp Thr Ser  
 145 150 155 160  
 Ala Leu Ala Pro Tyr Leu Gly Thr Gln Glu Glu Cys Leu Phe Gly Leu  
 165 170 175  
 Leu Thr Leu Ile Phe Leu Thr Cys Val Ala Ala Thr Leu Leu Val Ala  
 180 185 190  
 Glu Glu Ala Ala Leu Gly Pro Thr Glu Pro Ala Glu Gly Leu Ser Ala  
 195 200 205  
 Pro Ser Leu Ser Pro His Cys Cys Pro Cys Arg Ala Arg Leu Ala Phe  
 210 215 220  
 Arg Asn Leu Gly Ala Leu Leu Pro Arg Leu His Gln Leu Cys Cys Arg  
 225 230 235 240  
 Met Pro Arg Thr Leu Arg Arg Leu Phe Val Ala Glu Leu Cys Ser Trp  
 245 250 255  
 Met Ala Leu Met Thr Phe Thr Leu Phe Tyr Thr Asp Phe Val Gly Glu  
 260 265 270  
 Gly Leu Tyr Gln Gly Val Pro Arg Ala Glu Pro Gly Thr Glu Ala Arg  
 275 280 285  
 Arg His Tyr Asp Glu Gly Lys Ala Leu Ala Ala Ser Arg Gly Trp Cys  
 290 295 300  
 Gly Ser Arg Pro Pro Glu Thr Thr Leu Gly Ala Val Ser Gly Leu Val  
 305 310 315 320  
 Pro Leu His Pro Gly Pro Asp Phe Ser Val Arg Lys Val Gly Met Asp  
 325 330 335  
 Pro Ile Cys Ile His Gly Phe Ser Trp Val Trp Asn Ile Ser Ala Cys  
 340 345 350

Gly Phe Arg Lys Ala Ser Gly Cys Ser Arg Ser Leu Ile Arg Val Val  
 355 360 365

Ala Pro Val  
 370

<210> 630  
 <211> 2983  
 <212> DNA  
 <213> Homo sapiens

<400> 630  
 agagatagag tcttccctgg cattgcagga gagaatctga agggatgatg gatgcatcaa 60  
 aagagctgca agttctccac attgacttct tgaatcagga caacgccgtt tctcaccaca 120  
 catgggagtt ccaaacgagc agtcctgtgt tccggcgagg acaggtgttt cacctgcggc 180  
 tgggtgctgaa ccagccccta caatcctacc accaactgaa actggaattc agcacagggc 240  
 cgaatcctag catcgccaaa cacaccctgg tgggtgctcga cccgaggacg cccctcagacc 300  
 actacaactg gcaggcaacc cttcaaaatg agtctggcaa agaggtcaca gtggctgtca 360  
 ccagttcccc caatgccatc ctgggcaagt accaactaaa cgtgaaaact ggaaaccaca 420  
 tccttaagtc tgaagaaaac atcctatacc ttctcttcaa cccatggtgt aaagaggaca 480  
 tggttttcat gcctgatgag gacgagcgca aagagtacat cctcaatgac acgggctgcc 540  
 attacgtggg ggctgccaga agtatcaaat gcaaaccctg gaactttggt cagtttgaga 600  
 aaaatgtcct ggactgctgc atttccctgc tgactgagag ctccctcaag cccacagata 660  
 ggaggggaccc cgtgctggtg tgcaggcca tgtgtgctat gatgagcttt gagaaaggcc 720  
 agggcgtgct cattgggaat tggactgggg actatgaagg tggcacagcc ccatacaagt 780  
 ggacaggcag tgccccgatc ctgcagcagt actacaacac gaagcaggct gtgtgctttg 840  
 gccagtgtct ggtgtttgct gggatcctga ctacagtgt gagagcgttg ggcattccag 900  
 cagcagtggt gacaggcttc gattcagctc acgacacaga aaggaacctc acggtggaca 960  
 cctatgtgaa tgagaatggc aagaaaatca ccagtatgac ccacgactct gtctggaatt 1020  
 tccatgtgtg gacggatgcc tggatgaagc gaccggatct gcccaagggc tacgacggct 1080  
 ggcaggctgt ggacgcaacg ccgcaggagc gaagccaggg tgtcttctgc tgtgggccat 1140  
 caccactgac cgccatccgc aaaggtgaca tctttattgt ctatgacacc agattcgtct 1200  
 tctcagaagt gaatggtgac aggtcatct ggttggtgaa gatggtgaat gggcaggagg 1260  
 agttacacgt aatttcaatg gagaccaca gcatcgggaa aaacatcagc accaaggcag 1320  
 tgggccaaga caggcggaga gatatacct atgagtaca gtatccagaa ggctcctctg 1380  
 aggagaggca ggtcatggat catgccttc tccttctcag ttctgagagg gagcacagac 1440  
 gacctgtaaa agagaacttt cttcacatgt cgttacaatc agatgatgtg ctgctgggaa 1500  
 actctgttaa tttcacctg attcttaaaa ggaagaccgc tgccctacag aatgtcaaca 1560  
 tcttgggctc ctttgaacta cagttgtaca ctggcaagaa gatggcaaaa ctgtgtgacc 1620  
 tcaataagac ctgcagatc caaggtcaag tatcagaagt gactctgacc ttggactcca 1680  
 agacctacat caacagcctg gctatattag atgatgagcc agttatcaga ggtttcatca 1740  
 ttgcggaaat tgtggagtct aaggaaatca tggcctctga agtattcacg tctttccagt 1800  
 accctgagtt ctctatagag ttgcctaaca caggcagaat tggccagcta cttgtctgca 1860  
 attgtatctt caagaatacc ctggccatcc ctttgactga cgtcaagttc tctttgaaa 1920  
 gcctgggcat ctccactacta cagacctctg accatgggac ggtgcagcct ggtgagacca 1980  
 tccaatccca aataaaatgc accccaataa aaactggacc caagaaattt atcgtcaagt 2040  
 taagttccaa acaagtgaag gagattaatg ctcaagaagt tgttctcatc accaagtagc 2100  
 cttgtctgat gctgtggagc cttagttgag atttcagcat ttccctacct gtgcttagct 2160  
 ttacagattat ggatgattaa atttgatgac ttatatgagg gcagattcaa gagccagcag 2220  
 gtcaaaaagg ccaacacaac cataagcagc cagaccacac aggccaggtc ctgtgctatc 2280  
 acagggtcac ctcttttaca gttagaacac ccagccgagg ccacagaatc ccattccctt 2340  
 cctgagtcac ggccctcaaaa atcagggcca ccattgtctc aattcaaatc catagatttc 2400  
 gaagccacag agtctctccc tggagcagca gactatgggc agcccagtcg tgccacctgc 2460  
 tgacgaccct tgagaagctg ccatatcttc aggccatggg ttcaccagcc ctgaaggcac 2520  
 ctgtcaactg gagtgtcttc tcagcaactgg gatgggcctg atagaagtgc attctcctcc 2580

```

tattgcctcc atttctctct ctctatccct gaaatccagg aagtcctctt cctggtgctc 2640
caagcagttt gaagcccaat ctgcaaggac atttctcaag ggccatgtgg ttttgagac 2700
aaccctgtcc tcaggcctga actcaccata gagaccatg tcagcaaacg gtgaccagca 2760
aatctcttcc ccttattcta aagctgcccc ttgggagact ccagggagaa ggcatgtctt 2820
cctccctggt gtgaactctt tctttggtat tccatccact atcctggcaa ctcaaggctg 2880
cttctgttaa ctgaagcctg ctcttcttgg ttctgcctc cagagatttg ctcaaatgat 2940
caataagctt taaattaaac tctacttcaa gaaaaaaaaa ccg 2983

```

&lt;210&gt; 631

&lt;211&gt; 3064

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 631

```

aattctaaaa atgcttttgc aagcttgcat gcctgcaggt gcagcggccg ccagtgtgat 60
ggatatctgc agaattcggc ttgcgctcag ctggaattcc gcagagatag agtcttccct 120
ggcattgcag gagagaatct gaagggatga tggatgcac aaaagagctg caagtctctc 180
acattgactt cttgaatcag gacaacgccg ttctcacca cacatgggag ttccaaacga 240
gcagtcctgt gttccggcga ggacaggtgt ttcacctgct gctggtgctg aaccagcccc 300
tacaatccta ccaccaactg aaactggaat tcagcacagg gccgaatcct agcatcgcca 360
aacacaccct ggtggtgctc gacccgagga cgccctcaga ccactacaac tggcaggcaa 420
cccttcaaaa tgagtctggc aaagaggtca cagtggctgt caccagtctc cccaatgcca 480
tcctgggcaa gtaccaacta aacgtgaaaa ctggaaacca catccttaag tctgaagaaa 540
acatctata ccttctcttc aaccatggt gtaaagagga catggttttc atgcctgatg 600
aggacgagcg caaagagtac atcctcaatg acacgggctg ccattacgtg ggggctgcca 660
gaagtatcaa atgcaaaccc tggaaacttt gtcagtttga gaaaaatgtc ctggactgct 720
gcatttcctt cgtgactgag agctccctca agcccacaga taggagggac cccgtgctgg 780
tgtgcagggc catgtgtgct atgatgagct ttgagaaagg ccagggcgtg ctcatgtgga 840
attggactgg ggactacgaa ggtggcacag cccatacaa gtggacaggc agtgccccga 900
tcctgcagca gtactacaac acgaagcagg ctgtgtgctt tggccagtgc tgggtgtttg 960
ctgggatcct gactacagtg ctgagagcgt tgggcatccc agcacgcagt gtgacaggct 1020
tcgattcagc tcacgacaca gaaaggaacc tcacggtgga cacctatgtg aatgagaatg 1080
gcgagaaaaa caccagtatg acccacgact ctgtctggaa tttccatgtg tggacggatg 1140
cctggatgaa gcgacctac gacggctggc aggtgtgga cgcaacgccg caggagcgaa 1200
gccaggtgtt cttctgtgtg gggccatcac cactgaccgc catccgcaaa ggtgacatct 1260
ttattgtcta tgacaccaga ttctgtcttc cagaagtga tgggtgacagg ctcatctggt 1320
tggatgaagt ggtgaatggg caggaggagt tacacgtaat ttcaatggag accacaagca 1380
tcgggaaaaa catcagcacc aaggcagtgg gccaaagacag gcggagagat atcacctatg 1440
agtacaagta tccagaaggc tcctctgagg agaggcaggt catggatcat gccttccctc 1500
ttctcagttc tgagagggag cacagacagc ctgtaaaaa gaactttctt cacatgtcgg 1560
tacaatcaga tgatgtgctg ctgggaaact ctgttaattt caccgtgatt cttaaaagga 1620
agaccgctgc cctacagaat gtcaacatct tgggtctctt tgaactacag ttgtacactg 1680
gcaagaagat ggcaaaactg tgtgacctc ataagacctc gcagatccaa ggtcaagtat 1740
cagaagtgtg tctgacctg gactccaaga cctacatcaa cagcctggct atattagatg 1800
atgagccagt tatcagagg ttcatcattg cggaaattgt ggagtctaag gaaatcatgg 1860
cctctgaagt attcagctca aaccagtacc ctgagttctc tatagagttg cctaacacag 1920
gcagaattgg ccagctactt gtctgcaatt gtatcttcaa gaataccctg gccatccctt 1980
tgactgacgt caagttctct ttggaaagcc tgggcatctc ctactacag acctctgacc 2040
atgggacggt gcagcctggt gagaccatcc aatcccaaat aaaatgcacc ccaataaaaa 2100
ctggacccaa gaaatttatc gtcaagttaa gttccaaaca agtgaaagag attaatgtct 2160
agaagattgt tctcatcacc aagtagcctt gtctgatgct gtggagcctt agttgagatt 2220
tcagcatttc ctacctgtg cttagctttc agattatgga tgattaaatt tgatgactta 2280
tatgagggca gattcaagag ccagcaggtc aaaaaggcca acacaacat aagcagccag 2340
accacaagg ccaggtcctg tgctatcaca gggctacctc ttttacagtt agaaacacca 2400
gccagggcca cagaatccca tccctttcct gagtcatggc ctcaaaaatc agggccacca 2460
ttgtctcaat tcaaatccat agatttcgaa gccacagagc tcttccctgg agcagcagac 2520
tatgggcagc ccagtgtgct cacctgtgta cgacccttga gaagctgcca tatcttcagg 2580
ccatgggttc accagccctg aaggcacctg tcaactggag tgctctctca gcactgggat 2640

```

```

gggcctgata gaagtgcatt ctccctcctat tgcctccatt ctccctctctc tatccctgaa 2700
atccaggaag tccctctcct ggtgctccaa gcagtttgaa gcccaatctg caaggacatt 2760
tctcaagggc catgtgggtt tgcaagacaac cctgtcctca ggcctgaact caccatagag 2820
acccatgtca gcaaacgggtg accagcaaat cctcttccct tattctaaag ctgccccttg 2880
ggagactcca gggagaaggc attgcttcct ccctgggtgtg aactctttct ttggtattcc 2940
atccactatc ctggcaactc aaggctgctt ctgttaactg aagcctgctc cttcttggtc 3000
tgccctccag agatttgctc aaatgatcaa taagctttaa attaaaccgg aatccgcgga 3060
attc                                     3064

```

&lt;210&gt; 632

&lt;211&gt; 684

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 632

```

Met Met Asp Ala Ser Lys Glu Leu Gln Val Leu His Ile Asp Phe Leu
              5              10              15

Asn Gln Asp Asn Ala Val Ser His His Thr Trp Glu Phe Gln Thr Ser
      20              25              30

Ser Pro Val Phe Arg Arg Gly Gln Val Phe His Leu Arg Leu Val Leu
      35              40              45

Asn Gln Pro Leu Gln Ser Tyr His Gln Leu Lys Leu Glu Phe Ser Thr
      50              55              60

Gly Pro Asn Pro Ser Ile Ala Lys His Thr Leu Val Val Leu Asp Pro
      65              70              75              80

Arg Thr Pro Ser Asp His Tyr Asn Trp Gln Ala Thr Leu Gln Asn Glu
      85              90              95

Ser Gly Lys Glu Val Thr Val Ala Val Thr Ser Ser Pro Asn Ala Ile
      100              105              110

Leu Gly Lys Tyr Gln Leu Asn Val Lys Thr Gly Asn His Ile Leu Lys
      115              120              125

Ser Glu Glu Asn Ile Leu Tyr Leu Leu Phe Asn Pro Trp Cys Lys Glu
      130              135              140

Asp Met Val Phe Met Pro Asp Glu Asp Glu Arg Lys Glu Tyr Ile Leu
      145              150              155              160

Asn Asp Thr Gly Cys His Tyr Val Gly Ala Ala Arg Ser Ile Lys Cys
      165              170              175

Lys Pro Trp Asn Phe Gly Gln Phe Glu Lys Asn Val Leu Asp Cys Cys
      180              185              190

Ile Ser Leu Leu Thr Glu Ser Ser Leu Lys Pro Thr Asp Arg Arg Asp
      195              200              205

Pro Val Leu Val Cys Arg Ala Met Cys Ala Met Met Ser Phe Glu Lys
      210              215              220

Gly Gln Gly Val Leu Ile Gly Asn Trp Thr Gly Asp Tyr Glu Gly Gly

```



225		230		235		240
Thr Ala Pro Tyr	Lys Trp Thr Gly Ser	Ala Pro Ile Leu Gln Gln Tyr				
	245	250		255		
Tyr Asn Thr Lys	Gln Ala Val Cys Phe Gly Gln Cys Trp Val Phe Ala					
	260	265		270		
Gly Ile Leu Thr Thr Val Leu Arg Ala Leu Gly Ile Pro Ala Arg Ser						
	275	280		285		
Val Thr Gly Phe Asp Ser Ala His Asp Thr Glu Arg Asn Leu Thr Val						
	290	295		300		
Asp Thr Tyr Val Asn Glu Asn Gly Lys Lys Ile Thr Ser Met Thr His						
305	310	315		320		
Asp Ser Val Trp Asn Phe His Val Trp Thr Asp Ala Trp Met Lys Arg						
	325	330		335		
Pro Asp Leu Pro Lys Gly Tyr Asp Gly Trp Gln Ala Val Asp Ala Thr						
	340	345		350		
Pro Gln Glu Arg Ser Gln Gly Val Phe Cys Cys Gly Pro Ser Pro Leu						
	355	360		365		
Thr Ala Ile Arg Lys Gly Asp Ile Phe Ile Val Tyr Asp Thr Arg Phe						
	370	375		380		
Val Phe Ser Glu Val Asn Gly Asp Arg Leu Ile Trp Leu Val Lys Met						
385	390	395		400		
Val Asn Gly Gln Glu Glu Leu His Val Ile Ser Met Glu Thr Thr Ser						
	405	410		415		
Ile Gly Lys Asn Ile Ser Thr Lys Ala Val Gly Gln Asp Arg Arg Arg						
	420	425		430		
Asp Ile Thr Tyr Glu Tyr Lys Tyr Pro Glu Gly Ser Ser Glu Glu Arg						
	435	440		445		
Gln Val Met Asp His Ala Phe Leu Leu Leu Ser Ser Glu Arg Glu His						
	450	455		460		
Arg Arg Pro Val Lys Glu Asn Phe Leu His Met Ser Val Gln Ser Asp						
465	470	475		480		
Asp Val Leu Leu Gly Asn Ser Val Asn Phe Thr Val Ile Leu Lys Arg						
	485	490		495		
Lys Thr Ala Ala Leu Gln Asn Val Asn Ile Leu Gly Ser Phe Glu Leu						
	500	505		510		
Gln Leu Tyr Thr Gly Lys Lys Met Ala Lys Leu Cys Asp Leu Asn Lys						
	515	520		525		
Thr Ser Gln Ile Gln Gly Gln Val Ser Glu Val Thr Leu Thr Leu Asp						
	530	535		540		

245

Ser Lys Thr Tyr Ile Asn Ser Leu Ala Ile Leu Asp Asp Glu Pro Val  
 545 550 555 560  
 Ile Arg Gly Phe Ile Ile Ala Glu Ile Val Glu Ser Lys Glu Ile Met  
 565 570 575  
 Ala Ser Glu Val Phe Thr Ser Phe Gln Tyr Pro Glu Phe Ser Ile Glu  
 580 585 590  
 Leu Pro Asn Thr Gly Arg Ile Gly Gln Leu Leu Val Cys Asn Cys Ile  
 595 600 605  
 Phe Lys Asn Thr Leu Ala Ile Pro Leu Thr Asp Val Lys Phe Ser Leu  
 610 615 620  
 Glu Ser Leu Gly Ile Ser Ser Leu Gln Thr Ser Asp His Gly Thr Val  
 625 630 635 640  
 Gln Pro Gly Glu Thr Ile Gln Ser Gln Ile Lys Cys Thr Pro Ile Lys  
 645 650 655  
 Thr Gly Pro Lys Lys Phe Ile Val Lys Leu Ser Ser Lys Gln Val Lys  
 660 665 670  
 Glu Ile Asn Ala Gln Lys Ile Val Leu Ile Thr Lys  
 675 680

&lt;210&gt; 633

&lt;211&gt; 679

&lt;212&gt; PRT

&lt;213&gt; Homo. sapiens

&lt;400&gt; 633

Met Met Asp Ala Ser Lys Glu Leu Gln Val Leu His Ile Asp Phe Leu  
 5 10 15  
 Asn Gln Asp Asn Ala Val Ser His His Thr Trp Glu Phe Gln Thr Ser  
 20 25 30  
 Ser Pro Val Phe Arg Arg Gly Gln Val Phe His Leu Arg Leu Val Leu  
 35 40 45  
 Asn Gln Pro Leu Gln Ser Tyr His Gln Leu Lys Leu Glu Phe Ser Thr  
 50 55 60  
 Gly Pro Asn Pro Ser Ile Ala Lys His Thr Leu Val Val Leu Asp Pro  
 65 70 75 80  
 Arg Thr Pro Ser Asp His Tyr Asn Trp Gln Ala Thr Leu Gln Asn Glu  
 85 90 95  
 Ser Gly Lys Glu Val Thr Val Ala Val Thr Ser Ser Pro Asn Ala Ile  
 100 105 110  
 Leu Gly Lys Tyr Gln Leu Asn Val Lys Thr Gly Asn His Ile Leu Lys  
 115 120 125

Ser Glu Glu Asn Ile Leu Tyr Leu Leu Phe Asn Pro Trp Cys Lys Glu  
 130 135 140  
 Asp Met Val Phe Met Pro Asp Glu Asp Glu Arg Lys Glu Tyr Ile Leu  
 145 150 155 160  
 Asn Asp Thr Gly Cys His Tyr Val Gly Ala Ala Arg Ser Ile Lys Cys  
 165 170 175  
 Lys Pro Trp Asn Phe Gly Gln Phe Glu Lys Asn Val Leu Asp Cys Cys  
 180 185 190  
 Ile Ser Leu Leu Thr Glu Ser Ser Leu Lys Pro Thr Asp Arg Arg Asp  
 195 200 205  
 Pro Val Leu Val Cys Arg Ala Met Cys Ala Met Met Ser Phe Glu Lys  
 210 215 220  
 Gly Gln Gly Val Leu Ile Gly Asn Trp Thr Gly Asp Tyr Glu Gly Gly  
 225 230 235 240  
 Thr Ala Pro Tyr Lys Trp Thr Gly Ser Ala Pro Ile Leu Gln Gln Tyr  
 245 250 255  
 Tyr Asn Thr Lys Gln Ala Val Cys Phe Gly Gln Cys Trp Val Phe Ala  
 260 265 270  
 Gly Ile Leu Thr Thr Val Leu Arg Ala Leu Gly Ile Pro Ala Arg Ser  
 275 280 285  
 Val Thr Gly Phe Asp Ser Ala His Asp Thr Glu Arg Asn Leu Thr Val  
 290 295 300  
 Asp Thr Tyr Val Asn Glu Asn Gly Glu Lys Ile Thr Ser Met Thr His  
 305 310 315 320  
 Asp Ser Val Trp Asn Phe His Val Trp Thr Asp Ala Trp Met Lys Arg  
 325 330 335  
 Pro Tyr Asp Gly Trp Gln Ala Val Asp Ala Thr Pro Gln Glu Arg Ser  
 340 345 350  
 Gln Gly Val Phe Cys Cys Gly Pro Ser Pro Leu Thr Ala Ile Arg Lys  
 355 360 365  
 Gly Asp Ile Phe Ile Val Tyr Asp Thr Arg Phe Val Phe Ser Glu Val  
 370 375 380  
 Asn Gly Asp Arg Leu Ile Trp Leu Val Lys Met Val Asn Gly Gln Glu  
 385 390 395 400  
 Glu Leu His Val Ile Ser Met Glu Thr Thr Ser Ile Gly Lys Asn Ile  
 405 410 415  
 Ser Thr Lys Ala Val Gly Gln Asp Arg Arg Arg Asp Ile Thr Tyr Glu  
 420 425 430  
 Tyr Lys Tyr Pro Glu Gly Ser Ser Glu Glu Arg Gln Val Met Asp His

247

435	440	445
Ala Phe Leu Leu Leu Ser Ser Glu Arg Glu His Arg Gln Pro Val Lys		
450	455	460
Glu Asn Phe Leu His Met Ser Val Gln Ser Asp Asp Val Leu Leu Gly		
465	470	475
Asn Ser Val Asn Phe Thr Val Ile Leu Lys Arg Lys Thr Ala Ala Leu		
	485	490
Gln Asn Val Asn Ile Leu Gly Ser Phe Glu Leu Gln Leu Tyr Thr Gly		
	500	505
Lys Lys Met Ala Lys Leu Cys Asp Leu Asn Lys Thr Ser Gln Ile Gln		
	515	520
Gly Gln Val Ser Glu Val Thr Leu Thr Leu Asp Ser Lys Thr Tyr Ile		
	530	535
Asn Ser Leu Ala Ile Leu Asp Asp Glu Pro Val Ile Arg Gly Phe Ile		
	545	550
Ile Ala Glu Ile Val Glu Ser Lys Glu Ile Met Ala Ser Glu Val Phe		
	565	570
Thr Ser Asn Gln Tyr Pro Glu Phe Ser Ile Glu Leu Pro Asn Thr Gly		
	580	585
Arg Ile Gly Gln Leu Leu Val Cys Asn Cys Ile Phe Lys Asn Thr Leu		
	595	600
Ala Ile Pro Leu Thr Asp Val Lys Phe Ser Leu Glu Ser Leu Gly Ile		
	610	615
Ser Ser Leu Gln Thr Ser Asp His Gly Thr Val Gln Pro Gly Glu Thr		
	625	630
Ile Gln Ser Gln Ile Lys Cys Thr Pro Ile Lys Thr Gly Pro Lys Lys		
	645	650
Phe Ile Val Lys Leu Ser Ser Lys Gln Val Lys Glu Ile Asn Ala Gln		
	660	665
Lys Ile Val Leu Ile Thr Lys		
	675	

&lt;210&gt; 634

&lt;211&gt; 5668

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 634

```

gtcacttagg aaaaggtgtc ctttcgggca gccgggctca gcatgaggaa cagaaggaat 60
gacactctgg acagcaccgc gacctgtac tccagcgcgt ctcggagcac agacttgtct 120
tacagtgaag gcgacttggt gaattttatt caagcaaatt ttaagaaacg agaatgtgtc 180

```

ttctttacca	aagattccaa	ggccacggag	aatgtgtgca	agtgtggcta	tgcccagagc	240
cagcacatgg	aaggcaccca	gatcaacca	agtgaagaat	ggaactacaa	gaaacacacc	300
aaggaatttc	ctaccgacgc	ctttggggat	attcagtttg	agacactggg	gaagaaaggg	360
aagtatatac	gtctgtcctg	cgacacggac	gcggaatcc	tttacgagct	gctgaccag	420
cactggcacc	tgaaaacacc	caacctggtc	atttctgtga	ccgggggagc	caagaacttc	480
gccctgaagc	cgcgcacg	caagatcttc	agccggctca	tctacatcgc	gcagtccaaa	540
ggtgcttgga	ttctcacggg	aggcaccat	tatggcctga	cgaagtacat	cgaggaggtg	600
gtgagagata	acaccatcag	caggagtcca	gaggagaata	ttgtggccat	tggcatagca	660
gcttggggca	tggctccaa	ccgggacacc	ctcatcagga	attgcatgc	tgagggtat	720
tttttagccc	agttacctat	ggtgacttc	acaaggatc	cactgtatat	cctggacaac	780
aaccacacac	atttgctgct	cgtggacaat	ggctgtcatg	gacatccac	tgtcgaagca	840
aagctccgga	atcagctaga	gaagcatatc	tctgagcgca	ctattcaaga	ttccaactat	900
ggtggcaaga	tccccattgt	gtgttttgcc	caaggaggtg	gaaaagagac	tttgaaagcc	960
atcaatacct	ccatcaaaaa	taaaattcct	tgtgtgtgtg	tggaaggctc	gggccggatc	1020
gctgatgtga	tcgctagcct	ggtggaggtg	gaggatgcc	cgacatcttc	tgccgtcaag	1080
gagaagctgg	tgcgcttttt	accccgacg	gtgtcccggc	tgtctgagga	ggagactgag	1140
agttggatca	aatggctcaa	agaaattctc	gaatgttctc	acctattaac	agttattaaa	1200
atggaagaag	ctggggatga	aattgtgagc	aatgccatct	cctacgctct	atacaaagcc	1260
ttcagcacca	gtgagcaaga	caaggataac	tggaaatggc	agctgaagct	tctgctggag	1320
tggaaccagc	tggacttagc	caatgatgag	attttcacca	atgaccgccg	atgggagtct	1380
gctgaccttc	aagaagtcat	gtttacggct	ctcataaagg	acagacccaa	gtttgtccgc	1440
ctctttctgg	agaatggctt	gaacctacgg	aagtttctca	cccatgatgt	cctcactgaa	1500
ctcttctcca	accacttcag	cacgcttggt	taccggaatc	tgcagatcgc	caagaattcc	1560
tataatgatg	ccctcctcac	gtttgtctgg	aaactggttg	cgaacttccg	aagaggcttc	1620
cggaaggaag	acagaaatgg	ccgggacgag	atggacatag	aactccacga	cgtgtctcct	1680
attactcggc	acccctcgca	agctctcttc	atctgggcca	ttcttcagaa	taagaaggaa	1740
ctctccaaag	tcatctggga	gcagaccagg	ggctgcactc	tggcagccct	gggagccagc	1800
aagcttctga	agacttgggc	caaaagtgaag	aacgacatca	atgctgctgg	ggagtccgag	1860
gagctggcta	atgagtaaga	gaccggggtc	gttgagctgt	tactgagtg	ttacagcagc	1920
gatgaagact	tggcagaaca	gctgctggtc	tattctctgt	aagcttgggg	tggaagcaac	1980
tgtctggagc	tggcgggtga	ggccacagac	cagcatttca	ccgccagcc	tgggggtccag	2040
aattttcttt	ctaagcaatg	gtatggagag	atttcccgag	acaccaagaa	ctggaagatt	2100
atcctgtgtc	tgtttattat	acccttgggt	ggctgtggct	ttgtatcatt	taggaagaaa	2160
cctgtcgaca	agcacaagaa	gctgcttttg	tactatgtgg	cgttcttcac	ctcccccttc	2220
gtggtcttct	cctggaatgt	ggtcttctac	atcgcttcc	tctgctgtt	tgcctacgtg	2280
ctgctcatgg	atttccattc	ggtgccacac	cccccgagc	tggctctgta	ctcgctggtc	2340
tttgtcctct	tctgtgatga	agtgaagacg	tggtagctaa	atggggtgaa	ttattttact	2400
gacctgtgga	atgtgatgga	cacgctgggg	cttttttact	tcatagcagg	aattgtattt	2460
cggtctcact	cttctaataa	aagctctttg	tattctggac	gagtcatttt	ctgtctggac	2520
tacattattt	tcaacttaag	attgatccac	atttttactg	taagcagaaa	cttaggacct	2580
aagattataa	tgtgtcagag	gatgctgac	gatgtgttct	tcttctgtt	cctctttgcg	2640
gtgtggatgg	tggccttttg	cgtggccagg	caaggatcc	ttaggcagaa	tgagcagcgc	2700
tggaggtgga	tattccgttc	ggtcatctac	gagccctacc	tggccatggt	cggccaggtg	2760
cccagtgaag	tggatggtag	cacgtatgac	tttgccact	gcaccttcac	tgggaatgag	2820
tccaagccac	tgtgtgtgga	gctggatgag	cacaacctgc	cccgttccc	cgagtggatc	2880
accatcccc	tgtgtgcat	ctacatgtta	tccaccaaca	tctgtctggt	caacctgctg	2940
gtcgccatgt	tggctacac	ggtgggcacc	gtccaggaga	acaatgacca	ggtctggaag	3000
ttccagaggt	acttccgtgt	gcaggagtag	tgcagccgcc	tcaatatccc	cttccccctc	3060
atcgtcttcg	cttacttcta	catggtgggt	aagaagtgt	tcaagtgttg	ctgcaaggag	3120
aaaaacatgg	agtcttctgt	ctgctgtttc	aaaaatgaag	acaatgagac	tctggcatgg	3180
gaggggtgta	tgaaggaaaa	ctacctgtgc	aagatcaaca	caaaagccaa	cgacacctca	3240
gaggaaatga	ggcatcgatt	tagacaactg	gatacaaaagc	ttaatgatct	caagggtctt	3300
ctgaaagaga	ttgctaataa	aatcaataaa	aactgtatga	aactctaata	gagaaaaatc	3360
taattatagc	aagatcatat	taaggaatgc	tgtatgaaca	ttttgctatc	gactactaaa	3420
tgagagatgt	tcagacccct	gggtacatgg	tggatgattt	taaatcacc	tagtgtgtgt	3480
agaccttgag	aataaagtgt	gtgattgggt	tcatacttga	agacggatat	aaaggaagaa	3540
tatttctctt	atgtgtttct	ccagaatggt	gcctgtttct	ctctgtgtct	caatgcctgg	3600
gactggaggt	tgatagttta	agtgtgttct	taccgcctcc	tttttctctt	aattctattt	3660

```

ttgatgaaca catatatagg agaacatcta tcctatgaat aagaacctgg tcatgcttta 3720
ctcctgtatt gttattttgt tcattttccaa ttgattctct acttttccct tttttgtatt 3780
atgtgactaa ttagttggca tattgttaaa agtctctcaa attaggccag attctaaaac 3840
atgctgcagc aagaggaccc cgctctcttc aggaaaagtg ttttcatttc tcaggatgct 3900
tcttacctgt cagaggaggt gacaaggcag tctcttgctc tcttggaactc accaggctcc 3960
tattgaagga accaccccca ttcctaaata tgtgaaaagt cgcccaaaat gcaaccttga 4020
aaggcactac tgactttgtt cttattggat actcctctta tttattatth ttccattaaa 4080
aataatagct ggctattata gaaaatttag accatacaga gatgtagaaa gaacataaat 4140
tgtccccatt accttaaggt aatcactgct aacaatttct ggatgggttt tcaagtctat 4200
tttttttcta tgtatgtctc aattctcttt caaaatttta cagaatgtta tcatactaca 4260
tatatacttt ttatgtaagc tttttcactt agtattttat caaatatgtt tttattatat 4320
tcatagcctt cttaaacatt atatcaataa ttgcataata ggcaacctct agcgattacc 4380
ataattttgc tcattgaagg ctatctccag ttgatcattg ggatgagcat ctttgtgcat 4440
gaatcctatt gctgtatttg ggaaaatttt ccaaggttag attccaataa atatctatth 4500
attattaaat attaaaatat cgatttatta ttaaaaccat ttataaggct ttttcataaa 4560
tgtatagcaa ataggaatta ttaacttgag cataagatat gagatacatg aacctgaact 4620
attaaaataa aatattatat ttaaccctag tttaagaaga agtcaatatg cttattttaa 4680
tattatggat ggtgggcaga tcacttgagg tcaggagttc gagaccagcc tggccaacat 4740
ggcaaaacca catctctact aaaaataaaa aaatttagctg ggtgtggtgg tgcaactctg 4800
taatcccagc tactcagaag gctgaggtac aagaattgct ggaacctggg aggcggaggt 4860
tgcaagtgaac caagattgca ccactgcact ccagccggg tgacagagtg agactccgac 4920
tgaaaataaa taaataaata aataaataaa taaataaata aatattatgg atggtgaagg 4980
gaatggtata gaattggaga gattatctta ctgaacacct gtagtcccag ctttctctgg 5040
aagtgggtgg atttgagcag gatgtgcaca aggcaattga aatgcccata attagtttct 5100
cagctttgaa tacactataa actcagtggc tgaaggagga aatttttagaa ggaagctact 5160
aaaagatcta atttgaaaaa ctacaaaagc attaactaaa aaagtttatt ttctttttgt 5220
ctgggcagta gtgaaaaata ctactcaca cttcactat gtttgcaagg aattaacaca 5280
aataaaagat gcctttttac ttaaacgcca agacagaaaa cttgccaat actgagaagc 5340
aacttgcat agagaggaa ctgttaaatg ttttcaacc agttcatctg gtggatgth 5400
ttgcaggtha ctctgagaat tttgcttatg aaaaatcatt attttttagt tagttcaca 5460
taatgtattg aacatacttc taatcaaagg tgctatgtcc ttgtgtatgg tactaaatgt 5520
gtcctgtgta cttttgcaca actgagaatc ctgcggcttg gtttaatgag tgtgttcagt 5580
aaataaataa tggagggaatt gtcaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 5640
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 5668

```

&lt;210&gt; 635

&lt;211&gt; 1095

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 635

```

Met Arg Asn Arg Arg Asn Asp Thr Leu Asp Ser Thr Arg Thr Leu Tyr
          5                      10                      15

```

```

Ser Ser Ala Ser Arg Ser Thr Asp Leu Ser Tyr Ser Glu Ser Asp Leu
          20                      25                      30

```

```

Val Asn Phe Ile Gln Ala Asn Phe Lys Lys Arg Glu Cys Val Phe Phe
          35                      40                      45

```

```

Thr Lys Asp Ser Lys Ala Thr Glu Asn Val Cys Lys Cys Gly Tyr Ala
          50                      55                      60

```

```

Gln Ser Gln His Met Glu Gly Thr Gln Ile Asn Gln Ser Glu Lys Trp
          65                      70                      75                      80

```

```

Asn Tyr Lys Lys His Thr Lys Glu Phe Pro Thr Asp Ala Phe Gly Asp
          85                      90                      95

```

250

Ile Gln Phe Glu Thr Leu Gly Lys Lys Gly Lys Tyr Ile Arg Leu Ser  
 100 105 110  
 Cys Asp Thr Asp Ala Glu Ile Leu Tyr Glu Leu Leu Thr Gln His Trp  
 115 120 125  
 His Leu Lys Thr Pro Asn Leu Val Ile Ser Val Thr Gly Gly Ala Lys  
 130 135 140  
 Asn Phe Ala Leu Lys Pro Arg Met Arg Lys Ile Phe Ser Arg Leu Ile  
 145 150 155 160  
 Tyr Ile Ala Gln Ser Lys Gly Ala Trp Ile Leu Thr Gly Gly Thr His  
 165 170 175  
 Tyr Gly Leu Thr Lys Tyr Ile Gly Glu Val Val Arg Asp Asn Thr Ile  
 180 185 190  
 Ser Arg Ser Ser Glu Glu Asn Ile Val Ala Ile Gly Ile Ala Ala Trp  
 195 200 205  
 Gly Met Val Ser Asn Arg Asp Thr Leu Ile Arg Asn Cys Asp Ala Glu  
 210 215 220  
 Gly Tyr Phe Leu Ala Gln Tyr Leu Met Asp Asp Phe Thr Arg Asp Pro  
 225 230 235 240  
 Leu Tyr Ile Leu Asp Asn Asn His Thr His Leu Leu Leu Val Asp Asn  
 245 250 255  
 Gly Cys His Gly His Pro Thr Val Glu Ala Lys Leu Arg Asn Gln Leu  
 260 265 270  
 Glu Lys His Ile Ser Glu Arg Thr Ile Gln Asp Ser Asn Tyr Gly Gly  
 275 280 285  
 Lys Ile Pro Ile Val Cys Phe Ala Gln Gly Gly Gly Lys Glu Thr Leu  
 290 295 300  
 Lys Ala Ile Asn Thr Ser Ile Lys Asn Lys Ile Pro Cys Val Val Val  
 305 310 315 320  
 Glu Gly Ser Gly Arg Ile Ala Asp Val Ile Ala Ser Leu Val Glu Val  
 325 330 335  
 Glu Asp Ala Pro Thr Ser Ser Ala Val Lys Glu Lys Leu Val Arg Phe  
 340 345 350  
 Leu Pro Arg Thr Val Ser Arg Leu Ser Glu Glu Glu Thr Glu Ser Trp  
 355 360 365  
 Ile Lys Trp Leu Lys Glu Ile Leu Glu Cys Ser His Leu Leu Thr Val  
 370 375 380  
 Ile Lys Met Glu Glu Ala Gly Asp Glu Ile Val Ser Asn Ala Ile Ser  
 385 390 395 400

251

Tyr Ala Leu Tyr Lys Ala Phe Ser Thr Ser Glu Gln Asp Lys Asp Asn  
 405 410 415  
 Trp Asn Gly Gln Leu Lys Leu Leu Leu Glu Trp Asn Gln Leu Asp Leu  
 420 425 430  
 Ala Asn Asp Glu Ile Phe Thr Asn Asp Arg Arg Trp Glu Ser Ala Asp  
 435 440 445  
 Leu Gln Glu Val Met Phe Thr Ala Leu Ile Lys Asp Arg Pro Lys Phe  
 450 455 460  
 Val Arg Leu Phe Leu Glu Asn Gly Leu Asn Leu Arg Lys Phe Leu Thr  
 465 470 475 480  
 His Asp Val Leu Thr Glu Leu Phe Ser Asn His Phe Ser Thr Leu Val  
 485 490 495  
 Tyr Arg Asn Leu Gln Ile Ala Lys Asn Ser Tyr Asn Asp Ala Leu Leu  
 500 505 510  
 Thr Phe Val Trp Lys Leu Val Ala Asn Phe Arg Arg Gly Phe Arg Lys  
 515 520 525  
 Glu Asp Arg Asn Gly Arg Asp Glu Met Asp Ile Glu Leu His Asp Val  
 530 535 540  
 Ser Pro Ile Thr Arg His Pro Leu Gln Ala Leu Phe Ile Trp Ala Ile  
 545 550 555 560  
 Leu Gln Asn Lys Lys Glu Leu Ser Lys Val Ile Trp Glu Gln Thr Arg  
 565 570 575  
 Gly Cys Thr Leu Ala Ala Leu Gly Ala Ser Lys Leu Leu Lys Thr Leu  
 580 585 590  
 Ala Lys Val Lys Asn Asp Ile Asn Ala Ala Gly Glu Ser Glu Glu Leu  
 595 600 605  
 Ala Asn Glu Tyr Glu Thr Arg Ala Val Glu Leu Phe Thr Glu Cys Tyr  
 610 615 620  
 Ser Ser Asp Glu Asp Leu Ala Glu Gln Leu Leu Val Tyr Ser Cys Glu  
 625 630 635 640  
 Ala Trp Gly Gly Ser Asn Cys Leu Glu Leu Ala Val Glu Ala Thr Asp  
 645 650 655  
 Gln His Phe Thr Ala Gln Pro Gly Val Gln Asn Phe Leu Ser Lys Gln  
 660 665 670  
 Trp Tyr Gly Glu Ile Ser Arg Asp Thr Lys Asn Trp Lys Ile Ile Leu  
 675 680 685  
 Cys Leu Phe Ile Ile Pro Leu Val Gly Cys Gly Phe Val Ser Phe Arg  
 690 695 700  
 Lys Lys Pro Val Asp Lys His Lys Lys Leu Leu Trp Tyr Tyr Val Ala



252

705		710		715		720
Phe Phe Thr Ser	Pro Phe Val Val	Phe Ser Trp Asn Val Val	Phe Tyr			
	725		730			735
Ile Ala Phe Leu	Leu Leu Phe Ala Tyr	Val Leu Leu Met Asp	Phe His			
	740		745			750
Ser Val Pro His	Pro Pro Glu Leu Val	Leu Tyr Ser Leu Val	Phe Val			
	755		760			765
Leu Phe Cys Asp	Glu Val Arg Gln Trp Tyr	Val Asn Gly Val Asn Tyr				
	770		775			780
Phe Thr Asp Leu	Trp Asn Val Met Asp Thr	Leu Gly Leu Phe Tyr	Phe			
	785		790			800
Ile Ala Gly Ile	Val Phe Arg Leu His	Ser Ser Asn Lys Ser	Ser Leu			
	805		810			815
Tyr Ser Gly Arg	Val Ile Phe Cys Leu Asp	Tyr Ile Ile Phe Thr	Leu			
	820		825			830
Arg Leu Ile His	Ile Phe Thr Val Ser Arg	Asn Leu Gly Pro Lys	Ile			
	835		840			845
Ile Met Leu Gln	Arg Met Leu Ile Asp Val	Phe Phe Phe Leu Phe	Leu			
	850		855			860
Phe Ala Val Trp	Met Val Ala Phe Gly Val	Ala Arg Gln Gly Ile	Leu			
	865		870			880
Arg Gln Asn Glu	Gln Arg Trp Arg Trp Ile	Phe Arg Ser Val Ile Tyr				
	885		890			895
Glu Pro Tyr Leu	Ala Met Phe Gly Gln Val	Pro Ser Asp Val Asp Gly				
	900		905			910
Thr Thr Tyr Asp	Phe Ala His Cys Thr Phe Thr	Gly Asn Glu Ser Lys				
	915		920			925
Pro Leu Cys Val	Glu Leu Asp Glu His Asn Leu	Pro Arg Phe Pro Glu				
	930		935			940
Trp Ile Thr Ile	Pro Leu Val Cys Ile Tyr Met	Leu Ser Thr Asn Ile				
	945		950			955
Leu Leu Val Asn	Leu Leu Val Ala Met Phe Gly	Tyr Thr Val Gly Thr				
	965		970			975
Val Gln Glu Asn	Asn Asp Gln Val Trp Lys Phe	Gln Arg Tyr Phe Leu				
	980		985			990
Val Gln Glu Tyr	Cys Ser Arg Leu Asn Ile Pro	Phe Pro Phe Ile Val				
	995		1000			1005
Phe Ala Tyr Phe	Tyr Met Val Val Lys Lys Cys	Phe Lys Cys Cys Cys				
	1010		1015			1020

Lys Glu Lys Asn Met Glu Ser Ser Val Cys Cys Phe Lys Asn Glu Asp  
 1025 1030 1035 1040

Asn Glu Thr Leu Ala Trp Glu Gly Val Met Lys Glu Asn Tyr Leu Val  
 1045 1050 1055

Lys Ile Asn Thr Lys Ala Asn Asp Thr Ser Glu Glu Met Arg His Arg  
 1060 1065 1070

Phe Arg Gln Leu Asp Thr Lys Leu Asn Asp Leu Lys Gly Leu Leu Lys  
 1075 1080 1085

Glu Ile Ala Asn Lys Ile Lys  
 1090 1095

<210> 636

<211> 3639

<212> DNA

<213> Homo sapiens

<400> 636

```

gattacgcaa gctatcttagg tgacactata gaatwctcag cttgcatcaa gcttgggtacc 60
gagctcggat ccctagtaac ggccgccagt gtgctggaat tcgcccttgc agccgggctc 120
agcatgagga acagaaggaa tgacactctg gacagcacc ggacctgta ctccagcgcg 180
tctcggagca cagacttgct ttacagtga agcgacttg tgaattttat tcaagcaa 240
tttaagaaac gagaatgtgt cttctttacc aaagattcca aggccacgga gaatgtgtgc 300
aagtgtggct atgccagag ccagcacatg gaaggcacc agatcaacca aagtgagaaa 360
tggaactaca agaaacacac caaggaattt cctaccgac cctttgggga tattcagttt 420
gagacactgg ggaagaaagg gaagtatata cgtctgtcct gcgacacgga cgcggaaatc 480
ctttacgagc tgtgaccca gactggcac ctgaaaacac ccaacctgt ctttctgtg 540
accgggggcg ccaagaactt cgccctgaag ccgcgcatgc gcaagatctt cagccggctc 600
atctacatcg cgcagtccaa aggtgcttgg attctcacg gaggcacca ttatggcctg 660
atgaagtaca tcggggagggt ggtgagagat aacaccatca gcaggagtgc agaggagaat 720
attgtggcca ttggcatagc agcttggggc atggtctcca accgggacac cctcatcagg 780
aattgcgatg ctgagggcta ttttttagcc cagtacctta tggatgactt cacaagagat 840
ccactgtata tcttggaaca caaccacaca ctttctgtgc tcgtggacaa tggctgtcat 900
ggacatccca ctgtcgaagc aaagctccgg aatcagctag agaagtatat ctctgagcgc 960
actattcaag attccaacta tggtggaag atccccattg tgtgttttgc ccaaggagg 1020
ggaaaagaga ctttgaaagc catcaatacc tccatcaaaa ataaaattcc ttgtgtggtg 1080
gtggaaggct cgggccagat cgctgatgtg atcgctagcc tgggtgagggt ggaggatgcc 1140
ctgacatctt ctgccgtcaa ggagaagctg gtgcgctttt taccocgcac ggtgtcccgg 1200
ctgcctgagg aggagactga gatttgatc aaatggctca aagaaattct cgaatgttct 1260
cacctattaa cagttattaa aatggaagaa gctggggatg aaattgtgag caatgccatc 1320
tctacgctc tatacaaagc cttcagcacc agtgagcaag acaaggataa ctggaatggg 1380
cagctgaagc ttctgctgga gtggaaccag ctggacttag ccaatgatga gattttcacc 1440
aatgaccgcc gatgggagtc tgtgacctt caagaagtca tgtttacggc tctcataaag 1500
gacagaccca agtttgtccg cctctttctg gagaatggct tgaacctacg gaagtttctc 1560
acctgatg tctcactga actcttctcc aaccatttca gcacgcttgt gtaccggaat 1620
ctgcagatcg ccaagaattc ctataatgat gccctcctca cgtttgtctg gaaactgggt 1680
gcgaacttcc gaagaggctt ccggaaggaa gacagaaatg gccgggacga gatggacata 1740
gaactccacg acgtgtctcc tattactcgg caccctctgc aagctctctt catctgggcc 1800
attcttcaga ataagaagga actctccaaa gtcatttggg agcagaccag gggctgcaat 1860
ctggcagccc tgggagccag caagcttctg aagactctgg ccaaagtga gaacgacatc 1920
aatgctgctg gggagtccga ggagctggct aatgagtacg agaccggggc tgttgagctg 1980
ttcactgagt gttacagcag cgatgaagac ttggcagaac agctgctggt ctattcctgt 2040

```

```

gaagcttgagg gtggaagcaa ctgtctggag ctggcggtgg aggccacaga ccagcatttc 2100
atcgcccagc ctgggttcca gaattttctt tctaagcaat ggtatggaga gatttccoga 2160
gacaccaaga actggaagat taccctgtgt ctgtttatta tacccttggg gggctgtggc 2220
tttgatcat ttaggaagaa acctgtcgac aagcacaaga agctgctttg gtactatgtg 2280
gcggttctca cctccccctt cgtggtcttc tcttgaatg tggctctcta catcgccctc 2340
ctcctgctgt ttgcctacgt gctgctcatg gatttccatt cggtgccaca ccccccgag 2400
ctggctcctgt actcgtcgtt ctttgcctc ttctgtgatg aagtggagaca gtggtacgta 2460
aatggggtga attattttac tgacctgtgg aatgtgatgg acacgctggg gcttttttac 2520
ttcatagcag gaattgtatt tcggctccac tcttctaata aaagctcttt gtattctgga 2580
cgagtcattt tctgtctgga ctacattatt ttcaactctaa gattgatcca catttttact 2640
gtaagcagaa acttaggacc caagattata atgctgcaga ggatgctgat cgatgtgttc 2700
ttcttctgtt tctcttttgc ggwtgggatg gtggcctttg gcgtggccag gcaagggatc 2760
cttaggcaga atgagcagcg ctggaggtgg atattccgtt cggtcactta cgagccctac 2820
ctggccatgt tcggccagggt gccagtgac gtggatggtg ccacgtatga ctttgccac 2880
tgcaccttca ctgggaatga gtccaagcca ctgtgtgtgg agctggatga gcacaacctg 2940
ccccggttcc ccgagtggat caccatcccc ctggtgtgca tctacatgtt atccaccaac 3000
atcctgctgg tcaacctgct ggtcgccatg tttggctaca cggtgggcac cgtccaggag 3060
aacaatgacc aggtctggaa gttccagagg tacttctgg tgcaggagta ctgcagccgc 3120
ctcaatatcc ccttccccct catcgtcttc gcttacttct acatggtggg gaagaagtgc 3180
ttcaagtgtt gctgcaagga gaaaaacatg gagtcttctg tctgctgttt caaaaatgaa 3240
gacaatgaga ctctggcatg ggaggtgtc atgaaggaaa actacctgt caagatcaac 3300
acaaaagcca acgacacctc agaggaaatg aggcacgat ttagacaact ggatacaaaag 3360
cttaatgatc tcaagggtct tctgaaagag attgctaata aaatcaaata aaactgtatg 3420
aactctaag gagaaaaatc taattatagc aagatcatat taaggaaatg tgatgaacaa 3480
tttgctatc gactactaaa tgagagattt tcagaccctt gggtacatgg tggatgattt 3540
taaatcacc tagtgtgctg agaccttgag aataaaagtgt gaagggcgaa ttctgcagat 3600
atccatcaca ctggcgggccg ctcgagcatg catctagag 3639

```

&lt;210&gt; 637

&lt;211&gt; 1095

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; VARIANT

&lt;222&gt; (1)...(1095)

&lt;223&gt; Xaa = Any Amino Acid

&lt;400&gt; 637

```

Met Arg Asn Arg Arg Asn Asp Thr Leu Asp Ser Thr Arg Thr Leu Tyr
          5                      10                      15

```

```

Ser Ser Ala Ser Arg Ser Thr Asp Leu Ser Tyr Ser Glu Ser Asp Leu
          20                      25                      30

```

```

Val Asn Phe Ile Gln Ala Asn Phe Lys Lys Arg Glu Cys Val Phe Phe
          35                      40                      45

```

```

Thr Lys Asp Ser Lys Ala Thr Glu Asn Val Cys Lys Cys Gly Tyr Ala
          50                      55                      60

```

```

Gln Ser Gln His Met Glu Gly Thr Gln Ile Asn Gln Ser Glu Lys Trp
          65                      70                      75                      80

```

```

Asn Tyr Lys Lys His Thr Lys Glu Phe Pro Thr Asp Ala Phe Gly Asp
          85                      90                      95

```

```

Ile Gln Phe Glu Thr Leu Gly Lys Lys Gly Lys Tyr Ile Arg Leu Ser

```

255

100					105					110					
Cys	Asp	Thr	Asp	Ala	Glu	Ile	Leu	Tyr	Glu	Leu	Leu	Thr	Gln	His	Trp
	115						120					125			
His	Leu	Lys	Thr	Pro	Asn	Leu	Val	Ile	Ser	Val	Thr	Gly	Gly	Ala	Lys
	130					135					140				
Asn	Phe	Ala	Leu	Lys	Pro	Arg	Met	Arg	Lys	Ile	Phe	Ser	Arg	Leu	Ile
145					150					155					160
Tyr	Ile	Ala	Gln	Ser	Lys	Gly	Ala	Trp	Ile	Leu	Thr	Gly	Gly	Thr	His
				165					170					175	
Tyr	Gly	Leu	Met	Lys	Tyr	Ile	Gly	Glu	Val	Val	Arg	Asp	Asn	Thr	Ile
		180					185						190		
Ser	Arg	Ser	Ser	Glu	Glu	Asn	Ile	Val	Ala	Ile	Gly	Ile	Ala	Ala	Trp
		195					200					205			
Gly	Met	Val	Ser	Asn	Arg	Asp	Thr	Leu	Ile	Arg	Asn	Cys	Asp	Ala	Glu
	210					215					220				
Gly	Tyr	Phe	Leu	Ala	Gln	Tyr	Leu	Met	Asp	Asp	Phe	Thr	Arg	Asp	Pro
225					230					235					240
Leu	Tyr	Ile	Leu	Asp	Asn	Asn	His	Thr	His	Leu	Leu	Leu	Val	Asp	Asn
				245					250					255	
Gly	Cys	His	Gly	His	Pro	Thr	Val	Glu	Ala	Lys	Leu	Arg	Asn	Gln	Leu
			260					265					270		
Glu	Lys	Tyr	Ile	Ser	Glu	Arg	Thr	Ile	Gln	Asp	Ser	Asn	Tyr	Gly	Gly
		275					280					285			
Lys	Ile	Pro	Ile	Val	Cys	Phe	Ala	Gln	Gly	Gly	Gly	Lys	Glu	Thr	Leu
	290					295					300				
Lys	Ala	Ile	Asn	Thr	Ser	Ile	Lys	Asn	Lys	Ile	Pro	Cys	Val	Val	Val
305					310					315					320
Glu	Gly	Ser	Gly	Gln	Ile	Ala	Asp	Val	Ile	Ala	Ser	Leu	Val	Glu	Val
				325					330					335	
Glu	Asp	Ala	Leu	Thr	Ser	Ser	Ala	Val	Lys	Glu	Lys	Leu	Val	Arg	Phe
			340					345					350		
Leu	Pro	Arg	Thr	Val	Ser	Arg	Leu	Pro	Glu	Glu	Glu	Thr	Glu	Ser	Trp
		355					360					365			
Ile	Lys	Trp	Leu	Lys	Glu	Ile	Leu	Glu	Cys	Ser	His	Leu	Leu	Thr	Val
	370					375					380				
Ile	Lys	Met	Glu	Glu	Ala	Gly	Asp	Glu	Ile	Val	Ser	Asn	Ala	Ile	Ser
385					390					395					400
Tyr	Ala	Leu	Tyr	Lys	Ala	Phe	Ser	Thr	Ser	Glu	Gln	Asp	Lys	Asp	Asn
				405					410					415	

Trp Asn Gly Gln Leu Lys Leu Leu Leu Glu Trp Asn Gln Leu Asp Leu  
 420 425 430  
 Ala Asn Asp Glu Ile Phe Thr Asn Asp Arg Arg Trp Glu Ser Ala Asp  
 435 440 445  
 Leu Gln Glu Val Met Phe Thr Ala Leu Ile Lys Asp Arg Pro Lys Phe  
 450 455 460  
 Val Arg Leu Phe Leu Glu Asn Gly Leu Asn Leu Arg Lys Phe Leu Thr  
 465 470 475 480  
 His Asp Val Leu Thr Glu Leu Phe Ser Asn His Phe Ser Thr Leu Val  
 485 490 495  
 Tyr Arg Asn Leu Gln Ile Ala Lys Asn Ser Tyr Asn Asp Ala Leu Leu  
 500 505 510  
 Thr Phe Val Trp Lys Leu Val Ala Asn Phe Arg Arg Gly Phe Arg Lys  
 515 520 525  
 Glu Asp Arg Asn Gly Arg Asp Glu Met Asp Ile Glu Leu His Asp Val  
 530 535 540  
 Ser Pro Ile Thr Arg His Pro Leu Gln Ala Leu Phe Ile Trp Ala Ile  
 545 550 555 560  
 Leu Gln Asn Lys Lys Glu Leu Ser Lys Val Ile Trp Glu Gln Thr Arg  
 565 570 575  
 Gly Cys Thr Leu Ala Ala Leu Gly Ala Ser Lys Leu Leu Lys Thr Leu  
 580 585 590  
 Ala Lys Val Lys Asn Asp Ile Asn Ala Ala Gly Glu Ser Glu Glu Leu  
 595 600 605  
 Ala Asn Glu Tyr Glu Thr Arg Ala Val Glu Leu Phe Thr Glu Cys Tyr  
 610 615 620  
 Ser Ser Asp Glu Asp Leu Ala Glu Gln Leu Leu Val Tyr Ser Cys Glu  
 625 630 635 640  
 Ala Trp Gly Gly Ser Asn Cys Leu Glu Leu Ala Val Glu Ala Thr Asp  
 645 650 655  
 Gln His Phe Ile Ala Gln Pro Gly Val Gln Asn Phe Leu Ser Lys Gln  
 660 665 670  
 Trp Tyr Gly Glu Ile Ser Arg Asp Thr Lys Asn Trp Lys Ile Ile Leu  
 675 680 685  
 Cys Leu Phe Ile Ile Pro Leu Val Gly Cys Gly Phe Val Ser Phe Arg  
 690 695 700  
 Lys Lys Pro Val Asp Lys His Lys Lys Leu Leu Trp Tyr Tyr Val Ala  
 705 710 715 720

Phe Phe Thr Ser Pro Phe Val Val Phe Ser Trp Asn Val Val Phe Tyr  
                     725                    730                    735  
 Ile Ala Phe Leu Leu Leu Phe Ala Tyr Val Leu Leu Met Asp Phe His  
                     740                    745                    750  
 Ser Val Pro His Pro Pro Glu Leu Val Leu Tyr Ser Leu Val Phe Val  
                     755                    760                    765  
 Leu Phe Cys Asp Glu Val Arg Gln Trp Tyr Val Asn Gly Val Asn Tyr  
                     770                    775                    780  
 Phe Thr Asp Leu Trp Asn Val Met Asp Thr Leu Gly Leu Phe Tyr Phe  
                     785                    790                    795                    800  
 Ile Ala Gly Ile Val Phe Arg Leu His Ser Ser Asn Lys Ser Ser Leu  
                     805                    810                    815  
 Tyr Ser Gly Arg Val Ile Phe Cys Leu Asp Tyr Ile Ile Phe Thr Leu  
                     820                    825                    830  
 Arg Leu Ile His Ile Phe Thr Val Ser Arg Asn Leu Gly Pro Lys Ile  
                     835                    840                    845  
 Ile Met Leu Gln Arg Met Leu Ile Asp Val Phe Phe Phe Leu Phe Leu  
                     850                    855                    860  
 Phe Ala Xaa Trp Met Val Ala Phe Gly Val Ala Arg Gln Gly Ile Leu  
                     865                    870                    875                    880  
 Arg Gln Asn Glu Gln Arg Trp Arg Trp Ile Phe Arg Ser Val Ile Tyr  
                     885                    890                    895  
 Glu Pro Tyr Leu Ala Met Phe Gly Gln Val Pro Ser Asp Val Asp Gly  
                     900                    905                    910  
 Thr Thr Tyr Asp Phe Ala His Cys Thr Phe Thr Gly Asn Glu Ser Lys  
                     915                    920                    925  
 Pro Leu Cys Val Glu Leu Asp Glu His Asn Leu Pro Arg Phe Pro Glu  
                     930                    935                    940  
 Trp Ile Thr Ile Pro Leu Val Cys Ile Tyr Met Leu Ser Thr Asn Ile  
                     945                    950                    955                    960  
 Leu Leu Val Asn Leu Leu Val Ala Met Phe Gly Tyr Thr Val Gly Thr  
                     965                    970                    975  
 Val Gln Glu Asn Asn Asp Gln Val Trp Lys Phe Gln Arg Tyr Phe Leu  
                     980                    985                    990  
 Val Gln Glu Tyr Cys Ser Arg Leu Asn Ile Pro Phe Pro Phe Ile Val  
                     995                    1000                    1005  
 Phe Ala Tyr Phe Tyr Met Val Val Lys Lys Cys Phe Lys Cys Cys Cys  
                     1010                    1015                    1020  
 Lys Glu Lys Asn Met Glu Ser Ser Val Cys Cys Phe Lys Asn Glu Asp

1025	1030	1035	1040
Asn Glu Thr Leu Ala Trp Glu Gly Val Met Lys Glu Asn Tyr Leu Val			
	1045	1050	1055
Lys Ile Asn Thr Lys Ala Asn Asp Thr Ser Glu Glu Met Arg His Arg			
	1060	1065	1070
Phe Arg Gln Leu Asp Thr Lys Leu Asn Asp Leu Lys Gly Leu Leu Lys			
	1075	1080	1085
Glu Ile Ala Asn Lys Ile Lys			
	1090	1095	

<210> 638  
 <211> 15  
 <212> PRT  
 <213> Homo sapiens

<400> 638  
 Arg Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser  
                           5                          10                          15

<210> 639  
 <211> 45  
 <212> DNA  
 <213> Homo sapiens

<400> 639  
 agaatgccta ccgtgctgca gtgcgtgaac gtgtcgggtgg tgtct 45

<210> 640  
 <211> 45  
 <212> DNA  
 <213> Homo sapiens

<400> 640  
 gagccaggga gccagatggt ggaggccagc ctctccgtac ggcac 45

<210> 641  
 <211> 45  
 <212> DNA  
 <213> Homo sapiens

<400> 641  
 gaggccgacc aagagccagg gagccagatg gtggaggcca gcctc 45

<210> 642  
 <211> 45  
 <212> DNA  
 <213> Homo sapiens

<400> 642  
 ggctgcaca gtcttgaggc cgaccaagag ccaggagacc agatg 45

<210> 643  
<211> 45  
<212> DNA  
<213> Homo sapiens

<400> 643  
tacaccatcg ggctgggcct gcacagtctt gaggccgacc aagag 45

<210> 644  
<211> 42  
<212> DNA  
<213> Homo sapiens

<400> 644  
ttccagaact cctacaccat cgggctgggc ctgcacagtc tt 42

<210> 645  
<211> 45  
<212> DNA  
<213> Homo sapiens

<400> 645  
ctgtcagccg cacactgttt ccagaactcc tacaccatcg ggctg 45

<210> 646  
<211> 45  
<212> DNA  
<213> Homo sapiens

<400> 646  
catccgcagt gggtgctgtc agccgcacac tgtttccaga actcc 45

<210> 647  
<211> 45  
<212> DNA  
<213> Homo sapiens

<400> 647  
tcgggcgctcc tgggtgcatcc gcagtgggtg ctgtcagccg cacac 45

<210> 648  
<211> 45  
<212> DNA  
<213> Homo sapiens

<400> 648  
aacgaattgt tctgctcggg cgtcctggtg catccgcagt gggtg 45

<210> 649  
<211> 45  
<212> DNA  
<213> Homo sapiens

<400> 649  
gcactggtca tggaaaacga attgttctgc tcgggcgctcc tggtg 45

<210> 650  
<211> 51



<212> DNA  
<213> Homo sapiens

<400> 650  
tcgcagccct ggcaggcggc actggtcatg gaaaacgaat tgttctgctc g 51

<210> 651  
<211> 45  
<212> DNA  
<213> Homo sapiens

<400> 651  
atcagcattg ctctgcagtg ccctaccgcg gggaactctt gcctc 45

<210> 652  
<211> 45  
<212> DNA  
<213> Homo sapiens

<400> 652  
tccgtgtccg agtctgacac catccggagc atcagcattg ctctg 45

<210> 653  
<211> 45  
<212> DNA  
<213> Homo sapiens

<400> 653  
atcaagttgg acgaatccgt gtccgagtct gacaccatcc ggagc 45

<210> 654  
<211> 45  
<212> DNA  
<213> Homo sapiens

<400> 654  
aacgacctca tgctcatcaa gttggacgaa tccgtgtccg agtct 45

<210> 655  
<211> 45  
<212> DNA  
<213> Homo sapiens

<400> 655  
agacccttgc tcgctaacga cctcatgctc atcaagttgg acgaa 45

<210> 656  
<211> 15  
<212> PRT  
<213> Homo sapiens

<400> 656  
Glu Pro Gly Ser Gln Met Val Glu Ala Ser Leu Ser Val Arg His  
5 10 15

<210> 657  
<211> 15

261

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 657

Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu Ala Ser Leu  
5 10 15

&lt;210&gt; 658

&lt;211&gt; 15

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 658

Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met  
5 10 15

&lt;210&gt; 659

&lt;211&gt; 15

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 659

Tyr Thr Ile Gly Leu Gly Leu His Ser Leu Glu Ala Asp Gln Glu  
5 10 15

&lt;210&gt; 660

&lt;211&gt; 14

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 660

Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly Leu His Ser Leu  
5 10

&lt;210&gt; 661

&lt;211&gt; 15

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 661

Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu  
5 10 15

&lt;210&gt; 662

&lt;211&gt; 15

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 662

His Pro Gln Trp Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser  
5 10 15

262

<210> 663  
<211> 15  
<212> PRT  
<213> Homo sapiens

<400> 663  
Ser Gly Val Leu Val His Pro Gln Trp Val Leu Ser Ala Ala His  
                          5                          10                          15

<210> 664  
<211> 15  
<212> PRT  
<213> Homo sapiens

<400> 664  
Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val  
                          5                          10                          15

<210> 665  
<211> 15  
<212> PRT  
<213> Homo sapiens

<400> 665  
Ala Leu Val Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val  
                          5                          10                          15

<210> 666  
<211> 17  
<212> PRT  
<213> Homo sapiens

<400> 666  
Ser Gln Pro Trp Gln Ala Ala Leu Val Met Glu Asn Glu Leu Phe Cys  
                          5                          10                          15

Ser

<210> 667  
<211> 15  
<212> PRT  
<213> Homo sapiens

<400> 667  
Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly Asn Ser Cys Leu  
                          5                          10                          15

<210> 668  
<211> 15  
<212> PRT  
<213> Homo sapiens

263

&lt;400&gt; 668

Ser Val Ser Glu Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser  
5 10 15

&lt;210&gt; 669

&lt;211&gt; 15

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 669

Ile Lys Leu Asp Glu Ser Val Ser Glu Ser Asp Thr Ile Arg Ser  
5 10 15

&lt;210&gt; 670

&lt;211&gt; 15

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 670

Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser  
5 10 15

&lt;210&gt; 671

&lt;211&gt; 15

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 671

Arg Pro Leu Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu  
5 10 15

&lt;210&gt; 672

&lt;211&gt; 35

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; PCR primer

&lt;400&gt; 672

ggaccagcat atgaggaaca gaaggaatga cactc

35

&lt;210&gt; 673

&lt;211&gt; 29

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; PCR primer

&lt;400&gt; 673

ccgctcgagt ccacccaag cttcacagg

29

```
<210> 675
<211> 652
<212> PRT
<213> Homo sapiens
```

```

<400> 675
Met Arg Asn Arg Arg Asn Asp Thr Leu Asp Ser Thr Arg Thr Leu Tyr
          5                      10                      15

Ser Ser Ala Ser Arg Ser Thr Asp Leu Ser Tyr Ser Glu Ser Asp Leu
          20                      25                      30

Val Asn Phe Ile Gln Ala Asn Phe Lys Lys Arg Glu Cys Val Phe Phe
          35                      40                      45

Thr Lys Asp Ser Lys Ala Thr Glu Asn Val Cys Lys Cys Gly Tyr Ala
          50                      55                      60

```

265

Gln Ser Gln His Met Glu Gly Thr Gln Ile Asn Gln Ser Glu Lys Trp  
 65 70 75 80  
 Asn Tyr Lys Lys His Thr Lys Glu Phe Pro Thr Asp Ala Phe Gly Asp  
 85 90 95  
 Ile Gln Phe Glu Thr Leu Gly Lys Lys Gly Lys Tyr Ile Arg Leu Ser  
 100 105 110  
 Cys Asp Thr Asp Ala Glu Ile Leu Tyr Glu Leu Leu Thr Gln His Trp  
 115 120 125  
 His Leu Lys Thr Pro Asn Leu Val Ile Ser Val Thr Gly Gly Ala Lys  
 130 135 140  
 Asn Phe Ala Leu Lys Pro Arg Met Arg Lys Ile Phe Ser Arg Leu Ile  
 145 150 155 160  
 Tyr Ile Ala Gln Ser Lys Gly Ala Trp Ile Leu Thr Gly Gly Thr His  
 165 170 175  
 Tyr Gly Leu Met Lys Tyr Ile Gly Glu Val Val Arg Asp Asn Thr Ile  
 180 185 190  
 Ser Arg Ser Ser Glu Glu Asn Ile Val Ala Ile Gly Ile Ala Ala Trp  
 195 200 205  
 Gly Met Val Ser Asn Arg Asp Thr Leu Ile Arg Asn Cys Asp Ala Glu  
 210 215 220  
 Gly Tyr Phe Leu Ala Gln Tyr Leu Met Asp Asp Phe Thr Arg Asp Pro  
 225 230 235 240  
 Leu Tyr Ile Leu Asp Asn Asn His Thr His Leu Leu Leu Val Asp Asn  
 245 250 255  
 Gly Cys His Gly His Pro Thr Val Glu Ala Lys Leu Arg Asn Gln Leu  
 260 265 270  
 Glu Lys Tyr Ile Ser Glu Arg Thr Ile Gln Asp Ser Asn Tyr Gly Gly  
 275 280 285  
 Lys Ile Pro Ile Val Cys Phe Ala Gln Gly Gly Gly Lys Glu Thr Leu  
 290 295 300  
 Lys Ala Ile Asn Thr Ser Ile Lys Asn Lys Ile Pro Cys Val Val Val  
 305 310 315 320  
 Glu Gly Ser Gly Gln Ile Ala Asp Val Ile Ala Ser Leu Val Glu Val  
 325 330 335  
 Glu Asp Ala Leu Thr Ser Ser Ala Val Lys Glu Lys Leu Val Arg Phe  
 340 345 350  
 Leu Pro Arg Thr Val Ser Arg Leu Pro Glu Glu Glu Thr Glu Ser Trp  
 355 360 365  
 Ile Lys Trp Leu Lys Glu Ile Leu Glu Cys Ser His Leu Leu Thr Val

370		375		380
Ile Lys Met Glu Glu Ala Gly Asp Glu Ile Val Ser Asn Ala Ile Ser				
385		390		395 400
Tyr Ala Leu Tyr Lys Ala Phe Ser Thr Ser Glu Gln Asp Lys Asp Asn				
	405		410	415
Trp Asn Gly Gln Leu Lys Leu Leu Leu Glu Trp Asn Gln Leu Asp Leu				
	420		425	430
Ala Asn Asp Glu Ile Phe Thr Asn Asp Arg Arg Trp Glu Ser Ala Asp				
	435		440	445
Leu Gln Glu Val Met Phe Thr Ala Leu Ile Lys Asp Arg Pro Lys Phe				
	450		455	460
Val Arg Leu Phe Leu Glu Asn Gly Leu Asn Leu Arg Lys Phe Leu Thr				
	465		470	475 480
His Asp Val Leu Thr Glu Leu Phe Ser Asn His Phe Ser Thr Leu Val				
	485		490	495
Tyr Arg Asn Leu Gln Ile Ala Lys Asn Ser Tyr Asn Asp Ala Leu Leu				
	500		505	510
Thr Phe Val Trp Lys Leu Val Ala Asn Phe Arg Arg Gly Phe Arg Lys				
	515		520	525
Glu Asp Arg Asn Gly Arg Asp Glu Met Asp Ile Glu Leu His Asp Val				
	530		535	540
Ser Pro Ile Thr Arg His Pro Leu Gln Ala Leu Phe Ile Trp Ala Ile				
	545		550	555 560
Leu Gln Asn Lys Lys Glu Leu Ser Lys Val Ile Trp Glu Gln Thr Arg				
	565		570	575
Gly Cys Thr Leu Ala Ala Leu Gly Ala Ser Lys Leu Leu Lys Thr Leu				
	580		585	590
Ala Lys Val Lys Asn Asp Ile Asn Ala Ala Gly Glu Ser Glu Glu Leu				
	595		600	605
Ala Asn Glu Tyr Glu Thr Arg Ala Val Glu Leu Phe Thr Glu Cys Tyr				
	610		615	620
Ser Ser Asp Glu Asp Leu Ala Glu Gln Leu Leu Val Tyr Ser Cys Glu				
	625		630	635 640
Ala Trp Gly Gly Leu Glu His His His His His His				
	645		650	

&lt;210&gt; 676

&lt;211&gt; 132

267

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 676

```

Thr Ala Ala Ser Asp Asn Phe Gln Leu Ser Gln Gly Gly Gln Gly Phe
1      5      10      15
Ala Ile Pro Ile Gly Gln Ala Met Ala Ile Ala Gly Gln Ile Arg Ser
      20      25      30
Gly Gly Gly Ser Pro Thr Val His Ile Gly Pro Thr Ala Phe Leu Gly
      35      40      45
Leu Gly Val Val Asp Asn Asn Gly Asn Gly Ala Arg Val Gln Arg Val
      50      55      60
Val Gly Ser Ala Pro Ala Ala Ser Leu Gly Ile Ser Thr Gly Asp Val
      65      70      75      80
Ile Thr Ala Val Asp Gly Ala Pro Ile Asn Ser Ala Thr Ala Met Ala
      85      90      95
Asp Ala Leu Asn Gly His His Pro Gly Asp Val Ile Ser Val Asn Trp
      100     105     110
Gln Thr Lys Ser Gly Gly Thr Arg Thr Gly Asn Val Thr Leu Ala Glu
      115     120     125
Gly Pro Pro Ala
      130

```

&lt;210&gt; 677

&lt;211&gt; 36

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; PCR primer

&lt;400&gt; 677

ggggaattca tgatccggga gaaatttgcc cactgc

36

&lt;210&gt; 678

&lt;211&gt; 33

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; PCR primer

&lt;400&gt; 678

gggctcgagt caggagtttg agaccagcct ggc

33

&lt;210&gt; 679

&lt;211&gt; 675

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 679

```

atgcatcacc atcaccatca cacggccgcg tccgataact tccagctgtc ccaggggtggg 60
cagggattcg ccattccgat cgggcaggcg atggcgatcg cgggccagat caagcttccc 120

```



```

accgttcata tcgggcctac cgccttcctc ggcttgggtg ttgtcgacaa caacggcaac 180
ggcgacagag tccaacgcgt ggtcgggagc gctccggcgg caagtctcgg catctccacc 240
ggcgacgtga tcaccgcggt cgacggcgct ccgatcaact cggccaccgc gatggcggac 300
gcgcttaacg ggcatcatcc cggtgacgtc atctcgggtg cctggcaaac caagtccggc 360
ggcacgcgta caggaacgt gacattggcc gagggacccc cggccgaatt catgatccgg 420
gagaaatttg cccactgcac cgtgctaacc attgcacaca gattgaacac cattattgac 480
agcgacaaga taatggtttt agattcagga agactgaaag aatatgatga gccgtatgtt 540
ttgctgcaaa ataaagagag cctattttac aagatgggtc aacaactggg caaggcagaa 600
gccgtgccc tcaactgaaac agcaaaacag agatgggggt tcaccatgtt ggccaggctg 660
gtctcaaaact cctga 675

```

&lt;210&gt; 680

&lt;211&gt; 291

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 680

```

atggggatcc gggagaaatt tgccactgc accgtgctaa ccattgcaca cagattgaac 60
accattattg acagcgacaa gataatggtt ttagattcag gaagactgaa agaatatgat 120
gagccgtatg ttttgctgca aaataaagag agcctathtt acaagatggt gcaacaactg 180
ggcaaggcag aagccgctgc cctcactgaa acagcaaac agagatgggg tttcaccatg 240
ttggccaggc tgggtcctaaa ctccctcgag caccaccacc accaccactg a 291

```

&lt;210&gt; 681

&lt;211&gt; 1074

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 681

```

atgtcagcca ttgagagggt gtcagaggca atcgtcagca tccgaagaat ccagaccttt 60
ttgctacttg atgagatata acagcgcaac cgtcagctgc cgtcagatgg taaaaagatg 120
gtgcatgtgc aggattttac tgctttttgg gataaggcat cagagacccc aactctacaa 180
ggcctttcct ttactgtcag acctggcgaa ttgtagctg tggtcggccc cgtgggagca 240
gggaagtcat cactgttaag tgccgtgctc ggggaattgg ccccaagtca cgggctggtc 300
agcgtgcatg gaagaattgc ctatgtgtct cagcagccct ggggtgttctc gggaactctg 360
aggagtaata ttttatttgg gaagaaatac gaaaaggaa gatatgaaa agtcataaag 420
gcttgtgctc tgaaaaagga tttacagctg ttggaggatg gtgatctgac tgtgatagga 480
gatcggggaa ccacgctgag tggagggcag aaagcacggg taaaccttgc aagagcagtg 540
tatcaagatg ctgacatcta tctcctggac gatcctctca gtgcagtaga tgcggaagtt 600
agcagacact tggttgaact gtgtatttgt caaattttgc atgagaagat cacaatttta 660
gtgactcatc agttgcagta cctcaaagct gcaagtcaga ttctgatatt gaaagatggg 720
aaaatggtgc agaaggggac ttacactgag ttcctaaaaat ctggtataga ttttggtctc 780
cttttaaaga aggataatga ggaaagtga caacctccag ttccaggaac tcccacacta 840
aggaatcgta ccttctcaga gtcttcgggt tggctcctaac aatcttctag accctccttg 900
aaagatgggt ctctggagag ccaagataca gagaatgtcc cagttacact atcagaggag 960
aaccgttctg aaggaaaagt tggttttcag gcctataaga attacttcag agctgggtgt 1020
cactggattg tottcathtt ccttattctc gagcaccacc accaccacca ctga 1074

```

&lt;210&gt; 682

&lt;211&gt; 224

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 682

```

Met His His His His His Thr Ala Ala Ser Asp Asn Phe Gln Leu
      5                      10                      15

```

```

Ser Gln Gly Gly Gln Gly Phe Ala Ile Pro Ile Gly Gln Ala Met Ala

```

```
<210> 683
<211> 357
<212> PRT
<213> Homo sapiens
```

```

<400> 683
Met Ser Ala Ile Glu Arg Val Ser Glu Ala Ile Val Ser Ile Arg Arg
          5                      10                      15

Ile Gln Thr Phe Leu Leu Leu Asp Glu Ile Ser Gln Arg Asn Arg Gln
          20                      25                      30

Leu Pro Ser Asp Gly Lys Lys Met Val His Val Gln Asp Phe Thr Ala
          35                      40                      45

Phe Trp Asp Lys Ala Ser Glu Thr Pro Thr Leu Gln Gly Leu Ser Phe

```

270

50		55		60
Thr Val Arg Pro Gly Glu Leu Leu Ala Val Val Gly Pro Val Gly Ala				
65		70		75
				80
Gly Lys Ser Ser Leu Leu Ser Ala Val Leu Gly Glu Leu Ala Pro Ser				
		85		90
				95
His Gly Leu Val Ser Val His Gly Arg Ile Ala Tyr Val Ser Gln Gln				
		100		105
				110
Pro Trp Val Phe Ser Gly Thr Leu Arg Ser Asn Ile Leu Phe Gly Lys				
		115		120
				125
Lys Tyr Glu Lys Glu Arg Tyr Glu Lys Val Ile Lys Ala Cys Ala Leu				
		130		135
				140
Lys Lys Asp Leu Gln Leu Leu Glu Asp Gly Asp Leu Thr Val Ile Gly				
		145		150
				155
Asp Arg Gly Thr Thr Leu Ser Gly Gly Gln Lys Ala Arg Val Asn Leu				
		165		170
				175
Ala Arg Ala Val Tyr Gln Asp Ala Asp Ile Tyr Leu Leu Asp Asp Pro				
		180		185
				190
Leu Ser Ala Val Asp Ala Glu Val Ser Arg His Leu Phe Glu Leu Cys				
		195		200
				205
Ile Cys Gln Ile Leu His Glu Lys Ile Thr Ile Leu Val Thr His Gln				
		210		215
				220
Leu Gln Tyr Leu Lys Ala Ala Ser Gln Ile Leu Ile Leu Lys Asp Gly				
		225		230
				235
Lys Met Val Gln Lys Gly Thr Tyr Thr Glu Phe Leu Lys Ser Gly Ile				
		245		250
				255
Asp Phe Gly Ser Leu Leu Lys Lys Asp Asn Glu Glu Ser Glu Gln Pro				
		260		265
				270
Pro Val Pro Gly Thr Pro Thr Leu Arg Asn Arg Thr Phe Ser Glu Ser				
		275		280
				285
Ser Val Trp Ser Gln Gln Ser Ser Arg Pro Ser Leu Lys Asp Gly Ala				
		290		295
				300
Leu Glu Ser Gln Asp Thr Glu Asn Val Pro Val Thr Leu Ser Glu Glu				
		305		310
				315
Asn Arg Ser Glu Gly Lys Val Gly Phe Gln Ala Tyr Lys Asn Tyr Phe				
		325		330
				335
Arg Ala Gly Ala His Trp Ile Val Phe Ile Phe Leu Ile Leu Glu His				
		340		345
				350
His His His His His				
		355		

271

<210> 684  
 <211> 96  
 <212> PRT  
 <213> Homo sapiens

<400> 684  
 Met Gly Ile Arg Glu Lys Phe Ala His Cys Thr Val Leu Thr Ile Ala  
                           5                          10                          15  
 His Arg Leu Asn Thr Ile Ile Asp Ser Asp Lys Ile Met Val Leu Asp  
                           20                          25                          30  
 Ser Gly Arg Leu Lys Glu Tyr Asp Glu Pro Tyr Val Leu Leu Gln Asn  
                           35                          40                          45  
 Lys Glu Ser Leu Phe Tyr Lys Met Val Gln Gln Leu Gly Lys Ala Glu  
                           50                          55                          60  
 Ala Ala Ala Leu Thr Glu Thr Ala Lys Gln Arg Trp Gly Phe Thr Met  
                           65                          70                          75                          80  
 Leu Ala Arg Leu Val Ser Asn Ser Leu Glu His His His His His His  
                           85                          90                          95

<210> 685  
 <211> 35  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> PCR primer

<400> 685  
 cgcccatggg gatccgggag aaatttgccc actgc 35

<210> 686  
 <211> 35  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> PCR primer

<400> 686  
 cgcctcgagg gagtttgaga ccagcctggc caaca 35

<210> 687  
 <211> 38  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> PCR primer

<400> 687  
gcatggacca tatgtcagcc attgagaggg tgtcagag 38

<210> 688  
<211> 34  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> PCR primer

<400> 688  
ccgctcgaga ataaggaaaa tgaagacaat ccag 34

<210> 689  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> PCR primer

<400> 689  
gttgaattca tgcacggggc ccagggtg 27

<210> 690  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> PCR primer

<400> 690  
cccctcgagt cactatggtc tgcctcttga 30

<210> 691  
<211> 915  
<212> DNA  
<213> Homo sapiens

<400> 691  
atgcatcacc atcaccatca cacggccgcg tccgataact tccagctgtc ccagggtggg 60  
cagggattcg ccattccgat cgggcaggcg atggcgatcg cgggccagat caagcttccc 120  
accgttcata tcgggcctac cgccttctc ggcttgggtg ttgtcgacaa caacggcaac 180  
ggcgacgag tccaacgcgt ggtcgggagc gctccggcg caagtctcg catctccacc 240  
ggcgacgtga tcaccgcggt cgacggcgct ccgatcaact cggccaccgc gatggcggac 300  
gcgcttaacg ggcattcatc cggtgacgtc atctcgggtga cctggcaaac caagtcgggc 360  
ggcacgcgta cagggaacgt gacattggcc gagggacccc cggccgaatt catgcacggg 420  
ccccagggtg tggcacgctg ctccgagtg gcttgtcctg ccttggctgc cacctctgcg 480  
ggggtgctc tggagggggg ggaccggcca ccaaccttac ccagtcaagg aagtggatgg 540  
ccatgttccc acagcctgag tggctgccac ctgatggctg atggagcaaa ggccttagga 600  
aaagcagatg gcccttggcc ctacctttt gttagaagaa ctgatgttcc atgtcctgca 660  
gcgagtgagg ttggtggctg tgccccagc tcctggcgcg ccctcgacaga ggtgactggt 720

```
<210> 692
<211> 304
<212> PRT
<213> Homo sapiens
```

<400>	692																
Met	His	His	His	His	His	His	Thr	Ala	Ala	Ser	Asp	Asn	Phe	Gln	Leu		
			5						10					15			
Ser	Gln	Gly	Gly	Gln	Gly	Phe	Ala	Ile	Pro	Ile	Gly	Gln	Ala	Met	Ala		
		20						25					30				
Ile	Ala	Gly	Gln	Ile	Lys	Leu	Pro	Thr	Val	His	Ile	Gly	Pro	Thr	Ala		
	35						40					45					
Phe	Leu	Gly	Leu	Gly	Val	Val	Asp	Asn	Asn	Gly	Asn	Gly	Ala	Arg	Val		
	50					55					60						
Gln	Arg	Val	Val	Gly	Ser	Ala	Pro	Ala	Ala	Ser	Leu	Gly	Ile	Ser	Thr		
65					70					75					80		
Gly	Asp	Val	Ile	Thr	Ala	Val	Asp	Gly	Ala	Pro	Ile	Asn	Ser	Ala	Thr		
			85						90					95			
Ala	Met	Ala	Asp	Ala	Leu	Asn	Gly	His	His	Pro	Gly	Asp	Val	Ile	Ser		
			100					105					110				
Val	Thr	Trp	Gln	Thr	Lys	Ser	Gly	Gly	Thr	Arg	Thr	Gly	Asn	Val	Thr		
	115						120					125					
Leu	Ala	Glu	Gly	Pro	Pro	Ala	Glu	Phe	Met	His	Gly	Pro	Gln	Val	Leu		
	130					135					140						
Ala	Arg	Cys	Ser	Glu	Cys	Ala	Cys	Pro	Ala	Leu	Ala	Ala	Thr	Ser	Ala		
145					150					155					160		
Gly	Val	Arg	Leu	Glu	Gly	Val	Asp	Arg	Pro	Pro	Thr	Leu	Pro	Ser	Gln		
			165						170					175			
Gly	Ser	Gly	Trp	Pro	Cys	Ser	His	Ser	Leu	Ser	Gly	Cys	His	Leu	Met		
			180					185					190				
Ala	Asp	Gly	Ala	Lys	Ala	Leu	Gly	Lys	Ala	Asp	Gly	Pro	Trp	Pro	Tyr		
	195						200					205					
Leu	Phe	Val	Arg	Arg	Thr	Asp	Val	Pro	Cys	Pro	Ala	Ala	Ser	Glu	Val		
	210					215					220						
Gly	Gly	Cys	Ala	Pro	Ser	Ser	Trp	Arg	Ala	Leu	Ala	Glu	Val	Thr	Gly		
225					230					235					240		
Cys	Ser	Leu	Gly	Pro	Leu	Gly	Leu	Ala	Gln	His	Ala	Gln	Ala	Ser	Val		
				245					250					255			

274

Leu Leu Leu Cys Tyr Lys Trp Ser His Ile Gly Glu Thr Ser Ser His  
                   260                                  265                                  270

Leu Arg Ser Lys Val Tyr Ala Ala Phe Gly Gly Ser Ser Pro Cys Leu  
                   275                                  280                                  285

Lys Gly Leu Met Ser Leu Trp Ala Ser Trp Leu Ser Arg Gly Arg Pro  
                   290                                  295                                  300

&lt;210&gt; 693

&lt;211&gt; 24

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; PCR primer

&lt;400&gt; 693

cgaagtcacg tggaggccag cctc

24

&lt;210&gt; 694

&lt;211&gt; 29

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; PCR primer

&lt;400&gt; 694

cctgaccgaa ttcattaact ggccctggac

29

&lt;210&gt; 695

&lt;211&gt; 166

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; VARIANT

&lt;222&gt; (1)...(166)

&lt;223&gt; Xaa = Any Amino Acid

&lt;400&gt; 695

Met Gly His His His His His Val Glu Ala Ser Leu Ser Val Arg  
   1                  5                  10                  15  
 His Pro Glu Tyr Asn Arg Pro Leu Leu Ala Asn Asp Leu Met Leu Ile  
                   20                  25                  30  
 Lys Leu Asp Glu Ser Val Ser Glu Ser Asp Thr Ile Arg Ser Ile Ser  
                   35                  40                  45  
 Ile Ala Ser Gln Cys Pro Thr Ala Gly Asn Ser Cys Leu Val Ser Gly  
                   50                  55                  60  
 Trp Gly Leu Leu Ala Asn Gly Arg Met Pro Thr Val Leu Gln Cys Val  
                   65                  70                  75                  80  
 Asn Val Ser Val Val Ser Glu Glu Val Cys Ser Lys Leu Tyr Asp Pro

275

85								90				95			
Leu	Tyr	His	Pro	Ser	Met	Phe	Cys	Ala	Gly	Gly	Gly	Gln	Xaa	Gln	Xaa
100								105				110			
Asp	Ser	Cys	Asn	Gly	Asp	Ser	Gly	Gly	Pro	Leu	Ile	Cys	Asn	Gly	Tyr
115								120				125			
Leu	Gln	Gly	Leu	Val	Ser	Phe	Gly	Lys	Ala	Pro	Cys	Gly	Gln	Val	Gly
130								135				140			
Val	Pro	Gly	Val	Tyr	Thr	Asn	Leu	Cys	Lys	Phe	Thr	Glu	Trp	Ile	Glu
145								150				155			
Lys	Thr	Val	Gln	Ala	Ser										
165															

```
<210> 696
<211> 504
<212> DNA
<213> Homo sapiens
```

```
<220>
<221> misc_feature
<222> (1)...(504)
<223> n = A,T,C or G
```

<400>	696								
atggggccatc	atcatcatca	tcacgtggag	gccagcctct	ccgtacggca	cccagagtac				60
aacagaccct	tgctcgctaa	cgacctcatg	ctcatcaagt	tggacgaatc	cgtgtccgag				120
tctgacacca	tccggagcat	cagcattgct	tcgcagtgcc	ctaccgcggg	gaactcttgc				180
ctcgtttctg	gctggggctct	gctggcgaaac	ggcagaatgc	ctaccgtgct	gcagtgcgtg				240
aacgtgtcgg	tgggtgtctga	ggaggtctgc	agtaagctct	atgacccgct	gtaccaacccc				300
agcatgttct	gcgcgcggcgg	agggcaanac	cagaangact	cctgcaacgg	tgactctggg				360
ggggcccctga	tctgcaacgg	gtacctgcag	ggccttgtgt	ctttcggaag	agccccgtgt				420
ggccaagttag	gcgtgccagg	tgctacacc	aacctctgca	aattcactga	gtggatagag				480
aaaaccgtcc	aggccagtta	atga							504

```
<210> 697
<211> 21
<212> DNA
<213> Artificial Sequence
```

<220>  
<223> PCR primer

<400> 697  
ctcagggttc cggagccgcg g 21

```
<210> 698
<211> 35
<212> DNA
<213> Artificial Sequence
```

<220>  
<223> PCR primer

<400> 698  
ctatagaatt cattaccaa aagctgggct ccagc 35

<210> 699



276

&lt;211&gt; 241

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 699

```

Met Gln His His His His His His Leu Arg Val Pro Glu Pro Arg Pro
 1           5           10           15
Gly Glu Ala Lys Ala Glu Gly Ala Ala Pro Pro Thr Pro Ser Lys Pro
      20           25           30
Leu Thr Ser Phe Leu Ile Gln Asp Ile Leu Arg Asp Gly Ala Gln Arg
      35           40           45
Gln Gly Gly Arg Thr Ser Ser Gln Arg Gln Arg Asp Pro Glu Pro Glu
      50           55           60
Pro Glu Pro Glu Pro Glu Gly Gly Arg Ser Arg Ala Gly Ala Gln Asn
      65           70           75           80
Asp Gln Leu Ser Thr Gly Pro Arg Ala Ala Pro Glu Glu Ala Glu Thr
      85           90           95
Leu Ala Glu Thr Glu Pro Glu Arg His Leu Gly Ser Tyr Leu Leu Asp
      100          105          110
Ser Glu Asn Thr Ser Gly Ala Leu Pro Arg Leu Pro Gln Thr Pro Lys
      115          120          125
Gln Pro Gln Lys Arg Ser Arg Ala Ala Phe Ser His Thr Gln Val Ile
      130          135          140
Glu Leu Glu Arg Lys Phe Ser His Gln Lys Tyr Leu Ser Ala Pro Glu
      145          150          155          160
Arg Ala His Leu Ala Lys Asn Leu Lys Leu Thr Glu Thr Gln Val Lys
      165          170          175
Ile Trp Phe Gln Asn Arg Arg Tyr Lys Thr Lys Arg Lys Gln Leu Ser
      180          185          190
Ser Glu Leu Gly Asp Leu Glu Lys His Ser Ser Leu Pro Ala Leu Lys
      195          200          205
Glu Glu Ala Phe Ser Arg Ala Ser Leu Val Ser Val Tyr Asn Ser Tyr
      210          215          220
Pro Tyr Tyr Pro Tyr Leu Tyr Cys Val Gly Ser Trp Ser Pro Ala Phe
      225          230          235          240
Trp

```

&lt;210&gt; 700

&lt;211&gt; 729

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 700

```

atgcagcatc accaccatca ccacctcagg gttccggagc cgcggcccg ggagggcga 60
gcggaggggg ccgcgcgcgc gaccccggtcc aagccgctca cgtccttcct catccaggac 120
atcctgcggg acggcgcgca gcggcaaggc ggccgcadga gcagccagag acagcgcgac 180
ccggagccgg agccagagcc agagccagag ggaggacgca gccgcgcgg ggcgcagAAC 240
gaccagctga gcaccgggcc ccgcgcgcgc ccggatgagg ccgagacgct ggcagagacc 300
gagccagaaa ggcacttggg gtcttatctg ttggactctg aaaacacttc aggcgcctt 360
ccaaggcttc cccaaacccc taagcagccg cagaagcgct cccgagctgc cttctccac 420
actcaggtga tcgagttgga gaggaagttc agccatcaga agtacctgtc ggcccctgaa 480
cgggcccacc tggccaagaa cctcaagctc acggagacc aagtgaagat atggttccag 540
aacagacgct ataagactaa gcgaaagcag ctctcctcgg agctgggaga cttggagaag 600
cactcctttt tgccggccct gaaagaggag gccttctccc gggcctccct ggtctccgtg 660
tataacagct atccttacta ccatacctg cactgcgtgg gcagctggag cccagctttt 720
tggtaatga 729

```

277

<210> 701  
 <211> 27  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> PCR primer

<400> 701  
 ctactaagcg ctggagtgag ggatcag

27

<210> 702  
 <211> 33  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> PCR primer

<400> 702  
 catcgagaat tcactactct ctgactagat gtc

33

<210> 703  
 <211> 161  
 <212> PRT  
 <213> Homo sapiens

<400> 703  
 Met Gln His His His His His His Ala Gly Val Arg Asp Gln Gly Gln  
 1 5 10 15  
 Gly Ala Arg Trp Pro His Thr Gly Lys Arg Gly Pro Leu Leu Gln Gly  
 20 25 30  
 Leu Thr Trp Ala Thr Gly Gly His Cys Phe Ser Ser Glu Glu Ser Gly  
 35 40 45  
 Ala Val Asp Gly Ala Gly Gln Lys Lys Asp Arg Ala Trp Leu Arg Cys  
 50 55 60  
 Pro Glu Ala Val Ala Gly Phe Pro Leu Gly Ser Asp Cys Arg Glu Gly  
 65 70 75 80  
 Gly Arg Gln Gly Cys Gly Gly Ser Asp Asp Glu Asp Asp Leu Gly Val  
 85 90 95  
 Ala Pro Gly Leu Ala Pro Ala Trp Ala Leu Thr Gln Pro Pro Ser Gln  
 100 105 110  
 Ser Pro Gly Pro Gln Ser Leu Pro Ser Thr Pro Ser Ser Ile Trp Pro  
 115 120 125  
 Gln Trp Val Ile Leu Ile Thr Glu Leu Thr Ile Pro Ser Pro Ala His  
 130 135 140  
 Gly Pro Pro Trp Leu Pro Asn Ala Leu Glu Arg Gly His Leu Val Arg  
 145 150 155 160  
 Glu

<210> 704  
 <211> 489  
 <212> DNA  
 <213> Homo sapiens

278

```

<400> 704
atgcagcatc accaccatca ccacgctgga gtgagggatc aggggcaggg cgcgagatgg      60
cctcacacag ggaagagagg gccctcctg cagggcctca cctgggccac aggaggacac      120
tgcttttctt ctgaggagtc aggagctgtg gatggtgctg gacagaagaa ggacaggggc      180
tggctcaggt gtccagaggc tgtcgctggc ttcccttttg gatcagactg caggaggagg      240
gggcggcagg gttgtggggg gattgacgat gaggatgacc tgggggtggc tccaggcctt      300
gccctgcctt gggccctcac ccagcctccc tcacagtctc ctggccctca gtctctcccc      360
tccactccat cctccatctg gcctcagtgg gtcattctga tcaactgaact gaccataccc      420
agccctgccc acggccctcc atggctcccc aatgccctgg agaggggaca tctagtcaaga      480
gagtagtga                                     489

```

```

<210> 705
<211> 132
<212> PRT
<213> Homo sapiens

```

```

<400> 705
Thr Ala Ala Ser Asp Asn Phe Gln Leu Ser Gln Gly Gly Gln Gly Phe
 1          5          10          15
Ala Ile Pro Ile Gly Gln Ala Met Ala Ile Ala Gly Gln Ile Arg Ser
 20          25          30
Gly Gly Gly Ser Pro Thr Val His Ile Gly Pro Thr Ala Phe Leu Gly
 35          40          45
Leu Gly Val Val Asp Asn Asn Gly Asn Gly Ala Arg Val Gln Arg Val
 50          55          60
Val Gly Ser Ala Pro Ala Ala Ser Leu Gly Ile Ser Thr Gly Asp Val
 65          70          75          80
Ile Thr Ala Val Asp Gly Ala Pro Ile Asn Ser Ala Thr Ala Met Ala
 85          90          95
Asp Ala Leu Asn Gly His His Pro Gly Asp Val Ile Ser Val Asn Trp
100          105          110
Gln Thr Lys Ser Gly Gly Thr Arg Thr Gly Asn Val Thr Leu Ala Glu
115          120          125
Gly Pro Pro Ala
130

```

```

<210> 706
<211> 31
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> PCR primer

```

```

<400> 706
ggggaattca tcacctatgt gccgcctctg c

```

31

```

<210> 707
<211> 40
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> PCR primer

```

279

&lt;400&gt; 707

gggctcgagt cactcgccca cgaaatccgt gtaaaacagc

40

&lt;210&gt; 708

&lt;211&gt; 1203

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 708

```

atgcatacacc atcaccatca cacggccgcg tccgataact tccagctgtc ccagggtggg 60
cagggtattcg ccattccgat cgggcaggcg atggcgatcg cgggccagat caagcttccc 120
accgttcata tcgggcctac cgccttcctc ggcttggtg ttgtcgacaa caacggcaac 180
ggcgacagag tccaacgcgt ggtcgggagc gctccggcgg caagtctcgg catctccacc 240
ggcgacgtga tcaccgcggt cgacggcgct ccgatcaact cggccaccgc gatggcggac 300
gcgcttaacg ggcatcatcc cggtgacgtc atctcggtga cctggcaaac caagtcgggc 360
ggcacgcgta cagggaaacgt gacattggcc gagggacccc cggccgaatt catcacctat 420
gtgccgcctc tgctgctgga agtgggggta gaggagaagt tcatgaccat ggtgctgggc 480
attggtccag tgctgggcct ggtctgtgtc ccgctcctag gctcagccag tgaccactgg 540
cgtggacgct atggccgcgc cggcccttc atctgggcac tgccttggg catcctgctg 600
agcctctttc tcatcccaag ggccggctgg ctacgagggc tgctgtgccc ggatcccagg 660
cccctggagc tggcaactgct catcctgggc gtggggctgc tggacttctg tggccagggtg 720
tgcttcactc cactggaggc cctgctctct gacctcttcc gggacccgga ccactgtcgc 780
caggcctact ctgtctatgc cttcatgatc agtcttgggg gctgcctggg ctacctcctg 840
cctgccattg actgggacac cagtgccttg gccccctacc tgggcaccca ggaggagtgc 900
ctctttggcc tgctcaccct catcttcctc acctgcgtag cagccacact gctggtggct 960
gaggaggcag cgctgggccc caccgagcca gcagaagggc tgtcggcccc ctccctgtcg 1020
ccccactgct gtccatgccg ggcccgttg gctttccgga acctgggggc cctgcttccc 1080
cggctgcacc agctgtgctg ccgcatgccc cgcacctgc gccggctctt cgtggctgag 1140
ctgtgcagct ggatggcact catgaccttc acgctgtttt acacggattt cgtgggcgag 1200
tga
1203

```

&lt;210&gt; 709

&lt;211&gt; 400

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 709

```

Met His His His His His Thr Ala Ala Ser Asp Asn Phe Gln Leu
      5              10              15

Ser Gln Gly Gly Gln Gly Phe Ala Ile Pro Ile Gly Gln Ala Met Ala
      20              25              30

Ile Ala Gly Gln Ile Lys Leu Pro Thr Val His Ile Gly Pro Thr Ala
      35              40              45

Phe Leu Gly Leu Gly Val Val Asp Asn Asn Gly Asn Gly Ala Arg Val
      50              55              60

Gln Arg Val Val Gly Ser Ala Pro Ala Ala Ser Leu Gly Ile Ser Thr
      65              70              75              80

Gly Asp Val Ile Thr Ala Val Asp Gly Ala Pro Ile Asn Ser Ala Thr
      85              90              95

Ala Met Ala Asp Ala Leu Asn Gly His His Pro Gly Asp Val Ile Ser

```

Val	Thr	Trp	Gln	Thr	Lys	Ser	Gly	Gly	Thr	Arg	Thr	Gly	Asn	Val	Thr
		115					120					125			
Leu	Ala	Glu	Gly	Pro	Pro	Ala	Glu	Phe	Ile	Thr	Tyr	Val	Pro	Pro	Leu
	130					135					140				
Leu	Leu	Glu	Val	Gly	Val	Glu	Glu	Lys	Phe	Met	Thr	Met	Val	Leu	Gly
145					150					155					160
Ile	Gly	Pro	Val	Leu	Gly	Leu	Val	Cys	Val	Pro	Leu	Leu	Gly	Ser	Ala
				165					170					175	
Ser	Asp	His	Trp	Arg	Gly	Arg	Tyr	Gly	Arg	Arg	Arg	Pro	Phe	Ile	Trp
			180					185					190		
Ala	Leu	Ser	Leu	Gly	Ile	Leu	Leu	Ser	Leu	Phe	Leu	Ile	Pro	Arg	Ala
		195					200					205			
Gly	Trp	Leu	Ala	Gly	Leu	Leu	Cys	Pro	Asp	Pro	Arg	Pro	Leu	Glu	Leu
	210					215					220				
Ala	Leu	Leu	Ile	Leu	Gly	Val	Gly	Leu	Leu	Asp	Phe	Cys	Gly	Gln	Val
225					230					235					240
Cys	Phe	Thr	Pro	Leu	Glu	Ala	Leu	Leu	Ser	Asp	Leu	Phe	Arg	Asp	Pro
				245					250					255	
Asp	His	Cys	Arg	Gln	Ala	Tyr	Ser	Val	Tyr	Ala	Phe	Met	Ile	Ser	Leu
			260					265					270		
Gly	Gly	Cys	Leu	Gly	Tyr	Leu	Leu	Pro	Ala	Ile	Asp	Trp	Asp	Thr	Ser
		275					280					285			
Ala	Leu	Ala	Pro	Tyr	Leu	Gly	Thr	Gln	Glu	Glu	Cys	Leu	Phe	Gly	Leu
	290					295					300				
Leu	Thr	Leu	Ile	Phe	Leu	Thr	Cys	Val	Ala	Ala	Thr	Leu	Leu	Val	Ala
305					310					315					320
Glu	Glu	Ala	Ala	Leu	Gly	Pro	Thr	Glu	Pro	Ala	Glu	Gly	Leu	Ser	Ala
				325					330					335	
Pro	Ser	Leu	Ser	Pro	His	Cys	Cys	Pro	Cys	Arg	Ala	Arg	Leu	Ala	Phe
			340					345					350		
Arg	Asn	Leu	Gly	Ala	Leu	Leu	Pro	Arg	Leu	His	Gln	Leu	Cys	Cys	Arg
		355					360					365			
Met	Pro	Arg	Thr	Leu	Arg	Arg	Leu	Phe	Val	Ala	Glu	Leu	Cys	Ser	Trp
	370					375					380				
Met	Ala	Leu	Met	Thr	Phe	Thr	Leu	Phe	Tyr	Thr	Asp	Phe	Val	Gly	Glu
385					390					395					400

<210> 710  
<211> 20  
<212> PRT  
<213> Homo sapiens

<400> 710  
Leu Leu Pro Pro Pro Ala Leu Cys Gly Ala Ser Ala Cys Asp Val  
                    5                    10                    15

Ser Val Arg Val  
                    20

<210> 711  
<211> 60  
<212> DNA  
<213> Homo sapiens

<400> 711  
ctgctccac ctccaccgc gctctgcggg gcctctgcct gtgatgtctc cgtacgtgtg 60

<210> 712  
<211> 10  
<212> PRT  
<213> Homo sapiens

<400> 712  
Ala Ser Ala Cys Asp Val Ser Val Arg Val  
                    5                    10

<210> 713  
<211> 30  
<212> DNA  
<213> Homo sapiens

<400> 713  
gcctctgcct gtgatgtctc cgtacgtgtg 30

<210> 714  
<211> 9  
<212> PRT  
<213> Homo sapiens

<400> 714  
Ala Ser Ala Cys Asp Val Ser Val Arg  
1                    5

<210> 715  
<211> 9  
<212> PRT  
<213> Homo sapiens

<400> 715  
Ser Ala Cys Asp Val Ser Val Arg Val  
                    5

<210> 716  
<211> 27

282

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 716

tctgcctgtg atgtctccgt acgtgtg

27

&lt;210&gt; 717

&lt;211&gt; 19

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 717

Gly Ile Gly Pro Val Leu Gly Leu Val Cys Val Pro Leu Leu Gly Ser  
5 10 15

Ala Ser Asp

&lt;210&gt; 718

&lt;211&gt; 19

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 718

Val Pro Pro Leu Leu Leu Glu Val Gly Val Glu Glu Lys Phe Met Thr  
5 10 15

Met Val Leu

&lt;210&gt; 719

&lt;211&gt; 19

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 719

Met Val Gln Arg Leu Trp Val Ser Arg Leu Leu Arg His Arg Lys Ala  
5 10 15

Gln Leu Leu

&lt;210&gt; 720

&lt;211&gt; 57

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(57)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 720

ggnathggnc cngtnytngg nytngtntgy gtnccnytny tnggnwsngc nwsngay 57

<210> 721  
<211> 57  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(57)  
<223> n = A,T,C or G

<400> 721  
gtncncncny tnytnytnga rgtnggngtn gargaraart tyatgacnat ggtnytn 57

<210> 722  
<211> 57  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(57)  
<223> n = A,T,C or G

<400> 722  
atgggtncarm gnytnthgggt nwsnmgnytn ytnmgncaym gnaargcnca rytnytn 57

<210> 723  
<211> 9  
<212> PRT  
<213> Homo sapiens

<400> 723  
Val Leu Gln Cys Val Asn Val Ser Val  
1 5

<210> 724  
<211> 9  
<212> PRT  
<213> Homo sapiens

<400> 724  
Arg Met Pro Thr Val Leu Gln Cys Val  
1 5

<210> 725  
<211> 9  
<212> PRT  
<213> Homo sapiens

<400> 725  
Asn Leu Cys Lys Phe Thr Glu Trp Ile  
1 5

<210> 726  
<211> 9  
<212> PRT



<213> Homo sapiens

<400> 726

Met Leu Ile Lys Leu Asp Glu Ser Val  
1 5

<210> 727

<211> 9

<212> PRT

<213> Homo sapiens

<400> 727

Leu Leu Ala Asn Asp Leu Met Leu Ile  
1 5

<210> 728

<211> 10

<212> PRT

<213> Homo sapiens

<400> 728

Leu Leu Ala Asn Gly Arg Met Pro Thr Val  
1 5 10

<210> 729

<211> 10

<212> PRT

<213> Homo sapiens

<400> 729

Leu Met Leu Ile Lys Leu Asp Glu Ser Val  
1 5 10

<210> 730

<211> 10

<212> PRT

<213> Homo sapiens

<400> 730

Val Leu Gln Cys Val Asn Val Ser Val Val  
1 5 10

<210> 731

<211> 10

<212> PRT

<213> Homo sapiens

<400> 731

Gly Leu Leu Ala Asn Gly Arg Met Pro Thr  
1 5 10

<210> 732

<211> 10

<212> PRT

<213> Homo sapiens

<400> 732

Thr Val Leu Gln Cys Val Asn Val Ser Val

285

1 5 10

<210> 733  
 <211> 9  
 <212> PRT  
 <213> Homo sapiens

<400> 733  
 Gly Val Leu Val His Pro Gln Trp Val  
 1 5

<210> 734  
 <211> 9  
 <212> PRT  
 <213> Homo sapiens

<400> 734  
 Val Leu Val His Pro Gln Trp Val Leu  
 1 5

<210> 735  
 <211> 1195  
 <212> DNA  
 <213> Homo sapiens

<400> 735  
 ccgagactca cggtcaagct aaggcgaaga gtgggtggct gaagccatac tattttatag 60  
 aattaatgga aagcagaaaa gacatcacaa accaagaaga actttggaaa atgaagccta 120  
 ggagaaatgtt agaagaagac gattatttgc ataaggacac gggagagacc agcatgctaa 180  
 aaagacctgt gcttttgcatt ttgcacccaaa cagcccatgc tgatgaatgt gactgccctt 240  
 cagaacttca gcacacacag gaactctttc cacagtggca cttgcccaatt aaaatagctg 300  
 ctattatagc atctctgact tttctttaca ctcttctgag ggaagtaatt cacccttttag 360  
 caacttccca tcaacaatat ttttataaaa ttccaatcct ggcatcaaac aaagtcttgc 420  
 caatggtttc catcactctc ttggcatttg tttacctgcc aggtgtgata gcagcaattg 480  
 tccaacttca taatggaacc aagtataaga agtttccaca ttggttggat aagtggatgt 540  
 taacaagaaa gcagtttggg ctctctcagtt tcttttttgc tgtactgcat gcaattttata 600  
 gtctgtctta cccaatgagg cgatcctaca gatacaagtt gctaaactgg gcatatcaac 660  
 aggtccaaca aaataaagaa gatgcctgga ttgagcatga tgtttggaga atggagattt 720  
 atgtgtctct gggaattgtg ggattggcaa tactggctct gttggctgtg acatctattc 780  
 catctgtgag tgactctttg acatggagag aatttcacta tattcagagc aagctaggaa 840  
 ttgtttccct tctactgggc acaatacacg cattgatttt tgccctggaat aagtggatag 900  
 atataaaaaca atttgtatgg tatacacctc caacttttat gatagctgtt ttccttccaa 960  
 ttgtttgtcct gatattttaa agcatactat tcctgccatg cttgaggaag aagatactga 1020  
 agattagaca tggttgggaa gacgtcacca aaattaacaa aactgagata tgttcccagt 1080  
 tgtagaatta ctgtttacac acatttttgt tcaatattga tatattttat caccaacatt 1140  
 tcaagtttgt atttgtaaat aaaatgatta ttcaaggaaa aaaaaaaaaa aaaaaa 1195

<210> 736  
 <211> 339  
 <212> PRT  
 <213> Homo sapiens

<400> 736  
 Met Glu Ser Arg Lys Asp Ile Thr Asn Gln Glu Glu Leu Trp Lys Met  
 5 10 15

Lys Pro Arg Arg Asn Leu Glu Glu Asp Asp Tyr Leu His Lys Asp Thr  
                     20                    25                    30  
 Gly Glu Thr Ser Met Leu Lys Arg Pro Val Leu Leu His Leu His Gln  
                     35                    40                    45  
 Thr Ala His Ala Asp Glu Phe Asp Cys Pro Ser Glu Leu Gln His Thr  
                     50                    55                    60  
 Gln Glu Leu Phe Pro Gln Trp His Leu Pro Ile Lys Ile Ala Ala Ile  
                     65                    70                    75                    80  
 Ile Ala Ser Leu Thr Phe Leu Tyr Thr Leu Leu Arg Glu Val Ile His  
                     85                    90                    95  
 Pro Leu Ala Thr Ser His Gln Gln Tyr Phe Tyr Lys Ile Pro Ile Leu  
                     100                    105                    110  
 Val Ile Asn Lys Val Leu Pro Met Val Ser Ile Thr Leu Leu Ala Leu  
                     115                    120                    125  
 Val Tyr Leu Pro Gly Val Ile Ala Ala Ile Val Gln Leu His Asn Gly  
                     130                    135                    140  
 Thr Lys Tyr Lys Lys Phe Pro His Trp Leu Asp Lys Trp Met Leu Thr  
                     145                    150                    155                    160  
 Arg Lys Gln Phe Gly Leu Leu Ser Phe Phe Phe Ala Val Leu His Ala  
                     165                    170                    175  
 Ile Tyr Ser Leu Ser Tyr Pro Met Arg Arg Ser Tyr Arg Tyr Lys Leu  
                     180                    185                    190  
 Leu Asn Trp Ala Tyr Gln Gln Val Gln Gln Asn Lys Glu Asp Ala Trp  
                     195                    200                    205  
 Ile Glu His Asp Val Trp Arg Met Glu Ile Tyr Val Ser Leu Gly Ile  
                     210                    215                    220  
 Val Gly Leu Ala Ile Leu Ala Leu Leu Ala Val Thr Ser Ile Pro Ser  
                     225                    230                    235                    240  
 Val Ser Asp Ser Leu Thr Trp Arg Glu Phe His Tyr Ile Gln Ser Lys  
                     245                    250                    255  
 Leu Gly Ile Val Ser Leu Leu Leu Gly Thr Ile His Ala Leu Ile Phe  
                     260                    265                    270  
 Ala Trp Asn Lys Trp Ile Asp Ile Lys Gln Phe Val Trp Tyr Thr Pro  
                     275                    280                    285  
 Pro Thr Phe Met Ile Ala Val Phe Leu Pro Ile Val Val Leu Ile Phe  
                     290                    295                    300  
 Lys Ser Ile Leu Phe Leu Pro Cys Leu Arg Lys Lys Ile Leu Lys Ile  
                     305                    310                    315                    320  
 Arg His Gly Trp Glu Asp Val Thr Lys Ile Asn Lys Thr Glu Ile Cys

325

330

335

Ser Gln Leu

&lt;210&gt; 737

&lt;211&gt; 2172

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 737

```
aaaattgaat attgagatac cattctttag tgttaccttt tttaccacaca tgtgtttctg 60
aaaatatttg aattttattc atcttaaaaa ttggaccggg ccttatttac catctttaat 120
ccattttagt actatgggtg agtacatgga attgaagtct ggcttaaate ttcagaaagt 180
tatatatcta ttttatttta tttttttgag acagagtctc gctgtgtcac ccaggctgga 240
gtgcgggtgcc acaatcttgg ctactgcaa cctctgagtc ccaggttcaa gcgataactca 300
tgccctcgcc tcctgagtag ctgggactac aggcgtgcac caccacatct ggctaactct 360
tttttgtatt tttagtagag acggggtttc actgtgtgtc ccactctcctg acctcgtgat 420
ccgcctgcct cccaaagtgc tgggattaca ggcatgagcc accgcacaca gctgggactg 480
ggtaatttat aaagaaaaga ggtttaatga ctcacagttc cgcatggctg gagaggcctc 540
aggaaaactta caatcatggt ggaaggcgaa ggggaagcaa ggacgtctt acatggtggc 600
aggagagaac gagtgagggg ggagactgcc acaaactttt tttttttgag acaagagtct 660
ggccctgttg cccaggctgg agtgcagtgg catgatctca gctcactgca acctctgcct 720
cacaggttca agcaattctc atgcctcagc ctcccgcata gctgggacca caggtatgca 780
ccaccacacc tagctaattt ttgtagtttt agtagagatg ggtctcact atgttgctca 840
ggctggctca aaactcctgg gctccagcaa tccgcctgcc ttggcctccc aaagtgtctg 900
ggttacagcc ataagccacc acatccagcc tggcacatac ttttaacta tcaggtctca 960
tgagaactca tgcactatca caagaatagc atggggaaaa tccccccat aatccaatca 1020
cctcccacca ggtctcctcc gacacgtggg attgggtggg gacacagagc caaacctgat 1080
cagatgctgc aggggctggg gacactgaga ccactcagac ctggtgtctc tgtcactctt 1140
ctgggctctg tctgtctcca ggacctccct ccccttccat ggtatagaag gaaagtgtctg 1200
taagggtgcaa attgcacagg aactccttaa gacatacatc atccactcag cagttttagg 1260
ttcgcagcaa aatggagtg gaggaaacaga aatttcctgt gcacccctcc ccgctgtctc 1320
cgccatatcg gcatcctgca tccagagtgg tggactgggt acaggctatg aacctacact 1380
gatgcggcac caccacccag agtccacggg ttatgttggg tcacatttac tcttgctgtg 1440
gtatggtcta taggtttgga cagatgtccg ataactcctt ttacattttg gcatccttgg 1500
gtagctcgtc ttgtaggaat ggacttgctt caaagtggag gcaggcagat ccttcagacg 1560
ggtatatgga gccctgtttt cagttgcttt tctaattctc tcttatcgtt tacctcaaaa 1620
tcttcctgag gtctcgtctc cttttaaaat ccttgtctac ttgcagcat cactctgaca 1680
ctccattgat tcctcagcac ctactgacta cacggttagg agtgcaaggg tagaattcat 1740
gttttattca tctttgggtc tgtagcacc agcaaagtgc tcagtaaatg cgagtaatt 1800
gatttgacct ctgaacaaat acacactgta ctaagaatct acacaccgaa agacaaaaac 1860
aagacaaatt tgagtgtcac aggtgtcacg cttggcatca cacatgtgcc tgtgtattcc 1920
tctaggtggt taccaggagc tctgccactg catgtccact agtgacgggt tcgctccacc 1980
accccagctg ggtagccgct gctctcacat aaggggtcca attaaaattg ccaggaataa 2040
attcccccg actttgactt ctcaagagct aagaaggttt gctgagtatt ctggcatgat 2100
gtttggtgat caaacaactg ctggccaaaa atgatgagta tttccccctc ttgctgaaga 2160
tgtgtccat ac 2172
```

&lt;210&gt; 738

&lt;211&gt; 2455

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 738

```
cagcttaaaa atgggtttctt gaaatcagtg attagcattc actcaccagt acccctacta 60
aggggttaggc actggtttgt actcctggga atacaggagt acaccagaat ttattttctgc 120
```

```

ttattgcttt tgttgcaaat gccgtggctt catctgagga attctagaat tcagaggggtg 180
tagccctcca ctctgctgtc ttgctatctg ctctcattgc atccgtttta cctgcattct 240
gaaagatgtt tctcagggtt ttcccttgacg attttcttct tttctgattc tgacaatgtt 300
ttaaatacatt gtactgtggt tatcatttct ctgcatttat tttacccatc ttcctttgta 360
acttgccta ttgtctttta atttctgcct gttctttatg gctttcaact tcataaataa 420
catgttttct caaatctctt tgtgaattcc agagagggcc aggcacggtg gctcacatct 480
gtaatcccag cactttgggg aggctgagac ggggtgatca cttgaggtca ggagtttgag 540
accagcctgg ccaacatggt gaaatcccgt ttcactaaaa atacaaaaat taccaggca 600
tgggtggcgg cgctgtaat cccagggtact cgggaggctg agggaggaga atcgcttgaa 660
cctgggaggc tgagggagga gaatcgcttg aaccgggag gcagaggttg cagtgaaccg 720
agatcatgtt gctgcaactc agcctggtca acagagcaag actctgcctc aaaaacaaac 780
aaataaaca acaaacaaac aaaacagaga gattttgctg caatgtacaa ggagcaattt 840
gctcctttta aaaaataatt tttggccagg cacagtggct cacacctgta atcccagcac 900
tttgggaagc caaggtgggt ggatcatttg aggtcaggag tttgagatca gcctggccaa 960
catggtgaaa cactatctct attaaaaata caaaaatgtg ctcatgtgtg tgggtcacat 1020
ctgtaatctc agcctcccgc atagctggga ccacaggtat gcaccaccac acctagctaa 1080
ttttttagt ttttagtag atgggtctc actatgttg caggctggt ctaaaactcc 1140
tgggctccag caatccgct gccttggcct cccaaagtgc tggggttaca ggcataagcc 1200
accacatcca gcctgcaca tacttttaa ctatcaggtc tcatgagaac tcatgacta 1260
tcacaagaat agcatgggga aaatccccc cataatcaa tcacctcca ccaggtctcc 1320
tccgacacgt gggattgggt ggggacacag agccaaaccg tatcagatgc tgcaggggct 1380
ggggacactg agaccactca gacctggtgt ctctgtcact cttctgggct ctgtctgtct 1440
ccaggacctc cctccccttc catggtatag aaggaaagt ctgtaagggt caaattgcac 1500
aggaactcct taagacatac atcatccact cagcagttt aggttcgcag caaatggag 1560
tggaaggaa agaaatttc tgtgcacccc tcccgcgtgt ctccgccata tcggcatcct 1620
gcatccagag tgggtgactg gttacaggct atgaacctac actgatgcgg caccaccac 1680
cagagtcac aggttatgtt ggttcacatt tactctgtgt gtggtatggt ctataggttt 1740
ggacagatgt ccgataatcc tttttacatt ttggcatcct tgggtagctc gtctttagg 1800
aatggacttg cttcaaagt gaggcaggca gatccttcag acgggtatat ggagccctgt 1860
tttcagttgc ttttctaatt ctctcttctc gtttacctca aaatctcct gaggtctgc 1920
ttccttttaa aatccttgct tactttgcag catcactctg aactccatt gattcctcag 1980
cacctactga ctacacggtt aggagtgc aa gggtagaatt catgttttat tcactcttgg 2040
gtctgtagca cccagcaaag tgctcagtaa atgcgcagta attgatttga cctctgaaca 2100
aatacacact gtactaagaa tctacacacc gaaagacaaa aacaagacaa atttgatgct 2160
tacaggtgtc acgcttgga tcacacatgt gcctgtgtat tcctctaggt gggtaccagg 2220
agctctgccat ctgcatgtcc actagtgaag ggttcgctcc accaccccag ctgggtagcc 2280
gctgtctca cataagggtt ccaattaaaa ttgccaggaa taaattcccc cggactttga 2340
cttctcaaga gctaagaagg tttgtcagat attctggcat gatgtttggt gatcaacaa 2400
ctgctggcca aaaatgatga gtatttcccc ctcttgcctg agatgtgctc catac 2455

```

&lt;210&gt; 739

&lt;211&gt; 2455

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 739

```

cagcttaaaa atggttttctt gaaatcagtg attagcattc actcaccagt acccctacta 60
aggggtaggc actggtttgt actcctggga atacaggagt acaccagaat ttatttctgc 120
ttattgcttt tgttgcaaat gccgtggctt catctgagga attctagaat tcagaggggtg 180
tagccctcca ctctgctgtc ttgctatctg ctctcattgc atccgtttta cctgcattct 240
gaaagatgtt tctcagggtt ttcccttgacg attttcttct tttctgattc tgacaatgtt 300
ttaaatacatt gtactgtggt tatcatttct ctgcatttat tttacccatc ttcctttgta 360
acttgccta ttgtctttta atttctgcct gttctttatg gctttcaact tcataaataa 420
catgttttct caaatctctt tgtgaattcc agagagggcc aggcacggtg gctcacatct 480
gtaatcccag cactttgggg aggctgagac ggggtgatca cttgaggtca ggagtttgag 540
accagcctgg ccaacatggt gaaatcccgt ttcactaaaa atacaaaaat taccaggca 600
tgggtggcgg cgctgtaat cccagggtact cgggaggctg agggaggaga atcgcttgaa 660
cctgggaggc tgagggagga gaatcgcttg aaccgggag gcagaggttg cagtgaaccg 720

```

```
<210> 740
<211> 62
<212> PRT
<213> Homo sapiens
```

```
<210> 741
<211> 135
<212> PRT
<213> Homo sapiens
```

<400> 741  
Met Val Glu Gly Glu Gly Glu Ala Arg His Val Leu His Gly Gly Arg  
5 10 15

290

Arg Glu Arg Val Arg Gly Glu Thr Ala Thr Asn Phe Phe Phe Leu Arg  
                   20                                  25                                  30  
 Gln Glu Ser Gly Pro Val Ala Gln Ala Gly Val Gln Trp His Asp Leu  
                   35                                  40                                  45  
 Ser Ser Leu Gln Pro Leu Pro His Arg Phe Lys Gln Phe Ser Cys Leu  
                   50                                  55                                  60  
 Ser Leu Pro His Ser Trp Asp His Arg Tyr Ala Pro Pro His Leu Ala  
                   65                                  70                                  75                                  80  
 Asn Phe Cys Ser Phe Ser Arg Asp Gly Val Ser Leu Cys Cys Ser Gly  
                                   85                                  90                                  95  
 Trp Ser Lys Thr Pro Gly Leu Gln Gln Ser Ala Cys Leu Gly Leu Pro  
                   100                                  105                                  110  
 Lys Cys Trp Gly Tyr Arg His Lys Pro Pro His Pro Ala Cys His Ile  
                   115                                  120                                  125  
 Leu Leu Asn Tyr Gln Val Ser  
                   130                                  135

<210> 742  
 <211> 77  
 <212> PRT  
 <213> Homo sapiens

<400> 742  
 Met His Tyr His Lys Asn Ser Met Gly Lys Ile Pro Pro Ile Ile Gln  
                                   5                                  10                                  15  
 Ser Pro Pro Thr Arg Ser Pro Pro Thr Arg Gly Ile Gly Trp Gly His  
                   20                                  25                                  30  
 Arg Ala Lys Pro Tyr Gln Met Leu Gln Gly Leu Gly Thr Leu Arg Pro  
                   35                                  40                                  45  
 Leu Arg Pro Gly Val Ser Val Thr Leu Leu Gly Ser Val Cys Leu Gln  
                   50                                  55                                  60  
 Asp Leu Pro Pro Leu Pro Trp Tyr Arg Arg Lys Val Leu  
                   65                                  70                                  75

<210> 743  
 <211> 60  
 <212> PRT  
 <213> Homo sapiens

<400> 743  
 Met Leu Val His Ile Tyr Ser Cys Cys Gly Met Val Tyr Arg Phe Gly  
                                   5                                  10                                  15  
 Gln Met Ser Asp Asn Pro Phe Tyr Ile Leu Ala Ser Leu Gly Ser Ser  
                   20                                  25                                  30

291

Ser Cys Arg Asn Gly Leu Ala Ser Lys Trp Arg Gln Ala Asp Pro Ser  
           35                  40                  45

Asp Gly Tyr Met Glu Pro Cys Phe Gln Leu Leu Phe  
           50                  55                  60

&lt;210&gt; 744

&lt;211&gt; 76

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 744

Met Cys Leu Cys Ile Pro Leu Gly Gly Tyr Gln Glu Leu Cys His Cys  
                   5                  10                  15

Met Ser Thr Ser Asp Gly Phe Ala Pro Pro Pro Gln Leu Gly Ser Arg  
                   20                  25                  30

Cys Ser His Ile Arg Gly Pro Ile Lys Ile Ala Arg Asn Lys Phe Pro  
                   35                  40                  45

Arg Thr Leu Thr Ser Gln Glu Leu Arg Arg Phe Ala Glu Tyr Ser Gly  
           50                  55                  60

Met Met Phe Gly Asp Gln Thr Thr Ala Gly Gln Lys  
       65                  70                  75

&lt;210&gt; 745

&lt;211&gt; 76

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 745

Met Val Lys Ser Arg Phe Thr Lys Asn Thr Lys Ile Thr Gln Ala Trp  
                   5                  10                  15

Trp Arg Ala Pro Val Ile Pro Gly Thr Arg Glu Ala Glu Gly Gly Glu  
                   20                  25                  30

Ser Leu Glu Pro Gly Arg Leu Arg Glu Glu Asn Arg Leu Asn Pro Gly  
           35                  40                  45

Gly Arg Gly Cys Ser Glu Pro Arg Ser Cys Cys Cys Thr Pro Ala Trp  
           50                  55                  60

Ser Thr Glu Gln Asp Ser Ala Ser Lys Thr Asn Lys  
       65                  70                  75

&lt;210&gt; 746

&lt;211&gt; 80

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 746

Met Leu Leu His Ser Ser Leu Val Asn Arg Ala Arg Leu Cys Leu Lys



				5				10				15			
Asn	Lys	Gln	Ile	Asn	Lys	Gln	Thr	Asn	Lys	Thr	Glu	Arg	Phe	Cys	Cys
20				25								30			
Asn	Val	Gln	Gly	Ala	Ile	Cys	Ser	Phe	Lys	Lys	Ile	Ile	Phe	Gly	Gln
35				40								45			
Ala	Gln	Trp	Leu	Thr	Pro	Val	Ile	Pro	Ala	Leu	Trp	Glu	Ala	Lys	Val
50				55								60			
Gly	Gly	Ser	Phe	Glu	Val	Arg	Ser	Leu	Arg	Ser	Ala	Trp	Pro	Thr	Trp
65				70								75			
												80			

```
<210> 747
<211> 72
<212> PRT
<213> Homo sapiens
```

<400> 747  
Met His Tyr His Lys Asn Ser Met Gly Lys Ile Pro Pro His Asn Pro  
5 10 15

Ile Thr Ser His Gln Val Ser Ser Asp Thr Trp Asp Trp Val Gly Thr  
20 25 30

Gln Ser Gln Thr Val Ser Asp Ala Ala Gly Ala Gly Asp Thr Glu Thr  
35 40 45

Thr Gln Thr Trp Cys Leu Cys His Ser Ser Gly Leu Cys Leu Ser Pro  
50 55 60

Gly Pro Pro Ser Pro Ser Met Val  
65 70

```
<210> 748
<211> 77
<212> PRT
<213> Homo sapiens
```

```
<400> 748
Met His Tyr His Lys Asn Ser Met Gly Lys Ile Pro Pro Ile Ile Gln
          5              10              15
```

Ser Pro Pro Thr Arg Ser Pro Pro Thr Arg Gly Ile Gly Trp Gly His  
20 25 30

Arg Ala Lys Pro Tyr Gln Met Leu Gln Gly Leu Gly Thr Leu Arg Pro  
35 40 45

Leu Arg Pro Gly Val Ser Val Thr Leu Leu Gly Ser Val Cys Leu Gln  
50 55 60

Asp Leu Pro Pro Leu Pro Trp Tyr Arg Arg Lys Val Leu  
65 70 75

293

<210> 749  
 <211> 60  
 <212> PRT  
 <213> Homo sapiens

<400> 749  
 Met Leu Val His Ile Tyr Ser Cys Cys Gly Met Val Tyr Arg Phe Gly  
                           5                          10                          15  
 Gln Met Ser Asp Asn Pro Phe Tyr Ile Leu Ala Ser Leu Gly Ser Ser  
                           20                          25                          30  
 Ser Cys Arg Asn Gly Leu Ala Ser Lys Trp Arg Gln Ala Asp Pro Ser  
                           35                          40                          45  
 Asp Gly Tyr Met Glu Pro Cys Phe Gln Leu Leu Phe  
                           50                          55                          60

<210> 750  
 <211> 76  
 <212> PRT  
 <213> Homo sapiens

<400> 750  
 Met Cys Leu Cys Ile Pro Leu Gly Gly Tyr Gln Glu Leu Cys His Cys  
                           5                          10                          15  
 Met Ser Thr Ser Asp Gly Phe Ala Pro Pro Pro Gln Leu Gly Ser Arg  
                           20                          25                          30  
 Cys Ser His Ile Arg Gly Pro Ile Lys Ile Ala Arg Asn Lys Phe Pro  
                           35                          40                          45  
 Arg Thr Leu Thr Ser Gln Glu Leu Arg Arg Phe Ala Glu Tyr Ser Gly  
                           50                          55                          60  
 Met Met Phe Gly Asp Gln Thr Thr Ala Gly Gln Lys  
                           65                          70                          75

<210> 751  
 <211> 2479  
 <212> DNA  
 <213> Homo sapiens

<400> 751  
 gtcattattga acattccaga tacctatcat tactcgatgc tgttgataac agcaagatgg 60  
 ctttgaactc agggtcacca ccagctattg gaccttacta tgaaaacccat ggataccaac 120  
 cggaaaaccc ctatcccga cagcccaactg tggccccac tgtctacgag gtgcatccgg 180  
 ctcaagtacta cccgtccccc gtgccccagt acgccccgag ggtcctgacg caggcttcca 240  
 accccgtcgt ctgcacgcag cccaaatccc catccgggac agtgtgcacc tcaaagacta 300  
 agaaagcact gtgcatcacc ttgaccctgg ggaccttcct cgtgggagct gcgctggccg 360  
 ctggcctact ctggaagttc atgggcagca agtgctccaa ctctgggata gagtgcgact 420  
 cctcaggtac ctgcatcaac cctctaact ggtgtgatgg cgtgtcacac tgccccggcg 480  
 gggaggacga gaatcgggtg gttcgctct acggaccaaa cttcctcctt cagatgtact 540  
 catctcagag gaagtctcgt caccctgtgt gccaaagcga ctggaacgag aactacgggc 600

```

ggggggcctg cagggacatg ggctataaga ataattttta ctctagccaa ggaatagtgg 660
atgacagcgg atccaccagc tttatgaaac tgaacacaag tgccggcaat gtcgatatct 720
ataaaaaact gtaccacagt gatgcctgtt cttcaaaagc agtgggttct ttacgctgtt 780
tagcctgcgg ggtcaacttg aactcaagcc gccagagcag gatcgtgggc ggtgagagcg 840
cgctcccggg ggctggccc tggcaggtca gcctgcacgt ccagaacgtc cacgtgtgcg 900
gaggctccat catcaccccc gagtggatcg tgacagccgc cactgcgtg gaaaaacctc 960
ttaacaatcc atggcattgg acggcatttg oggggatttt gagacaatct ttcattgttct 1020
atggagccgg ataccaagta caaaaagtga tttctcatcc aaattatgac tccaagacca 1080
agaacaatga cattgcgctg atgaagctgc agaagcctct gactttcaac gacctagtga 1140
aaccagtgtg tctgccaac ccaggcatga tgctgcagcc agaacagctc tgctggattt 1200
ccgggtgggg ggccaccgag gagaaaagga agacctcaga agtgctgaac gctgccaagg 1260
tgcttctcat tgagacacag agatgcaaca gcagatatgt ctatgacaac ctgatcacac 1320
cagccatgat ctgtgccggc ttctgcagg ggaacgtcga ttcttgccag ggtgacagtg 1380
gagggcctct ggtcacttcg aacaacaata tctgggtgct gataggggat acaagctggg 1440
gttctggctg tgccaaagct tacagaccag gagtgtacgg gaatgtgatg gtattcacgg 1500
actggattta tcgacaaatg aaggcaaacg gctaatccac atggtcttcg tccttgacgt 1560
cgttttacaa gaaaacaatg gggctggttt tgcttccccg tgcattgatt actcttagag 1620
atgattcaga ggtcacttca tttttattaa acagtgaact tgtctggctt tggcactctc 1680
tgccatactg tgcaggctgc agtggtccc ctgccagcc tgctctccct aacccttgt 1740
ccgcaagggg tgatggccgg ctggttgtgg gcactggcgg tcaattgtgg aaggaagagg 1800
gttgaggct gccccattg agatcttcct gctgagtcct ttccaggggc caattttgga 1860
tgagcatgga gctgtcactt ctcagctgct ggatgacttg agatgaaaaa ggagagacat 1920
ggaaagggag acagccagggt ggcacctgca gcggctgcc tctggggcca cttggtagt 1980
tccccagcct acttcacaag gggattttgc tgatgggttc ttagagcctt agcagccctg 2040
gatggtggcc agaaataaag ggaccagccc ttcattgggtg gtgacgtggt agtcacttgt 2100
aaggggaaca gaaacatttt tgttcttatg gggtgagaat atagacagtg cccttggtgc 2160
gagggaaagca attgaaaagg aacttgccct gagcactcct ggtgcaggtc tccacctgca 2220
cattgggtgg ggctcctggg agggagactc agccttcctc ctcactcctc ctgacctgc 2280
tcctagcacc ctggagagtg aatgcccctt ggtccctggc agggcgccaa gtttggcacc 2340
atgtcggcct cttcaggcct gatagtcatt ggaaattgag gtccatgggg gaaatcaagg 2400
atgctcagtt taaggtacac tgtttccatg ttatgtttct acacattgat ggtggtgacc 2460
ctgagttcaa agccatctt 2479

```

&lt;210&gt; 752

&lt;211&gt; 492

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 752

```

Met Ala Leu Asn Ser Gly Ser Pro Pro Ala Ile Gly Pro Tyr Tyr Glu
      5                      10                      15

Asn His Gly Tyr Gln Pro Glu Asn Pro Tyr Pro Ala Gln Pro Thr Val
      20                      25                      30

Val Pro Thr Val Tyr Glu Val His Pro Ala Gln Tyr Tyr Pro Ser Pro
      35                      40                      45

Val Pro Gln Tyr Ala Pro Arg Val Leu Thr Gln Ala Ser Asn Pro Val
      50                      55                      60

Val Cys Thr Gln Pro Lys Ser Pro Ser Gly Thr Val Cys Thr Ser Lys
      65                      70                      75                      80

Thr Lys Lys Ala Leu Cys Ile Thr Leu Thr Leu Gly Thr Phe Leu Val
      85                      90                      95

Gly Ala Ala Leu Ala Ala Gly Leu Leu Trp Lys Phe Met Gly Ser Lys

```

295

100					105					110						
Cys	Ser	Asn	Ser	Gly	Ile	Glu	Cys	Asp	Ser	Ser	Gly	Thr	Cys	Ile	Asn	
115					120					125						
Pro	Ser	Asn	Trp	Cys	Asp	Gly	Val	Ser	His	Cys	Pro	Gly	Gly	Glu	Asp	
130					135					140						
Glu	Asn	Arg	Cys	Val	Arg	Leu	Tyr	Gly	Pro	Asn	Phe	Ile	Leu	Gln	Met	
145					150					155					160	
Tyr	Ser	Ser	Gln	Arg	Lys	Ser	Trp	His	Pro	Val	Cys	Gln	Asp	Asp	Trp	
165					170					175						
Asn	Glu	Asn	Tyr	Gly	Arg	Ala	Ala	Cys	Arg	Asp	Met	Gly	Tyr	Lys	Asn	
180					185					190						
Asn	Phe	Tyr	Ser	Ser	Gln	Gly	Ile	Val	Asp	Asp	Ser	Gly	Ser	Thr	Ser	
195					200					205						
Phe	Met	Lys	Leu	Asn	Thr	Ser	Ala	Gly	Asn	Val	Asp	Ile	Tyr	Lys	Lys	
210					215					220						
Leu	Tyr	His	Ser	Asp	Ala	Cys	Ser	Ser	Lys	Ala	Val	Val	Ser	Leu	Arg	
225					230					235					240	
Cys	Leu	Ala	Cys	Gly	Val	Asn	Leu	Asn	Ser	Ser	Arg	Gln	Ser	Arg	Ile	
245					250					255						
Val	Gly	Gly	Glu	Ser	Ala	Leu	Pro	Gly	Ala	Trp	Pro	Trp	Gln	Val	Ser	
260					265					270						
Leu	His	Val	Gln	Asn	Val	His	Val	Cys	Gly	Gly	Ser	Ile	Ile	Thr	Pro	
275					280					285						
Glu	Trp	Ile	Val	Thr	Ala	Ala	His	Cys	Val	Glu	Lys	Pro	Leu	Asn	Asn	
290					295					300						
Pro	Trp	His	Trp	Thr	Ala	Phe	Ala	Gly	Ile	Leu	Arg	Gln	Ser	Phe	Met	
305					310					315					320	
Phe	Tyr	Gly	Ala	Gly	Tyr	Gln	Val	Gln	Lys	Val	Ile	Ser	His	Pro	Asn	
325					330					335						
Tyr	Asp	Ser	Lys	Thr	Lys	Asn	Asn	Asp	Ile	Ala	Leu	Met	Lys	Leu	Gln	
340					345					350						
Lys	Pro	Leu	Thr	Phe	Asn	Asp	Leu	Val	Lys	Pro	Val	Cys	Leu	Pro	Asn	
355					360					365						
Pro	Gly	Met	Met	Leu	Gln	Pro	Glu	Gln	Leu	Cys	Trp	Ile	Ser	Gly	Trp	
370					375					380						
Gly	Ala	Thr	Glu	Glu	Lys	Gly	Lys	Thr	Ser	Glu	Val	Leu	Asn	Ala	Ala	
385					390					395					400	
Lys	Val	Leu	Leu	Ile	Glu	Thr	Gln	Arg	Cys	Asn	Ser	Arg	Tyr	Val	Tyr	
405					410					415						

296

Asp Asn Leu Ile Thr Pro Ala Met Ile Cys Ala Gly Phe Leu Gln Gly  
 420 425 430

Asn Val Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro Leu Val Thr Ser  
 435 440 445

Asn Asn Asn Ile Trp Trp Leu Ile Gly Asp Thr Ser Trp Gly Ser Gly  
 450 455 460

Cys Ala Lys Ala Tyr Arg Pro Gly Val Tyr Gly Asn Val Met Val Phe  
 465 470 475 480

Thr Asp Trp Ile Tyr Arg Gln Met Lys Ala Asn Gly  
 485 490

<210> 753  
 <211> 683  
 <212> DNA  
 <213> Homo sapiens

<400> 753  
 gtcattattga acattccaga tacctatcat tactcgatgc tgttgataac agcaagatgg 60  
 ctttgaactc agggtcacca ccagctattg gaccttacta tgaaaaccat ggataccaac 120  
 cggaaaaccc ctatcccgcg cagcccactg tggccccac tgtctacgag gtgcatccgg 180  
 ctccagtacta cccgtcccc gtgcccagc acgccccgag ggtcctgacg caggcttcca 240  
 accccgctcg ctgcacgcag cccaaatccc catccgggac agtgtgcacc tcaaagacta 300  
 agaaagcact gtgcatcacc ttgaccctgg ggaccttccc cgtgggagct gcgctggccg 360  
 ctggcctact ctggaagttc atgggcagca agtgcctcaa ctctgggata gagtgcgact 420  
 cctcaggtac ctgcatcaac cctctaact ggtgtgatgg cgtgtcacac tgccccggcg 480  
 gggaggacga gaatcgggtg gttcgcctct acggaccaaa cttcatcctt cagatgtact 540  
 catctcagag gaagtccctg caccctgtgt gccaaagcga ctggaacgag aactacgggc 600  
 gggcgccctg cagggacatg ggctataaga ataattttta ctctagccaa ggaatagtgg 660  
 atgacagcgg atccaccagc ttt 683

<210> 754  
 <211> 209  
 <212> PRT  
 <213> Homo sapiens

<400> 754  
 Met Ala Leu Asn Ser Gly Ser Pro Pro Ala Ile Gly Pro Tyr Tyr Glu  
 1 5 10 15  
 Asn His Gly Tyr Gln Pro Glu Asn Pro Tyr Pro Ala Gln Pro Thr Val  
 20 25 30  
 Val Pro Thr Val Tyr Glu Val His Pro Ala Gln Tyr Tyr Pro Ser Pro  
 35 40 45  
 Val Pro Gln Tyr Ala Pro Arg Val Leu Thr Gln Ala Ser Asn Pro Val  
 50 55 60  
 Val Cys Thr Gln Pro Lys Ser Pro Ser Gly Thr Val Cys Thr Ser Lys  
 65 70 75 80  
 Thr Lys Lys Ala Leu Cys Ile Thr Leu Thr Leu Gly Thr Phe Leu Val  
 85 90 95

297

Gly Ala Ala Leu Ala Ala Gly Leu Leu Trp Lys Phe Met Gly Ser Lys  
                   100                  105                  110  
 Cys Ser Asn Ser Gly Ile Glu Cys Asp Ser Ser Gly Thr Cys Ile Asn  
           115                  120                  125  
 Pro Ser Asn Trp Cys Asp Gly Val Ser His Cys Pro Gly Gly Glu Asp  
           130                  135                  140  
 Glu Asn Arg Cys Val Arg Leu Tyr Gly Pro Asn Phe Ile Leu Gln Met  
 145                  150                  155                  160  
 Tyr Ser Ser Gln Arg Lys Ser Trp His Pro Val Cys Gln Asp Asp Trp  
                   165                  170                  175  
 Asn Glu Asn Tyr Gly Arg Ala Ala Cys Arg Asp Met Gly Tyr Lys Asn  
                   180                  185                  190  
 Asn Phe Tyr Ser Ser Gln Gly Ile Val Asp Asp Ser Gly Ser Thr Ser  
           195                  200                  205  
 Phe

<210> 755  
 <211> 27  
 <212> PRT  
 <213> Homo sapiens

<400> 755  
 Val Gly Glu Gly Leu Tyr Gln Gly Val Pro Arg Ala Glu Pro Gly Thr  
   1                  5                  10                  15  
 Glu Ala Arg Arg His Tyr Asp Glu Gly Val Arg  
           20                  25

<210> 756  
 <211> 35  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> PCR primer

<400> 756  
 ggatccgccg ccaccatgtc actttctagc ctgct 35

<210> 757  
 <211> 27  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> PCR primer

<400> 757  
 gtcgactcag ctggaccaca gccgcag 27

<210> 758  
 <211> 34  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> PCR primer

<400> 758  
ggatccgccg ccaccatggg ctgcaggctg ctct

34

<210> 759  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> PCR primer

<400> 759  
gtcgactcag aaatcctttc tcttgac

27

<210> 760  
<211> 936  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...()  
<223> n = A,T,C or G

<400> 760  
atgggctgca ggctgntctg ctgtgcggtt ctctgtctcc tgggagcggg ccccatggaa 60  
acgggagtta cgcagacacc aagacacctg gtcattggga tgacaaataa gaagtctttg 120  
aaatgtgaac aacatctggg tcataacgct atgtattggg acaagcaaag tgctaagaag 180  
ccactggagc tcatgtttgt ctacagtctt gaagaacggg ttgaaaacaa cagtgtgcca 240  
agtgcgttct cacctgaatg ccccaacagc tctcacttat tccttcacct acacacctg 300  
cagccagaag actcggccct gtatctctgc gccagcagcc aagaccggac aagcagctcc 360  
tacgagcagt acttcgggcc gggcaccagg ctacaggtca cagaggacct gaaaaacgtg 420  
ttcccacccg aggtcgctgt gtttgagcca tcagaagcag agatctccca caccctaaag 480  
gccacactgg tgtgcctggc cacaggcttc taccctgacc acgtggagct gagctggagg 540  
gtgaatggga aggaggtgca cagtgggggc agcacagacc cgcagcccct caaggagcag 600  
cccgcctca atgactccag atactgcctg agcagccgcc tgagggtctc ggccaccttc 660  
tggcagaacc cccgcaacca cttccgctgt caagtccagt tctacgggct ctcggaagaat 720  
gacgagtgga ccaggatag ggccaaacct gtcaccaga tctcagcgc cgaggcctgg 780  
ggtagagcag actgtggctt cacctccgag tcttaccagc aaggggtcct gtctgccacc 840  
atcctctatg agatcttgct aggaaggcc accttgtatg ccgtgctggt cagtgccttc 900  
gtgctgatgg ccatgggtcaa gagaaggat ttctga 936

<210> 761  
<211> 834  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...()  
<223> n = A,T,C or G

<400> 761  
atgtcacttt ctacgctgct naagtggtc acagcttcac tgtggctagg acctggcatt 60  
gccagaaga taactcaaac ccaaccagga atgttcgtgc aggaagga ggctgtgact 120  
ctggactgca catatgacac cagtgatcaa agttatggc tcttctggta caagcagccc 180

299

```

agcagtgggg aaatgatttt tcttatttat caggggtctt atgacgagca aaatgcaaca 240
gaaggtcgct actcattgaa tttccagaag gcaagaaaat ccgccaacct tgtcatctcc 300
gcttcacaac tgggggactc agcaatgtat ttctgtgcaa tgagagaggg cgcgggagga 360
ggaaacaaac tcacctttgg gacaggcact cagctaaaag tggaactcaa tatccagaac 420
cctgaccctg ccgtgtacca gctgagagac tctaaatcca gtgacaagtc tgtctgccta 480
ttcaccgatt ttgattctca aacaaatgtg tcacaaagta aggattctga tgtgtatatc 540
acagacaaaa ctgtgctaga catgaggtct atggacttca agagcaacag tgctgtggcc 600
tgagagcaaca aatctgactt tgcattgtgca aacgccttca acaacagcat tattccagaa 660
gacaccttct tccccagccc agaaagtccc tgtgatgtca agctggtcga gaaaaagctt 720
gaaacagata cgaacctaaa ctttcaaaac ctgtcagtga ttgggttccg aatcctcctc 780
ctgaaagtgg ccgggtttaa tctgctcatg acgctgcggc tgtggtccag ctga 834

```

&lt;210&gt; 762

&lt;211&gt; 311

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; variant

&lt;222&gt; (1)...(311)

&lt;223&gt; Xaa = Any amino acid

&lt;400&gt; 762

```

Met Gly Cys Arg Leu Xaa Cys Cys Ala Val Leu Cys Leu Leu Gly Ala
      5                                10                                15

Val Pro Met Glu Thr Gly Val Thr Gln Thr Pro Arg His Leu Val Met
      20                                25                                30

Gly Met Thr Asn Lys Lys Ser Leu Lys Cys Glu Gln His Leu Gly His
      35                                40                                45

Asn Ala Met Tyr Trp Tyr Lys Gln Ser Ala Lys Lys Pro Leu Glu Leu
      50                                55                                60

Met Phe Val Tyr Ser Leu Glu Glu Arg Val Glu Asn Asn Ser Val Pro
      65                                70                                75                                80

Ser Arg Phe Ser Pro Glu Cys Pro Asn Ser Ser His Leu Phe Leu His
      85                                90                                95

Leu His Thr Leu Gln Pro Glu Asp Ser Ala Leu Tyr Leu Cys Ala Ser
      100                                105                                110

Ser Gln Asp Arg Thr Ser Ser Ser Tyr Glu Gln Tyr Phe Gly Pro Gly
      115                                120                                125

Thr Arg Leu Thr Val Thr Glu Asp Leu Lys Asn Val Phe Pro Pro Glu
      130                                135                                140

Val Ala Val Phe Glu Pro Ser Glu Ala Glu Ile Ser His Thr Gln Lys
      145                                150                                155                                160

Ala Thr Leu Val Cys Leu Ala Thr Gly Phe Tyr Pro Asp His Val Glu
      165                                170                                175

Leu Ser Trp Trp Val Asn Gly Lys Glu Val His Ser Gly Val Ser Thr
      180                                185                                190

```



300

Asp Pro Gln Pro Leu Lys Glu Gln Pro Ala Leu Asn Asp Ser Arg Tyr  
 195 200 205  
 Cys Leu Ser Ser Arg Leu Arg Val Ser Ala Thr Phe Trp Gln Asn Pro  
 210 215 220  
 Arg Asn His Phe Arg Cys Gln Val Gln Phe Tyr Gly Leu Ser Glu Asn  
 225 230 235 240  
 Asp Glu Trp Thr Gln Asp Arg Ala Lys Pro Val Thr Gln Ile Val Ser  
 245 250 255  
 Ala Glu Ala Trp Gly Arg Ala Asp Cys Gly Phe Thr Ser Glu Ser Tyr  
 260 265 270  
 Gln Gln Gly Val Leu Ser Ala Thr Ile Leu Tyr Glu Ile Leu Leu Gly  
 275 280 285  
 Lys Ala Thr Leu Tyr Ala Val Leu Val Ser Ala Leu Val Leu Met Ala  
 290 295 300  
 Met Val Lys Arg Lys Asp Phe  
 305 310

<210> 763  
 <211> 277  
 <212> PRT  
 <213> Homo sapiens

<400> 763  
 Met Ser Leu Ser Ser Leu Leu Lys Val Val Thr Ala Ser Leu Trp Leu  
 5 10 15  
 Gly Pro Gly Ile Ala Gln Lys Ile Thr Gln Thr Gln Pro Gly Met Phe  
 20 25 30  
 Val Gln Glu Lys Glu Ala Val Thr Leu Asp Cys Thr Tyr Asp Thr Ser  
 35 40 45  
 Asp Gln Ser Tyr Gly Leu Phe Trp Tyr Lys Gln Pro Ser Ser Gly Glu  
 50 55 60  
 Met Ile Phe Leu Ile Tyr Gln Gly Ser Tyr Asp Glu Gln Asn Ala Thr  
 65 70 75 80  
 Glu Gly Arg Tyr Ser Leu Asn Phe Gln Lys Ala Arg Lys Ser Ala Asn  
 85 90 95  
 Leu Val Ile Ser Ala Ser Gln Leu Gly Asp Ser Ala Met Tyr Phe Cys  
 100 105 110  
 Ala Met Arg Glu Gly Ala Gly Gly Gly Asn Lys Leu Thr Phe Gly Thr  
 115 120 125  
 Gly Thr Gln Leu Lys Val Glu Leu Asn Ile Gln Asn Pro Asp Pro Ala  
 130 135 140

301

Val Tyr Gln Leu Arg Asp Ser Lys Ser Ser Asp Lys Ser Val Cys Leu  
 145 150 155 160  
 Phe Thr Asp Phe Asp Ser Gln Thr Asn Val Ser Gln Ser Lys Asp Ser  
 165 170 175  
 Asp Val Tyr Ile Thr Asp Lys Thr Val Leu Asp Met Arg Ser Met Asp  
 180 185 190  
 Phe Lys Ser Asn Ser Ala Val Ala Trp Ser Asn Lys Ser Asp Phe Ala  
 195 200 205  
 Cys Ala Asn Ala Phe Asn Asn Ser Ile Ile Pro Glu Asp Thr Phe Phe  
 210 215 220  
 Pro Ser Pro Glu Ser Ser Cys Asp Val Lys Leu Val Glu Lys Ser Phe  
 225 230 235 240  
 Glu Thr Asp Thr Asn Leu Asn Phe Gln Asn Leu Ser Val Ile Gly Phe  
 245 250 255  
 Arg Ile Leu Leu Leu Lys Val Ala Gly Phe Asn Leu Leu Met Thr Leu  
 260 265 270  
 Arg Leu Trp Ser Ser  
 275

&lt;210&gt; 764

&lt;211&gt; 1536

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 764

atgtacaacc tgttgctgtc ctacgacaga catggggacc acctgcagcc cctggacctc 60  
 gtgccaatc accaggtct caccctttc aagctggctg gagtggagg taacactgtg 120  
 atgtttcagc acctgatgca gaagcgaag cacaccagtg ggacgtatgg accactgacc 180  
 tcgactctct atgacctcac agagatcgac tcctcagggg atgagcagtc cctgctggaa 240  
 cttatcatca ccaccaagaa gcgggaggct cgccagatcc tggaccagac gccggtgaag 300  
 gagctggtga gcctcaagt gaagcggtag gggcgccgtg acttctgcat gctgggtgcc 360  
 atatatctgc tgtacatcat ctgcttcacc atgtgctgca tctaccgcc cctcaagccc 420  
 aggaccaata accgcacgag ccccggggac aacaccctct tacagcagaa gctacttcag 480  
 gaagcctaca tgaccctaa ggacgatata cggctggtcg gggagctggt gactgtcatt 540  
 ggggctatca tcatctgct ggtagaggtt ccagacatct tcagaatggg ggtcactogc 600  
 ttctttggac agaccatcct tgggggccca ttccatgtcc tcatcatcac ctatgccttc 660  
 atggtgctgg tgaccatggt gatcgcgctc atcagtgccá gcggggagggt ggtacccatg 720  
 tcctttgcac tcgtgctggg ctggtgcaac gtcattgtact tcgcccaggg attccagatg 780  
 ctaggcccct tcaccatcat gattcagaag atgatttttg gcgacctgat gcgattctgc 840  
 tggctgatgg ctgtggtcat cctgggcttt gcttcagcct tctatatcat cttccagaca 900  
 gaggaccccg aggagctagg ccactttctac gactacccca tggccctggt cagcaccttc 960  
 gagctgttcc ttaccatcat cgatggccca gccaaactaca acgtggacct gcccttcatt 1020  
 tacagcatca cctatgctgc ctttgccatc atcgccacac tgctcatgct caacctcctc 1080  
 attgccatga tggcgacac tcaactggcg gtggcccatg agcgggatga gctgtggagg 1140  
 gccagattg tggccaccac ggtgatgctg gagcggaagc tgcctcgctg cctgtggcct 1200  
 cgctccggga tctgcgagc ggagtatggc ctgggagacc gctggttcct gcgggtggaa 1260  
 gacaggcaag atctcaacc gcagcggatc caacgctacg cacaggcctt ccaccccgg 1320  
 ggctctgagg atttgacaa agactcagtg gaaaaactag agctgggctg tcccttcagc 1380

302

```

ccccacctgt cccttcctat gccctcagtg tctcgaagta cctcccgag cagtgccaat 1440
tgggaaaggc ttcggcaagg gaccctgagg agagacctgc gtgggataat caacaggggt 1500
ctggaggacg gggagagctg ggaatatcag atctga 1536

```

```

<210> 765
<211> 1533
<212> DNA
<213> Homo sapiens

```

```

<400> 765
atgtacaacc tgttgctgtc ctacgacaga catggggacc acctgcagcc cctggacctc 60
gtgccaatc accaggggtct caccctttc aagctggctg gagtggaggg taacactgtg 120
atgtttcagc acctgatgca gaagcggaag cacaccagt ggacgtatgg accactgacc 180
tcgactctct atgacctcac agagatcgac tctcagggg atgagcagtc cctgctggaa 240
cttatcatca ccaccaagaa gcgggaggct cgccagatcc tggaccagac gccggtgaag 300
gagctgggtga gcctcaagtg gaagcggtag gggggggcgt acttctgcat gctgggtgcc 360
atatatctgc tgtacatcat ctgcttcacc atgtgtctga tctaccgccc cctcaagccc 420
aggaccaata accgcacgag ccccgggac aacacctct tacagcagaa gctacttcag 480
gaagcctaca tgacctctaa ggacgatatc cggctggtcg gggagctggt gactgtcatt 540
ggggctatca tcatcctgct ggtagaggtt ccagacatct tcagaatggg ggtcactcgc 600
ttctttggac agaccatcct tggggggcca ttccatgtcc tcatcatcac ctatgccttc 660
atggtgctgg tgaccatggt gatgcggctc atcagtcca gcggggagg ggtaccatg 720
tcctttgcac tcgtgctggg ctggtgcaac gtcattgtact tcgcccagg attccagatg 780
ctaggccctt tcaccatcat gattcagaag atgatttttg gcgacctgat gcgattctgc 840
tggctgatgg ctgtggtcat cctgggcttt gcttcagcct tctatatcat cttccagaca 900
gaggaccccg aggagctagg ccacttctac gactaccca tggccctgtt cagcaccttc 960
gagctgttcc ttaccatcat cgatggcca gccaaactaca acgtggacct gcccttcatt 1020
tacagcatca cctatgctgc ctttgccatc atcgccacac tgctcatgct caacctctc 1080
attgccatga tgggcgacac tcaactggcg gtggcccatg agcgggatga gctgtggagg 1140
gccagattg tggccaccac ggtgatgctg gagcggaagc tgcctcgctg cctgtggcct 1200
cgctccggga tctgcggacg ggagtatggc ctgggagacc gctggttcct gcgggtggaa 1260
gacaggcaag atctcaaccg gcagcggatc caacgctacg cacaggcctt ccacaccgg 1320
ggctctgagg atttgacaa agactcagtg gaaaaactag agctgggctg tcccttcagc 1380
ccccacctgt cccttcctat gccctcagtg tctcgaagta cctcccgag cagtgccaat 1440
tgggaaaggc ttcggcaagg gaccctgagg agagacctgc gtgggataat caacaggggt 1500
ctggaggacg gggagagctg ggaatatcag atc 1536

```

```

<210> 766
<211> 511
<212> PRT
<213> Homo sapiens

```

```

<400> 766
Met Tyr Asn Leu Leu Ser Tyr Asp Arg His Gly Asp His Leu Gln
          5                      10                      15

Pro Leu Asp Leu Val Pro Asn His Gln Gly Leu Thr Pro Phe Lys Leu
          20                      25                      30

Ala Gly Val Glu Gly Asn Thr Val Met Phe Gln His Leu Met Gln Lys
          35                      40                      45

Arg Lys His Thr Gln Trp Thr Tyr Gly Pro Leu Thr Ser Thr Leu Tyr
          50                      55                      60

Asp Leu Thr Glu Ile Asp Ser Ser Gly Asp Glu Gln Ser Leu Leu Glu
          65                      70                      75                      80

```



385                      390                      395                      400  
 Arg Ser Gly Ile Cys Gly Arg Glu Tyr Gly Leu Gly Asp Arg Trp Phe  
                                  405                      410                      415  
 Leu Arg Val Glu Asp Arg Gln Asp Leu Asn Arg Gln Arg Ile Gln Arg  
                                  420                      425                      430  
 Tyr Ala Gln Ala Phe His Thr Arg Gly Ser Glu Asp Leu Asp Lys Asp  
                                  435                      440                      445  
 Ser Val Glu Lys Leu Glu Leu Gly Cys Pro Phe Ser Pro His Leu Ser  
                                  450                      455                      460  
 Leu Pro Met Pro Ser Val Ser Arg Ser Thr Ser Arg Ser Ser Ala Asn  
                                  465                      470                      475                      480  
 Trp Glu Arg Leu Arg Gln Gly Thr Leu Arg Arg Asp Leu Arg Gly Ile  
                                  485                      490                      495  
 Ile Asn Arg Gly Leu Glu Asp Gly Glu Ser Trp Glu Tyr Gln Ile  
                                  500                      505                      510  
  
 <210> 767  
 <211> 134  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 767  
 Met Tyr Asn Leu Leu Leu Ser Tyr Asp Arg His Gly Asp His Leu Gln  
                                  5                      10                      15  
 Pro Leu Asp Leu Val Pro Asn His Gln Gly Leu Thr Pro Phe Lys Leu  
                                  20                      25                      30  
 Ala Gly Val Glu Gly Asn Thr Val Met Phe Gln His Leu Met Gln Lys  
                                  35                      40                      45  
 Arg Lys His Thr Gln Trp Thr Tyr Gly Pro Leu Thr Ser Thr Leu Tyr  
                                  50                      55                      60  
 Asp Leu Thr Glu Ile Asp Ser Ser Gly Asp Glu Gln Ser Leu Leu Glu  
                                  65                      70                      75                      80  
 Leu Ile Ile Thr Thr Lys Lys Arg Glu Ala Arg Gln Ile Leu Asp Gln  
                                  85                      90                      95  
 Thr Pro Val Lys Glu Leu Val Ser Leu Lys Trp Lys Arg Tyr Gly Arg  
                                  100                      105                      110  
 Pro Tyr Phe Cys Met Leu Gly Ala Ile Tyr Leu Leu Tyr Ile Ile Cys  
                                  115                      120                      125  
 Phe Thr Met Cys Cys Ile  
                                  130

305

<210> 768  
 <211> 55  
 <212> PRT  
 <213> Homo sapiens

<400> 768  
 Ala Tyr Arg Pro Leu Lys Pro Arg Thr Asn Asn Arg Thr Ser Pro Arg  
                   5                  10                  15  
 Asp Asn Thr Leu Leu Gln Gln Lys Leu Leu Gln Glu Ala Tyr Met Thr  
                   20                  25                  30  
 Pro Lys Asp Asp Ile Arg Leu Val Gly Glu Leu Val Thr Val Ile Gly  
                   35                  40                  45  
 Ala Ile Ile Ile Leu Leu Val  
           50                  55

<210> 769  
 <211> 39  
 <212> PRT  
 <213> Homo sapiens

<400> 769  
 Glu Val Pro Asp Ile Phe Arg Met Gly Val Thr Arg Phe Phe Gly Gln  
                   5                  10                  15  
 Thr Ile Leu Gly Gly Pro Phe His Val Leu Ile Ile Thr Tyr Ala Phe  
                   20                  25                  30  
 Met Val Leu Val Thr Met Val  
           35

<210> 770  
 <211> 19  
 <212> PRT  
 <213> Homo sapiens

<400> 770  
 Met Arg Leu Ile Ser Ala Ser Gly Glu Val Val Pro Met Ser Phe Ala  
                   5                  10                  15  
 Leu Val Leu

<210> 771  
 <211> 52  
 <212> PRT  
 <213> Homo sapiens

<400> 771  
 Gly Trp Cys Asn Val Met Tyr Phe Ala Arg Gly Phe Gln Met Leu Gly  
                   5                  10                  15  
 Pro Phe Thr Ile Met Ile Gln Lys Met Ile Phe Gly Asp Leu Met Arg

Tyr Ile Ile Phe  
50

```
<210> 772
<211> 213
<212> PRT
<213> Homo sapiens
```

<400> 772  
Gln Thr Glu Asp Pro Glu Glu Leu Gly His Phe Tyr Asp Tyr Pro Met  
                  5                  10                  15

Ala Leu Phe Ser Thr Phe Glu Leu Phe Leu Thr Ile Ile Asp Gly Pro  
20 25 30

Ala Asn Tyr Asn Val Asp Leu Pro Phe Met Tyr Ser Ile Thr Tyr Ala  
35 40 45

Ala Phe Ala Ile Ile Ala Thr Leu Leu Met Leu Asn Leu Leu Ile Ala  
50 55 60

Met	Met	Gly	Asp	Thr	His	Trp	Arg	Val	Ala	His	Glu	Arg	Asp	Glu	Leu
65					70					75					80

Trp Arg Ala Gln Ile Val Ala Thr Thr Val Met Leu Glu Arg Lys Leu  
85 90 95

Pro Arg Cys Leu Trp Pro Arg Ser Gly Ile Cys Gly Arg Glu Tyr Gly  
100 105 110

Leu Gly Asp Arg Trp Phe Leu Arg Val Glu Asp Arg Gln Asp Leu Asn  
115 120 125

Arg Gln Arg Ile Gln Arg Tyr Ala Gln Ala Phe His Thr Arg Gly Ser  
130 135 140

Glu Asp Leu Asp Lys Asp Ser Val Glu Lys Leu Glu Leu Gly Cys Pro  
145 150 155 160

Phe Ser Pro His Leu Ser Leu Pro Met Pro Ser Val Ser Arg Ser Thr  
165 170 175

Ser Arg Ser Ser Ala Asn Trp Glu Arg Leu Arg Gln Gly Thr Leu Arg  
180 185 190

Arg Asp Leu Arg Gly Ile Ile Asn Arg Gly Leu Glu Asp Gly Glu Ser  
195 200 205

Trp Glu Tyr Gln Ile  
210

<210> 773  
 <211> 1302  
 <212> DNA  
 <213> Homo sapiens

<400> 773

```

tggacaaagg gggtcacaca ttccttccat acggttgagc ctctacctgc ctggtgctgg 60
tcacagttca gcttcttcat gatggtggat cccaatggca atgaatccag tgctacatac 120
ttcatcctaa taggcctccc tggtttagaa gaggtcagc tctggttggc cttcccattg 180
tgctccctct accttattgc tgtgctaggt aacttgacaa tcactacatc tgtgcggaact 240
gagcacagcc tgcctgagcc catgtatata tttctttgca tgctttcagg cattgacatc 300
ctcatctcca cctcatccat gcccaaatg ctggccatct tctggttcaa ttccactacc 360
atccagtttg atgcttgtct gctacagatg tttgccatcc actccttatac tggcatggaa 420
tcacagtgct tgcctggccat ggcttttgac cgctatgtgg ccactctgca cccactgcgc 480
catgccacag tacttacgtt gcctcgtgtc accaaaattg gtgtggctgc tgtggtgcgg 540
ggggtcgcac tgatggcac ccttcctgtc ttcataagc agctgccctt ctgccgctcc 600
aatatccttt cccattccta ctgcctacac caagatgtca tgaagctggc ctgtgatgat 660
atccgggtca atgtcgtcta tggccttata gtcactcatc ccgccattgg cctggactca 720
cttctcatct ccttctcata tctgcttatt cttaaagactg tgttgggctt gacacgtgaa 780
gccaggcca aggcatgttg cacttgctgc tctcatgtgt gtgctgtgtt catattctat 840
gtacctttca ttggattgtc catggtgcat cgcttttagca agcggcgtga ctctccgctg 900
cccgctcatc tggccaatat ctatctgtgt gttcctcctg tgctcaacc aattgtctat 960
ggagtgaaga caaaggagat tcgacagcgc atccttogac ttttccatgt ggccacacac 1020
gcttcagagc cctaggtgtc agtgatcaaa cttcttttcc attcagagtc ctctgattca 1080
gattttaatg ttaacatttt ggaagacagt attcagaaaa aaaatttctt taataaaaaa 1140
acaactcaga tccttcaaat atgaaactgg ttggggaatc tccatttttt caatattatt 1200
ttcttctttg tttctttgct acatataatt attaatccc tgactagggt gtggtttgag 1260
ggttattact tttcatttta ccatgcagtc caaatctaaa ct 1302

```

<210> 774  
 <211> 2061  
 <212> DNA  
 <213> Homo sapiens

<400> 774

```

acgattogac agcgcacact tcgacttttc catgtggcca cacacgcttc agagccctag 60
gtgtcagtga tcaaacttct tttccattca ggtcctctg attcagattt taatgttaac 120
attttggaag acagtattca gaaaaaaaaa ttccttaata aaaatacaac tcagatcctt 180
caaataatgaa actggttggg gaatctocat tttttcaata ttattttctt ctttgttttc 240
ttgctacata taattattaa taccctgact aggttgtgtg tggaggggta ttacttttca 300
ttttaccatg cagtccaaat ctaaaactgct tctactgatg gtttacagca ttctgagata 360
agaatggtac atctagagaa ctttgccaa aggcctaagc acggcaaagg aaaataaaca 420
cagaatataa taaaatgaga taatctagct taaaactata acttctctt cagaactccc 480
aaccacattg gatctcagaa aaatgctgtc ttcaaaatga cttctacaga gaagaaataa 540
tttttctctt ggacactagc acttaagggg aagattggaa gtaaagcctt gaaaagagta 600
catttaccta cgttaatgaa agttgacaca ctgttctgag agttttcaca gcatatggac 660
cctgtttttc ctatttaatt ttcttatcaa ccctttaatt aggcagaagat attattagta 720
ccctcattgt agccatggga aaattgatgt tcagtgggga tcagtgaatt aaatggggtc 780
atacaagtat aaaaattaaa aaaaaaggac ttcatgcccc atctcatatg atgtggaaga 840
actgttagag agaccaacag ggtagtggtg tagagatttc cagagtctta cattttctag 900
aggaggtatt taatttcttc tcaactcatc agtgttgtat ttaggaattt cctggcaaca 960
gaactcatgg cttaaatccc actagctatt gcttattgtc ctggtccaat tgccaattac 1020
ctgtgtcttg gaagaagtga tttctaggtt caccattatg gaagattctt attcagaaag 1080
tctgcatagg gcttatagca agttatttat ttttaaaagt tccatagggtg attctgatag 1140
gcagtggagt tagggagcca ccagttatga tgggaagtat ggaatggcag gtcttgaaga 1200
taacattggc cttttgagtg tgactcgtag ctggaaagtg agggaatctt caggaccatg 1260
ctttattttg ggctttgtgc agtatggaac agggactttg agaccaggaa agcaatctga 1320

```



```

cttaggcatg ggaatcaggc atttttgctt ctgaggggct attaccaagg gttaataggt 1380
ttcatcttca acaggatatg acaacagtggt taaccaagaa actcaaatta caaatactaa 1440
aacatgtgat catatatgtg gtaagtttca ttttcttttt caatcctcag gttccctgat 1500
atggattcct ataacatgct ttcatccctt tttgtaatgg atatcatatt tggaaatgcc 1560
tatttaatac ttgtatttgc tgctggactg taagcccatg agggcactgt ttattattga 1620
atgtcatctc tgttcatcat tgactgctct ttgctcatca ttgaatcccc cagcaaagtg 1680
cctagaacat aatagtgtct atgcttgaca ccggttattt ttcatcaaac ctgattcctt 1740
ctgtcctgaa cacatagcca ggcaattttc cagccttctt tgagttgggt attattaaat 1800
tctggccatt acttccaatg tgagtgaag tgacatgtgc aatttctata cctggctcat 1860
aaaaccctcc catgtgcagc ctttcatgtt gacattaaat gtgacttggg aagctatgtg 1920
ttacacagag taaatcacca gaagcctgga tttctgaaaa aactgtgcag agccaaacct 1980
ctgtcatttg caactccac ttgtatttgt acgaggcagt tggataagtg aaaaataaag 2040
tactatttgt tcaagtctct g 2061

```

&lt;210&gt; 775

&lt;211&gt; 957

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 775

```

atgatggtgg atcccaatgg caatgaatcc agtgctacat acttcatcct aataggcctc 60
cctggtttag aagaggctca gttctggttg gccttcccat tgtgctccct ctaccttatt 120
gctgtgctag gtaacttgac aatcatctac attgtgcgga ctgagcacag cctgcatgag 180
cccatgtata tatttctttg catgctttca ggcatgaca tcctcatctc cacctcatcc 240
atgccaaaaa tgctggccat cttctggttc aattccacta ccatccagtt tgatgcttgt 300
ctgctacaga tgtttgccat ccactcctta tctggcatgg aatccacagt gctgctggcc 360
atggcttttg accgctatgt ggccatctgt caccactgc gccatgccac agtacttacg 420
ttgcctcgtg tcacaaaaat tgggtgtggct gctgtggtgc ggggggctgc actgatggca 480
ccccttcctg tottcatcaa gcagctgcc ttctgccgct ccaatatcct ttccattcc 540
tactgcctac accaagatgt catgaagctg gcctgtgatg atatccgggt caatgtcgtc 600
tatggcctta tcgtcatcat ctccgccatt ggctggact cacttctcat ctcttctca 660
tatctgctta ttcttaagac tgtgttgggc ttgacacgtg aagcccaggc caaggcattg 720
ggcacttgcg tctctcatgt gtgtgctgtg ttcataattct atgtaccttt cattggattg 780
tccatggtgc atcgcttttag caagcggcgt gactctccgc tgcccgtcat cttggccaat 840
atctatctgc tggttcctcc tgtgtcaac ccaattgtct atggagtga gacaaaggag 900
attcgacagc gcaccttctg acttttccat gtggccacac acgcttcaga gccctag 957

```

&lt;210&gt; 776

&lt;211&gt; 954

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 776

```

atgatggtgg atcccaatgg caatgaatcc agtgctacat acttcatcct aataggcctc 60
cctggtttag aagaggctca gttctggttg gccttcccat tgtgctccct ctaccttatt 120
gctgtgctag gtaacttgac aatcatctac attgtgcgga ctgagcacag cctgcatgag 180
cccatgtata tatttctttg catgctttca ggcatgaca tcctcatctc cacctcatcc 240
atgccaaaaa tgctggccat cttctggttc aattccacta ccatccagtt tgatgcttgt 300
ctgctacaga tgtttgccat ccactcctta tctggcatgg aatccacagt gctgctggcc 360
atggcttttg accgctatgt ggccatctgt caccactgc gccatgccac agtacttacg 420
ttgcctcgtg tcacaaaaat tgggtgtggct gctgtggtgc ggggggctgc actgatggca 480
ccccttcctg tottcatcaa gcagctgcc ttctgccgct ccaatatcct ttccattcc 540
tactgcctac accaagatgt catgaagctg gcctgtgatg atatccgggt caatgtcgtc 600
tatggcctta tcgtcatcat ctccgccatt ggctggact cacttctcat ctcttctca 660
tatctgctta ttcttaagac tgtgttgggc ttgacacgtg aagcccaggc caaggcattg 720
ggcacttgcg tctctcatgt gtgtgctgtg ttcataattct atgtaccttt cattggattg 780
tccatggtgc atcgcttttag caagcggcgt gactctccgc tgcccgtcat cttggccaat 840

```

```
<210> 777
<211> 318
<212> PRT
<213> Homo sapiens
```

<400> 777															
Met	Met	Val	Asp	Pro	Asn	Gly	Asn	Glu	Ser	Ser	Ala	Thr	Tyr	Phe	Ile
				5					10					15	
Leu	Ile	Gly	Leu	Pro	Gly	Leu	Glu	Glu	Ala	Gln	Phe	Trp	Leu	Ala	Phe
			20					25					30		
Pro	Leu	Cys	Ser	Leu	Tyr	Leu	Ile	Ala	Val	Leu	Gly	Asn	Leu	Thr	Ile
		35					40					45			
Ile	Tyr	Ile	Val	Arg	Thr	Glu	His	Ser	Leu	His	Glu	Pro	Met	Tyr	Ile
	50					55					60				
Phe	Leu	Cys	Met	Leu	Ser	Gly	Ile	Asp	Ile	Leu	Ile	Ser	Thr	Ser	Ser
65					70					75					80
Met	Pro	Lys	Met	Leu	Ala	Ile	Phe	Trp	Phe	Asn	Ser	Thr	Thr	Ile	Gln
				85					90					95	
Phe	Asp	Ala	Cys	Leu	Leu	Gln	Met	Phe	Ala	Ile	His	Ser	Leu	Ser	Gly
			100					105					110		
Met	Glu	Ser	Thr	Val	Leu	Leu	Ala	Met	Ala	Phe	Asp	Arg	Tyr	Val	Ala
		115					120					125			
Ile	Cys	His	Pro	Leu	Arg	His	Ala	Thr	Val	Leu	Thr	Leu	Pro	Arg	Val
	130					135					140				
Thr	Lys	Ile	Gly	Val	Ala	Ala	Val	Val	Arg	Gly	Ala	Ala	Leu	Met	Ala
145					150					155					160
Pro	Leu	Pro	Val	Phe	Ile	Lys	Gln	Leu	Pro	Phe	Cys	Arg	Ser	Asn	Ile
				165					170					175	
Leu	Ser	His	Ser	Tyr	Cys	Leu	His	Gln	Asp	Val	Met	Lys	Leu	Ala	Cys
			180					185					190		
Asp	Asp	Ile	Arg	Val	Asn	Val	Val	Tyr	Gly	Leu	Ile	Val	Ile	Ile	Ser
		195					200					205			
Ala	Ile	Gly	Leu	Asp	Ser	Leu	Leu	Ile	Ser	Phe	Ser	Tyr	Leu	Leu	Ile
	210					215					220				
Leu	Lys	Thr	Val	Leu	Gly	Leu	Thr	Arg	Glu	Ala	Gln	Ala	Lys	Ala	Phe
225					230					235					240
Gly	Thr	Cys	Val	Ser	His	Val	Cys	Ala	Val	Phe	Ile	Phe	Tyr	Val	Pro
				245					250					255	

```

<400> 778
Met Met Val Asp Pro Asn Gly Asn Glu Ser Ser Ala Thr Tyr Phe Ile
                    5                      10                      15

Leu Ile Gly Leu Pro Gly Leu Glu Glu Ala Gln Phe
                20                      25

```

<400> 779.  
Arg Thr Glu His Ser Leu His Glu Pro  
5

```

<400> 780
Lys Met Leu Ala Ile Phe Trp Phe Asn Ser Thr Thr Ile Gln Phe Asp
              5              10              15
Ala Cys Leu Leu Gln
              20

```

<400> 781  
Asp Arg Tyr Val Ala Ile Cys His Pro Leu Arg His Ala Thr Val Leu  
5 10 15

Thr Leu Pro Arg  
20

<210> 782  
<211> 37  
<212> PRT  
<213> Homo sapiens

<400> 782  
Phe Ile Lys Gln Leu Pro Phe Cys Arg Ser Asn Ile Leu Ser His Ser  
5 10 15

Tyr Cys Leu His Gln Asp Val Met Lys Leu Ala Cys Asp Asp Ile Arg  
20 25 30

Val Asn Val Val Tyr  
35

<210> 783  
<211> 13  
<212> PRT  
<213> Homo sapiens

<400> 783  
Lys Thr Val Leu Gly Leu Thr Arg Glu Ala Gln Ala Lys  
5 10

<210> 784  
<211> 10  
<212> PRT  
<213> Homo sapiens

<400> 784  
Val His Arg Phe Ser Lys Arg Arg Asp Ser  
5 10

<210> 785  
<211> 22  
<212> PRT  
<213> Homo sapiens

<400> 785  
Lys Thr Lys Glu Ile Arg Gln Arg Ile Leu Arg Leu Phe His Val Ala  
5 10 15

Thr His Ala Ser Glu Pro  
20

<210> 786  
<211> 3245  
<212> DNA  
<213> Homo sapiens

&lt;400&gt; 786

```

gtcgaccac gcgtccgcgc gagctaagca ggaggcggag gcgaggcgcg agggcgaggg 60
gcggggagcg ccgcctggag cgcggcaggt catattgaac attccagata cctatcatta 120
ctcgatgctg ttgataacag caagatggct ttgaactcag ggtcaccacc agctattgga 180
ccttactatg aaaaccatgg ataccaaccg gaaaaccctt atcccgacac gccactgtg 240
gtccccactg tctacgaggt gcatccggct cagtactacc cgtccccgt gccccagtac 300
gccccgaggg tcctgacgca ggcttccaac ccgctcgtct gcacgcagcc caaatcccca 360
tccgggacag tgtgacctc aaagactaag aaagcactgt gcatcacctt gacctgggg 420
accttctctg tgggagctgc gctggccgct ggcctactct ggaagttcat gggcagcaag 480
tgctccaact ctgggataga gtgcgactcc tcaggtacct gcatcaacct ctctaactgg 540
tgtgatggcg tgtcacactg ccccgcgggg gaggacgaga atcgggtgtg tcgcctctac 600
ggatcaaaact tcatccttca ggtgtactca tctcagagga agtcctggca ccctgtgtgc 660
caagacgact ggaacgagaa ctacggcgcg gcggcctgca gggacatggg ctataagaat 720
aatttttact ctagccaagg aatagtggat gacagcggat ccaccagctt tatgaaactg 780
aacacaagtg ccggcaatgt cgatatctat aaaaaactgt accacagtga tgcctgttct 840
tcaaaagcag tggtttcttt acgctgtata gcctgcgggg tcaacttgaa ctcaagccgc 900
cagagcagga ttgtggcgcg cgagagcgcg ctcccggggg cctggccctg gcaggtcagc 960
ctgcacgtcc agaacgtcca cgtgtgcgga ggctccatca tcaccccgga gtggatcgtg 1020
acagcgcgcc actgcgtgga aaaacctctt aacaatccat ggcatgtggc ggcatgttgcg 1080
gggattttga gacaatcttt catgttctat ggagccggat accaagtaga aaaagtgtt 1140
tctcatccaa attatgactc caagaccaag aacaatgaca ttgcgctgat gaagctgcag 1200
aagcctctga ctttcaacga cctagtgaac ccagtgtgtc tgcccaacct aggcattgat 1260
ctgcagccag aacagctctg ctggatttcc ggggtggggg ccaccgagga gaaagggag 1320
acctcagaag tgctgaacgc tgccaagggt cttctcattg agacacagag atgcaacagc 1380
agatatgtct atgacaacct gatcacacca gccatgatct gtgccggctt cctgcagggg 1440
aacgtcgatt cttgccaggg tgacagtgga gggcctctgg tcaactcgaa gaacaatatc 1500
tggtgctga taggggatac aagctggggt tctggctgtg ccaaagctta cagaccagga 1560
gtgtacggga atgtgatggt attcacggac tggattttat gacaaatgag ggcagacggc 1620
taatccacat ggtcttcgtc cttgacgtcg ttttacaaga aaacaatggg gctggttttg 1680
cttccccgtg catgatttac tcttagagat gattcagagg tcaactcatt tttattaaac 1740
agtgaacttg tctggtttg gcactctctg ccattctgtg caggctgcag tggctccct 1800
gccagcctg ctctccctaa cccttgtcc gcaaggggtg atggccgctt ggttgtgggc 1860
actggcggtt aagtgtggag gagagggtg gaggtgccc cattgagatc ttcctgtgta 1920
gtcctttcca ggggccaatt ttggatgagc atggagctgt cactctcag ctgctggatg 1980
acttgagatg aaaaaggaga gacatggaaa gggagacagc caggtggcac ctgcagcggc 2040
tgccctctgg ggccacttgg tagtgtcccc agcctacctc tccacaaggg gattttgtctg 2100
atgggttctt agagccttag cagccctgga tgggtggcag aaataaaggg accagccctt 2160
catgggtggt gacgtggtag tcacttgtaa ggggaacaga aacatttttg tcttatggg 2220
gtgagaatat agacagtgcc cttggtgcga gggagcaat tgaaaaggaa cttgccctga 2280
gcactcctgg tgcaggtctc cacctgcaca ttgggtgggg ctctgggag ggagactcag 2340
ccttcctoct catcctocct gacctgctc ctacgacct ggagagtga catgcccctt 2400
ggtcctggca gggcgccaag tctggcacca tgttggcctc ttcaggcctg ctagtcaactg 2460
gaaattgagg tccatggggg aaatcaagga tgctcagttt aaggtaact gtttccatgt 2520
tatgtttcta cacattgcta cctcagtgtc cctggaaact tagcttttga tgtctccaag 2580
tagtccaact tcatttaact ctttgaaact gtatcatctt tgccaagtaa gagtgggtggc 2640
ctatttcagc tgctttgaca aaatgactgg ctctgactt aacgttctat aaatgaatgt 2700
gctgaagcaa agtgcccatg gtggcgcgca agaagagaaa gatgtgtttt gttttggact 2760
ctctgtggtc ccttccaatg ctgtgggttt ccaaccaggg gaagggtccc ttttgcattg 2820
ccaagtggca taaccatgag cactactcta ccatggttct gcctcctggc caagcaggct 2880
ggtttgcaag aatgaaatga atgattctac agctaggact taaccttgaa atggaaagtc 2940
ttgcaatccc atttgagga tccgtctgtg cacatgcctc tgtagagagc agcattccca 3000
gggaccttgg aaacagttgg cactgtaagg tgcttgctcc ccaagacaca tcctaaaagg 3060
tgttgtaatg gtgaaaacgt cttccttctt tattggccct tcttatttat gtgaacaact 3120
gtttgtcttt ttttgtatct tttttaaact gtaaaagtta attgtgaaaa tgaatatcat 3180
gcaataaat tatgcgattt ttttttcaaa gtaaaaaaaa aaaaaaaaaa aaaaagggagc 3240
gccgc

```

<210> 787  
 <211> 1479  
 <212> DNA  
 <213> Homo sapiens

<400> 787  
 atggctttga actcagggtc accaccagct attggacctt actatgaaaa ccatggatac 60  
 caaccggaaa acccctatcc cgcacagccc actgtggtcc ccactgtcta cgaggtgcat 120  
 ccggctcagt actaccgctc ccccggtgcc cagtacgccc cgagggtcct gacgcaggct 180  
 tccaaccccg tcgtctgcac gcagcccaaa tccccatccg ggacagtgtg cacctcaaag 240  
 actaagaaag cactgtgcat caccttgacc ctggggacct tcctcgtggg agctgcgctg 300  
 gccgctggcc tactctggaa gttcatgggc agcaagtgtc ccaactctgg gatagagtgc 360  
 gactcctcag gtacctgcat caaccctctt aactggtgtg atggcgtgtc aactgcccc 420  
 ggcggggagg acgagaatcg gtgtgttcgc ctctacggat caaacttcat ccttcagggtg 480  
 tactcatctc agagggaagt ctggcacctt gtgtgccaa acgactggaa cgagaactac 540  
 ggcggggcgg cctgcaggga catgggctat aagaataatt ttactctag ccaaggaata 600  
 gtggatgaca gcggatccac cagctttatg aaactgaaca caagtgccgg caatgtcgat 660  
 atctataaaa aactgtacca cagtgtgcc tgttcttcaa aagcagtggg ttctttacgc 720  
 tgtatagcct gcgggggtcaa cttgaactca agccgccaga gcaggattgt ggcggcgag 780  
 agcgcgctcc cgggggcctg gccctggcag gtcagcctgc acgtccagaa cgtccacgtg 840  
 tgcggaggct ccatcatcac ccccgagtgg atcgtgacag ccgcccactg cgtggaaaaa 900  
 cctcttaaca atccatggca ttggacggca tttgcgggga ttttgagaca atctttcatg 960  
 ttctatggag ccggatacca agtagaaaaa gtgatttctc atccaaatta tgactccaag 1020  
 accaagaaca atgacattgc gctgatgaag ctgcagaagc ctctgacttt caacgacctt 1080  
 gtgaaaccag tgtgtctgac caaccaggc atgatgctgc agccagaaca gctctgctgg 1140  
 atttcogggt ggggggcac cgaggagaaa ggaagacct cagaagtgtc gaacgctgc 1200  
 aagggtgttc tcattgagac acagagatgc aacagcagat atgtctatga caactgtatc 1260  
 acaccagcca tgatctgtgc cggcttcctg caggggaacg tcgattcttg ccagggtgac 1320  
 agtggagggc ctctggtcac ttgaagaac aatatctggt ggctgatagg ggatacaagc 1380  
 tggggttctg gctgtgcca agcttacaga ccaggagtgt acgggaatgt gatggtattc 1440  
 acggactgga ttatcgaca aatgagggca gacggctaa 1479

<210> 788  
 <211> 1476  
 <212> DNA  
 <213> Homo sapiens

<400> 788  
 atggctttga actcagggtc accaccagct attggacctt actatgaaaa ccatggatac 60  
 caaccggaaa acccctatcc cgcacagccc actgtggtcc ccactgtcta cgaggtgcat 120  
 ccggctcagt actaccgctc ccccggtgcc cagtacgccc cgagggtcct gacgcaggct 180  
 tccaaccccg tcgtctgcac gcagcccaaa tccccatccg ggacagtgtg cacctcaaag 240  
 actaagaaag cactgtgcat caccttgacc ctggggacct tcctcgtggg agctgcgctg 300  
 gccgctggcc tactctggaa gttcatgggc agcaagtgtc ccaactctgg gatagagtgc 360  
 gactcctcag gtacctgcat caaccctctt aactggtgtg atggcgtgtc aactgcccc 420  
 ggcggggagg acgagaatcg gtgtgttcgc ctctacggat caaacttcat ccttcagggtg 480  
 tactcatctc agagggaagt ctggcacctt gtgtgccaag acgactggaa cgagaactac 540  
 ggcggggcgg cctgcaggga catgggctat aagaataatt ttactctag ccaaggaata 600  
 gtggatgaca gcggatccac cagctttatg aaactgaaca caagtgccgg caatgtcgat 660  
 atctataaaa aactgtacca cagtgtgcc tgttcttcaa aagcagtggg ttctttacgc 720  
 tgtatagcct gcgggggtcaa cttgaactca agccgccaga gcaggattgt ggcggcgag 780  
 agcgcgctcc cgggggcctg gccctggcag gtcagcctgc acgtccagaa cgtccacgtg 840  
 tgcggaggct ccatcatcac ccccgagtgg atcgtgacag ccgcccactg cgtggaaaaa 900  
 cctcttaaca atccatggca ttggacggca tttgcgggga ttttgagaca atctttcatg 960  
 ttctatggag ccggatacca agtagaaaaa gtgatttctc atccaaatta tgactccaag 1020  
 accaagaaca atgacattgc gctgatgaag ctgcagaagc ctctgacttt caacgacctt 1080  
 gtgaaaccag tgtgtctgac caaccaggc atgatgctgc agccagaaca gctctgctgg 1140

314

```

atttcggggt gggggggccac cgaggagaaa gggaagacct cagaagtgtc gaacgctgcc 1200
aagggtgcttc tcattgagac acagagatgc aacagcagat atgtctatga caacctgatc 1260
acaccagcca tgatctgtgc cggcttcctg caggggaacg tcgattcttg ccagggtgac 1320
agtggagggc ctctggtcac ttcgaagaac aatatctggt ggctgatagg ggatacaagc 1380
tggggttctg gctgtgccaa agcttacaga ccaggagtgt acgggaatgt gatggtattc 1440
acggactgga tttatcgaca aatgagggca gacggc 1476

```

&lt;210&gt; 789

&lt;211&gt; 492

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 789

```

Met Ala Leu Asn Ser Gly Ser Pro Pro Ala Ile Gly Pro Tyr Tyr Glu
      5              10              15
Asn His Gly Tyr Gln Pro Glu Asn Pro Tyr Pro Ala Gln Pro Thr Val
      20              25              30
Val Pro Thr Val Tyr Glu Val His Pro Ala Gln Tyr Tyr Pro Ser Pro
      35              40              45
Val Pro Gln Tyr Ala Pro Arg Val Leu Thr Gln Ala Ser Asn Pro Val
      50              55              60
Val Cys Thr Gln Pro Lys Ser Pro Ser Gly Thr Val Cys Thr Ser Lys
      65              70              75              80
Thr Lys Lys Ala Leu Cys Ile Thr Leu Thr Leu Gly Thr Phe Leu Val
      85              90              95
Gly Ala Ala Leu Ala Ala Gly Leu Leu Trp Lys Phe Met Gly Ser Lys
      100             105             110
Cys Ser Asn Ser Gly Ile Glu Cys Asp Ser Ser Gly Thr Cys Ile Asn
      115             120             125
Pro Ser Asn Trp Cys Asp Gly Val Ser His Cys Pro Gly Gly Glu Asp
      130             135             140
Glu Asn Arg Cys Val Arg Leu Tyr Gly Ser Asn Phe Ile Leu Gln Val
      145             150             155             160
Tyr Ser Ser Gln Arg Lys Ser Trp His Pro Val Cys Gln Asp Asp Trp
      165             170             175
Asn Glu Asn Tyr Gly Arg Ala Ala Cys Arg Asp Met Gly Tyr Lys Asn
      180             185             190
Asn Phe Tyr Ser Ser Gln Gly Ile Val Asp Asp Ser Gly Ser Thr Ser
      195             200             205
Phe Met Lys Leu Asn Thr Ser Ala Gly Asn Val Asp Ile Tyr Lys Lys
      210             215             220
Leu Tyr His Ser Asp Ala Cys Ser Ser Lys Ala Val Val Ser Leu Arg
      225             230             235             240
Cys Ile Ala Cys Gly Val Asn Leu Asn Ser Ser Arg Gln Ser Arg Ile
      245             250             255
Val Gly Gly Glu Ser Ala Leu Pro Gly Ala Trp Pro Trp Gln Val Ser
      260             265             270
Leu His Val Gln Asn Val His Val Cys Gly Gly Ser Ile Ile Thr Pro
      275             280             285
Glu Trp Ile Val Thr Ala Ala His Cys Val Glu Lys Pro Leu Asn Asn
      290             295             300
Pro Trp His Trp Thr Ala Phe Ala Gly Ile Leu Arg Gln Ser Phe Met
      305             310             315             320
Phe Tyr Gly Ala Gly Tyr Gln Val Glu Lys Val Ile Ser His Pro Asn
      325             330             335
Tyr Asp Ser Lys Thr Lys Asn Asn Asp Ile Ala Leu Met Lys Leu Gln
      340             345             350

```

```
<210> 790
<211> 100
<212> PRT
<213> Homo sapiens
```

```

<400> 790
Met Ala Leu Asn Ser Gly Ser Pro Pro Ala Ile Gly Pro Tyr Tyr Glu
      5                                10                    15
Asn His Gly Tyr Gln Pro Glu Asn Pro Tyr Pro Ala Gln Pro Thr Val
      20                                25                    30
Val Pro Thr Val Tyr Glu Val His Pro Ala Gln Tyr Tyr Pro Ser Pro
      35                                40                    45
Val Pro Gln Tyr Ala Pro Arg Val Leu Thr Gln Ala Ser Asn Pro Val
      50                                55                    60
Val Cys Thr Gln Pro Lys Ser Pro Ser Gly Thr Val Cys Thr Ser Lys
      65                                70                    75                    80
Thr Lys Lys Ala Leu Cys Ile Thr Leu Thr Leu Gly Thr Phe Leu Val
      85                                90                    95
Gly Ala Ala Leu
      100

```

```
<210> 791
<211> 393
<212> PRT
<213> Homo sapiens
```

<400> 791															
Leu	Ala	Ala	Gly	Leu	Leu	Trp	Lys	Phe	Met	Gly	Ser	Lys	Cys	Ser	Asn
				5					10					15	
Ser	Gly	Ile	Glu	Cys	Asp	Ser	Ser	Gly	Thr	Cys	Ile	Asn	Pro	Ser	Asn
			20					25					30		
Trp	Cys	Asp	Gly	Val	Ser	His	Cys	Pro	Gly	Gly	Glu	Asp	Glu	Asn	Arg
		35					40					45			
Cys	Val	Arg	Leu	Tyr	Gly	Ser	Asn	Phe	Ile	Leu	Gln	Val	Tyr	Ser	Ser
	50					55					60				
Gln	Arg	Lys	Ser	Trp	His	Pro	Val	Cys	Gln	Asp	Trp	Asn	Glu	Asn	
65					70					75				80	



316

Tyr Gly Arg Ala Ala Cys Arg Asp Met Gly Tyr Lys Asn Asn Phe Tyr  
                     85                    90                    95  
 Ser Ser Gln Gly Ile Val Asp Asp Ser Gly Ser Thr Ser Phe Met Lys  
                     100                    105                    110  
 Leu Asn Thr Ser Ala Gly Asn Val Asp Ile Tyr Lys Lys Leu Tyr His  
                     115                    120                    125  
 Ser Asp Ala Cys Ser Ser Lys Ala Val Val Ser Leu Arg Cys Ile Ala  
                     130                    135                    140  
 Cys Gly Val Asn Leu Asn Ser Ser Arg Gln Ser Arg Ile Val Gly Gly  
 145                    150                    155                    160  
 Glu Ser Ala Leu Pro Gly Ala Trp Pro Trp Gln Val Ser Leu His Val  
                     165                    170                    175  
 Gln Asn Val His Val Cys Gly Gly Ser Ile Ile Thr Pro Glu Trp Ile  
                     180                    185                    190  
 Val Thr Ala Ala His Cys Val Glu Lys Pro Leu Asn Asn Pro Trp His  
                     195                    200                    205  
 Trp Thr Ala Phe Ala Gly Ile Leu Arg Gln Ser Phe Met Phe Tyr Gly  
                     210                    215                    220  
 Ala Gly Tyr Gln Val Glu Lys Val Ile Ser His Pro Asn Tyr Asp Ser  
 225                    230                    235                    240  
 Lys Thr Lys Asn Asn Asp Ile Ala Leu Met Lys Leu Gln Lys Pro Leu  
                     245                    250                    255  
 Thr Phe Asn Asp Leu Val Lys Pro Val Cys Leu Pro Asn Pro Gly Met  
                     260                    265                    270  
 Met Leu Gln Pro Glu Gln Leu Cys Trp Ile Ser Gly Trp Gly Ala Thr  
                     275                    280                    285  
 Glu Glu Lys Gly Lys Thr Ser Glu Val Leu Asn Ala Ala Lys Val Leu  
                     290                    295                    300  
 Leu Ile Glu Thr Gln Arg Cys Asn Ser Arg Tyr Val Tyr Asp Asn Leu  
 305                    310                    315                    320  
 Ile Thr Pro Ala Met Ile Cys Ala Gly Phe Leu Gln Gly Asn Val Asp  
                     325                    330                    335  
 Ser Cys Gln Gly Asp Ser Gly Gly Pro Leu Val Thr Ser Lys Asn Asn  
                     340                    345                    350  
 Ile Trp Trp Leu Ile Gly Asp Thr Ser Trp Gly Ser Gly Cys Ala Lys  
                     355                    360                    365  
 Ala Tyr Arg Pro Gly Val Tyr Gly Asn Val Met Val Phe Thr Asp Trp  
                     370                    375                    380  
 Ile Tyr Arg Gln Met Arg Ala Asp Gly  
 385                    390

&lt;210&gt; 792

&lt;211&gt; 595

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 792

Met Ser Phe Leu Asn Phe Thr Ala Val Leu Phe Ala Ala Ser Ser Ala  
   1                    5                    10                    15  
 Leu Ala Ala Pro Val Asn Thr Thr Thr Glu Asp Glu Thr Ala Gln Ile  
                     20                    25                    30  
 Pro Ala Glu Ala Val Ile Gly Tyr Ser Asp Leu Glu Gly Asp Phe Asp  
                     35                    40                    45  
 Val Ala Val Leu Pro Phe Ser Asn Ser Thr Asn Asn Gly Leu Leu Phe  
                     50                    55                    60  
 Ile Asn Thr Thr Ile Ala Ser Ile Ala Ala Lys Glu Glu Gly Val Ser  
 65                    70                    75                    80

Leu Glu Lys Arg Glu Ala Glu Ala Met Val Leu Gly Ile Gly Pro Val  
 85 90 95  
 Leu Gly Leu Val Cys Val Pro Leu Leu Gly Ser Ala Ser Asp His Trp  
 100 105 110  
 Arg Gly Arg Tyr Gly Arg Arg Arg Pro Phe Ile Trp Ala Leu Ser Leu  
 115 120 125  
 Gly Ile Leu Leu Ser Leu Phe Leu Ile Pro Arg Ala Gly Trp Leu Ala  
 130 135 140  
 Gly Leu Leu Cys Pro Asp Pro Arg Pro Leu Glu Leu Ala Leu Leu Ile  
 145 150 155 160  
 Leu Gly Val Gly Leu Leu Asp Phe Cys Gly Gln Val Cys Phe Thr Pro  
 165 170 175  
 Leu Glu Ala Leu Leu Ser Asp Leu Phe Arg Asp Pro Asp His Cys Arg  
 180 185 190  
 Gln Ala Tyr Ser Val Tyr Ala Phe Met Ile Ser Leu Gly Gly Cys Leu  
 195 200 205  
 Gly Tyr Leu Leu Pro Ala Ile Asp Trp Asp Thr Ser Ala Leu Ala Pro  
 210 215 220  
 Tyr Leu Gly Thr Gln Glu Cys Leu Phe Gly Leu Leu Thr Leu Ile  
 225 230 235 240  
 Phe Leu Thr Cys Val Ala Ala Thr Leu Leu Val Ala Glu Glu Ala Ala  
 245 250 255  
 Leu Gly Pro Thr Glu Pro Ala Glu Gly Leu Ser Ala Pro Ser Leu Ser  
 260 265 270  
 Pro His Cys Cys Pro Cys Arg Ala Arg Leu Ala Phe Arg Asn Leu Gly  
 275 280 285  
 Ala Leu Leu Pro Arg Leu His Gln Leu Cys Cys Arg Met Pro Arg Thr  
 290 295 300  
 Leu Arg Arg Leu Phe Val Ala Glu Leu Cys Ser Trp Met Ala Leu Met  
 305 310 315 320  
 Thr Phe Thr Leu Phe Tyr Thr Asp Phe Val Gly Glu Gly Leu Tyr Gln  
 325 330 335  
 Gly Val Pro Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg His Tyr Asp  
 340 345 350  
 Glu Gly Val Arg Met Gly Ser Leu Gly Leu Phe Leu Gln Cys Ala Ile  
 355 360 365  
 Ser Leu Val Phe Ser Leu Val Met Asp Arg Leu Val Gln Arg Phe Gly  
 370 375 380  
 Thr Arg Ala Val Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala  
 385 390 395 400  
 Gly Ala Thr Cys Leu Ser His Ser Val Ala Val Val Thr Ala Ser Ala  
 405 410 415  
 Ala Leu Thr Gly Phe Thr Phe Ser Ala Leu Gln Ile Leu Pro Tyr Thr  
 420 425 430  
 Leu Ala Ser Leu Tyr His Arg Glu Lys Gln Val Phe Leu Pro Lys Tyr  
 435 440 445  
 Arg Gly Asp Thr Gly Gly Ala Ser Ser Glu Asp Ser Leu Met Thr Ser  
 450 455 460  
 Phe Leu Pro Gly Pro Lys Pro Gly Ala Pro Phe Pro Asn Gly His Val  
 465 470 475 480  
 Gly Ala Gly Gly Ser Gly Leu Leu Pro Pro Pro Pro Ala Leu Cys Gly  
 485 490 495  
 Ala Ser Ala Cys Asp Val Ser Val Arg Val Val Val Gly Glu Pro Thr  
 500 505 510  
 Glu Ala Arg Val Val Pro Gly Arg Gly Ile Cys Leu Asp Leu Ala Ile  
 515 520 525  
 Leu Asp Ser Ala Phe Leu Leu Ser Gln Val Ala Pro Ser Leu Phe Met  
 530 535 540

[illegible]

